Gun conditioning at PITZ.

History of the Gun 4.4 operation at PITZ

Power statistics

Interlock statistics

Dark current measurements

Resonance temperature observations

Multipacting

Igor Isaev
PITZ collaboration meeting
Zeuthen, 27.05.2014

HELMHOLTZ GEMEINSCHAFT

DESY

Gun 4.4 run history from 08.10.2013 until 26.05.2014



Operation statistics for the Gun 4.4





Gun 4.4 operation statistics for two periods



Gun uninterrupted runs.



Gun4.4 restart with the modified cathode spring



Interlock statistics for operation with different springs

Operation at ≥6 MW 200 us with old spring



Operation at ≥6 MW 650 us with old spring



Operation at 200 us with new spring



Operation at 650 us with new spring



Dark current observations



Dark current at LOW.FC1 (Pgun=6.5MW, 200us) @ Maximum



Phase stability measurements and resonance temperature observation

Phase stability measurements

	Old WCS (currently in use)	New WCS
FB off	0.598 deg	0.475 deg
FB on	0.211 deg	**0.140** deg



Multipactor discharge observations

Multipacting and dark current at FC



- Multipactor discharge was observed at the RF HV pulse.
- But it disappear at the RF pulse



The multipactor discharge is present for the solenoid current which is used for emittace measurements

Thank you for your attention.

Uninterrupted runs of the Gun 4.4



Gun4.4 restart with modified contact stripe and holder







Gun4.4 restart with modified contact stripe and holder



- Bin width **0.1** MW
- Only **650us** RF pulse length is included
- 1st bin (0 – 0.1 MW) is not presented





QE-map of Cs2Te cathode #642.1




GUN ELECTRON DETECTOR C
ELECTRON DETECTOR WIND
420285607
420285608
420285609
420285610
420285611
[V]
−0.32
−0.33
−0.34
−0.35
−0.36
−0.21
500
1000
1500
2000


GUN PHOTO MULTIPLIER COUP
[V]
0.15
0.1
0.05
0
−0.05
500
1000
1500
2000


RF2WG1CavityFW
[dBm]
100
80
60
40
20
500
1000
1500
2000


RF2WG1CavityRE
[dBm]
100
80
60
40
20
500
1000
1500
2000


GUN PMT WIND
[V]
0.15
0.1
0.05
0
−0.05
500
1000
1500
2000

GUN ELECTRON DETECTOR C
ELECTRON DETECTOR WIND
420285607
420285608
420285609
420285610
420285611
[V]
−0.32
−0.33
−0.34
−0.35
−0.36
−0.21
1000
1100
1200
1300
1400


GUN PHOTO MULTIPLIER COUP
[V]
0.15
0.1
0.05
0
−0.05
1000
1100
1200
1300
1400


GUN PMT WIND
[V]
2.5
2
1.5
1
0.5
0
1000
1100
1200
1300
1400


RF2WG1CavityFW
[dBm]
100
80
60
40
20
1000
1100
1200
1300
1400


RF2WG2CavityFW
[dBm]
100
80
60
40
20
1000
1100
1200
1300
1400


RF2WG1CavityRE
[dBm]
100
80
60
40
20
1000
1100
1200
1300
1400


RF2WG2CavityRE
[dBm]
100
80
60
40
20
1000
1100
1200
1300
1400

Cs2Te cathode #642.1