


EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)



Submitted to: Eur. Phys. J. C.



CERN-PH-EP-2015-292
14th December 2015

Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector

The ATLAS Collaboration

Abstract

The production rates of prompt and non-prompt J/ψ and $\psi(2S)$ mesons in their dimuon decay modes are measured using 2.1 fb^{-1} and 11.4 fb^{-1} of data collected with the ATLAS experiment at the Large Hadron Collider, in proton–proton collisions at $\sqrt{s} = 7$ and 8 TeV respectively. Production cross-sections for prompt as well as non-prompt sources, ratios of $\psi(2S)$ to J/ψ production, and the fractions of non-prompt production for J/ψ and $\psi(2S)$ are measured as a function of meson transverse momentum and rapidity. The measurements are compared to theoretical predictions.

Contents

1	Introduction	3
2	The ATLAS detector	4
3	Candidate selection	4
4	Methodology	5
4.1	Differential cross-section determination	6
4.2	Non-prompt fraction	7
4.3	Ratio of $\psi(2S)$ to J/ψ production in prompt and non-prompt production	7
4.4	Acceptance	7
4.5	Muon reconstruction and trigger efficiency determination	9
4.6	Fitting technique	10
4.7	Bin migration corrections	13
5	Systematic uncertainties	13
6	Results	16
7	Conclusion	25
	Appendix	31
A	Spin-alignment correction factors	31

1. Introduction

Measurements of heavy quark–antiquark bound states (quarkonia) production processes provide an insight into the nature of quantum chromodynamics (QCD) close to the boundary between the perturbative and non-perturbative regimes. More than forty years since the discovery of the J/ψ , the investigation of hidden heavy-flavour production in hadronic collisions still presents significant challenges to both theory and experiment.

In high-energy hadronic collisions, charmonium states can be produced either directly by short-lived QCD sources (“prompt” production), or by long-lived sources in the decay chains of beauty hadrons (“non-prompt” production). These can be separated experimentally using the distance between the proton–proton primary interaction and the decay vertex of the quarkonium state. While *Fixed-Order with Next-to-Leading-Log* (FONLL) calculations [1, 2], made within the framework of perturbative QCD, have been quite successful in describing non-prompt production of various quarkonium states, a satisfactory understanding of the prompt production mechanisms is still to be achieved.

The $\psi(2S)$ meson is the only vector charmonium state that is produced with no significant contributions from decays of higher-mass quarkonia, referred to as feed-down contributions. This provides a unique opportunity to study production mechanisms specific to $J^{PC} = 1^{--}$ states [3–12]. Measurements of the production of J^{++} states with $J = 0, 1, 2$, [12–17], strongly coupled to the two-gluon channel, allow similar studies in the CP -even sector, complementary to the CP -odd vector sector. Production of J/ψ mesons [3–7, 9–11, 13, 18–24] arises from a mixture of different sources, receiving contributions from the production of 1^{--} and J^{++} states in comparable amounts.

Early attempts to describe the formation of charmonium [25–32] using leading-order perturbative QCD gave rise to a variety of models, none of which could explain the large production cross-sections measured at the Tevatron [3, 13, 21–23]. Within the colour-singlet model (CSM) [33], next-to-next-to-leading-order (NNLO) contributions to the hadronic production of S-wave quarkonia were calculated without introducing any new phenomenological parameters. However, technical difficulties have so far made it impossible to perform the full NNLO calculation, or to extend those calculations to the P-wave states. So it is not entirely surprising that the predictions of the model underestimate the experimental data for inclusive production of J/ψ and Υ states, where the feed-down is significant, but offer a better description for $\psi(2S)$ production [18, 34].

Non-relativistic QCD (NRQCD) calculations that include colour-octet (CO) contributions [35] introduce a number of phenomenological parameters — long-distance matrix elements (LDMEs) — which are determined from fits to the experimental data, and can hence describe the cross-sections and differential spectra satisfactorily [36]. However, the attempts to describe the polarization of S-wave quarkonium states using this approach have not been so successful [37], prompting a suggestion [38] that a more coherent approach is needed for the treatment of polarization within the QCD-motivated models of quarkonium production.

Neither the CSM nor the NRQCD model gives a satisfactory explanation for the measurement of prompt J/ψ production in association with the W [39] and Z [40] bosons: in both cases, the measured differential cross-section is larger than theoretical expectations [41–44]. It is also important to broaden the scope of comparisons between theory and experiment by providing a variety of experimental information about quarkonium production across a wider kinematic range. In this context, ATLAS has measured the inclusive differential cross-section of J/ψ production, with 2.3 pb^{-1} of integrated luminosity [18], at $\sqrt{s} = 7 \text{ TeV}$ using the data collected in 2010, as well as the differential cross-sections of the production

of χ_c states (4.5 fb^{-1}) [14], and of the $\psi(2S)$ in its $J/\psi\pi\pi$ decay mode (2.1 fb^{-1}) [9], at $\sqrt{s} = 7 \text{ TeV}$ with data collected in 2011. The cross-section and polarization measurements from CDF [4], CMS [7, 45, 46], LHCb [8, 10, 12, 47–49] and ALICE [5, 50, 51], cover a considerable variety of charmonium production characteristics in a wide kinematic range (transverse momentum $p_T \leq 100 \text{ GeV}$ and rapidities $|y| < 5$), thus providing a wealth of information for a new generation of theoretical models.

This paper presents a precise measurement of J/ψ and $\psi(2S)$ production in the dimuon decay mode, both at $\sqrt{s} = 7 \text{ TeV}$ and at $\sqrt{s} = 8 \text{ TeV}$. It is presented as a double-differential measurement in transverse momentum and rapidity of the quarkonium state, separated into prompt and non-prompt contributions, covering a range of transverse momenta $8 < p_T \leq 110 \text{ GeV}$ and rapidities $|y| < 2.0$. The ratios of $\psi(2S)$ to J/ψ cross-sections for prompt and non-prompt processes are also reported, as well as the non-prompt fractions of J/ψ and $\psi(2S)$.

2. The ATLAS detector

The ATLAS experiment [52] is a general-purpose detector consisting of an inner tracker, a calorimeter and a muon spectrometer. The inner detector (ID) directly surrounds the interaction point; it consists of a silicon pixel detector, a semiconductor tracker and a transition radiation tracker, and is embedded in an axial 2 T magnetic field. The ID covers the pseudorapidity¹ range $|\eta| = 2.5$ and is enclosed by a calorimeter system containing electromagnetic and hadronic sections. The calorimeter is surrounded by a large muon spectrometer (MS) in a toroidal magnet system. The MS consists of monitored drift tubes and cathode strip chambers, designed to provide precise position measurements in the bending plane in the range $|\eta| < 2.7$. Momentum measurements in the muon spectrometer are based on track segments formed in at least two of the three precision chamber planes.

The ATLAS trigger system [53] is separated into three levels: the hardware-based Level-1 trigger and the two-stage High Level Trigger (HLT), comprising the Level-2 trigger and Event Filter, which reduce the 20 MHz proton–proton collision rate to several-hundred Hz of events of interest for data recording to mass storage. At Level-1, the muon trigger searches for patterns of hits satisfying different transverse momentum thresholds with a coarse position resolution but a fast response time using resistive-plate chambers and thin-gap chambers in the ranges $|\eta| < 1.05$ and $1.05 < |\eta| < 2.4$, respectively. Around these Level-1 hit patterns “Regions-of-Interest” (RoI) are defined that serve as seeds for the HLT muon reconstruction. The HLT uses dedicated algorithms to incorporate information from both the MS and the ID, achieving position and momentum resolution close to that provided by the offline muon reconstruction.

3. Candidate selection

The analysis is based on data recorded at the LHC in 2011 and 2012 during proton–proton collisions at centre-of-mass energies of 7 TeV and 8 TeV, respectively. This data sample corresponds to a total

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity η is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and the transverse momentum p_T is defined as $p_T = p \sin \theta$. The rapidity is defined as $y = 0.5 \ln [(E + p_z) / (E - p_z)]$, where E and p_z refer to energy and longitudinal momentum, respectively. The η – ϕ distance between two particles is defined as $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

integrated luminosity of 2.1 fb^{-1} and 11.4 fb^{-1} for 7 TeV data and 8 TeV data, respectively.

Events were selected using a trigger requiring two oppositely charged muon candidates, each passing the requirement $p_T > 4 \text{ GeV}$. The muons are constrained to originate from a common vertex, which is fitted with the track parameter uncertainties taken into account. The fit is required to satisfy $\chi^2 < 20$ for the one degree of freedom.

For 7 TeV data, the Level-1 trigger required only spatial coincidences in the MS [54]. For 8 TeV data, a 4 GeV muon p_T threshold was also applied at Level-1, which reduced the trigger efficiency for low- p_T muons.

The offline analysis requires events to have at least two muons, identified by the muon spectrometer and with matching tracks reconstructed in the ID [55]. Due to the ID acceptance, muon reconstruction is possible only for $|\eta| < 2.5$. The selected muons are further restricted to $|\eta| < 2.3$ to ensure high-quality tracking and triggering, and to reduce the contribution from misidentified muons. For the momenta of interest in this analysis (corresponding to muons with a transverse momentum of at most $O(100)$ GeV), measurements of the muons are degraded by multiple scattering within the MS and so only the ID tracking information is considered. To ensure accurate ID measurements, each muon track must fulfil muon reconstruction and selection requirements [55]. The pairs of muon candidates satisfying these quality criteria are required to have opposite charges.

In order to allow an accurate correction for trigger inefficiencies, each reconstructed muon candidate is required to match a trigger-identified muon candidate within a cone of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.01$. Dimuon candidates are obtained from muon pairs, constrained to originate from a common vertex using ID track parameters and uncertainties, with a requirement of $\chi^2 < 20$ of the vertex fit for the one degree of freedom. All dimuon candidates with an invariant mass within $2.6 < m(\mu\mu) < 4.0 \text{ GeV}$ and within the kinematic range $p_T(\mu\mu) > 8 \text{ GeV}$, $|y(\mu\mu)| < 2.0$ are retained for the analysis. If multiple candidates are found in an event (occurring in approximately 10^{-6} of selected events), all candidates are retained. The properties of the dimuon system, such as invariant mass $m(\mu\mu)$, transverse momentum $p_T(\mu\mu)$, and rapidity $|y(\mu\mu)|$ are determined from the result of the vertex fit.

4. Methodology

The measurements are performed in intervals of dimuon p_T and absolute value of the rapidity ($|y|$). The term “prompt” refers to the J/ψ or $\psi(2S)$ states — hereafter called ψ to refer to either — are produced from short-lived QCD decays, including feed-down from other charmonium states as long as they are also produced from short-lived sources. If the decay chain producing a ψ state includes long-lived particles such as b -hadrons, then such ψ mesons are labelled as “non-prompt”. Using a simultaneous fit to the invariant mass of the dimuon and its “pseudo-proper decay time” (described below), prompt and non-prompt signal and background contributions can be extracted from the data.

The probability for the decay of a particle as a function of proper decay time t follows an exponential distribution, $p(t) = 1/\tau_B \cdot e^{-t/\tau_B}$ where τ_B is the mean lifetime of the particle. For each decay, the proper decay time can be calculated as $t = Lm/p$, where L is the distance between the particle production and decay vertices, p is the momentum of the particle, and m is its invariant mass. As the non-prompt decays of ψ mesons do not fully reconstruct the b -hadron decay, the transverse momentum of the dimuon system and the reconstructed dimuon invariant mass are used to construct the “pseudo-proper decay time”, $\tau = L_{xy}m(\mu\mu)/p_T(\mu\mu)$, where $L_{xy} \equiv \vec{L} \cdot \vec{p}_T(\mu\mu)/p_T(\mu\mu)$ is the signed projection of the distance

of the dimuon decay vertex from the primary vertex, $\vec{L}$, onto its transverse momentum, $\vec{p}_T(\mu\mu)$. This is a good approximation to using the parent b -hadron information when the ψ and parent momenta are closely aligned, which is the case for the values of ψ transverse momenta considered here, and τ therefore can be used to distinguish statistically between the non-prompt and prompt processes (in which the latter are assumed to decay with vanishingly small lifetime). If the event contains multiple primary vertices [52], the primary vertex closest in z to the dimuon decay vertex is selected. The effect of selecting an incorrect vertex has been shown [56] to have a negligible impact on the extraction of prompt and non-prompt contributions. If any of the muons in the dimuon candidate contributes to the construction of the primary vertex, the corresponding tracks are removed and the vertex is refitted.

4.1. Differential cross-section determination

The differential dimuon prompt and non-prompt production cross-sections times branching ratio are measured separately for J/ψ and $\psi(2S)$ mesons according to the equations:

$$\frac{d^2\sigma(pp \rightarrow \psi)}{dp_T dy} \times \mathcal{B}(\psi \rightarrow \mu^+\mu^-) = \frac{N_\psi^p}{\Delta p_T \Delta y \times \int \mathcal{L} dt} \quad (1)$$

$$\frac{d^2\sigma(pp \rightarrow b\bar{b} \rightarrow \psi)}{dp_T dy} \times \mathcal{B}(\psi \rightarrow \mu^+\mu^-) = \frac{N_\psi^{\text{np}}}{\Delta p_T \Delta y \times \int \mathcal{L} dt} \quad (2)$$

where $\int \mathcal{L} dt$ is the integrated luminosity, Δp_T and Δy are the interval sizes in terms of dimuon transverse momentum and rapidity, respectively, and $N_\psi^{\text{p(np)}}$ is the number of observed prompt (non-prompt) ψ mesons in the slice under study, corrected for acceptance, trigger and reconstruction efficiencies. The intervals in Δy combine the data from negative and positive rapidities. These differential cross-sections are determined separately for the J/ψ and $\psi(2S)$ states.

The determination of the cross-sections proceeds in several steps. First, a weight is determined for each selected dimuon candidate equal to the inverse of the total efficiency for each candidate. The total weight, w_{tot} , for each dimuon candidate includes three factors: the fraction of produced $\psi \rightarrow \mu^+\mu^-$ decays with both muons in the fiducial region $p_T(\mu) > 4$ GeV and $|\eta(\mu)| < 2.3$ (defined as acceptance, $\mathcal{A}$), the probability that a candidate within the acceptance satisfies the offline reconstruction selection (ϵ_{reco}), and the probability that a reconstructed event satisfies the trigger selection (ϵ_{trig}). The weight assigned to a given candidate when calculating the cross-sections is therefore given by:

$$w_{\text{tot}}^{-1} = \mathcal{A} \cdot \epsilon_{\text{reco}} \cdot \epsilon_{\text{trig}}.$$

After the weight determination, an unbinned maximum-likelihood fit is performed to these weighted events in each $(p_T(\mu\mu), |y(\mu\mu)|)$ interval using the dimuon invariant mass, $m(\mu\mu)$, and pseudo-proper decay time, $\tau(\mu\mu)$, observables. The fitted yields of $J/\psi \rightarrow \mu^+\mu^-$ and $\psi(2S) \rightarrow \mu^+\mu^-$ are determined separately for prompt and non-prompt processes. Finally, the differential cross-section times the $\psi \rightarrow \mu^+\mu^-$ branching fraction is calculated for each state by including the integrated luminosity and the p_T and rapidity interval widths as shown in Eqs. (1) and (2).

4.2. Non-prompt fraction

The non-prompt fraction f_b^ψ is defined as the number of non-prompt ψ (produced via the decay of a b -hadron) divided by the number of inclusively produced ψ decaying to muon pairs after applying weighting corrections:

$$f_b^\psi \equiv \frac{pp \rightarrow b + X \rightarrow \psi + X'}{pp \xrightarrow{\text{Inclusive}} \psi + X'} = \frac{N_\psi^{\text{np}}}{N_\psi^{\text{np}} + N_\psi^{\text{p}}},$$

where this fraction is determined separately for J/ψ and $\psi(2S)$. Determining the fraction from this ratio is advantageous since acceptance and efficiencies largely cancel and the systematic uncertainty is reduced.

4.3. Ratio of $\psi(2S)$ to J/ψ production in prompt and non-prompt production

The ratio of $\psi(2S)$ to J/ψ production, in their dimuon decay modes, is defined as:

$$R^{\text{p(np)}} = \frac{N_{\psi(2S)}^{\text{p(np)}}}{N_{J/\psi}^{\text{p(np)}}}$$

where $N_\psi^{\text{p(np)}}$ is the number of prompt (non-prompt) J/ψ or $\psi(2S)$ mesons decaying into a muon pair in an interval of p_T and y , corrected for selection efficiencies and acceptance.

For the ratio measurements, similarly to the non-prompt fraction, the acceptance and efficiency corrections largely cancel, thus allowing a more precise measurement. The theoretical uncertainties on such ratios are also smaller, as several dependencies, such as parton distribution functions and b -hadron production spectra, largely cancel in the ratio.

4.4. Acceptance

The kinematic acceptance $\mathcal{A}$ for a $\psi \rightarrow \mu^+\mu^-$ decay with p_T and y is given by the probability that both muons pass the fiducial selection ($p_T(\mu) > 4$ GeV and $|\eta(\mu)| < 2.3$). This is calculated using generator-level simulations. Detector-level corrections, which are found to be small, are applied to the results and also considered as part of the systematic uncertainties.

The acceptance $\mathcal{A}$ depends on five independent variables (the two muon momenta are constrained by the $m(\mu\mu)$ mass condition), chosen as the p_T , $|y|$ and azimuthal angle ϕ of the ψ meson in the laboratory frame, and two angles characterizing the $\psi \rightarrow \mu^+\mu^-$ decay, θ^* and ϕ^* , described in detail in Ref. [57]. The angle θ^* is the angle between the direction of the positive-muon momentum in the ψ rest frame and the momentum of the ψ in the laboratory frame, while ϕ^* is defined as the angle between the dimuon production and decay planes in the laboratory frame. The ψ production plane is defined by the momentum of the ψ in the laboratory frame and the positive z -axis direction. The distributions in θ^* and ϕ^* differ for various possible spin-alignment scenarios of the dimuon system.

The spin-alignment of the ψ may vary depending on the production mechanism, which in turn affects the angular distribution of the dimuon decay. Predictions of various theoretical models are quite contradictory, while the recent experimental measurements [7] indicate that the angular dependence of J/ψ and $\psi(2S)$ decays is consistent with being isotropic.

The coefficients $\lambda_\theta, \lambda_\phi, \lambda_{\theta\phi}$ in

$$\frac{d^2N}{d\cos\theta^*d\phi^*} \propto 1 + \lambda_\theta \cos^2\theta^* + \lambda_\phi \sin^2\theta^* \cos 2\phi^* + \lambda_{\theta\phi} \sin 2\theta^* \cos \phi^*$$

are related to the spin-density matrix elements of the dimuon spin wave function.

Since the polarization of the ψ state may affect acceptance, seven extreme cases that lead to the largest possible variations of acceptance within the phase space of this measurement are identified. These cases, described in Table 1, are used to define a range in which the results may vary under any physically allowed spin-alignment assumptions. The same technique has also been used in other measurements [9, 14, 34]. This analysis adopts the isotropic distribution in both $\cos\theta^*$ and ϕ^* as nominal, and the variation of the results for a number of extreme spin-alignment scenarios is studied and presented as sets of correction factors, detailed further in Appendix A.

Table 1: Values of angular coefficients describing the considered spin-alignment scenarios.

	Angular coefficients		
	λ_θ	λ_ϕ	$\lambda_{\theta\phi}$
Isotropic (<i>central value</i>)	0	0	0
Longitudinal	-1	0	0
Transverse positive	+1	+1	0
Transverse zero	+1	0	0
Transverse negative	+1	-1	0
Off- $(\lambda_\theta-\lambda_\phi)$ -plane positive	0	0	+0.5
Off- $(\lambda_\theta-\lambda_\phi)$ -plane negative	0	0	-0.5

For each of the two mass-points (corresponding to the J/ψ and $\psi(2S)$ masses), two-dimensional maps are produced as a function of dimuon $p_T(\mu\mu)$ and $|y(\mu\mu)|$ for the set of spin-alignment hypotheses. Acceptance maps are defined within the range $8 < p_T(\mu\mu) < 110$ GeV, $|y(\mu\mu)| < 2.0$, corresponding to the data considered in the analysis. The map is defined by 100 slices in $|y(\mu\mu)|$ and 4400 in $p_T(\mu\mu)$, using 200k trials for each point, resulting in sufficiently high precision that the statistical uncertainty can be neglected. Due to the contributions of background, and the detector resolution of the signal the acceptance for each candidate is determined from a linear interpolation of the two maps, which are generated for the J/ψ and $\psi(2S)$ known masses, as a function of the reconstructed mass $m(\mu\mu)$.

Figure 1 shows the acceptance, projected in p_T for all the spin-alignment hypotheses for the J/ψ meson. The differences between the acceptance of the $\psi(2S)$ and J/ψ meson, are independent of rapidity, except near $|y| \approx 2$ at low p_T . Similarly, the only dependence on p_T is found below $p_T \approx 9$ GeV.




Figure 1: Projections of the acceptance as a function of p_T for the J/ψ meson for various spin-alignment hypotheses.

4.5. Muon reconstruction and trigger efficiency determination

The technique for correcting the 7 TeV data for trigger and reconstruction inefficiencies is described in detail in Ref. [9, 34]. For the 8 TeV data, a similar technique is used, however different efficiency maps are required for each set of data, and the 8 TeV corrections are detailed briefly below.

The single-muon reconstruction efficiency is determined from a tag-and-probe study in dimuon decays [40]. The efficiency map is calculated as a function of $p_T(\mu)$ and $q \times \eta(\mu)$, where $q = \pm 1$ is the electrical charge of the muon, expressed in units of e .

The trigger efficiency correction consists of two components. The first part represents the trigger efficiency for a single muon in intervals of $p_T(\mu)$ and $q \times \eta(\mu)$. For the dimuon system there is a second correction to account for reductions in efficiency due to closely spaced muons firing only a single RoI, vertex-quality cuts, and opposite-sign requirements. This correction is performed in three rapidity intervals: 0–1.0, 1.0–1.2 and 1.2–2.3. The correction is a function of $\Delta R(\mu\mu)$ in the first two rapidity intervals and a function of $\Delta R(\mu\mu)$ and $|y(\mu\mu)|$ in the last interval.

The combination of the two components (single-muon efficiency map and dimuon corrections) is illustrated in Figure 2 by plotting the average trigger-weight correction for the events in this analysis in terms of $p_T(\mu\mu)$ and $|y(\mu\mu)|$. The increased weight at low p_T and $|y| \approx 1.25$ is caused by the geometrical acceptance of the muon trigger system and the turn-on threshold behaviour of the muon trigger. At high p_T the weight is increased due to the reduced opening angle between the two muons.




Figure 2: Average dimuon trigger-weight in the intervals of $p_T(\mu\mu)$ and $|y(\mu\mu)|$ studied in this set of measurements.

4.6. Fitting technique

The corrected prompt and non-prompt J/ψ and $\psi(2S)$ signal yields are extracted from two-dimensional weighted unbinned maximum-likelihood fits performed on the dimuon invariant mass ($m(\mu\mu)$) and pseudo-proper decay time ($\tau(\mu\mu)$) in $(p_T(\mu\mu), |y(\mu\mu)|)$ intervals. Each interval is fitted independently from all the others. The probability density function (PDF) for each fit is defined as a normalized sum, where each term represents a specific signal or background contribution, with a physically motivated mass and τ dependence. The PDF can be written in a compact form as

$$\text{PDF}(m, \tau) = \sum_{i=1}^7 \kappa_i f_i(m) \cdot h_i(\tau) \otimes R(\tau), \quad (3)$$

where κ_i represents the relative normalization of the i^{th} term of the seven considered signal and background contributions (such that $\sum_i \kappa_i = 1$), $f_i(m)$ is the mass-dependent term, and $\otimes$ represents the convolution of the τ -dependent function $h_i(\tau)$ with the τ resolution term, $R(\tau)$. The latter is modelled by a double Gaussian distribution with both means fixed to zero and widths determined from the fit.

Table 2 lists the contributions to the overall PDF with the corresponding f_i and h_i functions. Here G_1 and G_2 are Gaussian functions, B_1 and B_2 are Crystal Ball² distributions [58], while F is a uniform distribution and C_1 a first-order Chebyshev polynomial. The exponential functions E_1, E_2, E_3, E_4 and E_5 have different decay constants, where $E_5(|\tau|)$ is a double-sided exponential with the same decay constant on either side of $\tau = 0$. The parameter ω represents the fractional contribution of the B and G mass

² The Crystal Ball function is given by:

$$B(x; \alpha, n, \bar{x}, \sigma) = N \cdot \begin{cases} \exp\left(-\frac{(x-\bar{x})^2}{2\sigma^2}\right), & \text{for } \frac{x-\bar{x}}{\sigma} > -\alpha \\ A \cdot \left(A' - \frac{x-\bar{x}}{\sigma}\right)^{-n}, & \text{for } \frac{x-\bar{x}}{\sigma} \leq -\alpha \end{cases}$$

$$\text{where } A = \left(\frac{n}{|\alpha|}\right)^n \cdot \exp\left(-\frac{|\alpha|^2}{2}\right), A' = \frac{n}{|\alpha|} - |\alpha|$$

signal functions, while $\delta(\tau)$, the Dirac delta function, is used to represent the pseudo-proper decay time distribution of the prompt candidates.

Table 2: Description of the fit model PDF in Eq. 3. Components of the probability density function used to extract the prompt (P) and non-prompt (NP) contributions for J/ψ and $\psi(2S)$ signal and the P, NP, and incoherent or mis-reconstructed background (Bkg) contributions.

i	Type	Source	$f_i(m)$	$h_i(\tau)$
1	J/ψ	P	$\omega B_1(m) + (1 - \omega)G_1(m)$	$\delta(\tau)$
2	J/ψ	NP	$\omega B_1(m) + (1 - \omega)G_1(m)$	$E_1(\tau)$
3	$\psi(2S)$	P	$\omega B_2(m) + (1 - \omega)G_2(m)$	$\delta(\tau)$
4	$\psi(2S)$	NP	$\omega B_2(m) + (1 - \omega)G_2(m)$	$E_2(\tau)$
5	Bkg	P	F	$\delta(\tau)$
6	Bkg	NP	$C_1(m)$	$E_3(\tau)$
7	Bkg	NP	$E_4(m)$	$E_5(\tau)$

In order to make the fitting procedure more robust and to reduce the number of free parameters, a number of component terms share common parameters, which led to 22 free parameters per interval. In detail, the signal mass models are described by the sum of a Crystal Ball shape (B) and a Gaussian shape (G). For each of J/ψ and $\psi(2S)$, the B and G share a common mean, and freely determined widths, with the ratio of the B and G widths common to J/ψ and $\psi(2S)$. The B parameters α , and n , describing the transition point of the low-edge from a Gaussian to a power-law shape, and the shape of the tail, respectively, are fixed, and variations are considered as part of the fit model systematic uncertainties. The width of G for $\psi(2S)$ is set to the width for J/ψ multiplied by a free parameter scaling term. The relative fraction of B and G is left floating, but common to J/ψ and $\psi(2S)$.

The non-prompt signal decay shapes (E_1, E_2) are described by an exponential function (for positive τ only) convolved with a double Gaussian function, $R(\tau)$ describing the pseudo-proper decay time resolution for the non-prompt component, and the same Gaussian response functions to describe the prompt contributions. Each Gaussian resolution component has its mean fixed at $\tau = 0$ and a free width. The decay constants of the J/ψ and $\psi(2S)$ are separate free parameters in the fit.

The background contributions are described by a prompt and non-prompt component, as well as a double-sided exponential function convolved with a double Gaussian function describing mis-reconstructed or non-coherent dimuon pairs. The same resolution function as in signal is used to describe the background. For the non-resonant mass parameterizations, the non-prompt contribution is modelled by a first-order Chebyshev polynomial. The prompt mass contribution follows a flat distribution and the double-sided background uses an exponential function. Variations of this fit model are considered as systematic uncertainties.

The following quantities are extracted directly from the fit in each interval: the fraction of events that are signal (prompt or non-prompt J/ψ or $\psi(2S)$); the fraction of signal events that are prompt; the fraction of prompt signal that is $\psi(2S)$; and the fraction of non-prompt signal that is $\psi(2S)$. From these parameters, and the weighted sum of events, all measured values are calculated.

For 7 TeV data, 168 fits are performed across the range of $8 < p_T < 100$ GeV ($8 < p_T < 60$ GeV) for J/ψ ($\psi(2S)$) and $0 < |y| < 2$. For 8 TeV data, 172 fits are performed across the range of $8 < p_T < 110$ GeV and $0 < |y| < 2$, excluding the area where p_T is less than 10 GeV and simultaneously $|y|$ is greater than

0.75. This region is excluded due to a steeply changing low trigger efficiency causing large systematic uncertainties in the measured cross-section.

Figure 3 shows the fit results for one of the intervals considered in the analysis with the overall and individual contributions superimposed on the data, and projected onto the invariant mass and pseudo-proper decay time distributions for 7 TeV data. In Figure 4 the fit results are shown for one high- p_T interval of 8 TeV data.




Figure 3: Projections of the fit result over the mass (left) and pseudo-proper decay time (right) distributions for data collected at 7 TeV for one typical interval. The data are shown with error bars in black, superimposed with the individual components of the fit result projections, where the total prompt and non-prompt components are represented by the dashed and dotted lines, respectively, and the shaded areas show the signal ψ prompt and non-prompt contributions.




Figure 4: Projections of the fit result over the mass (left) and pseudo-proper decay time (right) distributions for data collected at 8 TeV for one high- p_T interval. The data are shown with error bars in black, superimposed with the individual components of the fit result projections, where the total prompt and non-prompt components are represented by the dashed and dotted lines, respectively, and the shaded areas show the signal ψ prompt and non-prompt contributions.

4.7. Bin migration corrections

To account for bin migration effects due to the detector resolution, corrections are applied according to the p_T of the dimuon system. These corrections are derived from data by comparing analytic functions that are fitted to the p_T spectra of dimuon events with and without convolution by the experimental resolution in p_T (as determined from the fitted mass resolution and measured muon angular resolutions), as described in Ref. [34].

The numbers of acceptance- and efficiency-corrected dimuon decays extracted from the fits in each p_T and rapidity interval are corrected for the differences between the true and reconstructed values of the dimuon p_T . The correction factors applied to the fitted yields deviate from unity by no more than 1.5%, and for the majority of slices are smaller than 1%. The ratio measurement and non-prompt fractions are corrected by the corresponding ratios of bin migration correction factors. Using a similar technique, bin migration corrections as a function of $|y|$ are found to differ from unity by negligible amounts.

5. Systematic uncertainties

The sources of systematic uncertainty evaluated for these measurements, along with the minimum, maximum and median values, are listed in Table 3. The largest contributions, which originate from the trigger and fit model uncertainties, are typically for the high p_T intervals and are due to the limited statistics of the efficiency maps (for the trigger), and the data sample (for the fit model).

The impact of these uncertainties on the production cross-section measurements, as well as on their ratios for 7 TeV data, is shown for a representative interval in Figures 5 and 6, respectively. The impact is very similar at 8 TeV.

Table 3: Summary of the minimum and maximum contributions along with the median of the systematic uncertainties as percentages. Values are quoted for 7 and 8 TeV data.

Source of systematic uncertainty	7 TeV [%]			8 TeV [%]		
	Min	Median	Max	Min	Median	Max
Luminosity	1.8	1.8	1.8	2.8	2.8	2.8
Muon reconstruction efficiency	0.7	1.2	4.7	0.3	0.7	6.0
Muon trigger efficiency	3.2	4.7	35.9	2.9	7.0	23.4
Inner detector tracking efficiency	1.0	1.0	1.0	1.0	1.0	1.0
Fit model parameterizations	0.5	2.2	22.6	0.26	1.07	24.9
Bin migrations	0.01	0.1	1.4	0.01	0.3	1.5
Total	4.2	6.5	36.3	4.4	8.1	27.9

Luminosity

The uncertainty on the integrated luminosity is 1.8% (2.8%) for the 7 TeV (8 TeV) data-taking period. The methodology used to determine these uncertainties is described in Ref. [59]. The luminosity uncertainty is only applied to the J/ψ and $\psi(2S)$ cross-section results.

Muon reconstruction and trigger efficiencies

To determine the systematic uncertainty on the muon reconstruction and trigger efficiency maps, each of the maps is reproduced in 100 pseudo-experiments. The dominant uncertainty in each bin is statistical




Figure 5: Statistical and systematic contributions to the fractional uncertainty on the prompt (left column) and non-prompt (right column) J/ψ (top row) and $\psi(2S)$ (bottom row) cross-sections for 7 TeV, shown for the region $0.75 < |y| < 1.00$.

and hence any bin-to-bin correlations are neglected. For each pseudo-experiment a new map is created by varying independently each bin content according to a Gaussian distribution about its estimated value, determined from the original map. In each pseudo-experiment, the total weight is recalculated for each dimuon p_T and $|y|$ interval of the analysis. The RMS of the total weight pseudo-experiment distributions for each efficiency type is used as the systematic uncertainty, where any correlation effects between the muon and trigger efficiencies can be neglected.

The ID tracking efficiency is in excess of 99.5% [34], and an uncertainty of 1% is applied to account for the ID dimuon reconstruction inefficiency (0.5% per muon, added coherently). This uncertainty is applied to the differential cross-sections and is assumed to cancel in the ratio of non-prompt to inclusive production for J/ψ and $\psi(2S)$ and in the ratios of $\psi(2S)$ to J/ψ production.

For the trigger efficiency ϵ_{trig} , there is an additional correction that accounts for correlations between the two trigger muons. This correction is varied by its uncertainty, and the shift in the resultant total weight relative to its central value is added in quadrature to the uncertainty from the map. The choice of triggers is known [60] to introduce a small lifetime-dependent efficiency loss but it is determined to have




Figure 6: Breakdown of the contributions to the fractional uncertainty on the non-prompt fractions for J/ψ (top left) and $\psi(2S)$ (top right), and the prompt (bottom left) and non-prompt (bottom right) ratios for 7 TeV, shown for the region $0.75 < |y| < 1.00$.

a negligible effect on the prompt and non-prompt yields and no correction is applied in this analysis.

Fit model uncertainty

The uncertainty due to the fit procedure is determined by varying one component at a time in the fit model described in Section 4.6, creating a set of new fit models. For each new fit model, all measured quantities are recalculated, and in each p_T and $|y|$ interval the spread of variations around the central fit model is used as its systematic uncertainty. The following variations to the central model fit are evaluated:

- signal mass model — using double Gaussian models in place of the Crystal Ball plus Gaussian model; variation of the α and n parameters of the B model, which are originally fixed;
- signal pseudo-proper decay time model — a double exponential function is used to describe the pseudo-proper decay time distribution for the ψ non-prompt signal;
- background mass models — variations of the mass model using exponentials functions, or quadratic Chebyshev polynomials to describe the components of prompt, non-prompt and double-sided background terms;

- background pseudo-proper decay time model — a single exponential function was considered for the non-prompt component;
- pseudo-proper decay time resolution model — using a single Gaussian function in place of the double Gaussian function to model the lifetime resolution (also prompt lifetime model); and variation of the mixing terms for the two Gaussian components of this term.

Bin migrations

As the corrections to the results due to bin migration effects are factors close to unity in all regions, the difference between the correction factor and unity is applied as the uncertainty.

6. Results

The J/ψ and $\psi(2S)$ non-prompt and prompt production cross-sections are presented, corrected for acceptance and detector efficiencies while assuming isotropic decay, as described in Section 4.1. Also presented are the ratios of non-prompt production relative to the inclusive production for J/ψ and $\psi(2S)$ mesons separately, described in Section 4.2, and the ratio of $\psi(2S)$ to J/ψ production for prompt and non-prompt components separately, described in Section 4.3. Correction factors for various spin-alignment hypotheses for both 7 and 8 TeV data can be found in Tables 4–15 (in Appendix) and Tables 16–27 (in Appendix) respectively, in terms of p_T and rapidity intervals.

Production cross-sections

Figures 7 and 8 show respectively the prompt and non-prompt differential cross-sections of J/ψ and $\psi(2S)$ as functions of p_T and $|y|$, together with the relevant theoretical predictions, which are described below.

Non-prompt production fractions

The results for the fractions of non-prompt production relative to the inclusive production of J/ψ and $\psi(2S)$ are presented as a function of p_T for slices of rapidity in Figure 9. In each rapidity slice, the non-prompt fraction is seen to increase as a function of p_T and has no strong dependence on either rapidity or centre-of-mass energy.

Production ratios of $\psi(2S)$ to J/ψ

Figure 10 shows the ratios of $\psi(2S)$ to J/ψ decaying to a muon pair in prompt and non-prompt processes, presented as a function of p_T for slices of rapidity. The non-prompt ratio is shown to be relatively flat across the considered range of p_T , for each slice of rapidity. For the prompt ratio, a slight increase as a function of p_T is observed, with no strong dependence on rapidity or centre-of-mass energy.




Figure 7: The differential prompt cross-section times dimuon branching fraction of J/ψ (left) and $\psi(2S)$ (right) as a function of $p_T(\mu\mu)$ for each slice of rapidity. The top (bottom) row shows the 7 TeV (8 TeV) results. For each increasing rapidity slice, an additional scaling factor of 10 is applied to the plotted points for visual clarity. The centre of each bin on the horizontal axis represents the mean of the weighted p_T distribution. The horizontal error bars represent the range of p_T for the bin, and the vertical error bar covers the statistical and systematic uncertainty (with the same multiplicative scaling applied). The NLO NRQCD theory predictions are also shown.




Figure 8: The differential non-prompt cross-section times dimuon branching fraction of J/ψ (left) and $\psi(2S)$ (right) as a function of $p_T(\mu\mu)$ for each slice of rapidity. The top (bottom) row shows the 7 TeV (8 TeV) results. For each increasing rapidity slice, an additional scaling factor of 10 is applied to the plotted points for visual clarity. The centre of each bin on the horizontal axis represents the mean of the weighted p_T distribution. The horizontal error bars represent the range of p_T for the bin, and the vertical error bar covers the statistical and systematic uncertainty (with the same multiplicative scaling applied). The FONLL theory predictions are also shown.




Figure 9: The non-prompt fraction of J/ψ (left) and $\psi(2S)$ (right), as a function of $p_T(\mu\mu)$ for each slice of rapidity. The top (bottom) row shows the 7 TeV (8 TeV) results. For each increasing rapidity slice, an additional factor of 0.2 is applied to the plotted points for visual clarity. The centre of each bin on the horizontal axis represents the mean of the weighted p_T distribution. The horizontal error bars represent the range of p_T for the bin, and the vertical error bar covers the statistical and systematic uncertainty (with the same multiplicative scaling applied).




Figure 10: The ratio of $\psi(2S)$ to J/ψ production times dimuon branching fraction for prompt (left) and non-prompt (right) processes as a function of $p_T(\mu\mu)$ for each of the slices of rapidity. For each increasing rapidity slice, an additional factor of 0.1 is applied to the plotted points for visual clarity. The top (bottom) row shows the 7 TeV (8 TeV) results. The centre of each bin on the horizontal axis represents the mean of the weighted p_T distribution. The horizontal error bars represent the range of p_T for the bin, and the vertical error bar covers the statistical and systematic uncertainty.

Comparison with theory

For prompt production, as shown in Figure 11, the ratio of the NLO NRQCD theory calculations [61] to data is provided for J/ψ and $\psi(2S)$ at both the 7 and 8 TeV centre-of-mass energies. The theory predictions are based on the long-distance matrix elements (LDMEs) from Refs. [62, 63], with uncertainties originating from the choice of scale, charm quark mass and LDMEs (see Refs. [61–64] for more details). Figure 11 shows fair agreement between the theoretical calculation and the data points for the whole p_T range. The ratio of theory to data does not depend on rapidity.

For non-prompt ψ production, comparisons are made to FONLL theoretical predictions [1, 2], which describe the production of b -hadrons followed by their decay into $\psi + X$. Figure 12 shows the ratios of J/ψ and $\psi(2S)$ FONLL predictions to data, as a function of p_T and in slices of rapidity, for centre-of-mass energies of 7 and 8 TeV. For J/ψ , agreement is generally good, but the theory predicts slightly harder p_T spectra than observed in the data. For $\psi(2S)$, the shapes of data and theory appear to be in satisfactory agreement, but the theory predicts higher yields than in the data. There is no observed dependence on rapidity in the comparisons between theory and data for non-prompt J/ψ and $\psi(2S)$ production.

Comparison of cross-sections 8 TeV with 7 TeV

It is interesting to compare the cross-section results between the two centre-of-mass energies, for both data and the theoretical predictions.

Figure 13 shows the 8 TeV to 7 TeV cross-section ratios of prompt and non-prompt J/ψ and $\psi(2S)$ for both data sets. For the theoretical ratios the uncertainties are neglected here, since the high correlation between them results in large cancellations.

Due to a finer granularity in p_T for the 8 TeV data, a weighted average of the 8 TeV results is taken across equivalent intervals of the 7 TeV data to enable direct comparisons. Both data and theoretical predictions agree that the ratios become larger with increasing p_T , however at the lower edge of the p_T range the data tends to be slightly below theory.




Figure 11: The ratios of the NRQCD theoretical predictions to data are presented for the differential prompt cross-section of J/ψ (left) and $\psi(2S)$ (right) as a function of $p_T(\mu\mu)$ for each rapidity slice. The top (bottom) row shows the 7 TeV (8 TeV) results. The error on the data is the relative error of each data point, while the error bars on the theory prediction are the relative error of each theory point.




Figure 12: The ratio of the FONLL theoretical predictions to data are presented for the differential non-prompt cross-section of J/ψ (left) and $\psi(2S)$ (right) as a function of $p_T(\mu\mu)$ for each rapidity slice. The top (bottom) row shows the 7 TeV (8 TeV) results. The error on the data is the relative error of each data point, while the error bars on the theory prediction are the relative error of each theory point.




Figure 13: The ratio of the 8 TeV and 7 TeV differential cross-sections are presented for prompt (top) and non-prompt (bottom) J/ψ (left) and $\psi(2S)$ (right) for both data (red points with error bars) and theoretical predictions (green points). The theoretical predictions used are NRQCD for prompt and FONLL for non-prompt production. The uncertainty on the data ratio does not account for possible correlations between 7 and 8 TeV data, and no uncertainty is shown for the ratio of theory predictions.

7. Conclusion

The prompt and non-prompt production cross-sections, the non-prompt production fraction of the J/ψ and $\psi(2S)$ decaying into two muons, the ratio of prompt $\psi(2S)$ to prompt J/ψ production, and the ratio of non-prompt $\psi(2S)$ to non-prompt J/ψ production were measured in the rapidity range $|y| < 2.0$ for transverse momenta between 8 and 110 GeV. This measurement was carried out using 2.1 fb^{-1} (11.4 fb^{-1}) of pp collision data at a centre-of-mass energy of 7 TeV (8 TeV) recorded by the ATLAS experiment at the LHC. It is the latest in a series of related measurements of the production of charmonium states made by ATLAS. In line with previous measurements, the central values were obtained assuming isotropic $\psi \rightarrow \mu\mu$ decays. Correction factors for these cross-sections, computed for a number of extreme spin-alignment scenarios, are between -35% and $+100\%$ at the lowest transverse momenta studied, and between -14% and $+9\%$ at the highest transverse momenta, depending on the specific scenario.

The ATLAS measurements presented here extend the range of existing measurements to higher transverse momenta, and to a higher collision energy of $\sqrt{s} = 8 \text{ TeV}$, and are consistent with previous measurements in overlapping phase-space regions made by ATLAS and other LHC experiments. For the prompt production mechanism, the predictions from the NRQCD model, which includes colour-octet contributions with various matrix elements tuned to earlier collider data, are found to be in good agreement with the observed data points. For the non-prompt production, the fixed-order next-to-leading-logarithm calculations reproduce the data reasonably well, with a slight overestimation of the differential cross-sections at the highest transverse momenta reached in this analysis.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex and Idex, ANR, Region Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] M. Cacciari, S. Frixione and P. Nason, *The p_T spectrum in heavy-flavour photoproduction*, [*JHEP* **0103** \(2001\) 006](#), arXiv:[hep-ph/0102134](#) [[hep-ph](#)].
- [2] M. Cacciari et al., *Theoretical predictions for charm and bottom production at the LHC*, [*JHEP* **1210** \(2012\) 137](#), arXiv:[1205.6344](#) [[hep-ph](#)].
- [3] CDF Collaboration, F. Abe et al., *J/ψ and $\psi(2S)$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*, [*Phys. Rev. Lett.* **79** \(1997\) 572–577](#).
- [4] CDF Collaboration, A. Abulencia et al., *Polarization of J/ψ and $\psi(2S)$ mesons produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, [*Phys. Rev. Lett.* **99** \(2007\) 132001](#), arXiv:[0704.0638](#) [[hep-ex](#)].
- [5] ALICE Collaboration, B. Abelev et al., *Measurement of quarkonium production at forward rapidity in pp collisions at $\sqrt{s} = 7$ TeV*, [*Eur. Phys. J.* **C74** \(2014\) 2974](#), arXiv:[1403.3648](#) [[nucl-ex](#)].
- [6] CMS Collaboration, *J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, [*JHEP* **1202** \(2012\) 011](#), arXiv:[1111.1557](#) [[hep-ex](#)].
- [7] CMS Collaboration, *Measurement of the prompt J/ψ and $\psi(2S)$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV*, [*Phys. Lett.* **B727** \(2013\) 381–402](#), arXiv:[1307.6070](#) [[hep-ex](#)].
- [8] LHCb Collaboration, R. Aaij et al., *Measurement of $\psi(2S)$ meson production in pp collisions at $\sqrt{s} = 7$ TeV*, [*Eur. Phys. J.* **C72** \(2012\) 2100](#), arXiv:[1204.1258](#) [[hep-ex](#)].
- [9] ATLAS Collaboration, *Measurement of the production cross-section of $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS*, [*JHEP* **1409** \(2014\) 79](#), arXiv:[1407.5532](#) [[hep-ex](#)].
- [10] LHCb Collaboration, R. Aaij et al., *Exclusive J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, [*J.Phys.* **G40** \(2013\) 045001](#), arXiv:[1301.7084](#) [[hep-ex](#)].
- [11] CMS Collaboration, *Measurement of J/ψ and $\psi(2S)$ prompt double-differential cross sections in pp collisions at $\sqrt{s} = 7$ TeV*, [*Phys. Rev. Lett.* **114** \(2015\) 191802](#), arXiv:[1502.04155](#) [[hep-ex](#)].
- [12] LHCb Collaboration, R. Aaij et al., *Production of J/ψ and Υ mesons in pp collisions at $\sqrt{s} = 8$ TeV*, [*JHEP* **1306** \(2013\) 064](#), arXiv:[1304.6977](#) [[hep-ex](#)].
- [13] CDF Collaboration, F. Abe et al., *Production of J/ψ mesons from χ_c meson decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*, [*Phys. Rev. Lett.* **79** \(1997\) 578–583](#).
- [14] ATLAS Collaboration, *Measurement of χ_{c1} and χ_{c2} production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS*, [*JHEP* **1407** \(2014\) 154](#), arXiv:[1404.7035](#) [[hep-ex](#)].
- [15] CMS Collaboration, *Measurement of the relative prompt production rate of χ_{c2} and χ_{c1} in pp collisions at $\sqrt{s} = 7$ TeV*, [*Eur. Phys. J.* **C72** \(2012\) 2251](#), arXiv:[1210.0875](#) [[hep-ex](#)].

- [16] LHCb Collaboration, R Aaij et al.,
Measurement of the relative rate of prompt χ_{c0} , χ_{c1} and χ_{c2} production at $\sqrt{s} = 7$ TeV,
[JHEP **1310** \(2013\) 115](#), arXiv:[1307.4285 \[hep-ex\]](#).
- [17] LHCb Collaboration, R Aaij et al.,
Measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s} = 7$ TeV,
[Phys. Lett. **B714** \(2012\) 215–223](#), arXiv:[1202.1080 \[hep-ex\]](#).
- [18] ATLAS Collaboration, *Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton-proton collisions at $\sqrt{s} = 7$ TeV*,
[Nucl. Phys. **B850** \(2011\) 387–444](#), arXiv:[1104.3038 \[hep-ex\]](#).
- [19] LHCb Collaboration, R Aaij et al.,
Measurement of J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV, [Eur. Phys. J. **C71** \(2011\) 1645](#),
arXiv:[1103.0423 \[hep-ex\]](#).
- [20] ALICE Collaboration, B. Abelev et al., *Measurement of prompt J/ψ and beauty hadron production cross sections at mid-rapidity in pp collisions at $\sqrt{s} = 7$ TeV*, [JHEP **1211** \(2012\) 065](#),
arXiv:[1205.5880 \[hep-ex\]](#).
- [21] CDF Collaboration, D. Acosta et al., *Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV*, [Phys. Rev. **D71** \(2005\) 032001](#),
arXiv:[hep-ex/0412071 \[hep-ex\]](#).
- [22] D0 Collaboration, S. Abachi et al., *J/ψ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*,
[Phys. Lett. **B370** \(1996\) 239–248](#).
- [23] D0 Collaboration, B. Abbott et al., *Small angle J/ψ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*,
[Phys. Rev. Lett. **82** \(1999\) 35–40](#), arXiv:[hep-ex/9807029 \[hep-ex\]](#).
- [24] LHCb Collaboration, R Aaij et al.,
Measurement of the ratio of prompt χ_c to J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV,
[Phys. Lett. **B718** \(2012\) 431–440](#), arXiv:[1204.1462 \[hep-ex\]](#).
- [25] Owens, J.F. and Reya, E. and Glück, M.,
Detailed quantum chromodynamic predictions for high- p_T processes,
[Phys. Rev. **D18** \(1978\) 1501](#).
- [26] V. Kartvelishvili, A. Likhoded and S. Slabospitsky,
 D meson and ψ meson production in hadronic interactions, [Sov. J. Nucl. Phys. **28** \(1978\) 678](#).
- [27] V. D. Barger, W.-Y. Keung and R. Phillips, *On ψ and Υ production via gluons*,
[Phys. Lett. **B91** \(1980\) 253](#).
- [28] C.-H. Chang, *Hadronic production of J/ψ associated with a gluon*,
[Nucl. Phys. **B172** \(1980\) 425–434](#).
- [29] E. L. Berger and D. L. Jones, *Inelastic photoproduction of J/ψ and Υ by gluons*,
[Phys. Rev. **D23** \(1981\) 1521–1530](#).
- [30] R. Baier and R. Ruckl, *Hadronic collisions: a quarkonium factory*, [Z. Phys. **C19** \(1983\) 251](#).
- [31] H. Fritzsch,
Producing Heavy Quark Flavors in Hadronic Collisions: a Test of Quantum Chromodynamics,
[Phys. Lett. **B67** \(1977\) 217](#).
- [32] F. Halzen, *CVC for Gluons and Hadroproduction of Quark Flavors*, [Phys. Lett. **B69** \(1977\) 105](#).

- [33] J. Lansberg, *On the mechanisms of heavy-quarkonium hadroproduction*, *Eur. Phys. J.* **C61** (2009) 693–703, arXiv:0811.4005 [hep-ph].
- [34] ATLAS Collaboration, *Measurement of Υ production in 7 TeV pp collisions at ATLAS*, *Phys. Rev.* **D 87** (2013) 052004, arXiv:1211.7255 [hep-ex].
- [35] G. T. Bodwin, E. Braaten and G. P. Lepage, *Rigorous QCD analysis of inclusive annihilation and production of heavy quarkonium*, *Phys. Rev.* **D 51** (1995) 1125, arXiv:hep-ph/9407339 [hep-ph].
- [36] M. Butenschoen and B. A. Kniehl, *J/ψ production in NRQCD: A global analysis of yield and polarization*, *Nucl. Phys. Proc. Suppl.* **222-224** (2012) 151–161, arXiv:1201.3862 [hep-ph].
- [37] B. Gong et al., *Polarization for prompt J/ψ and $\psi(2S)$ production at the Tevatron and LHC*, *Phys. Rev. Lett.* **110** (2013) 042002, arXiv:1205.6682 [hep-ph].
- [38] P. Faccioli et al., *Quarkonium production in the LHC era: a polarized perspective*, *Phys. Lett.* **B736** (2014) 98–109, arXiv:1403.3970 [hep-ph].
- [39] ATLAS Collaboration, *Measurement of the production cross section of prompt J/ψ mesons in association with a $W^\pm$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **1404** (2014) 172, arXiv:1401.2831 [hep-ex].
- [40] ATLAS Collaboration, *Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector*, *Eur. Phys. J.* **C75** (2015) 229, arXiv:1412.6428 [hep-ex].
- [41] G. Li et al., *QCD corrections to J/ψ production in association with a W-boson at the LHC*, *Phys. Rev.* **D83** (2011) 014001, arXiv:1012.3798 [hep-ph].
- [42] J. Lansberg and C. Lorce, *Reassessing the importance of the colour-singlet contributions to direct $J/\psi + W$ production at the LHC and the Tevatron*, *Phys. Lett.* **B726** (2013) 218–222, arXiv:1303.5327 [hep-ph].
- [43] B. Gong et al., *Next-to-leading-order QCD corrections to the yields and polarisations of J/ψ and Υ directly produced in association with a Z boson at the LHC*, *JHEP* **1303** (2013) 115, arXiv:1210.2430 [hep-ph].
- [44] S. Mao et al., *QCD corrections to J/ψ plus Z^0 -boson production at the LHC*, *JHEP* **1102** (2011) 071, arXiv:1102.0398 [hep-ph].
- [45] CMS Collaboration, *Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J.* **C71** (2011) 1575, arXiv:1011.4193 [hep-ex].
- [46] CMS Collaboration, *J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, *JHEP* **1202** (2012) 011, arXiv:1111.1557 [hep-ex].
- [47] LHCb Collaboration, R Aaij et al., *Measurement of J/ψ production in pp collisions at $\sqrt{s} = 2.76$ TeV*, *JHEP* **1302** (2013) 041, arXiv:1212.1045 [hep-ex].
- [48] LHCb Collaboration, R Aaij et al., *Measurement of J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J.* **C73** (2013) 2631, arXiv:1307.6379 [hep-ex].

- [49] LHCb Collaboration, R Aaij et al.,
Measurement of $\psi(2S)$ polarisation in pp collisions at $\sqrt{s} = 7$ TeV,
Eur. Phys. J. C **74** (2014) 2872, arXiv:1403.1339 [hep-ex].
- [50] ALICE Collaboration, B. Abelev et al., *J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV*,
Phys. Rev. Lett. **108** (2012) 082001, arXiv:1111.1630 [hep-ex].
- [51] ALICE Collaboration, K. Aamodt et al., *Rapidity and transverse momentum dependence of inclusive J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV*, *Phys. Lett. B* **704** (2011) 442–455, arXiv:1105.0380 [hep-ex].
- [52] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*,
JINST **3** (2008) S08003.
- [53] ATLAS Collaboration, *Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV*,
Eur. Phys. J. C **75** (2015) 120, arXiv:1408.3179 [hep-ex].
- [54] ATLAS Collaboration, *Performance of the ATLAS Muon Trigger in p - p collisions at $\sqrt{s} = 7$ TeV*,
ATLAS-CONF-2010-095 (2010), URL: <http://cds.cern.ch/record/1299573>.
- [55] ATLAS Collaboration, *Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data*, *Eur. Phys. J. C* **74** (2014) 3130, arXiv:1407.3935 [hep-ex].
- [56] ATLAS Collaboration, *Time-dependent angular analysis of the decay $B_s \rightarrow J/\psi\phi$ and extraction of $\Delta\Gamma_s$ and the CP-violating weak phase ϕ_s by ATLAS*, *JHEP* **1212** (2012) 072, arXiv:1208.0572 [hep-ex].
- [57] P. Faccioli et al., *Towards the experimental clarification of quarkonium polarization*,
Eur. Phys. J. C **69** (2010) 657–673, arXiv:1006.2738 [hep-ph].
- [58] M. Oreglia, ‘A Study of the Reactions $\psi' \rightarrow \gamma\gamma\psi'$ ’, SLAC-R-0236, PhD thesis, 1980.
- [59] ATLAS Collaboration, *Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **73** (2013) 2518, arXiv:1302.4393 [hep-ex].
- [60] ATLAS Collaboration, *Flavor tagged time-dependent angular analysis of the $B_s \rightarrow J/\psi\phi$ decay and extraction of $\Delta\Gamma_s$ and the weak phase ϕ_s in ATLAS*, *Phys. Rev. D* **90** (2014) 052007, arXiv:1407.1796 [hep-ex].
- [61] H.-S. Shao, *HELAC-Onia: An automatic matrix element generator for heavy quarkonium physics*,
Comput. Phys. Commun. **184** (2013) 2562–2570, arXiv:1212.5293 [hep-ph].
- [62] Y.-Q. Ma, K. Wang and K.-T. Chao,
 $J/\psi(\psi')$ production at the Tevatron and LHC at $O(\alpha_s^4 v^4)$ in nonrelativistic QCD,
Phys. Rev. Lett. **106** (2011) 042002, arXiv:1009.3655 [hep-ph].
- [63] Y.-Q. Ma, K. Wang and K.-T. Chao,
QCD radiative corrections to χ_{cJ} production at hadron colliders, *Phys. Rev. D* **83** (2011) 111503, arXiv:1002.3987 [hep-ph].
- [64] A. Kanaki and C. G. Papadopoulos,
HELAC: A Package to compute electroweak helicity amplitudes,
Comput. Phys. Commun. **132** (2000) 306–315, arXiv:hep-ph/0002082 [hep-ph].

Appendix

A. Spin-alignment correction factors

The measurement presented here assumes an unpolarized spin-alignment hypothesis for determining the correction factor. In principle, the polarization may be non-zero and may vary with p_T . In order to correct these measurements when well-measured J/ψ and $\psi(2S)$ polarizations are determined, a set of correction factors are provided in Tables 4–15 for the 7 TeV data, and in the Tables 16–27 for the 8 TeV data. These tables are created by altering the spin-alignment hypothesis for either the J/ψ or $\psi(2S)$ meson and then determining the ratio of the mean sum-of-weights of the new hypotheses to the original flat hypothesis. The mean weight is calculated from all the events in each dimuon p_T and rapidity analysis bin, selecting those dimuons within $\pm 2\sigma$ of the ψ fitted mean mass position. The choice of spin-alignment hypothesis for each ψ meson has negligible effect on the results of the other ψ meson, and therefore these possible permutations are not considered. The definitions of each of the spin-alignment scenarios, which are given in the caption to the table, are defined in Table 1.

Table 4: Mean weight correction factor for J/ψ under the “longitudinal” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	0.666	0.672	0.674	0.680	0.688	0.690	0.690	0.690
8.50–9.00	0.670	0.674	0.678	0.685	0.689	0.694	0.694	0.698
9.00–9.50	0.673	0.676	0.680	0.687	0.693	0.697	0.698	0.700
9.50–10.00	0.675	0.678	0.683	0.689	0.694	0.697	0.701	0.703
10.00–10.50	0.679	0.681	0.687	0.692	0.697	0.699	0.702	0.706
10.50–11.00	0.682	0.686	0.691	0.696	0.700	0.702	0.704	0.708
11.00–11.50	0.688	0.689	0.694	0.699	0.701	0.705	0.708	0.710
11.50–12.00	0.692	0.695	0.698	0.702	0.706	0.708	0.710	0.712
12.00–13.00	0.698	0.700	0.703	0.707	0.711	0.713	0.715	0.717
13.00–14.00	0.707	0.709	0.711	0.714	0.717	0.720	0.721	0.723
14.00–15.00	0.716	0.717	0.720	0.722	0.725	0.727	0.728	0.730
15.00–16.00	0.724	0.726	0.728	0.729	0.732	0.734	0.735	0.737
16.00–17.00	0.733	0.733	0.735	0.737	0.739	0.741	0.742	0.744
17.00–18.00	0.740	0.741	0.743	0.744	0.746	0.747	0.749	0.750
18.00–20.00	0.751	0.752	0.753	0.754	0.756	0.758	0.758	0.760
20.00–22.00	0.765	0.765	0.766	0.767	0.769	0.770	0.771	0.772
22.00–24.00	0.777	0.777	0.778	0.780	0.781	0.781	0.782	0.783
24.00–26.00	0.789	0.789	0.790	0.790	0.791	0.792	0.793	0.794
26.00–30.00	0.803	0.803	0.804	0.804	0.805	0.806	0.806	0.807
30.00–40.00	0.827	0.827	0.828	0.828	0.829	0.829	0.830	0.831
40.00–60.00	0.863	0.863	0.864	0.864	0.864	0.865	0.865	0.866
60.00–100.00	0.902	0.904	0.904	0.903	0.904	0.904	0.902	0.906

Table 5: Mean weight correction factor for J/ψ under the “transverse zero” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.336	1.324	1.315	1.309	1.299	1.297	1.296	1.298
8.50–9.00	1.329	1.323	1.310	1.300	1.291	1.284	1.280	1.284
9.00–9.50	1.326	1.315	1.303	1.295	1.289	1.281	1.279	1.276
9.50–10.00	1.317	1.311	1.300	1.289	1.284	1.276	1.276	1.272
10.00–10.50	1.310	1.304	1.297	1.290	1.280	1.276	1.273	1.269
10.50–11.00	1.302	1.298	1.291	1.285	1.276	1.271	1.267	1.268
11.00–11.50	1.296	1.290	1.284	1.278	1.271	1.266	1.263	1.261
11.50–12.00	1.288	1.284	1.277	1.274	1.265	1.261	1.260	1.257
12.00–13.00	1.276	1.273	1.268	1.263	1.257	1.255	1.251	1.250
13.00–14.00	1.263	1.260	1.254	1.250	1.247	1.244	1.243	1.240
14.00–15.00	1.248	1.246	1.244	1.240	1.236	1.233	1.233	1.230
15.00–16.00	1.237	1.233	1.231	1.228	1.225	1.223	1.223	1.221
16.00–17.00	1.224	1.222	1.221	1.219	1.216	1.213	1.212	1.212
17.00–18.00	1.213	1.213	1.211	1.208	1.205	1.204	1.204	1.203
18.00–20.00	1.200	1.198	1.197	1.196	1.194	1.192	1.192	1.190
20.00–22.00	1.183	1.182	1.180	1.180	1.178	1.177	1.176	1.175
22.00–24.00	1.168	1.167	1.166	1.165	1.164	1.164	1.163	1.163
24.00–26.00	1.155	1.155	1.154	1.154	1.153	1.152	1.151	1.150
26.00–30.00	1.140	1.140	1.140	1.139	1.138	1.138	1.138	1.137
30.00–40.00	1.117	1.117	1.117	1.116	1.116	1.116	1.115	1.115
40.00–60.00	1.087	1.087	1.086	1.086	1.086	1.085	1.085	1.085
60.00–100.00	1.057	1.056	1.057	1.057	1.056	1.056	1.057	1.055

Table 6: Mean weight correction factor for J/ψ under the “transverse positive” spin-alignment transverse positive hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.693	1.694	1.700	1.711	1.727	1.720	1.720	1.747
8.50–9.00	1.561	1.564	1.564	1.568	1.568	1.568	1.571	1.673
9.00–9.50	1.468	1.468	1.465	1.466	1.470	1.466	1.471	1.519
9.50–10.00	1.418	1.416	1.417	1.417	1.421	1.417	1.423	1.453
10.00–10.50	1.383	1.383	1.387	1.389	1.390	1.389	1.391	1.406
10.50–11.00	1.360	1.362	1.365	1.364	1.364	1.362	1.362	1.380
11.00–11.50	1.344	1.342	1.342	1.344	1.344	1.344	1.346	1.355
11.50–12.00	1.326	1.326	1.327	1.329	1.327	1.327	1.329	1.334
12.00–13.00	1.307	1.308	1.307	1.308	1.308	1.308	1.308	1.312
13.00–14.00	1.285	1.287	1.285	1.285	1.285	1.286	1.285	1.288
14.00–15.00	1.266	1.266	1.267	1.267	1.266	1.266	1.266	1.268
15.00–16.00	1.250	1.249	1.250	1.251	1.250	1.249	1.250	1.250
16.00–17.00	1.234	1.235	1.235	1.235	1.235	1.235	1.235	1.235
17.00–18.00	1.222	1.223	1.223	1.223	1.222	1.222	1.223	1.222
18.00–20.00	1.206	1.206	1.206	1.207	1.207	1.207	1.206	1.205
20.00–22.00	1.187	1.187	1.187	1.188	1.187	1.187	1.187	1.186
22.00–24.00	1.171	1.171	1.171	1.171	1.171	1.171	1.171	1.171
24.00–26.00	1.158	1.158	1.158	1.158	1.158	1.158	1.158	1.156
26.00–30.00	1.142	1.142	1.142	1.142	1.142	1.142	1.142	1.141
30.00–40.00	1.118	1.118	1.118	1.118	1.118	1.118	1.118	1.117
40.00–60.00	1.087	1.087	1.087	1.086	1.087	1.086	1.086	1.086
60.00–100.00	1.058	1.057	1.057	1.057	1.057	1.056	1.058	1.056

Table 7: Mean weight correction factor for J/ψ under the “transverse negative” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.030	1.020	1.004	0.995	0.992	0.981	0.973	0.949
8.50–9.00	1.157	1.148	1.134	1.113	1.101	1.092	1.079	1.055
9.00–9.50	1.207	1.196	1.176	1.161	1.147	1.138	1.130	1.107
9.50–10.00	1.231	1.219	1.202	1.186	1.174	1.162	1.158	1.138
10.00–10.50	1.243	1.231	1.217	1.202	1.189	1.181	1.175	1.158
10.50–11.00	1.246	1.239	1.228	1.213	1.200	1.191	1.186	1.174
11.00–11.50	1.252	1.242	1.230	1.218	1.205	1.198	1.192	1.181
11.50–12.00	1.251	1.243	1.229	1.222	1.208	1.202	1.197	1.187
12.00–13.00	1.247	1.240	1.230	1.221	1.211	1.205	1.200	1.193
13.00–14.00	1.240	1.235	1.227	1.218	1.211	1.206	1.202	1.197
14.00–15.00	1.232	1.227	1.221	1.215	1.207	1.203	1.200	1.195
15.00–16.00	1.223	1.219	1.213	1.207	1.201	1.198	1.196	1.193
16.00–17.00	1.213	1.210	1.206	1.201	1.196	1.193	1.191	1.189
17.00–18.00	1.204	1.203	1.199	1.194	1.189	1.187	1.186	1.183
18.00–20.00	1.193	1.191	1.188	1.185	1.181	1.179	1.177	1.176
20.00–22.00	1.178	1.177	1.174	1.172	1.169	1.167	1.166	1.164
22.00–24.00	1.164	1.163	1.162	1.159	1.157	1.156	1.156	1.154
24.00–26.00	1.153	1.152	1.150	1.149	1.148	1.147	1.145	1.144
26.00–30.00	1.139	1.138	1.137	1.136	1.135	1.134	1.133	1.132
30.00–40.00	1.116	1.116	1.115	1.114	1.114	1.113	1.113	1.112
40.00–60.00	1.086	1.086	1.086	1.085	1.085	1.084	1.084	1.084
60.00–100.00	1.057	1.056	1.056	1.056	1.056	1.056	1.057	1.055

Table 8: Mean weight correction factor for J/ψ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane positive” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.015	1.047	1.073	1.094	1.113	1.120	1.124	1.122
8.50–9.00	1.020	1.058	1.087	1.110	1.125	1.134	1.142	1.144
9.00–9.50	1.019	1.056	1.084	1.107	1.127	1.138	1.144	1.145
9.50–10.00	1.017	1.053	1.081	1.105	1.122	1.129	1.140	1.142
10.00–10.50	1.017	1.049	1.077	1.100	1.115	1.125	1.132	1.136
10.50–11.00	1.014	1.048	1.075	1.095	1.109	1.118	1.124	1.130
11.00–11.50	1.015	1.044	1.069	1.088	1.103	1.112	1.117	1.122
11.50–12.00	1.014	1.043	1.066	1.083	1.096	1.105	1.112	1.115
12.00–13.00	1.012	1.038	1.060	1.076	1.089	1.097	1.101	1.105
13.00–14.00	1.012	1.035	1.053	1.068	1.079	1.087	1.090	1.093
14.00–15.00	1.010	1.031	1.048	1.061	1.070	1.076	1.080	1.083
15.00–16.00	1.010	1.028	1.043	1.054	1.063	1.068	1.072	1.074
16.00–17.00	1.009	1.025	1.039	1.049	1.056	1.062	1.065	1.067
17.00–18.00	1.009	1.023	1.035	1.044	1.051	1.055	1.059	1.060
18.00–20.00	1.007	1.019	1.030	1.039	1.045	1.049	1.051	1.053
20.00–22.00	1.007	1.016	1.025	1.032	1.038	1.041	1.043	1.044
22.00–24.00	1.005	1.014	1.021	1.027	1.031	1.035	1.036	1.037
24.00–26.00	1.005	1.012	1.018	1.024	1.027	1.030	1.032	1.032
26.00–30.00	1.004	1.010	1.015	1.019	1.023	1.025	1.026	1.026
30.00–40.00	1.003	1.007	1.011	1.014	1.016	1.017	1.018	1.019
40.00–60.00	1.002	1.004	1.006	1.008	1.009	1.010	1.010	1.010
60.00–100.00	1.001	1.002	1.003	1.003	1.004	1.004	1.005	1.005

Table 9: Mean weight correction factor for J/ψ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane negative” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	0.984	0.956	0.932	0.920	0.912	0.904	0.898	0.905
8.50–9.00	0.981	0.948	0.925	0.910	0.898	0.892	0.886	0.891
9.00–9.50	0.983	0.950	0.925	0.910	0.901	0.893	0.889	0.888
9.50–10.00	0.983	0.951	0.929	0.912	0.903	0.894	0.892	0.891
10.00–10.50	0.985	0.953	0.932	0.918	0.907	0.900	0.896	0.894
10.50–11.00	0.984	0.957	0.936	0.922	0.910	0.904	0.900	0.899
11.00–11.50	0.985	0.958	0.939	0.927	0.915	0.909	0.906	0.903
11.50–12.00	0.987	0.961	0.942	0.929	0.919	0.912	0.910	0.907
12.00–13.00	0.987	0.963	0.945	0.934	0.925	0.920	0.915	0.913
13.00–14.00	0.989	0.968	0.951	0.940	0.932	0.927	0.924	0.922
14.00–15.00	0.990	0.971	0.957	0.946	0.938	0.934	0.931	0.929
15.00–16.00	0.992	0.974	0.961	0.951	0.944	0.940	0.937	0.936
16.00–17.00	0.991	0.976	0.964	0.955	0.949	0.945	0.943	0.941
17.00–18.00	0.992	0.978	0.968	0.959	0.953	0.949	0.948	0.946
18.00–20.00	0.993	0.981	0.971	0.964	0.959	0.956	0.954	0.953
20.00–22.00	0.994	0.984	0.976	0.970	0.965	0.962	0.961	0.960
22.00–24.00	0.994	0.986	0.979	0.974	0.970	0.968	0.966	0.965
24.00–26.00	0.995	0.988	0.982	0.977	0.974	0.972	0.971	0.970
26.00–30.00	0.996	0.990	0.985	0.981	0.978	0.977	0.976	0.975
30.00–40.00	0.997	0.993	0.990	0.987	0.985	0.983	0.983	0.982
40.00–60.00	0.998	0.996	0.994	0.993	0.991	0.991	0.990	0.990
60.00–100.00	0.999	0.998	0.997	0.997	0.996	0.996	0.995	0.995

Table 10: Mean weight correction factor for $\psi(2S)$ under the “longitudinal” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	0.670	0.678	0.685	0.692	0.701	0.707	0.713	0.709
8.50–9.00	0.676	0.681	0.688	0.698	0.703	0.709	0.712	0.713
9.00–9.50	0.678	0.683	0.691	0.700	0.708	0.713	0.717	0.718
9.50–10.00	0.680	0.684	0.693	0.699	0.708	0.710	0.720	0.722
10.00–10.50	0.684	0.687	0.695	0.704	0.707	0.713	0.720	0.725
10.50–11.00	0.687	0.691	0.698	0.705	0.712	0.714	0.719	0.728
11.00–11.50	0.692	0.695	0.701	0.709	0.713	0.717	0.722	0.728
11.50–12.00	0.696	0.700	0.704	0.711	0.717	0.719	0.724	0.729
12.00–13.00	0.701	0.705	0.710	0.716	0.720	0.724	0.727	0.731
13.00–14.00	0.711	0.714	0.718	0.722	0.727	0.730	0.732	0.734
14.00–15.00	0.719	0.722	0.725	0.730	0.732	0.736	0.739	0.742
15.00–16.00	0.727	0.729	0.733	0.735	0.740	0.741	0.745	0.745
16.00–17.00	0.736	0.738	0.740	0.743	0.746	0.748	0.749	0.753
17.00–18.00	0.742	0.744	0.748	0.750	0.753	0.754	0.759	0.760
18.00–20.00	0.753	0.755	0.758	0.760	0.762	0.763	0.764	0.769
20.00–22.00	0.766	0.767	0.770	0.773	0.774	0.776	0.776	0.778
22.00–24.00	0.778	0.782	0.780	0.784	0.785	0.782	0.790	0.788
24.00–26.00	0.791	0.791	0.795	0.795	0.795	0.799	0.798	0.798
26.00–30.00	0.806	0.805	0.805	0.809	0.808	0.810	0.810	0.812
30.00–40.00	0.829	0.830	0.830	0.830	0.828	0.832	0.830	0.830
40.00–60.00	0.864	0.865	0.867	0.864	0.868	0.867	0.861	0.953

Table 11: Mean weight correction factor for $\psi(2S)$ under the “transverse zero” spin-alignment hypothesis for 7 TeV.

	Absolute Rapidity Range							
p_T [GeV]	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.328	1.311	1.300	1.284	1.274	1.267	1.261	1.265
8.50–9.00	1.318	1.309	1.293	1.279	1.268	1.263	1.252	1.259
9.00–9.50	1.317	1.303	1.287	1.273	1.267	1.256	1.249	1.250
9.50–10.00	1.310	1.301	1.286	1.275	1.262	1.255	1.248	1.247
10.00–10.50	1.303	1.294	1.283	1.271	1.265	1.257	1.248	1.243
10.50–11.00	1.295	1.289	1.279	1.271	1.259	1.254	1.246	1.240
11.00–11.50	1.289	1.282	1.273	1.264	1.254	1.249	1.242	1.238
11.50–12.00	1.282	1.276	1.267	1.260	1.249	1.246	1.240	1.234
12.00–13.00	1.271	1.266	1.259	1.250	1.244	1.241	1.236	1.232
13.00–14.00	1.258	1.252	1.246	1.239	1.234	1.232	1.229	1.226
14.00–15.00	1.244	1.240	1.237	1.230	1.228	1.221	1.219	1.216
15.00–16.00	1.234	1.229	1.224	1.221	1.216	1.214	1.211	1.211
16.00–17.00	1.220	1.217	1.213	1.211	1.208	1.205	1.205	1.202
17.00–18.00	1.211	1.210	1.205	1.202	1.198	1.197	1.193	1.193
18.00–20.00	1.197	1.194	1.191	1.190	1.188	1.187	1.186	1.181
20.00–22.00	1.181	1.180	1.176	1.174	1.174	1.171	1.172	1.169
22.00–24.00	1.167	1.163	1.164	1.161	1.160	1.164	1.155	1.159
24.00–26.00	1.153	1.154	1.149	1.148	1.149	1.145	1.147	1.147
26.00–30.00	1.137	1.139	1.138	1.135	1.136	1.134	1.135	1.133
30.00–40.00	1.115	1.115	1.115	1.115	1.116	1.114	1.116	1.116
40.00–60.00	1.086	1.085	1.083	1.086	1.083	1.084	1.089	1.028

Table 12: Mean weight correction factor for $\psi(2S)$ under the “transverse positive” spin-alignment hypothesis for 7 TeV.

	Absolute Rapidity Range							
p_T [GeV]	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	2.009	2.007	1.986	1.994	1.964	1.936	1.949	1.967
8.50–9.00	1.614	1.617	1.617	1.613	1.618	1.624	1.606	1.872
9.00–9.50	1.504	1.502	1.496	1.493	1.500	1.499	1.494	1.741
9.50–10.00	1.445	1.443	1.440	1.445	1.440	1.441	1.436	1.621
10.00–10.50	1.404	1.401	1.403	1.401	1.412	1.406	1.400	1.507
10.50–11.00	1.374	1.377	1.378	1.378	1.377	1.378	1.372	1.447
11.00–11.50	1.355	1.352	1.352	1.353	1.352	1.353	1.350	1.409
11.50–12.00	1.335	1.334	1.335	1.335	1.332	1.336	1.331	1.375
12.00–13.00	1.314	1.313	1.312	1.312	1.313	1.314	1.312	1.343
13.00–14.00	1.289	1.289	1.287	1.286	1.286	1.288	1.288	1.311
14.00–15.00	1.268	1.267	1.269	1.267	1.269	1.265	1.265	1.280
15.00–16.00	1.253	1.250	1.249	1.252	1.250	1.250	1.248	1.262
16.00–17.00	1.234	1.234	1.234	1.234	1.235	1.235	1.236	1.241
17.00–18.00	1.224	1.224	1.222	1.222	1.220	1.222	1.218	1.224
18.00–20.00	1.206	1.205	1.204	1.205	1.205	1.207	1.206	1.204
20.00–22.00	1.187	1.187	1.186	1.184	1.186	1.184	1.186	1.186
22.00–24.00	1.171	1.169	1.171	1.169	1.169	1.174	1.166	1.170
24.00–26.00	1.157	1.158	1.155	1.155	1.156	1.153	1.156	1.156
26.00–30.00	1.140	1.142	1.142	1.139	1.141	1.140	1.141	1.139
30.00–40.00	1.116	1.117	1.117	1.117	1.119	1.117	1.119	1.119
40.00–60.00	1.087	1.086	1.084	1.087	1.085	1.085	1.091	1.029

Table 13: Mean weight correction factor for $\psi(2S)$ under the “transverse negative” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	0.998	0.986	0.970	0.957	0.949	0.941	0.935	0.883
8.50–9.00	1.115	1.102	1.084	1.062	1.047	1.039	1.025	0.959
9.00–9.50	1.169	1.154	1.131	1.110	1.096	1.084	1.075	1.007
9.50–10.00	1.200	1.185	1.163	1.144	1.126	1.114	1.105	1.047
10.00–10.50	1.216	1.200	1.181	1.161	1.148	1.137	1.127	1.075
10.50–11.00	1.222	1.212	1.196	1.178	1.161	1.152	1.143	1.097
11.00–11.50	1.230	1.218	1.202	1.185	1.169	1.161	1.152	1.112
11.50–12.00	1.233	1.221	1.205	1.192	1.175	1.169	1.160	1.124
12.00–13.00	1.232	1.222	1.208	1.195	1.184	1.176	1.169	1.141
13.00–14.00	1.228	1.220	1.208	1.196	1.187	1.181	1.176	1.155
14.00–15.00	1.221	1.214	1.207	1.196	1.188	1.181	1.176	1.159
15.00–16.00	1.215	1.208	1.200	1.193	1.184	1.181	1.175	1.165
16.00–17.00	1.205	1.200	1.194	1.187	1.182	1.177	1.175	1.165
17.00–18.00	1.199	1.196	1.188	1.183	1.177	1.174	1.169	1.162
18.00–20.00	1.188	1.184	1.179	1.175	1.170	1.168	1.166	1.158
20.00–22.00	1.174	1.172	1.167	1.162	1.161	1.157	1.157	1.153
22.00–24.00	1.162	1.157	1.158	1.153	1.151	1.153	1.145	1.146
24.00–26.00	1.149	1.149	1.144	1.142	1.142	1.138	1.139	1.138
26.00–30.00	1.135	1.136	1.134	1.130	1.131	1.129	1.129	1.127
30.00–40.00	1.114	1.113	1.113	1.112	1.113	1.110	1.112	1.112
40.00–60.00	1.086	1.085	1.083	1.085	1.082	1.082	1.088	1.028

Table 14: Mean weight correction factor for $\psi(2S)$ under the “off- $(\lambda_\theta\text{--}\lambda_\phi)$ -plane positive” spin-alignment hypothesis for 7 TeV.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	1.017	1.052	1.081	1.100	1.118	1.123	1.129	1.106
8.50–9.00	1.023	1.064	1.094	1.118	1.136	1.146	1.151	1.132
9.00–9.50	1.021	1.062	1.093	1.119	1.140	1.150	1.153	1.139
9.50–10.00	1.019	1.060	1.092	1.119	1.135	1.144	1.152	1.146
10.00–10.50	1.020	1.057	1.088	1.112	1.132	1.140	1.146	1.145
10.50–11.00	1.017	1.055	1.085	1.108	1.124	1.134	1.139	1.141
11.00–11.50	1.017	1.052	1.079	1.102	1.118	1.127	1.131	1.137
11.50–12.00	1.017	1.050	1.076	1.096	1.110	1.120	1.126	1.130
12.00–13.00	1.014	1.044	1.069	1.088	1.102	1.111	1.116	1.123
13.00–14.00	1.013	1.041	1.061	1.078	1.091	1.100	1.104	1.111
14.00–15.00	1.012	1.036	1.056	1.070	1.082	1.088	1.092	1.098
15.00–16.00	1.011	1.032	1.049	1.064	1.073	1.079	1.083	1.090
16.00–17.00	1.010	1.029	1.045	1.057	1.065	1.072	1.076	1.080
17.00–18.00	1.010	1.027	1.041	1.051	1.059	1.064	1.068	1.071
18.00–20.00	1.008	1.023	1.035	1.045	1.052	1.057	1.059	1.062
20.00–22.00	1.008	1.019	1.030	1.037	1.044	1.047	1.050	1.052
22.00–24.00	1.006	1.016	1.025	1.032	1.037	1.042	1.042	1.044
24.00–26.00	1.005	1.014	1.021	1.027	1.032	1.034	1.037	1.038
26.00–30.00	1.005	1.012	1.018	1.022	1.027	1.029	1.030	1.031
30.00–40.00	1.003	1.008	1.013	1.016	1.019	1.020	1.022	1.022
40.00–60.00	1.002	1.005	1.007	1.009	1.010	1.011	1.013	1.004

Table 15: Mean weight correction factor for $\psi(2S)$ under the “off- $(\lambda_\theta\text{--}\lambda_\phi)$ -plane negative” spin-alignment hypothesis for 7 TeV.

	Absolute Rapidity Range							
p_T [GeV]	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00–8.50	0.983	0.950	0.931	0.916	0.908	0.902	0.902	0.911
8.50–9.00	0.979	0.944	0.919	0.904	0.892	0.887	0.882	0.898
9.00–9.50	0.981	0.943	0.919	0.901	0.894	0.886	0.883	0.891
9.50–10.00	0.981	0.945	0.922	0.903	0.894	0.886	0.885	0.891
10.00–10.50	0.982	0.948	0.925	0.910	0.897	0.891	0.888	0.890
10.50–11.00	0.982	0.951	0.929	0.913	0.901	0.895	0.891	0.892
11.00–11.50	0.983	0.953	0.931	0.918	0.906	0.900	0.897	0.894
11.50–12.00	0.985	0.955	0.934	0.920	0.910	0.903	0.901	0.897
12.00–13.00	0.985	0.958	0.938	0.925	0.915	0.911	0.906	0.903
13.00–14.00	0.988	0.963	0.944	0.932	0.924	0.918	0.915	0.910
14.00–15.00	0.988	0.966	0.950	0.939	0.930	0.926	0.923	0.918
15.00–16.00	0.990	0.969	0.955	0.944	0.937	0.932	0.929	0.924
16.00–17.00	0.991	0.972	0.959	0.949	0.941	0.937	0.935	0.932
17.00–18.00	0.991	0.975	0.963	0.953	0.947	0.942	0.941	0.938
18.00–20.00	0.992	0.978	0.967	0.959	0.953	0.949	0.947	0.945
20.00–22.00	0.993	0.981	0.972	0.965	0.960	0.957	0.955	0.953
22.00–24.00	0.994	0.984	0.975	0.970	0.966	0.962	0.961	0.959
24.00–26.00	0.995	0.986	0.979	0.974	0.970	0.968	0.966	0.965
26.00–30.00	0.995	0.988	0.983	0.978	0.975	0.973	0.972	0.971
30.00–40.00	0.997	0.992	0.988	0.984	0.982	0.981	0.979	0.979
40.00–60.00	0.998	0.995	0.993	0.991	0.990	0.989	0.988	0.996

Table 16: Mean weight correction factor for J/ψ under the “longitudinal” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

	Absolute Rapidity Range							
p_T [GeV]	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	0.672	0.674	0.678	–	–	–	–	–
8.50 – 9.00	0.670	0.673	0.678	–	–	–	–	–
9.00 – 9.50	0.671	0.674	0.679	–	–	–	–	–
9.50 – 10.00	0.674	0.676	0.681	–	–	–	–	–
10.00 – 10.50	0.676	0.678	0.683	0.686	0.691	0.694	0.695	0.696
10.50 – 11.00	0.680	0.681	0.686	0.689	0.693	0.696	0.697	0.698
11.00 – 11.50	0.684	0.685	0.690	0.692	0.695	0.698	0.700	0.701
11.50 – 12.00	0.688	0.688	0.693	0.695	0.698	0.701	0.702	0.704
12.00 – 12.50	0.692	0.692	0.696	0.698	0.702	0.704	0.705	0.706
12.50 – 13.00	0.696	0.696	0.700	0.702	0.705	0.707	0.708	0.710
13.00 – 14.00	0.702	0.703	0.705	0.707	0.710	0.712	0.713	0.715
14.00 – 15.00	0.710	0.711	0.713	0.714	0.717	0.719	0.720	0.722
15.00 – 16.00	0.719	0.719	0.721	0.722	0.724	0.725	0.727	0.729
16.00 – 17.00	0.726	0.727	0.729	0.729	0.732	0.733	0.734	0.735
17.00 – 18.00	0.734	0.735	0.736	0.737	0.738	0.740	0.740	0.743
18.00 – 20.00	0.744	0.745	0.746	0.746	0.748	0.750	0.750	0.752
20.00 – 22.00	0.758	0.759	0.760	0.759	0.761	0.762	0.763	0.764
22.00 – 24.00	0.771	0.771	0.772	0.771	0.773	0.774	0.774	0.776
24.00 – 26.00	0.783	0.783	0.783	0.783	0.784	0.786	0.786	0.787
26.00 – 30.00	0.797	0.798	0.798	0.797	0.798	0.799	0.800	0.800
30.00 – 35.00	0.817	0.817	0.817	0.816	0.817	0.818	0.818	0.820
35.00 – 40.00	0.836	0.836	0.836	0.835	0.835	0.836	0.836	0.840
40.00 – 60.00	0.862	0.862	0.861	0.861	0.861	0.862	0.862	0.863
60.00 – 110.00	0.904	0.902	0.903	0.902	0.903	0.904	0.905	0.906

Table 17: Mean weight correction factor for J/ψ under the “transverse zero” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

	Absolute Rapidity Range							
p_T [GeV]	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.326	1.321	1.311	–	–	–	–	–
8.50 – 9.00	1.326	1.320	1.309	–	–	–	–	–
9.00 – 9.50	1.322	1.316	1.306	–	–	–	–	–
9.50 – 10.00	1.317	1.312	1.302	–	–	–	–	–
10.00 – 10.50	1.311	1.306	1.297	1.291	1.283	1.278	1.275	1.273
10.50 – 11.00	1.304	1.300	1.292	1.286	1.279	1.274	1.272	1.269
11.00 – 11.50	1.297	1.293	1.286	1.280	1.275	1.270	1.268	1.265
11.50 – 12.00	1.290	1.287	1.280	1.275	1.270	1.266	1.263	1.261
12.00 – 12.50	1.283	1.280	1.274	1.270	1.264	1.261	1.259	1.257
12.50 – 13.00	1.276	1.273	1.268	1.264	1.260	1.256	1.254	1.252
13.00 – 14.00	1.265	1.264	1.259	1.256	1.252	1.249	1.247	1.245
14.00 – 15.00	1.253	1.251	1.247	1.245	1.241	1.238	1.237	1.235
15.00 – 16.00	1.240	1.239	1.236	1.234	1.231	1.229	1.227	1.225
16.00 – 17.00	1.228	1.227	1.225	1.223	1.220	1.218	1.218	1.216
17.00 – 18.00	1.218	1.217	1.215	1.213	1.211	1.209	1.209	1.206
18.00 – 20.00	1.204	1.203	1.201	1.201	1.199	1.197	1.196	1.195
20.00 – 22.00	1.186	1.186	1.185	1.185	1.183	1.182	1.181	1.180
22.00 – 24.00	1.172	1.171	1.171	1.171	1.169	1.168	1.168	1.167
24.00 – 26.00	1.159	1.159	1.158	1.158	1.157	1.156	1.156	1.154
26.00 – 30.00	1.144	1.144	1.143	1.144	1.143	1.142	1.141	1.141
30.00 – 35.00	1.125	1.125	1.125	1.125	1.124	1.124	1.124	1.122
35.00 – 40.00	1.108	1.108	1.108	1.108	1.108	1.108	1.107	1.105
40.00 – 60.00	1.087	1.086	1.087	1.087	1.087	1.087	1.087	1.086
60.00 – 110.00	1.056	1.057	1.057	1.057	1.057	1.056	1.055	1.055

Table 18: Mean weight correction factor for J/ψ under the “transverse positive” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.926	1.933	1.930	–	–	–	–	–
8.50 – 9.00	1.555	1.558	1.559	–	–	–	–	–
9.00 – 9.50	1.463	1.464	1.465	–	–	–	–	–
9.50 – 10.00	1.416	1.418	1.418	–	–	–	–	–
10.00 – 10.50	1.386	1.388	1.387	1.390	1.390	1.390	1.391	1.411
10.50 – 11.00	1.363	1.365	1.365	1.367	1.367	1.366	1.368	1.382
11.00 – 11.50	1.345	1.347	1.346	1.348	1.348	1.348	1.349	1.358
11.50 – 12.00	1.330	1.331	1.331	1.333	1.333	1.332	1.333	1.340
12.00 – 12.50	1.316	1.318	1.317	1.319	1.318	1.319	1.319	1.325
12.50 – 13.00	1.304	1.305	1.305	1.307	1.307	1.307	1.306	1.311
13.00 – 14.00	1.288	1.290	1.290	1.291	1.291	1.291	1.291	1.293
14.00 – 15.00	1.270	1.271	1.271	1.272	1.272	1.271	1.272	1.272
15.00 – 16.00	1.253	1.254	1.254	1.255	1.255	1.255	1.254	1.255
16.00 – 17.00	1.239	1.240	1.240	1.241	1.240	1.240	1.241	1.240
17.00 – 18.00	1.227	1.227	1.227	1.228	1.228	1.227	1.228	1.226
18.00 – 20.00	1.211	1.211	1.211	1.212	1.212	1.211	1.211	1.210
20.00 – 22.00	1.191	1.192	1.192	1.193	1.193	1.192	1.192	1.192
22.00 – 24.00	1.175	1.176	1.176	1.177	1.176	1.176	1.176	1.175
24.00 – 26.00	1.162	1.162	1.162	1.163	1.162	1.162	1.162	1.161
26.00 – 30.00	1.146	1.146	1.146	1.147	1.146	1.146	1.146	1.146
30.00 – 35.00	1.126	1.126	1.126	1.127	1.127	1.126	1.126	1.125
35.00 – 40.00	1.109	1.109	1.109	1.110	1.110	1.109	1.109	1.107
40.00 – 60.00	1.087	1.087	1.088	1.088	1.088	1.087	1.087	1.087
60.00 – 110.00	1.056	1.057	1.057	1.057	1.057	1.056	1.056	1.055

Table 19: Mean weight correction factor for J/ψ under the “transverse negative” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.026	1.017	1.005	–	–	–	–	–
8.50 – 9.00	1.157	1.145	1.129	–	–	–	–	–
9.00 – 9.50	1.207	1.196	1.178	–	–	–	–	–
9.50 – 10.00	1.231	1.220	1.203	–	–	–	–	–
10.00 – 10.50	1.244	1.234	1.218	1.204	1.192	1.182	1.177	1.161
10.50 – 11.00	1.250	1.241	1.227	1.214	1.202	1.193	1.188	1.175
11.00 – 11.50	1.252	1.244	1.231	1.220	1.209	1.200	1.195	1.184
11.50 – 12.00	1.253	1.246	1.234	1.223	1.213	1.206	1.201	1.191
12.00 – 12.50	1.251	1.245	1.234	1.224	1.215	1.208	1.204	1.196
12.50 – 13.00	1.248	1.243	1.233	1.224	1.216	1.210	1.206	1.199
13.00 – 14.00	1.243	1.239	1.230	1.222	1.215	1.210	1.206	1.200
14.00 – 15.00	1.236	1.231	1.224	1.218	1.212	1.207	1.204	1.200
15.00 – 16.00	1.226	1.223	1.217	1.212	1.207	1.203	1.200	1.197
16.00 – 17.00	1.218	1.215	1.210	1.206	1.201	1.197	1.195	1.193
17.00 – 18.00	1.209	1.206	1.202	1.199	1.195	1.192	1.190	1.187
18.00 – 20.00	1.197	1.195	1.192	1.189	1.186	1.183	1.182	1.180
20.00 – 22.00	1.182	1.181	1.178	1.177	1.174	1.172	1.170	1.170
22.00 – 24.00	1.168	1.167	1.166	1.165	1.162	1.161	1.160	1.159
24.00 – 26.00	1.156	1.156	1.154	1.153	1.152	1.150	1.150	1.148
26.00 – 30.00	1.142	1.141	1.140	1.140	1.139	1.137	1.137	1.136
30.00 – 35.00	1.124	1.123	1.123	1.123	1.122	1.121	1.121	1.119
35.00 – 40.00	1.107	1.107	1.107	1.107	1.107	1.106	1.106	1.103
40.00 – 60.00	1.087	1.086	1.087	1.086	1.087	1.086	1.086	1.085
60.00 – 110.00	1.056	1.057	1.057	1.057	1.056	1.056	1.055	1.055

Table 20: Mean weight correction factor for J/ψ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane positive” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.016	1.048	1.074	–	–	–	–	–
8.50 – 9.00	1.019	1.056	1.087	–	–	–	–	–
9.00 – 9.50	1.019	1.055	1.086	–	–	–	–	–
9.50 – 10.00	1.018	1.053	1.083	–	–	–	–	–
10.00 – 10.50	1.017	1.051	1.079	1.101	1.117	1.127	1.134	1.138
10.50 – 11.00	1.016	1.048	1.075	1.096	1.110	1.120	1.126	1.131
11.00 – 11.50	1.015	1.045	1.071	1.090	1.104	1.113	1.119	1.124
11.50 – 12.00	1.014	1.043	1.067	1.085	1.098	1.107	1.113	1.117
12.00 – 12.50	1.014	1.040	1.063	1.080	1.093	1.101	1.106	1.111
12.50 – 13.00	1.013	1.038	1.059	1.076	1.087	1.095	1.100	1.104
13.00 – 14.00	1.012	1.035	1.055	1.070	1.080	1.088	1.092	1.096
14.00 – 15.00	1.011	1.031	1.049	1.062	1.072	1.078	1.082	1.085
15.00 – 16.00	1.010	1.028	1.044	1.056	1.065	1.070	1.074	1.076
16.00 – 17.00	1.009	1.025	1.040	1.050	1.058	1.063	1.067	1.069
17.00 – 18.00	1.008	1.023	1.036	1.046	1.053	1.057	1.060	1.062
18.00 – 20.00	1.007	1.020	1.031	1.040	1.046	1.050	1.053	1.054
20.00 – 22.00	1.006	1.017	1.026	1.033	1.039	1.042	1.044	1.045
22.00 – 24.00	1.005	1.014	1.022	1.028	1.033	1.036	1.038	1.039
24.00 – 26.00	1.004	1.012	1.019	1.024	1.028	1.030	1.032	1.033
26.00 – 30.00	1.004	1.010	1.016	1.020	1.023	1.025	1.026	1.027
30.00 – 35.00	1.003	1.008	1.012	1.015	1.018	1.019	1.020	1.021
35.00 – 40.00	1.002	1.006	1.009	1.012	1.013	1.015	1.015	1.015
40.00 – 60.00	1.001	1.004	1.006	1.008	1.009	1.010	1.010	1.010
60.00 – 110.00	1.001	1.002	1.003	1.003	1.004	1.004	1.004	1.005

Table 21: Mean weight correction factor for J/ψ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane negative” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	0.985	0.957	0.936	–	–	–	–	–
8.50 – 9.00	0.982	0.950	0.926	–	–	–	–	–
9.00 – 9.50	0.982	0.950	0.926	–	–	–	–	–
9.50 – 10.00	0.983	0.952	0.929	–	–	–	–	–
10.00 – 10.50	0.984	0.954	0.932	0.916	0.905	0.898	0.894	0.891
10.50 – 11.00	0.985	0.956	0.935	0.919	0.909	0.903	0.899	0.895
11.00 – 11.50	0.985	0.959	0.938	0.923	0.913	0.907	0.903	0.900
11.50 – 12.00	0.986	0.961	0.941	0.927	0.918	0.911	0.908	0.905
12.00 – 12.50	0.987	0.963	0.944	0.931	0.922	0.916	0.912	0.909
12.50 – 13.00	0.988	0.965	0.947	0.934	0.925	0.920	0.916	0.913
13.00 – 14.00	0.988	0.967	0.951	0.939	0.930	0.925	0.922	0.919
14.00 – 15.00	0.990	0.971	0.955	0.944	0.937	0.932	0.929	0.927
15.00 – 16.00	0.991	0.974	0.960	0.950	0.943	0.938	0.936	0.934
16.00 – 17.00	0.991	0.976	0.963	0.954	0.948	0.944	0.941	0.939
17.00 – 18.00	0.992	0.978	0.967	0.958	0.952	0.949	0.946	0.945
18.00 – 20.00	0.993	0.981	0.971	0.963	0.958	0.954	0.952	0.951
20.00 – 22.00	0.994	0.984	0.975	0.969	0.964	0.961	0.959	0.958
22.00 – 24.00	0.995	0.986	0.979	0.973	0.969	0.967	0.965	0.964
24.00 – 26.00	0.996	0.988	0.982	0.977	0.973	0.971	0.970	0.969
26.00 – 30.00	0.996	0.990	0.985	0.981	0.978	0.976	0.975	0.974
30.00 – 35.00	0.997	0.992	0.988	0.985	0.983	0.982	0.981	0.980
35.00 – 40.00	0.998	0.994	0.991	0.989	0.987	0.986	0.985	0.985
40.00 – 60.00	0.999	0.996	0.994	0.992	0.991	0.991	0.990	0.990
60.00 – 110.00	0.999	0.998	0.997	0.997	0.996	0.996	0.996	0.996

Table 22: Mean weight correction factor for $\psi(2S)$ under the “longitudinal” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	0.672	0.677	0.686	–	–	–	–	–
8.50 – 9.00	0.674	0.680	0.689	–	–	–	–	–
9.00 – 9.50	0.677	0.682	0.691	–	–	–	–	–
9.50 – 10.00	0.680	0.684	0.692	–	–	–	–	–
10.00 – 10.50	0.683	0.688	0.695	0.702	0.709	0.713	0.717	0.721
10.50 – 11.00	0.687	0.692	0.698	0.705	0.710	0.715	0.718	0.722
11.00 – 11.50	0.692	0.695	0.701	0.708	0.714	0.716	0.718	0.725
11.50 – 12.00	0.695	0.698	0.704	0.710	0.715	0.718	0.721	0.725
12.00 – 12.50	0.700	0.703	0.708	0.713	0.718	0.721	0.723	0.728
12.50 – 13.00	0.704	0.706	0.711	0.716	0.721	0.722	0.726	0.730
13.00 – 14.00	0.710	0.713	0.717	0.722	0.725	0.727	0.730	0.733
14.00 – 15.00	0.719	0.721	0.724	0.728	0.731	0.733	0.736	0.738
15.00 – 16.00	0.727	0.728	0.732	0.735	0.737	0.740	0.741	0.743
16.00 – 17.00	0.735	0.737	0.739	0.742	0.743	0.746	0.748	0.750
17.00 – 18.00	0.742	0.744	0.746	0.750	0.750	0.753	0.755	0.755
18.00 – 20.00	0.753	0.754	0.756	0.759	0.760	0.761	0.762	0.765
20.00 – 22.00	0.767	0.768	0.769	0.771	0.773	0.773	0.775	0.775
22.00 – 24.00	0.779	0.779	0.782	0.783	0.784	0.785	0.785	0.788
24.00 – 26.00	0.791	0.791	0.793	0.794	0.793	0.795	0.795	0.795
26.00 – 30.00	0.805	0.804	0.806	0.807	0.808	0.809	0.809	0.811
30.00 – 35.00	0.823	0.823	0.824	0.824	0.826	0.826	0.828	0.828
35.00 – 40.00	0.841	0.841	0.840	0.842	0.843	0.842	0.843	0.843
40.00 – 60.00	0.866	0.867	0.866	0.868	0.868	0.866	0.868	0.870
60.00 – 110.00	0.905	0.906	0.906	0.909	0.907	0.903	0.906	0.905

Table 23: Mean weight correction factor for $\psi(2S)$ under the “transverse zero” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.325	1.316	1.301	–	–	–	–	–
8.50 – 9.00	1.321	1.311	1.295	–	–	–	–	–
9.00 – 9.50	1.316	1.307	1.291	–	–	–	–	–
9.50 – 10.00	1.310	1.301	1.288	–	–	–	–	–
10.00 – 10.50	1.303	1.295	1.283	1.272	1.261	1.254	1.249	1.244
10.50 – 11.00	1.296	1.289	1.278	1.267	1.259	1.252	1.247	1.241
11.00 – 11.50	1.289	1.283	1.273	1.262	1.254	1.250	1.246	1.238
11.50 – 12.00	1.282	1.276	1.267	1.258	1.251	1.246	1.242	1.236
12.00 – 12.50	1.274	1.270	1.261	1.253	1.247	1.242	1.239	1.233
12.50 – 13.00	1.267	1.263	1.256	1.248	1.242	1.239	1.235	1.230
13.00 – 14.00	1.257	1.254	1.247	1.241	1.236	1.232	1.229	1.225
14.00 – 15.00	1.244	1.241	1.236	1.230	1.227	1.223	1.220	1.217
15.00 – 16.00	1.232	1.230	1.225	1.221	1.217	1.215	1.213	1.211
16.00 – 17.00	1.221	1.218	1.215	1.211	1.209	1.206	1.204	1.202
17.00 – 18.00	1.210	1.208	1.206	1.202	1.200	1.197	1.195	1.195
18.00 – 20.00	1.197	1.195	1.193	1.190	1.188	1.187	1.186	1.184
20.00 – 22.00	1.180	1.179	1.177	1.175	1.173	1.172	1.171	1.171
22.00 – 24.00	1.165	1.165	1.163	1.162	1.161	1.159	1.159	1.157
24.00 – 26.00	1.153	1.153	1.151	1.150	1.150	1.149	1.149	1.149
26.00 – 30.00	1.138	1.139	1.138	1.136	1.136	1.135	1.135	1.133
30.00 – 35.00	1.121	1.121	1.120	1.119	1.119	1.118	1.117	1.117
35.00 – 40.00	1.105	1.104	1.105	1.104	1.103	1.104	1.103	1.103
40.00 – 60.00	1.084	1.083	1.084	1.083	1.083	1.084	1.083	1.081
60.00 – 110.00	1.056	1.055	1.055	1.053	1.054	1.057	1.055	1.056

Table 24: Mean weight correction factor for $\psi(2S)$ under the “transverse positive” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	2.029	2.023	2.022	–	–	–	–	–
8.50 – 9.00	1.620	1.620	1.618	–	–	–	–	–
9.00 – 9.50	1.504	1.504	1.502	–	–	–	–	–
9.50 – 10.00	1.444	1.444	1.443	–	–	–	–	–
10.00 – 10.50	1.405	1.405	1.404	1.404	1.402	1.401	1.400	1.500
10.50 – 11.00	1.377	1.377	1.376	1.375	1.375	1.373	1.373	1.443
11.00 – 11.50	1.354	1.354	1.354	1.352	1.351	1.353	1.353	1.403
11.50 – 12.00	1.336	1.336	1.335	1.334	1.335	1.334	1.333	1.375
12.00 – 12.50	1.320	1.320	1.320	1.319	1.319	1.319	1.318	1.351
12.50 – 13.00	1.306	1.307	1.306	1.305	1.304	1.306	1.304	1.331
13.00 – 14.00	1.289	1.289	1.289	1.288	1.288	1.288	1.287	1.308
14.00 – 15.00	1.268	1.269	1.268	1.267	1.268	1.267	1.266	1.281
15.00 – 16.00	1.251	1.251	1.250	1.251	1.251	1.250	1.250	1.261
16.00 – 17.00	1.236	1.236	1.236	1.236	1.236	1.235	1.235	1.242
17.00 – 18.00	1.223	1.222	1.223	1.222	1.223	1.221	1.221	1.227
18.00 – 20.00	1.206	1.206	1.206	1.205	1.206	1.206	1.206	1.208
20.00 – 22.00	1.186	1.186	1.186	1.186	1.186	1.186	1.185	1.187
22.00 – 24.00	1.170	1.171	1.170	1.170	1.170	1.170	1.170	1.169
24.00 – 26.00	1.157	1.157	1.156	1.156	1.157	1.157	1.157	1.158
26.00 – 30.00	1.141	1.142	1.141	1.141	1.141	1.140	1.141	1.140
30.00 – 35.00	1.122	1.122	1.122	1.122	1.122	1.122	1.121	1.121
35.00 – 40.00	1.106	1.105	1.106	1.106	1.105	1.106	1.105	1.105
40.00 – 60.00	1.085	1.084	1.085	1.084	1.084	1.085	1.084	1.083
60.00 – 110.00	1.056	1.055	1.055	1.054	1.054	1.057	1.055	1.056

Table 25: Mean weight correction factor for $\psi(2S)$ under the “transverse negative” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	0.995	0.986	0.970	–	–	–	–	–
8.50 – 9.00	1.116	1.102	1.081	–	–	–	–	–
9.00 – 9.50	1.170	1.156	1.133	–	–	–	–	–
9.50 – 10.00	1.199	1.185	1.163	–	–	–	–	–
10.00 – 10.50	1.215	1.202	1.182	1.163	1.146	1.135	1.127	1.075
10.50 – 11.00	1.225	1.212	1.194	1.175	1.161	1.150	1.142	1.098
11.00 – 11.50	1.230	1.218	1.201	1.184	1.170	1.161	1.155	1.114
11.50 – 12.00	1.232	1.222	1.206	1.190	1.178	1.169	1.162	1.127
12.00 – 12.50	1.232	1.223	1.208	1.194	1.182	1.174	1.168	1.137
12.50 – 13.00	1.231	1.223	1.210	1.196	1.185	1.178	1.172	1.146
13.00 – 14.00	1.228	1.220	1.209	1.197	1.188	1.181	1.176	1.154
14.00 – 15.00	1.221	1.215	1.206	1.196	1.188	1.182	1.177	1.161
15.00 – 16.00	1.214	1.209	1.200	1.193	1.186	1.181	1.177	1.165
16.00 – 17.00	1.206	1.202	1.195	1.188	1.183	1.178	1.175	1.166
17.00 – 18.00	1.198	1.195	1.189	1.183	1.179	1.174	1.171	1.165
18.00 – 20.00	1.188	1.184	1.180	1.175	1.171	1.168	1.166	1.161
20.00 – 22.00	1.173	1.171	1.168	1.164	1.161	1.159	1.157	1.154
22.00 – 24.00	1.161	1.160	1.156	1.154	1.151	1.149	1.149	1.145
24.00 – 26.00	1.150	1.149	1.146	1.144	1.143	1.141	1.141	1.140
26.00 – 30.00	1.136	1.136	1.134	1.132	1.131	1.129	1.129	1.127
30.00 – 35.00	1.119	1.119	1.117	1.117	1.115	1.115	1.113	1.113
35.00 – 40.00	1.104	1.103	1.103	1.102	1.101	1.101	1.100	1.100
40.00 – 60.00	1.084	1.083	1.083	1.082	1.082	1.083	1.082	1.080
60.00 – 110.00	1.056	1.054	1.055	1.053	1.054	1.057	1.055	1.055

Table 26: Mean weight correction factor for $\psi(2S)$ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane positive” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	1.018	1.053	1.081	–	–	–	–	–
8.50 – 9.00	1.021	1.062	1.095	–	–	–	–	–
9.00 – 9.50	1.021	1.062	1.096	–	–	–	–	–
9.50 – 10.00	1.020	1.060	1.094	–	–	–	–	–
10.00 – 10.50	1.020	1.057	1.089	1.114	1.130	1.140	1.146	1.145
10.50 – 11.00	1.018	1.055	1.085	1.108	1.124	1.133	1.139	1.142
11.00 – 11.50	1.017	1.052	1.080	1.102	1.117	1.127	1.133	1.137
11.50 – 12.00	1.017	1.049	1.076	1.096	1.111	1.120	1.126	1.132
12.00 – 12.50	1.016	1.046	1.072	1.091	1.105	1.113	1.119	1.125
12.50 – 13.00	1.015	1.043	1.068	1.086	1.099	1.108	1.112	1.119
13.00 – 14.00	1.013	1.040	1.062	1.079	1.091	1.099	1.104	1.111
14.00 – 15.00	1.012	1.036	1.056	1.071	1.082	1.089	1.093	1.099
15.00 – 16.00	1.011	1.032	1.050	1.064	1.073	1.080	1.084	1.090
16.00 – 17.00	1.010	1.029	1.045	1.057	1.067	1.072	1.076	1.081
17.00 – 18.00	1.009	1.026	1.041	1.052	1.060	1.065	1.068	1.073
18.00 – 20.00	1.008	1.023	1.036	1.045	1.053	1.057	1.060	1.063
20.00 – 22.00	1.007	1.019	1.030	1.038	1.044	1.048	1.050	1.053
22.00 – 24.00	1.006	1.016	1.025	1.032	1.037	1.040	1.043	1.044
24.00 – 26.00	1.005	1.014	1.022	1.028	1.032	1.035	1.037	1.038
26.00 – 30.00	1.004	1.012	1.018	1.023	1.026	1.029	1.030	1.031
30.00 – 35.00	1.003	1.009	1.014	1.017	1.020	1.022	1.023	1.023
35.00 – 40.00	1.002	1.007	1.010	1.013	1.015	1.017	1.017	1.018
40.00 – 60.00	1.002	1.004	1.007	1.009	1.010	1.011	1.012	1.012
60.00 – 110.00	1.001	1.002	1.003	1.004	1.004	1.005	1.005	1.005

Table 27: Mean weight correction factor for $\psi(2S)$ under the “off- $(\lambda_\theta-\lambda_\phi)$ -plane negative” spin-alignment hypothesis for 8 TeV. Those intervals not measured in the analysis at low p_T , high rapidity are also excluded here.

p_T [GeV]	Absolute Rapidity Range							
	0.00–0.25	0.25–0.50	0.50–0.75	0.75–1.00	1.00–1.25	1.25–1.50	1.50–1.75	1.75–2.00
8.00 – 8.50	0.983	0.952	0.931	–	–	–	–	–
8.50 – 9.00	0.980	0.945	0.920	–	–	–	–	–
9.00 – 9.50	0.980	0.945	0.919	–	–	–	–	–
9.50 – 10.00	0.981	0.946	0.921	–	–	–	–	–
10.00 – 10.50	0.981	0.949	0.924	0.908	0.897	0.891	0.887	0.888
10.50 – 11.00	0.982	0.951	0.928	0.912	0.901	0.895	0.891	0.890
11.00 – 11.50	0.983	0.953	0.931	0.916	0.906	0.899	0.895	0.893
11.50 – 12.00	0.984	0.956	0.934	0.919	0.910	0.903	0.900	0.896
12.00 – 12.50	0.985	0.958	0.937	0.923	0.914	0.908	0.904	0.900
12.50 – 13.00	0.986	0.960	0.940	0.927	0.918	0.911	0.908	0.904
13.00 – 14.00	0.987	0.963	0.945	0.932	0.923	0.917	0.914	0.910
14.00 – 15.00	0.988	0.967	0.950	0.938	0.930	0.925	0.922	0.917
15.00 – 16.00	0.989	0.970	0.955	0.944	0.936	0.931	0.928	0.924
16.00 – 17.00	0.990	0.973	0.959	0.949	0.941	0.937	0.934	0.931
17.00 – 18.00	0.991	0.975	0.962	0.953	0.946	0.943	0.940	0.936
18.00 – 20.00	0.992	0.978	0.967	0.958	0.953	0.949	0.946	0.944
20.00 – 22.00	0.993	0.981	0.972	0.965	0.960	0.956	0.955	0.952
22.00 – 24.00	0.994	0.984	0.976	0.970	0.965	0.963	0.961	0.960
24.00 – 26.00	0.995	0.986	0.979	0.974	0.970	0.967	0.966	0.965
26.00 – 30.00	0.996	0.989	0.983	0.978	0.975	0.973	0.972	0.971
30.00 – 35.00	0.997	0.991	0.987	0.983	0.981	0.979	0.978	0.978
35.00 – 40.00	0.998	0.993	0.990	0.987	0.985	0.984	0.983	0.983
40.00 – 60.00	0.998	0.996	0.993	0.992	0.990	0.989	0.989	0.989
60.00 – 110.00	0.999	0.998	0.997	0.996	0.996	0.995	0.995	0.995

The ATLAS Collaboration

G. Aad⁸⁷, B. Abbott¹¹⁵, J. Abdallah¹⁵³, O. Abdinov¹¹, R. Aben¹⁰⁹, M. Abolins⁹², O.S. AbouZeid¹⁶⁰, H. Abramowicz¹⁵⁵, H. Abreu¹⁵⁴, R. Abreu¹¹⁸, Y. Abulaiti^{148a,148b}, B.S. Acharya^{164a,164b,a}, L. Adamczyk^{39a}, D.L. Adams²⁶, J. Adelman¹¹⁰, S. Adomeit¹⁰², T. Adye¹³³, A.A. Affolder⁷⁶, T. Agatonovic-Jovin¹³, J. Agricola⁵⁵, J.A. Aguilar-Saavedra^{128a,128f}, S.P. Ahlen²³, F. Ahmadov^{67,b}, G. Aielli^{135a,135b}, H. Akerstedt^{148a,148b}, T.P.A. Åkesson⁸³, A.V. Akimov⁹⁸, G.L. Alberghi^{21a,21b}, J. Albert¹⁶⁹, S. Albrand⁵⁶, M.J. Alconada Verzini⁷³, M. Aleksa³¹, I.N. Aleksandrov⁶⁷, C. Alexa^{27a}, G. Alexander¹⁵⁵, T. Alexopoulos¹⁰, M. Alhroob¹¹⁵, G. Alimonti^{93a}, L. Alio⁸⁷, J. Alison³², S.P. Alkire³⁶, B.M.M. Allbrooke¹⁵¹, P.P. Allport¹⁸, A. Aloisio^{106a,106b}, A. Alonso³⁷, F. Alonso⁷³, C. Alpigiani⁷⁸, A. Altheimer³⁶, B. Alvarez Gonzalez³¹, D. Álvarez Piqueras¹⁶⁷, M.G. Alviggi^{106a,106b}, B.T. Amadio¹⁵, K. Amako⁶⁸, Y. Amaral Coutinho^{25a}, C. Amelung²⁴, D. Amidei⁹¹, S.P. Amor Dos Santos^{128a,128c}, A. Amorim^{128a,128b}, S. Amoroso⁴⁹, N. Amram¹⁵⁵, G. Amundsen²⁴, C. Anastopoulos¹⁴¹, L.S. Ancu⁵⁰, N. Andari¹¹⁰, T. Andeen³⁶, C.F. Anders^{59b}, G. Anders³¹, J.K. Anders⁷⁶, K.J. Anderson³², A. Andreazza^{93a,93b}, V. Andrei^{59a}, S. Angelidakis⁹, I. Angelozzi¹⁰⁹, P. Anger⁴⁵, A. Angerami³⁶, F. Anghinolfi³¹, A.V. Anisenkov^{111,c}, N. Anjos¹², A. Annovi^{126a,126b}, M. Antonelli⁴⁸, A. Antonov¹⁰⁰, J. Antos^{146b}, F. Anulli^{134a}, M. Aoki⁶⁸, L. Aperio Bella¹⁸, G. Arabidze⁹², Y. Arai⁶⁸, J.P. Araque^{128a}, A.T.H. Arce⁴⁶, F.A. Arduh⁷³, J-F. Arguin⁹⁷, S. Argyropoulos⁶⁴, M. Arik^{19a}, A.J. Armbruster³¹, O. Arnaez³¹, V. Arnal⁸⁴, H. Arnold⁴⁹, M. Arratia²⁹, O. Arslan²², A. Artamonov⁹⁹, G. Artoni²⁴, S. Asai¹⁵⁷, N. Asbah⁴³, A. Ashkenazi¹⁵⁵, B. Åsman^{148a,148b}, L. Asquith¹⁵¹, K. Assamagan²⁶, R. Astalos^{146a}, M. Atkinson¹⁶⁶, N.B. Atlay¹⁴³, K. Augsten¹³⁰, M. Aurousseau^{147b}, G. Avolio³¹, B. Axen¹⁵, M.K. Ayoub¹¹⁹, G. Azuelos^{97,d}, M.A. Baak³¹, A.E. Baas^{59a}, M.J. Baca¹⁸, C. Bacci^{136a,136b}, H. Bachacou¹³⁸, K. Bachas¹⁵⁶, M. Backes³¹, M. Backhaus³¹, P. Bagiacchi^{134a,134b}, P. Bagnaia^{134a,134b}, Y. Bai^{34a}, T. Bain³⁶, J.T. Baines¹³³, O.K. Baker¹⁷⁶, E.M. Baldin^{111,c}, P. Balek¹³¹, T. Balestri¹⁵⁰, F. Balli⁸⁶, W.K. Balunas¹²⁴, E. Banas⁴⁰, Sw. Banerjee¹⁷³, A.A.E. Bannoura¹⁷⁵, H.S. Bansil¹⁸, L. Barak³¹, E.L. Barberio⁹⁰, D. Barberis^{51a,51b}, M. Barbero⁸⁷, T. Barillari¹⁰³, M. Barisonzi^{164a,164b}, T. Barklow¹⁴⁵, N. Barlow²⁹, S.L. Barnes⁸⁶, B.M. Barnett¹³³, R.M. Barnett¹⁵, Z. Barnovska⁵, A. Baroncelli^{136a}, G. Barone²⁴, A.J. Barr¹²², F. Barreiro⁸⁴, J. Barreiro Guimarães da Costa⁵⁸, R. Bartoldus¹⁴⁵, A.E. Barton⁷⁴, P. Bartos^{146a}, A. Basalae¹²⁵, A. Bassalat¹¹⁹, A. Basye¹⁶⁶, R.L. Bates⁵⁴, S.J. Batista¹⁶⁰, J.R. Batley²⁹, M. Battaglia¹³⁹, M. Baue^{134a,134b}, F. Bauer¹³⁸, H.S. Bawa^{145,e}, J.B. Beacham¹¹³, M.D. Beattie⁷⁴, T. Beau⁸², P.H. Beauchemin¹⁶³, R. Beccherle^{126a,126b}, P. Bechtel²², H.P. Beck^{17,f}, K. Becker¹²², M. Becker⁸⁵, M. Beckingham¹⁷⁰, C. Becot¹¹⁹, A.J. Beddall^{19b}, A. Beddall^{19b}, V.A. Bednyakov⁶⁷, C.P. Bee¹⁵⁰, L.J. Beemster¹⁰⁹, T.A. Beermann³¹, M. Begel²⁶, J.K. Behr¹²², C. Belanger-Champagne⁸⁹, W.H. Bell⁵⁰, G. Bella¹⁵⁵, L. Bellagamba^{21a}, A. Bellerive³⁰, M. Bellomo⁸⁸, K. Belotskiy¹⁰⁰, O. Beltramello³¹, O. Benary¹⁵⁵, D. Bencheikroun^{137a}, M. Bender¹⁰², K. Bendtz^{148a,148b}, N. Benekos¹⁰, Y. Benhammou¹⁵⁵, E. Benhar Nocchioli⁵⁰, J.A. Benitez Garcia^{161b}, D.P. Benjamin⁴⁶, J.R. Bensinger²⁴, S. Bentvelsen¹⁰⁹, L. Beresford¹²², M. Beretta⁴⁸, D. Berge¹⁰⁹, E. Bergeaas Kuutmann¹⁶⁵, N. Berger⁵, F. Berghaus¹⁶⁹, J. Beringer¹⁵, C. Bernard²³, N.R. Bernard⁸⁸, C. Bernius¹¹², F.U. Bernlochner²², T. Berry⁷⁹, P. Berta¹³¹, C. Bertella⁸⁵, G. Bertoli^{148a,148b}, F. Bertolucci^{126a,126b}, C. Bertsche¹¹⁵, D. Bertsche¹¹⁵, M.I. Besana^{93a}, G.J. Besjes³⁷, O. Bessidskaia Bylund^{148a,148b}, M. Bessner⁴³, N. Besson¹³⁸, C. Betancourt⁴⁹, S. Bethke¹⁰³, A.J. Bevan⁷⁸, W. Bhimji¹⁵, R.M. Bianchi¹²⁷, L. Bianchini²⁴, M. Bianco³¹, O. Biebel¹⁰², D. Biedermann¹⁶, S.P. Bieniek⁸⁰, M. Biglietti^{136a}, J. Bilbao De Mendizabal⁵⁰, H. Bilokon⁴⁸, M. Bindi⁵⁵, S. Binet¹¹⁹, A. Bingul^{19b}, C. Bini^{134a,134b}, S. Biondi^{21a,21b}, D.M. Bjergaard⁴⁶, C.W. Black¹⁵², J.E. Black¹⁴⁵, K.M. Black²³, D. Blackburn¹⁴⁰, R.E. Blair⁶, J.-B. Blanchard¹³⁸, J.E. Blanco⁷⁹, T. Blazek^{146a}, I. Bloch⁴³, C. Blocker²⁴, W. Blum^{85,*}, U. Blumenschein⁵⁵, G.J. Bobbink¹⁰⁹,

V.S. Bobrovnikov^{111,c}, S.S. Bocchetta⁸³, A. Bocci⁴⁶, C. Bock¹⁰², M. Boehler⁴⁹, J.A. Bogaerts³¹, D. Bogavac¹³, A.G. Bogdanchikov¹¹¹, C. Bohm^{148a}, V. Boisvert⁷⁹, T. Bold^{39a}, V. Boldea^{27a}, A.S. Boldyrev¹⁰¹, M. Bomben⁸², M. Bona⁷⁸, M. Boonekamp¹³⁸, A. Borisov¹³², G. Borissov⁷⁴, S. Borroni⁴³, J. Bortfeldt¹⁰², V. Bortolotto^{61a,61b,61c}, K. Bos¹⁰⁹, D. Boscherini^{21a}, M. Bosman¹², J. Boudreau¹²⁷, J. Bouffard², E.V. Bouhova-Thacker⁷⁴, D. Boumediene³⁵, C. Bourdarios¹¹⁹, N. Bousson¹¹⁶, A. Boveia³¹, J. Boyd³¹, I.R. Boyko⁶⁷, I. Bozic¹³, J. Bracinik¹⁸, A. Brandt⁸, G. Brandt⁵⁵, O. Brandt^{59a}, U. Bratzler¹⁵⁸, B. Brau⁸⁸, J.E. Brau¹¹⁸, H.M. Braun^{175,*}, S.F. Brazzale^{164a,164c}, W.D. Breaden Madden⁵⁴, K. Brendlinger¹²⁴, A.J. Brennan⁹⁰, L. Brenner¹⁰⁹, R. Brenner¹⁶⁵, S. Bressler¹⁷², K. Bristow^{147c}, T.M. Bristow⁴⁷, D. Britton⁵⁴, D. Britzger⁴³, F.M. Brochu²⁹, I. Brock²², R. Brock⁹², J. Bronner¹⁰³, G. Brooijmans³⁶, T. Brooks⁷⁹, W.K. Brooks^{33b}, J. Brosamer¹⁵, E. Brost¹¹⁸, J. Brown⁵⁶, P.A. Bruckman de Renstrom⁴⁰, D. Bruncko^{146b}, R. Bruneliere⁴⁹, A. Bruni^{21a}, G. Bruni^{21a}, M. Bruschi^{21a}, N. Bruscino²², L. Bryngemark⁸³, T. Buanes¹⁴, Q. Buat¹⁴⁴, P. Buchholz¹⁴³, A.G. Buckley⁵⁴, S.I. Buda^{27a}, I.A. Budagov⁶⁷, F. Buehrer⁴⁹, L. Bugge¹²¹, M.K. Bugge¹²¹, O. Bulekov¹⁰⁰, D. Bullock⁸, H. Burckhart³¹, S. Burdin⁷⁶, C.D. Burgard⁴⁹, B. Burghgrave¹¹⁰, S. Burke¹³³, I. Burmeister⁴⁴, E. Busato³⁵, D. Büscher⁴⁹, V. Büscher⁸⁵, P. Bussey⁵⁴, J.M. Butler²³, A.I. Butt³, C.M. Buttar⁵⁴, J.M. Butterworth⁸⁰, P. Butti¹⁰⁹, W. Buttinger²⁶, A. Buzatu⁵⁴, A.R. Buzykaev^{111,c}, S. Cabrera Urbán¹⁶⁷, D. Caforio¹³⁰, V.M. Cairo^{38a,38b}, O. Cakir^{4a}, N. Calace⁵⁰, P. Calafiura¹⁵, A. Calandri¹³⁸, G. Calderini⁸², P. Calfayan¹⁰², L.P. Caloba^{25a}, D. Calvet³⁵, S. Calvet³⁵, R. Camacho Toro³², S. Camarda⁴³, P. Camarri^{135a,135b}, D. Cameron¹²¹, R. Caminal Armadans¹⁶⁶, S. Campana³¹, M. Campanelli⁸⁰, A. Campoverde¹⁵⁰, V. Canale^{106a,106b}, A. Canepa^{161a}, M. Cano Bret^{34e}, J. Cantero⁸⁴, R. Cantrill^{128a}, T. Cao⁴¹, M.D.M. Capeans Garrido³¹, I. Caprini^{27a}, M. Caprini^{27a}, M. Capua^{38a,38b}, R. Caputo⁸⁵, R. Cardarelli^{135a}, F. Cardillo⁴⁹, T. Carli³¹, G. Carlino^{106a}, L. Carminati^{93a,93b}, S. Caron¹⁰⁸, E. Carquin^{33a}, G.D. Carrillo-Montoya³¹, J.R. Carter²⁹, J. Carvalho^{128a,128c}, D. Casadei⁸⁰, M.P. Casado^{12,g}, M. Casolino¹², E. Castaneda-Miranda^{147a}, A. Castelli¹⁰⁹, V. Castillo Gimenez¹⁶⁷, N.F. Castro^{128a,h}, P. Catastini⁵⁸, A. Catinaccio³¹, J.R. Catmore¹²¹, A. Cattai³¹, J. Caudron⁸⁵, V. Cavaliere¹⁶⁶, D. Cavalli^{93a}, M. Cavalli-Sforza¹², V. Cavasinni^{126a,126b}, F. Ceradini^{136a,136b}, B.C. Cerio⁴⁶, K. Cerny¹³¹, A.S. Cerqueira^{25b}, A. Cerri¹⁵¹, L. Cerrito⁷⁸, F. Cerutti¹⁵, M. Cerv³¹, A. Cervelli¹⁷, S.A. Cetin^{19c}, A. Chafaq^{137a}, D. Chakraborty¹¹⁰, I. Chalupkova¹³¹, P. Chang¹⁶⁶, J.D. Chapman²⁹, D.G. Charlton¹⁸, C.C. Chau¹⁶⁰, C.A. Chavez Barajas¹⁵¹, S. Cheatham¹⁵⁴, A. Chegwidan⁹², S. Chekanov⁶, S.V. Chekulaev^{161a}, G.A. Chelkov^{67,i}, M.A. Chelstowska⁹¹, C. Chen⁶⁵, H. Chen²⁶, K. Chen¹⁵⁰, L. Chen^{34d,j}, S. Chen^{34c}, X. Chen^{34f}, Y. Chen⁶⁹, H.C. Cheng⁹¹, Y. Cheng³², A. Cheplakov⁶⁷, E. Cheremushkina¹³², R. Cherkouli El Moursli^{137e}, V. Chernyatin^{26,*}, E. Cheu⁷, L. Chevalier¹³⁸, V. Chiarella⁴⁸, G. Chiarelli^{126a,126b}, G. Chiodini^{75a}, A.S. Chisholm¹⁸, R.T. Chislett⁸⁰, A. Chitan^{27a}, M.V. Chizhov⁶⁷, K. Choi⁶², S. Chouridou⁹, B.K.B. Chow¹⁰², V. Christodoulou⁸⁰, D. Chromek-Burckhart³¹, J. Chudoba¹²⁹, A.J. Chuinard⁸⁹, J.J. Chwastowski⁴⁰, L. Chytka¹¹⁷, G. Ciapetti^{134a,134b}, A.K. Ciftci^{4a}, D. Cinca⁵⁴, V. Cindro⁷⁷, I.A. Cioara²², A. Ciocio¹⁵, F. Ciotto^{106a,106b}, Z.H. Citron¹⁷², M. Ciubancan^{27a}, A. Clark⁵⁰, B.L. Clark⁵⁸, P.J. Clark⁴⁷, R.N. Clarke¹⁵, W. Cleland¹²⁷, C. Clement^{148a,148b}, Y. Coadou⁸⁷, M. Cobal^{164a,164c}, A. Coccaro⁵⁰, J. Cochran⁶⁵, L. Coffey²⁴, J.G. Cogan¹⁴⁵, L. Colasurdo¹⁰⁸, B. Cole³⁶, S. Cole¹¹⁰, A.P. Colijn¹⁰⁹, J. Collot⁵⁶, T. Colombo^{59c}, G. Compostella¹⁰³, P. Conde Muño^{128a,128b}, E. Coniavitis⁴⁹, S.H. Connell^{147b}, I.A. Connelly⁷⁹, V. Consorti⁴⁹, S. Constantinescu^{27a}, C. Conta^{123a,123b}, G. Conti³¹, F. Conventi^{106a,k}, M. Cooke¹⁵, B.D. Cooper⁸⁰, A.M. Cooper-Sarkar¹²², T. Cornelissen¹⁷⁵, M. Corradi^{134a,134b}, F. Corriveau^{89,l}, A. Corso-Radu⁶⁶, A. Cortes-Gonzalez¹², G. Cortiana¹⁰³, G. Costa^{93a}, M.J. Costa¹⁶⁷, D. Costanzo¹⁴¹, D. Côté⁸, G. Cottin²⁹, G. Cowan⁷⁹, B.E. Cox⁸⁶, K. Cranmer¹¹², G. Cree³⁰, S. Crépe-Renaudin⁵⁶, F. Crescioli⁸², W.A. Cribbs^{148a,148b}, M. Crispin Ortuzar¹²², M. Cristinziani²², V. Croft¹⁰⁸, G. Crosetti^{38a,38b}, T. Cuhadar Donszelmann¹⁴¹, J. Cummings¹⁷⁶, M. Curatolo⁴⁸, J. Cúth⁸⁵, C. Cuthbert¹⁵², H. Czirr¹⁴³, P. Czodrowski³, S. D'Auria⁵⁴, M. D'Onofrio⁷⁶,

M.J. Da Cunha Sargedas De Sousa^{128a,128b}, C. Da Via⁸⁶, W. Dabrowski^{39a}, A. Dafinca¹²², T. Dai⁹¹, O. Dale¹⁴, F. Dallaire⁹⁷, C. Dallapiccola⁸⁸, M. Dam³⁷, J.R. Dandoy³², N.P. Dang⁴⁹, A.C. Daniells¹⁸, M. Danninger¹⁶⁸, M. Dano Hoffmann¹³⁸, V. Dao⁴⁹, G. Darbo^{51a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta⁶², W. Davey²², C. David¹⁶⁹, T. Davidek¹³¹, E. Davies^{122,m}, M. Davies¹⁵⁵, P. Davison⁸⁰, Y. Davygora^{59a}, E. Dawe⁹⁰, I. Dawson¹⁴¹, R.K. Daya-Ishmukhametova⁸⁸, K. De⁸, R. de Asmundis^{106a}, A. De Benedetti¹¹⁵, S. De Castro^{21a,21b}, S. De Cecco⁸², N. De Groot¹⁰⁸, P. de Jong¹⁰⁹, H. De la Torre⁸⁴, F. De Lorenzi⁶⁵, D. De Pedis^{134a}, A. De Salvo^{134a}, U. De Sanctis¹⁵¹, A. De Santo¹⁵¹, J.B. De Vivie De Regie¹¹⁹, W.J. Dearnaley⁷⁴, R. Debbe²⁶, C. Debenedetti¹³⁹, D.V. Dedovich⁶⁷, I. Deigaard¹⁰⁹, J. Del Peso⁸⁴, T. Del Prete^{126a,126b}, D. Delgove¹¹⁹, F. Deliot¹³⁸, C.M. Delitzsch⁵⁰, M. Deliyergiyev⁷⁷, A. Dell'Acqua³¹, L. Dell'Asta²³, M. Dell'Orso^{126a,126b}, M. Della Pietra^{106a,k}, D. della Volpe⁵⁰, M. Delmastro⁵, P.A. Delsart⁵⁶, C. Deluca¹⁰⁹, D.A. DeMarco¹⁶⁰, S. Demers¹⁷⁶, M. Demichev⁶⁷, A. Demilly⁸², S.P. Denisov¹³², D. Derendarz⁴⁰, J.E. Derkaoui^{137d}, F. Derue⁸², P. Dervan⁷⁶, K. Desch²², C. Deterre⁴³, P.O. Deviveiros³¹, A. Dewhurst¹³³, S. Dhaliwal²⁴, A. Di Ciaccio^{135a,135b}, L. Di Ciaccio⁵, A. Di Domenico^{134a,134b}, C. Di Donato^{134a,134b}, A. Di Girolamo³¹, B. Di Girolamo³¹, A. Di Mattia¹⁵⁴, B. Di Micco^{136a,136b}, R. Di Nardo⁴⁸, A. Di Simone⁴⁹, R. Di Sipio¹⁶⁰, D. Di Valentino³⁰, C. Diaconu⁸⁷, M. Diamond¹⁶⁰, F.A. Dias⁴⁷, M.A. Diaz^{33a}, E.B. Diehl⁹¹, J. Dietrich¹⁶, S. Diglio⁸⁷, A. Dimitrievska¹³, J. Dingfelder²², P. Dita^{27a}, S. Dita^{27a}, F. Dittus³¹, F. Djama⁸⁷, T. Djobava^{52b}, J.I. Djuvsland^{59a}, M.A.B. do Vale^{25c}, D. Dobos³¹, M. Dobre^{27a}, C. Doglioni⁸³, T. Dohmae¹⁵⁷, J. Dolejsi¹³¹, Z. Dolezal¹³¹, B.A. Dolgoshein^{100,*}, M. Donadelli^{25d}, S. Donati^{126a,126b}, P. Dondero^{123a,123b}, J. Donini³⁵, J. Dopke¹³³, A. Doria^{106a}, M.T. Dova⁷³, A.T. Doyle⁵⁴, E. Drechsler⁵⁵, M. Dris¹⁰, E. Dubreuil³⁵, E. Duchovni¹⁷², G. Duckeck¹⁰², O.A. Ducu^{27a}, D. Duda¹⁰⁹, A. Dudarev³¹, L. Dufлот¹¹⁹, L. Duguid⁷⁹, M. Dührssen³¹, M. Dunford^{59a}, H. Duran Yildiz^{4a}, M. Düren⁵³, A. Durglishvili^{52b}, D. Duschinger⁴⁵, M. Dyndal^{39a}, C. Eckardt⁴³, K.M. Ecker¹⁰³, R.C. Edgar⁹¹, W. Edson², N.C. Edwards⁴⁷, W. Ehrenfeld²², T. Eifert³¹, G. Eigen¹⁴, K. Einsweiler¹⁵, T. Ekelof¹⁶⁵, M. El Kacimi^{137c}, M. Ellert¹⁶⁵, S. Elles⁵, F. Ellinghaus¹⁷⁵, A.A. Elliot¹⁶⁹, N. Ellis³¹, J. Elmsheuser¹⁰², M. Elsing³¹, D. Emeliyanov¹³³, Y. Enari¹⁵⁷, O.C. Endner⁸⁵, M. Endo¹²⁰, J. Erdmann⁴⁴, A. Ereditato¹⁷, G. Ernis¹⁷⁵, J. Ernst²⁶, M. Ernst²⁶, S. Errede¹⁶⁶, E. Ertel⁸⁵, M. Escalier¹¹⁹, H. Esch⁴⁴, C. Escobar¹²⁷, B. Esposito⁴⁸, A.I. Etienvre¹³⁸, E. Etzion¹⁵⁵, H. Evans⁶², A. Ezhilov¹²⁵, L. Fabbri^{21a,21b}, G. Facini³², R.M. Fakhruddinov¹³², S. Falciano^{134a}, R.J. Falla⁸⁰, J. Faltova¹³¹, Y. Fang^{34a}, M. Fanti^{93a,93b}, A. Farbin⁸, A. Farilla^{136a}, T. Farooque¹², S. Farrell¹⁵, S.M. Farrington¹⁷⁰, P. Farthouat³¹, F. Fassi^{137e}, P. Fassnacht³¹, D. Fassouliotis⁹, M. Faucci Giannelli⁷⁹, A. Favareto^{51a,51b}, L. Fayard¹¹⁹, P. Federic^{146a}, O.L. Fedin^{125,n}, W. Fedorko¹⁶⁸, S. Feigl³¹, L. Felgioni⁸⁷, C. Feng^{34d}, E.J. Feng⁶, H. Feng⁹¹, A.B. Fenyuk¹³², L. Feremenga⁸, P. Fernandez Martinez¹⁶⁷, S. Fernandez Perez³¹, J. Ferrando⁵⁴, A. Ferrari¹⁶⁵, P. Ferrari¹⁰⁹, R. Ferrari^{123a}, D.E. Ferreira de Lima⁵⁴, A. Ferrer¹⁶⁷, D. Ferrere⁵⁰, C. Ferretti⁹¹, A. Ferretto Parodi^{51a,51b}, M. Fiascaris³², F. Fiedler⁸⁵, A. Filipčič⁷⁷, M. Filipuzzi⁴³, F. Filthaut¹⁰⁸, M. Fincke-Keeler¹⁶⁹, K.D. Finelli¹⁵², M.C.N. Fiolhais^{128a,128c}, L. Fiorini¹⁶⁷, A. Firan⁴¹, A. Fischer², C. Fischer¹², J. Fischer¹⁷⁵, W.C. Fisher⁹², E.A. Fitzgerald²⁴, N. Flaschel⁴³, I. Fleck¹⁴³, P. Fleischmann⁹¹, S. Fleischmann¹⁷⁵, G.T. Fletcher¹⁴¹, G. Fletcher⁷⁸, R.R.M. Fletcher¹²⁴, T. Flick¹⁷⁵, A. Floderus⁸³, L.R. Flores Castillo^{61a}, M.J. Flowerdew¹⁰³, A. Formica¹³⁸, A. Forti⁸⁶, D. Fournier¹¹⁹, H. Fox⁷⁴, S. Fracchia¹², P. Francavilla⁸², M. Franchini^{21a,21b}, D. Francis³¹, L. Franconi¹²¹, M. Franklin⁵⁸, M. Frate⁶⁶, M. Fraternali^{123a,123b}, D. Freeborn⁸⁰, S.T. French²⁹, F. Friedrich⁴⁵, D. Froidevaux³¹, J.A. Frost¹²², C. Fukunaga¹⁵⁸, E. Fullana Torregrosa⁸⁵, B.G. Fulson¹⁴⁵, T. Fusayasu¹⁰⁴, J. Fuster¹⁶⁷, C. Gabaldon⁵⁶, O. Gabizon¹⁷⁵, A. Gabrielli^{21a,21b}, A. Gabrielli^{134a,134b}, G.P. Gach¹⁸, S. Gadatsch³¹, S. Gadomski⁵⁰, G. Gagliardi^{51a,51b}, P. Gagnon⁶², C. Galea¹⁰⁸, B. Galhardo^{128a,128c}, E.J. Gallas¹²², B.J. Gallop¹³³, P. Gallus¹³⁰, G. Galster³⁷, K.K. Gan¹¹³, J. Gao^{34b,87}, Y. Gao⁴⁷, Y.S. Gao^{145,e}, F.M. Garay Walls⁴⁷, F. Garbersson¹⁷⁶, C. García¹⁶⁷, J.E. García Navarro¹⁶⁷, M. Garcia-Sciveres¹⁵, R.W. Gardner³², N. Garelli¹⁴⁵, V. Garonne¹²¹, C. Gatti⁴⁸,

A. Gaudiello^{51a,51b}, G. Gaudio^{123a}, B. Gaur¹⁴³, L. Gauthier⁹⁷, P. Gauzzi^{134a,134b}, I.L. Gavrilenko⁹⁸, C. Gay¹⁶⁸, G. Gaycken²², E.N. Gazis¹⁰, P. Ge^{34d}, Z. Gecse¹⁶⁸, C.N.P. Gee¹³³, Ch. Geich-Gimbel²², M.P. Geisler^{59a}, C. Gemme^{51a}, M.H. Genest⁵⁶, S. Gentile^{134a,134b}, M. George⁵⁵, S. George⁷⁹, D. Gerbaudo⁶⁶, A. Gershon¹⁵⁵, S. Ghasemi¹⁴³, H. Ghazlane^{137b}, B. Giacobbe^{21a}, S. Giagu^{134a,134b}, V. Giangiobbe¹², P. Giannetti^{126a,126b}, B. Gibbard²⁶, S.M. Gibson⁷⁹, M. Gilchriese¹⁵, T.P.S. Gillam²⁹, D. Gillberg³¹, G. Gilles³⁵, D.M. Gingrich^{3,d}, N. Giokaris⁹, M.P. Giordani^{164a,164c}, F.M. Giorgi^{21a}, F.M. Giorgi¹⁶, P.F. Giraud¹³⁸, P. Giromini⁴⁸, D. Giugni^{93a}, C. Giuliani⁴⁹, M. Giulini^{59b}, B.K. Gjelsten¹²¹, S. Gkaitatzis¹⁵⁶, I. Gkialas¹⁵⁶, E.L. Gkougkousis¹¹⁹, L.K. Gladilin¹⁰¹, C. Glasman⁸⁴, J. Glatzer³¹, P.C.F. Glaysher⁴⁷, A. Glazov⁴³, M. Goblirsch-Kolb¹⁰³, J.R. Goddard⁷⁸, J. Godlewski⁴⁰, S. Goldfarb⁹¹, T. Golling⁵⁰, D. Golubkov¹³², A. Gomes^{128a,128b,128d}, R. Gonalo^{128a}, J. Goncalves Pinto Firmino Da Costa¹³⁸, L. Gonella²², S. Gonzlez de la Hoz¹⁶⁷, G. Gonzalez Parra¹², S. Gonzalez-Sevilla⁵⁰, L. Goossens³¹, P.A. Gorbounov⁹⁹, H.A. Gordon²⁶, I. Gorelov¹⁰⁷, B. Gorini³¹, E. Gorini^{75a,75b}, A. Gorišek⁷⁷, E. Gornicki⁴⁰, A.T. Goshaw⁴⁶, C. Gssling⁴⁴, M.I. Gostkin⁶⁷, D. Goujdami^{137c}, A.G. Goussiou¹⁴⁰, N. Govender^{147b}, E. Gozani¹⁵⁴, H.M.X. Grabas¹³⁹, L. Graber⁵⁵, I. Grabowska-Bold^{39a}, P.O.J. Gradin¹⁶⁵, P. Grafstrm^{21a,21b}, K-J. Grahn⁴³, J. Gramling⁵⁰, E. Gramstad¹²¹, S. Grancagnolo¹⁶, V. Gratchev¹²⁵, H.M. Gray³¹, E. Graziani^{136a}, Z.D. Greenwood^{81,o}, C. Greife²², K. Gregersen⁸⁰, I.M. Gregor⁴³, P. Grenier¹⁴⁵, J. Griffiths⁸, A.A. Grillo¹³⁹, K. Grimm⁷⁴, S. Grinstein^{12,p}, Ph. Gris³⁵, J.-F. Grivaz¹¹⁹, J.P. Grohs⁴⁵, A. Grohsjean⁴³, E. Gross¹⁷², J. Grosse-Knetter⁵⁵, G.C. Grossi⁸¹, Z.J. Grout¹⁵¹, L. Guan⁹¹, J. Guenther¹³⁰, F. Guescini⁵⁰, D. Guest¹⁷⁶, O. Gueta¹⁵⁵, E. Guido^{51a,51b}, T. Guillemin¹¹⁹, S. Guindon², U. Gul⁵⁴, C. Gumpert⁴⁵, J. Guo^{34e}, Y. Guo^{34b,q}, S. Gupta¹²², G. Gustavino^{134a,134b}, P. Gutierrez¹¹⁵, N.G. Gutierrez Ortiz⁸⁰, C. Gutsche⁴⁵, C. Guyot¹³⁸, C. Gwenlan¹²², C.B. Gwilliam⁷⁶, A. Haas¹¹², C. Haber¹⁵, H.K. Hadavand⁸, N. Haddad^{137e}, P. Haefner²², S. Hagebock²², Z. Hajduk⁴⁰, H. Hakobyan¹⁷⁷, M. Haleem⁴³, J. Haley¹¹⁶, D. Hall¹²², G. Halladjian⁹², G.D. Hallewell⁸⁷, K. Hamacher¹⁷⁵, P. Hamal¹¹⁷, K. Hamano¹⁶⁹, A. Hamilton^{147a}, G.N. Hamity¹⁴¹, P.G. Hamnett⁴³, L. Han^{34b}, K. Hanagaki^{68,r}, K. Hanawa¹⁵⁷, M. Hance¹⁵, P. Hanke^{59a}, R. Hanna¹³⁸, J.B. Hansen³⁷, J.D. Hansen³⁷, M.C. Hansen²², P.H. Hansen³⁷, K. Hara¹⁶², A.S. Hard¹⁷³, T. Harenberg¹⁷⁵, F. Hariri¹¹⁹, S. Harkusha⁹⁴, R.D. Harrington⁴⁷, P.F. Harrison¹⁷⁰, F. Hartjes¹⁰⁹, M. Hasegawa⁶⁹, Y. Hasegawa¹⁴², A. Hasib¹¹⁵, S. Hassani¹³⁸, S. Haug¹⁷, R. Hauser⁹², L. Hauswald⁴⁵, M. Havranek¹²⁹, C.M. Hawkes¹⁸, R.J. Hawking³¹, A.D. Hawkins⁸³, T. Hayashi¹⁶², D. Hayden⁹², C.P. Hays¹²², J.M. Hays⁷⁸, H.S. Hayward⁷⁶, S.J. Haywood¹³³, S.J. Head¹⁸, T. Heck⁸⁵, V. Hedberg⁸³, L. Heelan⁸, S. Heim¹²⁴, T. Heim¹⁷⁵, B. Heinemann¹⁵, L. Heinrich¹¹², J. Hejbal¹²⁹, L. Helary²³, S. Hellman^{148a,148b}, D. Hellmich²², C. Helsens¹², J. Henderson¹²², R.C.W. Henderson⁷⁴, Y. Heng¹⁷³, C. Hengler⁴³, S. Henkelmann¹⁶⁸, A. Henrichs¹⁷⁶, A.M. Henriques Correia³¹, S. Henrot-Versille¹¹⁹, G.H. Herbert¹⁶, Y. Hernandez Jimenez¹⁶⁷, R. Herrberg-Schubert¹⁶, G. Herten⁴⁹, R. Hertenberger¹⁰², L. Hervas³¹, G.G. Hesketh⁸⁰, N.P. Hessey¹⁰⁹, J.W. Hetherly⁴¹, R. Hickling⁷⁸, E. Higon-Rodrguez¹⁶⁷, E. Hill¹⁶⁹, J.C. Hill²⁹, K.H. Hiller⁴³, S.J. Hillier¹⁸, I. Hinchliffe¹⁵, E. Hines¹²⁴, R.R. Hinman¹⁵, M. Hirose¹⁵⁹, D. Hirschbuehl¹⁷⁵, J. Hobbs¹⁵⁰, N. Hod¹⁰⁹, M.C. Hodgkinson¹⁴¹, P. Hodgson¹⁴¹, A. Hoecker³¹, M.R. Hoferkamp¹⁰⁷, F. Hoenig¹⁰², M. Hohlfeld⁸⁵, D. Hohn²², T.R. Holmes¹⁵, M. Homann⁴⁴, T.M. Hong¹²⁷, L. Hooft van Huysduynen¹¹², W.H. Hopkins¹¹⁸, Y. Horii¹⁰⁵, A.J. Horton¹⁴⁴, J.-Y. Hostachy⁵⁶, S. Hou¹⁵³, A. Hoummada^{137a}, J. Howard¹²², J. Howarth⁴³, M. Hrabovsky¹¹⁷, I. Hristova¹⁶, J. Hrivnac¹¹⁹, T. Hrynova⁵, A. Hrynevich⁹⁵, C. Hsu^{147c}, P.J. Hsu^{153,s}, S.-C. Hsu¹⁴⁰, D. Hu³⁶, Q. Hu^{34b}, X. Hu⁹¹, Y. Huang⁴³, Z. Hubacek¹³⁰, F. Hubaut⁸⁷, F. Huegging²², T.B. Huffman¹²², E.W. Hughes³⁶, G. Hughes⁷⁴, M. Huhtinen³¹, T.A. Hulsing⁸⁵, N. Huseynov^{67,b}, J. Huston⁹², J. Huth⁵⁸, G. Iacobucci⁵⁰, G. Iakovidis²⁶, I. Ibragimov¹⁴³, L. Iconomidou-Fayard¹¹⁹, E. Ideal¹⁷⁶, Z. Idrissi^{137e}, P. Iengo³¹, O. Igonkina¹⁰⁹, T. Iizawa¹⁷¹, Y. Ikegami⁶⁸, M. Ikeno⁶⁸, Y. Ilchenko^{32,t}, D. Iliadis¹⁵⁶, N. Ilic¹⁴⁵, T. Ince¹⁰³, G. Introzzi^{123a,123b}, P. Ioannou^{9,*}, M. Iodice^{136a}, K. Iordanidou³⁶, V. Ippolito⁵⁸, A. Irlles Quiles¹⁶⁷, C. Isaksson¹⁶⁵, M. Ishino⁷⁰, M. Ishitsuka¹⁵⁹,

R. Ishmukhametov¹¹³, C. Issever¹²², S. Istin^{19a}, J.M. Iturbe Ponce⁸⁶, R. Iuppa^{135a,135b}, J. Ivarsson⁸³, W. Iwanski⁴⁰, H. Iwasaki⁶⁸, J.M. Izen⁴², V. Izzo^{106a}, S. Jabbar³, B. Jackson¹²⁴, M. Jackson⁷⁶, P. Jackson¹, M.R. Jaekel³¹, V. Jain², K. Jakobs⁴⁹, S. Jakobsen³¹, T. Jakoubek¹²⁹, J. Jakubek¹³⁰, D.O. Jamin¹¹⁶, D.K. Jana⁸¹, E. Jansen⁸⁰, R. Jansky⁶³, J. Janssen²², M. Janus⁵⁵, G. Jarlskog⁸³, N. Javadov^{67,b}, T. Javůrek⁴⁹, L. Jeanty¹⁵, J. Jejelava^{52a,u}, G.-Y. Jeng¹⁵², D. Jennens⁹⁰, P. Jenni^{49,v}, J. Jentzsch⁴⁴, C. Jeske¹⁷⁰, S. Jézéquel⁵, H. Ji¹⁷³, J. Jia¹⁵⁰, Y. Jiang^{34b}, S. Jiggins⁸⁰, J. Jimenez Pena¹⁶⁷, S. Jin^{34a}, A. Jinaru^{27a}, O. Jinnouchi¹⁵⁹, M.D. Joergensen³⁷, P. Johansson¹⁴¹, K.A. Johns⁷, K. Jon-And^{148a,148b}, G. Jones¹⁷⁰, R.W.L. Jones⁷⁴, T.J. Jones⁷⁶, J. Jongmanns^{59a}, P.M. Jorge^{128a,128b}, K.D. Joshi⁸⁶, J. Jovicevic^{161a}, X. Ju¹⁷³, C.A. Jung⁴⁴, P. Jussel⁶³, A. Juste Rozas^{12,p}, M. Kaci¹⁶⁷, A. Kaczmarzka⁴⁰, M. Kado¹¹⁹, H. Kagan¹¹³, M. Kagan¹⁴⁵, S.J. Kahn⁸⁷, E. Kajomovitz⁴⁶, C.W. Kalderon¹²², S. Kama⁴¹, A. Kamenshchikov¹³², N. Kanaya¹⁵⁷, S. Kaneti²⁹, V.A. Kantserov¹⁰⁰, J. Kanzaki⁶⁸, B. Kaplan¹¹², L.S. Kaplan¹⁷³, A. Kapliy³², D. Kar^{147c}, K. Karakostas¹⁰, A. Karamaoun³, N. Karastathis^{10,109}, M.J. Kareem⁵⁵, E. Karentzos¹⁰, M. Karneviskiy⁸⁵, S.N. Karpov⁶⁷, Z.M. Karpova⁶⁷, K. Karthik¹¹², V. Kartvelishvili⁷⁴, A.N. Karyukhin¹³², L. Kashif¹⁷³, R.D. Kass¹¹³, A. Kastanas¹⁴, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵⁰, J. Katzy⁴³, K. Kawagoe⁷², T. Kawamoto¹⁵⁷, G. Kawamura⁵⁵, S. Kazama¹⁵⁷, V.F. Kazanin^{111,c}, R. Keeler¹⁶⁹, R. Kehoe⁴¹, J.S. Keller⁴³, J.J. Kempster⁷⁹, H. Keoshkerian⁸⁶, O. Kepka¹²⁹, B.P. Kerševan⁷⁷, S. Kersten¹⁷⁵, R.A. Keyes⁸⁹, F. Khalil-zada¹¹, H. Khandanyan^{148a,148b}, A. Khanov¹¹⁶, A.G. Kharlamov^{111,c}, T.J. Khoo²⁹, V. Khovanskiy⁹⁹, E. Khramov⁶⁷, J. Khubua^{52b,w}, S. Kido⁶⁹, H.Y. Kim⁸, S.H. Kim¹⁶², Y.K. Kim³², N. Kimura¹⁵⁶, O.M. Kind¹⁶, B.T. King⁷⁶, M. King¹⁶⁷, S.B. King¹⁶⁸, J. Kirk¹³³, A.E. Kiryunin¹⁰³, T. Kishimoto⁶⁹, D. Kisielewska^{39a}, F. Kiss⁴⁹, K. Kiuchi¹⁶², O. Kivernyk¹³⁸, E. Kladiva^{146b}, M.H. Klein³⁶, M. Klein⁷⁶, U. Klein⁷⁶, K. Kleinknecht⁸⁵, P. Klimek^{148a,148b}, A. Klimentov²⁶, R. Klingenberg⁴⁴, J.A. Klinger¹⁴¹, T. Klioutchnikova³¹, E.-E. Kluge^{59a}, P. Kluit¹⁰⁹, S. Kluth¹⁰³, J. Knapik⁴⁰, E. Kneringer⁶³, E.B.F.G. Knoop⁸⁷, A. Knue⁵⁴, A. Kobayashi¹⁵⁷, D. Kobayashi¹⁵⁹, T. Kobayashi¹⁵⁷, M. Kobel⁴⁵, M. Kocian¹⁴⁵, P. Kodys¹³¹, T. Koffas³⁰, E. Koffeman¹⁰⁹, L.A. Kogan¹²², S. Kohlmann¹⁷⁵, Z. Kohout¹³⁰, T. Kohriki⁶⁸, T. Koi¹⁴⁵, H. Kolanoski¹⁶, I. Koletsou⁵, A.A. Komar^{98,*}, Y. Komori¹⁵⁷, T. Kondo⁶⁸, N. Kondrashova⁴³, K. Köneke⁴⁹, A.C. König¹⁰⁸, T. Kono^{68,x}, R. Konoplich^{112,y}, N. Konstantinidis⁸⁰, R. Kopeliansky¹⁵⁴, S. Koperny^{39a}, L. Köpke⁸⁵, A.K. Kopp⁴⁹, K. Korcyl⁴⁰, K. Kordas¹⁵⁶, A. Korn⁸⁰, A.A. Korol^{111,c}, I. Korolkov¹², E.V. Korolkova¹⁴¹, O. Kortner¹⁰³, S. Kortner¹⁰³, T. Kosek¹³¹, V.V. Kostyukhin²², V.M. Kotov⁶⁷, A. Kotwal⁴⁶, A. Kourkoumeli-Charalampidi¹⁵⁶, C. Kourkoumelis⁹, V. Kouskoura²⁶, A. Koutsman^{161a}, R. Kowalewski¹⁶⁹, T.Z. Kowalski^{39a}, W. Kozanecki¹³⁸, A.S. Kozhin¹³², V.A. Kramarenko¹⁰¹, G. Kramberger⁷⁷, D. Krasnopevtsev¹⁰⁰, M.W. Krasny⁸², A. Krasznahorkay³¹, J.K. Kraus²², A. Kravchenko²⁶, S. Kreiss¹¹², M. Kretz^{59c}, J. Kretzschmar⁷⁶, K. Kreutzfeldt⁵³, P. Krieger¹⁶⁰, K. Krizka³², K. Kroeninger⁴⁴, H. Kroha¹⁰³, J. Kroll¹²⁴, J. Kroseberg²², J. Krstic¹³, U. Kruchonak⁶⁷, H. Krüger²², N. Krumnack⁶⁵, A. Kruse¹⁷³, M.C. Kruse⁴⁶, M. Kruskal²³, T. Kubota⁹⁰, H. Kucuk⁸⁰, S. Kudah^{4b}, S. Kuehn⁴⁹, A. Kugel^{59c}, F. Kuger¹⁷⁴, A. Kuhl¹³⁹, T. Kuhl⁴³, V. Kukhtin⁶⁷, R. Kukla¹³⁸, Y. Kulchitsky⁹⁴, S. Kuleshov^{33b}, M. Kuna^{134a,134b}, T. Kunigo⁷⁰, A. Kupco¹²⁹, H. Kurashige⁶⁹, Y.A. Kurochkin⁹⁴, V. Kus¹²⁹, E.S. Kuwertz¹⁶⁹, M. Kuze¹⁵⁹, J. Kvita¹¹⁷, T. Kwan¹⁶⁹, D. Kyriazopoulos¹⁴¹, A. La Rosa¹³⁹, J.L. La Rosa Navarro^{25d}, L. La Rotonda^{38a,38b}, C. Lacasta¹⁶⁷, F. Lacava^{134a,134b}, J. Lacey³⁰, H. Lacker¹⁶, D. Lacour⁸², V.R. Lacuesta¹⁶⁷, E. Ladygin⁶⁷, R. Lafaye⁵, B. Laforge⁸², T. Lagouri¹⁷⁶, S. Lai⁵⁵, L. Lambourne⁸⁰, S. Lammers⁶², C.L. Lampen⁷, W. Lamp⁷, E. Lançon¹³⁸, U. Landgraf⁴⁹, M.P.J. Landon⁷⁸, V.S. Lang^{59a}, J.C. Lange¹², A.J. Lankford⁶⁶, F. Lanni²⁶, K. Lantzschi³¹, A. Lanza^{123a}, S. Laplace⁸², C. Lapoire³¹, J.F. Laporte¹³⁸, T. Lari^{93a}, F. Lasagni Manghi^{21a,21b}, M. Lassnig³¹, P. Laurelli⁴⁸, W. Lavrijsen¹⁵, A.T. Law¹³⁹, P. Laycock⁷⁶, T. Lazovich⁵⁸, O. Le Dortz⁸², E. Le Guirriec⁸⁷, E. Le Menedeu¹², M. LeBlanc¹⁶⁹, T. LeCompte⁶, F. Ledroit-Guillon⁵⁶, C.A. Lee^{147b}, S.C. Lee¹⁵³, L. Lee¹, G. Lefebvre⁸², M. Lefebvre¹⁶⁹, F. Legger¹⁰², C. Leggett¹⁵, A. Lehan⁷⁶, G. Lehmann Miotto³¹, X. Lei⁷, W.A. Leight³⁰, A. Leisos^{156,z}, A.G. Leister¹⁷⁶,

M.A.L. Leite^{25d}, R. Leitner¹³¹, D. Lellouch¹⁷², B. Lemmer⁵⁵, K.J.C. Leney⁸⁰, T. Lenz²², B. Lenzi³¹,
R. Leone⁷, S. Leone^{126a,126b}, C. Leonidopoulos⁴⁷, S. Leontsinis¹⁰, C. Leroy⁹⁷, C.G. Lester²⁹,
M. Levchenko¹²⁵, J. Levêque⁵, D. Levin⁹¹, L.J. Levinson¹⁷², M. Levy¹⁸, A. Lewis¹²², A.M. Leyko²²,
M. Leyton⁴², B. Li^{34b,aa}, H. Li¹⁵⁰, H.L. Li³², L. Li⁴⁶, L. Li^{34e}, S. Li⁴⁶, X. Li⁸⁶, Y. Li^{34c,ab}, Z. Liang¹³⁹,
H. Liao³⁵, B. Liberti^{135a}, A. Liblong¹⁶⁰, P. Lichard³¹, K. Lie¹⁶⁶, J. Liebal²², W. Liebig¹⁴, C. Limbach²²,
A. Limosani¹⁵², S.C. Lin^{153,ac}, T.H. Lin⁸⁵, F. Linde¹⁰⁹, B.E. Lindquist¹⁵⁰, J.T. Linnemann⁹²,
E. Lipeles¹²⁴, A. Lipniacka¹⁴, M. Lisovyi^{59b}, T.M. Liss¹⁶⁶, D. Lissauer²⁶, A. Lister¹⁶⁸, A.M. Litke¹³⁹,
B. Liu^{153,ad}, D. Liu¹⁵³, H. Liu⁹¹, J. Liu⁸⁷, J.B. Liu^{34b}, K. Liu⁸⁷, L. Liu¹⁶⁶, M. Liu⁴⁶, M. Liu^{34b},
Y. Liu^{34b}, M. Livan^{123a,123b}, A. Lleres⁵⁶, J. Llorente Merino⁸⁴, S.L. Lloyd⁷⁸, F. Lo Sterzo¹⁵³,
E. Lobodzinska⁴³, P. Loch⁷, W.S. Lockman¹³⁹, F.K. Loebinger⁸⁶, A.E. Loevschall-Jensen³⁷,
K.M. Loew²⁴, A. Loginov¹⁷⁶, T. Lohse¹⁶, K. Lohwasser⁴³, M. Lokajicek¹²⁹, B.A. Long²³, J.D. Long¹⁶⁶,
R.E. Long⁷⁴, K.A. Looper¹¹³, L. Lopes^{128a}, D. Lopez Mateos⁵⁸, B. Lopez Paredes¹⁴¹, I. Lopez Paz¹²,
J. Lorenz¹⁰², N. Lorenzo Martinez⁶², M. Losada²⁰, P.J. Lösel¹⁰², X. Lou^{34a}, A. Lounis¹¹⁹, J. Love⁶,
P.A. Love⁷⁴, N. Lu⁹¹, H.J. Lubatti¹⁴⁰, C. Luci^{134a,134b}, A. Lucotte⁵⁶, C. Luedtke⁴⁹, F. Luehring⁶²,
W. Lukas⁶³, L. Luminari^{134a}, O. Lundberg^{148a,148b}, B. Lund-Jensen¹⁴⁹, D. Lynn²⁶, R. Lysak¹²⁹,
E. Lytken⁸³, H. Ma²⁶, L.L. Ma^{34d}, G. Maccarrone⁴⁸, A. Macchiolo¹⁰³, C.M. Macdonald¹⁴¹, B. Maček⁷⁷,
J. Machado Miguens^{124,128b}, D. Macina³¹, D. Madaffari⁸⁷, R. Madar³⁵, H.J. Maddocks⁷⁴, W.F. Mader⁴⁵,
A. Madsen¹⁶⁵, J. Maeda⁶⁹, S. Maeland¹⁴, T. Maeno²⁶, A. Maevskiy¹⁰¹, E. Magradze⁵⁵, K. Mahboubi⁴⁹,
J. Mahlstedt¹⁰⁹, C. Maiani¹³⁸, C. Maidantchik^{25a}, A.A. Maier¹⁰³, T. Maier¹⁰², A. Maio^{128a,128b,128d},
S. Majewski¹¹⁸, Y. Makida⁶⁸, N. Makovec¹¹⁹, B. Malaescu⁸², Pa. Malecki⁴⁰, V.P. Maleev¹²⁵, F. Malek⁵⁶,
U. Mallik⁶⁴, D. Malon⁶, C. Malone¹⁴⁵, S. Maltezos¹⁰, V.M. Malyshev¹¹¹, S. Malyukov³¹, J. Mamuzic⁴³,
G. Mancini⁴⁸, B. Mandelli³¹, L. Mandelli^{93a}, I. Mandić⁷⁷, R. Mandrysch⁶⁴, J. Maneira^{128a,128b},
A. Manfredini¹⁰³, L. Manhaes de Andrade Filho^{25b}, J. Manjarres Ramos^{161b}, A. Mann¹⁰²,
A. Manousakis-Katsikakis⁹, B. Mansoulie¹³⁸, R. Mantifel⁸⁹, M. Mantoani⁵⁵, L. Mapelli³¹, L. March^{147c},
G. Marchiori⁸², M. Marcisovsky¹²⁹, C.P. Marino¹⁶⁹, M. Marjanovic¹³, D.E. Marley⁹¹, F. Marroquim^{25a},
S.P. Marsden⁸⁶, Z. Marshall¹⁵, L.F. Marti¹⁷, S. Marti-Garcia¹⁶⁷, B. Martin⁹², T.A. Martin¹⁷⁰,
V.J. Martin⁴⁷, B. Martin dit Latour¹⁴, M. Martinez^{12,p}, S. Martin-Haugh¹³³, V.S. Martoiu^{27a},
A.C. Martyniuk⁸⁰, M. Marx¹⁴⁰, F. Marzano^{134a}, A. Marzin³¹, L. Masetti⁸⁵, T. Mashimo¹⁵⁷,
R. Mashinistov⁹⁸, J. Masik⁸⁶, A.L. Maslennikov^{111,c}, I. Massa^{21a,21b}, L. Massa^{21a,21b}, P. Mastrandrea¹⁵⁰,
A. Mastroberardino^{38a,38b}, T. Masubuchi¹⁵⁷, P. Mättig¹⁷⁵, J. Mattmann⁸⁵, J. Maurer^{27a}, S.J. Maxfield⁷⁶,
D.A. Maximov^{111,c}, R. Mazini¹⁵³, S.M. Mazza^{93a,93b}, L. Mazzaferro^{135a,135b}, G. Mc Goldrick¹⁶⁰,
S.P. Mc Kee⁹¹, A. McCarn⁹¹, R.L. McCarthy¹⁵⁰, T.G. McCarthy³⁰, N.A. McCubbin¹³³,
K.W. McFarlane^{57,*}, J.A. Mcfayden⁸⁰, G. Mchedlidze⁵⁵, S.J. McMahon¹³³, R.A. McPherson^{169,l},
M. Medinnis⁴³, S. Meehan^{147a}, S. Mehlhase¹⁰², A. Mehta⁷⁶, K. Meier^{59a}, C. Meineck¹⁰², B. Meirose⁴²,
B.R. Mellado Garcia^{147c}, F. Meloni¹⁷, A. Mengarelli^{21a,21b}, S. Menke¹⁰³, E. Meoni¹⁶³, K.M. Mercurio⁵⁸,
S. Mergelmeyer²², P. Mermod⁵⁰, L. Merola^{106a,106b}, C. Meroni^{93a}, F.S. Merritt³², A. Messina^{134a,134b},
J. Metcalfe²⁶, A.S. Mete⁶⁶, C. Meyer⁸⁵, C. Meyer¹²⁴, J-P. Meyer¹³⁸, J. Meyer¹⁰⁹,
H. Meyer Zu Theenhausen^{59a}, R.P. Middleton¹³³, S. Miglioranza^{164a,164c}, L. Mijović²², G. Mikenberg¹⁷²,
M. Mikestikova¹²⁹, M. Mikuž⁷⁷, M. Milesi⁹⁰, A. Milic³¹, D.W. Miller³², C. Mills⁴⁷, A. Milov¹⁷²,
D.A. Milstead^{148a,148b}, A.A. Minaenko¹³², Y. Minami¹⁵⁷, I.A. Minashvili⁶⁷, A.I. Mincer¹¹²,
B. Mindur^{39a}, M. Mineev⁶⁷, Y. Ming¹⁷³, L.M. Mir¹², T. Mitani¹⁷¹, J. Mitrevski¹⁰², V.A. Mitsou¹⁶⁷,
A. Miucci⁵⁰, P.S. Miyagawa¹⁴¹, J.U. Mjörnmark⁸³, T. Moa^{148a,148b}, K. Mochizuki⁸⁷, S. Mohapatra³⁶,
W. Mohr⁴⁹, S. Molander^{148a,148b}, R. Moles-Valls²², R. Monden⁷⁰, K. Mönig⁴³, C. Monini⁵⁶, J. Monk³⁷,
E. Monnier⁸⁷, J. Montejo Berlingen¹², F. Monticelli⁷³, S. Monzani^{134a,134b}, R.W. Moore³,
N. Morange¹¹⁹, D. Moreno²⁰, M. Moreno Llácer⁵⁵, P. Morettini^{51a}, D. Mori¹⁴⁴, M. Morii⁵⁸,
M. Morinaga¹⁵⁷, V. Morisbak¹²¹, S. Moritz⁸⁵, A.K. Morley¹⁵², G. Mornacchi³¹, J.D. Morris⁷⁸,
S.S. Mortensen³⁷, A. Morton⁵⁴, L. Morvaj¹⁰⁵, M. Mosidze^{52b}, J. Moss¹⁴⁵, K. Motohashi¹⁵⁹,

R. Mount¹⁴⁵, E. Mountricha²⁶, S.V. Mouraviev^{98,*}, E.J.W. Moyse⁸⁸, S. Muanza⁸⁷, R.D. Mudd¹⁸, F. Mueller¹⁰³, J. Mueller¹²⁷, R.S.P. Mueller¹⁰², T. Mueller²⁹, D. Muenstermann⁵⁰, P. Mullen⁵⁴, G.A. Mullier¹⁷, J.A. Murillo Quijada¹⁸, W.J. Murray^{170,133}, H. Musheghyan⁵⁵, E. Musto¹⁵⁴, A.G. Myagkov^{132,ae}, M. Myska¹³⁰, B.P. Nachman¹⁴⁵, O. Nackenhorst⁵⁵, J. Nadal⁵⁵, K. Nagai¹²², R. Nagai¹⁵⁹, Y. Nagai⁸⁷, K. Nagano⁶⁸, A. Nagarkar¹¹³, Y. Nagasaka⁶⁰, K. Nagata¹⁶², M. Nagel¹⁰³, E. Nagy⁸⁷, A.M. Nairz³¹, Y. Nakahama³¹, K. Nakamura⁶⁸, T. Nakamura¹⁵⁷, I. Nakano¹¹⁴, H. Namasivayam⁴², R.F. Naranjo Garcia⁴³, R. Narayan³², D.I. Narrias Villar^{59a}, T. Naumann⁴³, G. Navarro²⁰, R. Nayyar⁷, H.A. Neal⁹¹, P.Yu. Nechaeva⁹⁸, T.J. Neep⁸⁶, P.D. Nef¹⁴⁵, A. Negri^{123a,123b}, M. Negrini^{21a}, S. Nektarijevic¹⁰⁸, C. Nellist¹¹⁹, A. Nelson⁶⁶, S. Nemecek¹²⁹, P. Nemethy¹¹², A.A. Nepomuceno^{25a}, M. Nessi^{31,af}, M.S. Neubauer¹⁶⁶, M. Neumann¹⁷⁵, R.M. Neves¹¹², P. Nevski²⁶, P.R. Newman¹⁸, D.H. Nguyen⁶, R.B. Nickerson¹²², R. Nicolaidou¹³⁸, B. Nicquevert³¹, J. Nielsen¹³⁹, N. Nikiforou³⁶, A. Nikiforov¹⁶, V. Nikolaenko^{132,ae}, I. Nikolic-Audit⁸², K. Nikolopoulos¹⁸, J.K. Nilsen¹²¹, P. Nilsson²⁶, Y. Ninomiya¹⁵⁷, A. Nisati^{134a}, R. Nisius¹⁰³, T. Nobe¹⁵⁷, L. Nodulman⁶, M. Nomachi¹²⁰, I. Nomidis³⁰, T. Nooney⁷⁸, S. Norberg¹¹⁵, M. Nordberg³¹, O. Novgorodova⁴⁵, S. Nowak¹⁰³, M. Nozaki⁶⁸, L. Nozka¹¹⁷, K. Ntekas¹⁰, G. Nunes Hanninger⁹⁰, T. Nunnemann¹⁰², E. Nurse⁸⁰, F. Nuti⁹⁰, B.J. O'Brien⁴⁷, F. O'grady⁷, D.C. O'Neil¹⁴⁴, V. O'Shea⁵⁴, F.G. Oakham^{30,d}, H. Oberlack¹⁰³, T. Obermann²², J. Ocariz⁸², A. Ochi⁶⁹, I. Ochoa⁸⁰, J.P. Ochoa-Ricoux^{33a}, S. Oda⁷², S. Odaka⁶⁸, H. Ogren⁶², A. Oh⁸⁶, S.H. Oh⁴⁶, C.C. Ohm¹⁵, H. Ohman¹⁶⁵, H. Oide³¹, W. Okamura¹²⁰, H. Okawa¹⁶², Y. Okumura³², T. Okuyama⁶⁸, A. Olariu^{27a}, S.A. Olivares Pino⁴⁷, D. Oliveira Damazio²⁶, E. Oliver Garcia¹⁶⁷, A. Olszewski⁴⁰, J. Olszowska⁴⁰, A. Onofre^{128a,128e}, K. Onogi¹⁰⁵, P.U.E. Onyisi^{32,t}, C.J. Oram^{161a}, M.J. Oreglia³², Y. Oren¹⁵⁵, D. Orestano^{136a,136b}, N. Orlando¹⁵⁶, C. Oropeza Barrera⁵⁴, R.S. Orr¹⁶⁰, B. Osculati^{51a,51b}, R. Ospanov⁸⁶, G. Otero y Garzon²⁸, H. Otono⁷², M. Ouchrif^{137d}, F. Ould-Saada¹²¹, A. Ouraou¹³⁸, K.P. Oussoren¹⁰⁹, Q. Ouyang^{34a}, A. Ovcharova¹⁵, M. Owen⁵⁴, R.E. Owen¹⁸, V.E. Ozcan^{19a}, N. Ozturk⁸, K. Pachal¹⁴⁴, A. Pacheco Pages¹², C. Padilla Aranda¹², M. Pagáčová⁴⁹, S. Pagan Griso¹⁵, E. Paganis¹⁴¹, F. Paige²⁶, P. Pais⁸⁸, K. Pajchel¹²¹, G. Palacino^{161b}, S. Palestini³¹, M. Palka^{39b}, D. Pallin³⁵, A. Palma^{128a,128b}, Y.B. Pan¹⁷³, E.St. Panagiotopoulou¹⁰, C.E. Pandini⁸², J.G. Panduro Vazquez⁷⁹, P. Pani^{148a,148b}, S. Panitkin²⁶, D. Pantea^{27a}, L. Paolozzi⁵⁰, Th.D. Papadopoulou¹⁰, K. Papageorgiou¹⁵⁶, A. Paramonov⁶, D. Paredes Hernandez¹⁵⁶, M.A. Parker²⁹, K.A. Parker¹⁴¹, F. Parodi^{51a,51b}, J.A. Parsons³⁶, U. Parzefall⁴⁹, E. Pasqualucci^{134a}, S. Passaggio^{51a}, F. Pastore^{136a,136b,*}, Fr. Pastore⁷⁹, G. Pásztor³⁰, S. Pataria¹⁷⁵, N.D. Patel¹⁵², J.R. Pater⁸⁶, T. Pauly³¹, J. Pearce¹⁶⁹, B. Pearson¹¹⁵, L.E. Pedersen³⁷, M. Pedersen¹²¹, S. Pedraza Lopez¹⁶⁷, R. Pedro^{128a,128b}, S.V. Peleganchuk^{111,c}, D. Pelikan¹⁶⁵, O. Penc¹²⁹, C. Peng^{34a}, H. Peng^{34b}, B. Penning³², J. Penwell⁶², D.V. Perepelitsa²⁶, E. Perez Codina^{161a}, M.T. Pérez García-Están¹⁶⁷, L. Perini^{93a,93b}, H. Pernegger³¹, S. Perrella^{106a,106b}, R. Peschke⁴³, V.D. Peshekhonov⁶⁷, K. Peters³¹, R.F.Y. Peters⁸⁶, B.A. Petersen³¹, T.C. Petersen³⁷, E. Petit⁴³, A. Petridis¹, C. Petridou¹⁵⁶, P. Petroff¹¹⁹, E. Petrolu^{134a}, F. Petrucci^{136a,136b}, N.E. Pettersson¹⁵⁹, R. Pezoa^{33b}, P.W. Phillips¹³³, G. Piacquadio¹⁴⁵, E. Pianori¹⁷⁰, A. Picazio⁵⁰, E. Piccaro⁷⁸, M. Piccinini^{21a,21b}, M.A. Pickering¹²², R. Piegaia²⁸, D.T. Pignotti¹¹³, J.E. Pilcher³², A.D. Pilkington⁸⁶, A.W.J. Pin⁸⁶, J. Pina^{128a,128b,128d}, M. Pinamonti^{164a,164c,ag}, J.L. Pinfold³, A. Pingel³⁷, S. Pires⁸², H. Pirumov⁴³, M. Pitt¹⁷², C. Pizio^{93a,93b}, L. Plazak^{146a}, M.-A. Pleier²⁶, V. Pleskot¹³¹, E. Plotnikova⁶⁷, P. Plucinski^{148a,148b}, D. Pluth⁶⁵, R. Poettgen^{148a,148b}, L. Poggioli¹¹⁹, D. Pohl²², G. Polesello^{123a}, A. Poley⁴³, A. Policicchio^{38a,38b}, R. Polifka¹⁶⁰, A. Polini^{21a}, C.S. Pollard⁵⁴, V. Polychronakos²⁶, K. Pommès³¹, L. Pontecorvo^{134a}, B.G. Pope⁹², G.A. Popeneciu^{27b}, D.S. Popovic¹³, A. Poppleton³¹, S. Pospisil¹³⁰, K. Potamianos¹⁵, I.N. Potrap⁶⁷, C.J. Potter¹⁵¹, C.T. Potter¹¹⁸, G. Poulard³¹, J. Poveda³¹, V. Pozdnyakov⁶⁷, P. Pralavorio⁸⁷, A. Pranko¹⁵, S. Prasad³¹, S. Prell⁶⁵, D. Price⁸⁶, L.E. Price⁶, M. Primavera^{75a}, S. Prince⁸⁹, M. Proissl⁴⁷, K. Prokofiev^{61c}, F. Prokoshin^{33b}, E. Protopapadaki¹³⁸, S. Protopopescu²⁶, J. Proudfoot⁶, M. Przybycien^{39a}, E. Ptacek¹¹⁸, D. PuDDu^{136a,136b}, E. Pueschel⁸⁸, D. Puldon¹⁵⁰, M. Purohit^{26,ah}, P. Puzo¹¹⁹, J. Qian⁹¹, G. Qin⁵⁴, Y. Qin⁸⁶,

A. Quadt⁵⁵, D.R. Quarrie¹⁵, W.B. Quayle^{164a,164b}, M. Queitsch-Maitland⁸⁶, D. Quilty⁵⁴, S. Raddum¹²¹,
 V. Radeka²⁶, V. Radescu⁴³, S.K. Radhakrishnan¹⁵⁰, P. Radloff¹¹⁸, P. Rados⁹⁰, F. Ragusa^{93a,93b},
 G. Rahal¹⁷⁸, S. Rajagopalan²⁶, M. Rammensee³¹, C. Rangel-Smith¹⁶⁵, F. Rauscher¹⁰², S. Rave⁸⁵,
 T. Ravenscroft⁵⁴, M. Raymond³¹, A.L. Read¹²¹, N.P. Readioff⁷⁶, D.M. Rebutti^{123a,123b},
 A. Redelbach¹⁷⁴, G. Redlinger²⁶, R. Reece¹³⁹, K. Reeves⁴², L. Rehnisch¹⁶, J. Reichert¹²⁴, H. Reisin²⁸,
 M. Relich⁶⁶, C. Rembser³¹, H. Ren^{34a}, A. Renaud¹¹⁹, M. Rescigno^{134a}, S. Resconi^{93a},
 O.L. Rezanova^{111,c}, P. Reznicek¹³¹, R. Rezvani⁹⁷, R. Richter¹⁰³, S. Richter⁸⁰, E. Richter-Was^{39b},
 O. Ricken²², M. Ridel⁸², P. Rieck¹⁶, C.J. Riegel¹⁷⁵, J. Rieger⁵⁵, O. Rifki¹¹⁵, M. Rijssenbeek¹⁵⁰,
 A. Rimoldi^{123a,123b}, L. Rinaldi^{21a}, B. Ristic⁵⁰, E. Ritsch³¹, I. Riu¹², F. Rizatdinova¹¹⁶, E. Rizvi⁷⁸,
 S.H. Robertson^{89,l}, A. Robichaud-Veronneau⁸⁹, D. Robinson²⁹, J.E.M. Robinson⁴³, A. Robson⁵⁴,
 C. Roda^{126a,126b}, S. Roe³¹, O. Røhne¹²¹, S. Rolli¹⁶³, A. Romaniouk¹⁰⁰, M. Romano^{21a,21b},
 S.M. Romano Saez³⁵, E. Romero Adam¹⁶⁷, N. Rompotis¹⁴⁰, M. Ronzani⁴⁹, L. Roos⁸², E. Ros¹⁶⁷,
 S. Rosati^{134a}, K. Rosbach⁴⁹, P. Rose¹³⁹, P.L. Rosendahl¹⁴, O. Rosenthal¹⁴³, V. Rossetti^{148a,148b},
 E. Rossi^{106a,106b}, L.P. Rossi^{51a}, J.H.N. Rosten²⁹, R. Rosten¹⁴⁰, M. Rotaru^{27a}, I. Roth¹⁷², J. Rothberg¹⁴⁰,
 D. Rousseau¹¹⁹, C.R. Royon¹³⁸, A. Rozanov⁸⁷, Y. Rozen¹⁵⁴, X. Ruan^{147c}, F. Rubbo¹⁴⁵, I. Rubinskiy⁴³,
 V.I. Rud¹⁰¹, C. Rudolph⁴⁵, M.S. Rudolph¹⁶⁰, F. Rühr⁴⁹, A. Ruiz-Martinez³¹, Z. Rurikova⁴⁹,
 N.A. Rusakovich⁶⁷, A. Ruschke¹⁰², H.L. Russell¹⁴⁰, J.P. Rutherford⁷, N. Ruthmann⁴⁹, Y.F. Ryabov¹²⁵,
 M. Rybar¹⁶⁶, G. Rybkin¹¹⁹, N.C. Ryder¹²², A.F. Saavedra¹⁵², G. Sabato¹⁰⁹, S. Sacerdoti²⁸,
 A. Saddique³, H.F.-W. Sadrozinski¹³⁹, R. Sadykov⁶⁷, F. Safai Tehrani^{134a}, P. Saha¹¹⁰, M. Sahinsoy^{59a},
 M. Saimpert¹³⁸, T. Saito¹⁵⁷, H. Sakamoto¹⁵⁷, Y. Sakurai¹⁷¹, G. Salamanna^{136a,136b}, A. Salamon^{135a},
 J.E. Salazar Loyola^{33b}, M. Saleem¹¹⁵, D. Salek¹⁰⁹, P.H. Sales De Bruin¹⁴⁰, D. Saliagic¹⁰³,
 A. Salnikov¹⁴⁵, J. Salt¹⁶⁷, D. Salvatore^{38a,38b}, F. Salvatore¹⁵¹, A. Salvucci^{61a}, A. Salzburger³¹,
 D. Sammel⁴⁹, D. Sampsonidis¹⁵⁶, A. Sanchez^{106a,106b}, J. Sánchez¹⁶⁷, V. Sanchez Martinez¹⁶⁷,
 H. Sandaker¹²¹, R.L. Sandbach⁷⁸, H.G. Sander⁸⁵, M.P. Sanders¹⁰², M. Sandhoff¹⁷⁵, C. Sandoval²⁰,
 R. Sandstroem¹⁰³, D.P.C. Sankey¹³³, M. Sannino^{51a,51b}, A. Sansoni⁴⁸, C. Santoni³⁵,
 R. Santonico^{135a,135b}, H. Santos^{128a}, I. Santoyo Castillo¹⁵¹, K. Sapp¹²⁷, A. Saponov⁶⁷,
 J.G. Saraiva^{128a,128d}, B. Sarrazin²², O. Sasaki⁶⁸, Y. Sasaki¹⁵⁷, K. Sato¹⁶², G. Sauvage^{5,*}, E. Sauvan⁵,
 G. Savage⁷⁹, P. Savard^{160,d}, C. Sawyer¹³³, L. Sawyer^{81,o}, J. Saxon³², C. Sbarra^{21a}, A. Sbrizzi^{21a,21b},
 T. Scanlon⁸⁰, D.A. Scannicchio⁶⁶, M. Scarcella¹⁵², V. Scarfone^{38a,38b}, J. Schaarschmidt¹⁷²,
 P. Schacht¹⁰³, D. Schaefer³¹, R. Schaefer⁴³, J. Schaeffer⁸⁵, S. Schaepe²², S. Schaetzel^{59b}, U. Schäfer⁸⁵,
 A.C. Schaffer¹¹⁹, D. Schaile¹⁰², R.D. Schamberger¹⁵⁰, V. Scharf^{59a}, V.A. Schegelsky¹²⁵, D. Scheirich¹³¹,
 M. Schernau⁶⁶, C. Schiavi^{51a,51b}, C. Schillo⁴⁹, M. Schioppa^{38a,38b}, S. Schlenker³¹, K. Schmieden³¹,
 C. Schmitt⁸⁵, S. Schmitt^{59b}, S. Schmitt⁴³, B. Schneider^{161a}, Y.J. Schnellbach⁷⁶, U. Schnoor⁴⁵,
 L. Schoeffel¹³⁸, A. Schoening^{59b}, B.D. Schoenrock⁹², E. Schopf²², A.L.S. Schorlemmer⁵⁵, M. Schott⁸⁵,
 D. Schouten^{161a}, J. Schovancova⁸, S. Schramm⁵⁰, M. Schreyer¹⁷⁴, C. Schroeder⁸⁵, N. Schuh⁸⁵,
 M.J. Schultens²², H.-C. Schultz-Coulon^{59a}, H. Schulz¹⁶, M. Schumacher⁴⁹, B.A. Schumm¹³⁹,
 Ph. Schune¹³⁸, C. Schwanenberger⁸⁶, A. Schwartzman¹⁴⁵, T.A. Schwarz⁹¹, Ph. Schwegler¹⁰³,
 H. Schweiger⁸⁶, Ph. Schwemling¹³⁸, R. Schwienhorst⁹², J. Schwindling¹³⁸, T. Schwindt²²,
 F.G. Sgacca¹⁷, E. Scifo¹¹⁹, G. Sciolla²⁴, F. Scuri^{126a,126b}, F. Scutti²², J. Searcy⁹¹, G. Sedov⁴³,
 E. Sedykh¹²⁵, P. Seema²², S.C. Seidel¹⁰⁷, A. Seiden¹³⁹, F. Seifert¹³⁰, J.M. Seixas^{25a}, G. Sekhniaidze^{106a},
 K. Sekhon⁹¹, S.J. Sekula⁴¹, D.M. Seliverstov^{125,*}, N. Semprini-Cesari^{21a,21b}, C. Serfon³¹, L. Serin¹¹⁹,
 L. Serkin^{164a,164b}, T. Serre⁸⁷, M. Sessa^{136a,136b}, R. Seuster^{161a}, H. Severini¹¹⁵, T. Sfiligoj⁷⁷, F. Sforza³¹,
 A. Sfyrila³¹, E. Shabalina⁵⁵, M. Shamim¹¹⁸, L.Y. Shan^{34a}, R. Shang¹⁶⁶, J.T. Shank²³, M. Shapiro¹⁵,
 P.B. Shatalov⁹⁹, K. Shaw^{164a,164b}, S.M. Shaw⁸⁶, A. Shcherbakova^{148a,148b}, C.Y. Shehu¹⁵¹, P. Sherwood⁸⁰,
 L. Shi^{153,ai}, S. Shimizu⁶⁹, C.O. Shimmin⁶⁶, M. Shimojima¹⁰⁴, M. Shiyakova^{67,aj}, A. Shmeleva⁹⁸,
 D. Shoaleh Saadi⁹⁷, M.J. Shochet³², S. Shojai^{93a,93b}, S. Shrestha¹¹³, E. Shulga¹⁰⁰, M.A. Shupe⁷,
 S. Shushkevich⁴³, P. Sicho¹²⁹, P.E. Sidebo¹⁴⁹, O. Sidiropoulou¹⁷⁴, D. Sidorov¹¹⁶, A. Sidoti^{21a,21b},

F. Siegert⁴⁵, Dj. Sijacki¹³, J. Silva^{128a,128d}, Y. Silver¹⁵⁵, S.B. Silverstein^{148a}, V. Simak¹³⁰, O. Simard⁵, Lj. Simic¹³, S. Simion¹¹⁹, E. Simioni⁸⁵, B. Simmons⁸⁰, D. Simon³⁵, P. Sinervo¹⁶⁰, N.B. Sinev¹¹⁸, M. Sioli^{21a,21b}, G. Siragusa¹⁷⁴, A.N. Sisakyan^{67,*}, S.Yu. Sivoklokov¹⁰¹, J. Sjölin^{148a,148b}, T.B. Sjørnsen¹⁴, M.B. Skinner⁷⁴, H.P. Skottowe⁵⁸, P. Skubic¹¹⁵, M. Slater¹⁸, T. Slavicek¹³⁰, M. Slawinska¹⁰⁹, K. Sliwa¹⁶³, V. Smakhtin¹⁷², B.H. Smart⁴⁷, L. Smestad¹⁴, S.Yu. Smirnov¹⁰⁰, Y. Smirnov¹⁰⁰, L.N. Smirnova^{101,ak}, O. Smirnova⁸³, M.N.K. Smith³⁶, R.W. Smith³⁶, M. Smizanska⁷⁴, K. Smolek¹³⁰, A.A. Snesev⁹⁸, G. Snidero⁷⁸, S. Snyder²⁶, R. Sobie^{169,l}, F. Socher⁴⁵, A. Soffer¹⁵⁵, D.A. Soh^{153,ai}, G. Sokhrannyi⁷⁷, C.A. Solans Sanchez³¹, M. Solar¹³⁰, J. Solc¹³⁰, E. Yu. Soldatov¹⁰⁰, U. Soldevila¹⁶⁷, A.A. Solodkov¹³², A. Soloshenko⁶⁷, O.V. Solovyanov¹³², V. Solovyev¹²⁵, P. Sommer⁴⁹, H.Y. Song^{34b,aa}, N. Soni¹, A. Sood¹⁵, A. Sopczak¹³⁰, B. Sopko¹³⁰, V. Sopko¹³⁰, V. Sorin¹², D. Sosa^{59b}, M. Sosebee⁸, C.L. Sotiropoulou^{126a,126b}, R. Soualah^{164a,164c}, A.M. Soukharev^{111,c}, D. South⁴³, B.C. Sowden⁷⁹, S. Spagnolo^{75a,75b}, M. Spalla^{126a,126b}, M. Spangenberg¹⁷⁰, F. Spanò⁷⁹, W.R. Spearman⁵⁸, D. Sperlich¹⁶, F. Spettel¹⁰³, R. Spighi^{21a}, G. Spigo³¹, L.A. Spiller⁹⁰, M. Spousta¹³¹, T. Spreitzer¹⁶⁰, R.D. St. Denis^{54,*}, A. Stabile^{93a}, S. Staerz⁴⁵, J. Stahlman¹²⁴, R. Stamen^{59a}, S. Stamm¹⁶, E. Stanecka⁴⁰, R.W. Stanek⁶, C. Stanescu^{136a}, M. Stanescu-Bellu⁴³, M.M. Stanitzki⁴³, S. Stapnes¹²¹, E.A. Starchenko¹³², J. Stark⁵⁶, P. Staroba¹²⁹, P. Starovoitov^{59a}, R. Staszewski⁴⁰, P. Steinberg²⁶, B. Stelzer¹⁴⁴, H.J. Stelzer³¹, O. Stelzer-Chilton^{161a}, H. Stenzel⁵³, G.A. Stewart⁵⁴, J.A. Stillings²², M.C. Stockton⁸⁹, M. Stoebe⁸⁹, G. Stoicea^{27a}, P. Stolte⁵⁵, S. Stonjek¹⁰³, A.R. Stradling⁸, A. Straessner⁴⁵, M.E. Stramaglia¹⁷, J. Strandberg¹⁴⁹, S. Strandberg^{148a,148b}, A. Strandlie¹²¹, E. Strauss¹⁴⁵, M. Strauss¹¹⁵, P. Strizenec^{146b}, R. Ströhmer¹⁷⁴, D.M. Strom¹¹⁸, R. Stroynowski⁴¹, A. Strubig¹⁰⁸, S.A. Stucci¹⁷, B. Stugu¹⁴, N.A. Styles⁴³, D. Su¹⁴⁵, J. Su¹²⁷, R. Subramaniam⁸¹, A. Succurro¹², S. Suchek^{59a}, Y. Sugaya¹²⁰, M. Suk¹³⁰, V.V. Sulin⁹⁸, S. Sultansoy^{4c}, T. Sumida⁷⁰, S. Sun⁵⁸, X. Sun^{34a}, J.E. Sundermann⁴⁹, K. Suruliz¹⁵¹, G. Susinno^{38a,38b}, M.R. Sutton¹⁵¹, S. Suzuki⁶⁸, M. Svatos¹²⁹, M. Swiatlowski¹⁴⁵, I. Sykora^{146a}, T. Sykora¹³¹, D. Ta⁴⁹, C. Taccini^{136a,136b}, K. Tackmann⁴³, J. Taenzer¹⁶⁰, A. Taffard⁶⁶, R. Tafirout^{161a}, N. Taiblum¹⁵⁵, H. Takai²⁶, R. Takashima⁷¹, H. Takeda⁶⁹, T. Takeshita¹⁴², Y. Takubo⁶⁸, M. Talby⁸⁷, A.A. Talyshv^{111,c}, J.Y.C. Tam¹⁷⁴, K.G. Tan⁹⁰, J. Tanaka¹⁵⁷, R. Tanaka¹¹⁹, S. Tanaka⁶⁸, B.B. Tannenwald¹¹³, N. Tannoury²², S. Tapprogge⁸⁵, S. Tarem¹⁵⁴, F. Tarrade³⁰, G.F. Tartarelli^{93a}, P. Tas¹³¹, M. Tasevsky¹²⁹, T. Tashiro⁷⁰, E. Tassi^{38a,38b}, A. Tavares Delgado^{128a,128b}, Y. Tayalati^{137d}, F.E. Taylor⁹⁶, G.N. Taylor⁹⁰, P.T.E. Taylor⁹⁰, W. Taylor^{161b}, F.A. Teischinger³¹, P. Teixeira-Dias⁷⁹, K.K. Temming⁴⁹, D. Temple¹⁴⁴, H. Ten Kate³¹, P.K. Teng¹⁵³, J.J. Teoh¹²⁰, F. Tepel¹⁷⁵, S. Terada⁶⁸, K. Terashi¹⁵⁷, J. Terron⁸⁴, S. Terzo¹⁰³, M. Testa⁴⁸, R.J. Teuscher^{160,l}, T. Theveneaux-Pelzer³⁵, J.P. Thomas¹⁸, J. Thomas-Wilsker⁷⁹, E.N. Thompson³⁶, P.D. Thompson¹⁸, R.J. Thompson⁸⁶, A.S. Thompson⁵⁴, L.A. Thomsen¹⁷⁶, E. Thomson¹²⁴, M. Thomson²⁹, R.P. Thun^{91,*}, M.J. Tibbetts¹⁵, R.E. Ticse Torres⁸⁷, V.O. Tikhomirov^{98,al}, Yu.A. Tikhonov^{111,c}, S. Timoshenko¹⁰⁰, E. Tiouchichine⁸⁷, P. Tipton¹⁷⁶, S. Tisserant⁸⁷, K. Todome¹⁵⁹, T. Todorov^{5,*}, S. Todorova-Nova¹³¹, J. Tojo⁷², S. Tokár^{146a}, K. Tokushuku⁶⁸, K. Tollefson⁹², E. Tolley⁵⁸, L. Tomlinson⁸⁶, M. Tomoto¹⁰⁵, L. Tompkins^{145,am}, K. Toms¹⁰⁷, E. Torrence¹¹⁸, H. Torres¹⁴⁴, E. Torró Pastor¹⁴⁰, J. Toth^{87,an}, F. Touchard⁸⁷, D.R. Tovey¹⁴¹, T. Trefzger¹⁷⁴, L. Tremblet³¹, A. Tricoli³¹, I.M. Trigger^{161a}, S. Trincas-Duvold⁸², M.F. Tripiana¹², W. Trischuk¹⁶⁰, B. Trocme⁵⁶, C. Troncon^{93a}, M. Trottier-McDonald¹⁵, M. Trovatelli¹⁶⁹, P. True⁹², L. Truong^{164a,164c}, M. Trzebinski⁴⁰, A. Trzupek⁴⁰, C. Tsarouchas³¹, J.C-L. Tseng¹²², P.V. Tsireshka⁹⁴, D. Tsionou¹⁵⁶, G. Tsipolitis¹⁰, N. Tsirintanis⁹, S. Tsiskaridze¹², V. Tsiskaridze⁴⁹, E.G. Tskhadadze^{52a}, I.I. Tsukerman⁹⁹, V. Tsulaia¹⁵, S. Tsuno⁶⁸, D. Tsybychev¹⁵⁰, A. Tudorache^{27a}, V. Tudorache^{27a}, A.N. Tuna⁵⁸, S.A. Tupputi^{21a,21b}, S. Turchikhin^{101,ak}, D. Turecek¹³⁰, R. Turra^{93a,93b}, A.J. Turvey⁴¹, P.M. Tuts³⁶, A. Tykhonov⁵⁰, M. Tylmad^{148a,148b}, M. Tyndel¹³³, I. Ueda¹⁵⁷, R. Ueno³⁰, M. Ughetto^{148a,148b}, M. Ugland¹⁴, F. Ukegawa¹⁶², G. Unal³¹, A. Undrus²⁶, G. Unel⁶⁶, F.C. Ungaro⁴⁹, Y. Unno⁶⁸, C. Unverdorben¹⁰², J. Urban^{146b}, P. Urquijo⁹⁰, P. Urrejola⁸⁵, G. Usai⁸, A. Usanova⁶³, L. Vacavant⁸⁷, V. Vacek¹³⁰, B. Vachon⁸⁹, C. Valderanis⁸⁵, N. Valencic¹⁰⁹, S. Valentini^{21a,21b},

A. Valero¹⁶⁷, L. Valery¹², S. Valkar¹³¹, E. Valladolid Gallego¹⁶⁷, S. Vallecorsa⁵⁰, J.A. Valls Ferrer¹⁶⁷, W. Van Den Wollenberg¹⁰⁹, P.C. Van Der Deijl¹⁰⁹, R. van der Geer¹⁰⁹, H. van der Graaf¹⁰⁹, N. van Eldik¹⁵⁴, P. van Gemmeren⁶, J. Van Nieuwkoop¹⁴⁴, I. van Vulpen¹⁰⁹, M.C. van Woerden³¹, M. Vanadia^{134a,134b}, W. Vandelli³¹, R. Vanguri¹²⁴, A. Vaniachine⁶, F. Vannucci⁸², G. Vardanyan¹⁷⁷, R. Vari^{134a}, E.W. Varnes⁷, T. Varol⁴¹, D. Varouchas⁸², A. Vartapetian⁸, K.E. Varvell¹⁵², F. Vazeille³⁵, T. Vazquez Schroeder⁸⁹, J. Veatch⁷, L.M. Veloce¹⁶⁰, F. Veloso^{128a,128c}, T. Velz²², S. Veneziano^{134a}, A. Ventura^{75a,75b}, D. Ventura⁸⁸, M. Venturi¹⁶⁹, N. Venturi¹⁶⁰, A. Venturini²⁴, V. Vercesi^{123a}, M. Verducci^{134a,134b}, W. Verkerke¹⁰⁹, J.C. Vermeulen¹⁰⁹, A. Vest^{45,ao}, M.C. Vetterli^{144,d}, O. Viazlo⁸³, I. Vichou¹⁶⁶, T. Vickey¹⁴¹, O.E. Vickey Boeriu¹⁴¹, G.H.A. Viehhauser¹²², S. Viel¹⁵, R. Vigne⁶³, M. Villa^{21a,21b}, M. Villaplana Perez^{93a,93b}, E. Vilucchi⁴⁸, M.G. Vinciter³⁰, V.B. Vinogradov⁶⁷, I. Vivarelli¹⁵¹, F. Vives Vaque³, S. Vlachos¹⁰, D. Vladoiu¹⁰², M. Vlasak¹³⁰, M. Vogel^{33a}, P. Vokac¹³⁰, G. Volpi^{126a,126b}, M. Volpi⁹⁰, H. von der Schmitt¹⁰³, H. von Radziewski⁴⁹, E. von Toerne²², V. Vorobel¹³¹, K. Vorobev¹⁰⁰, M. Vos¹⁶⁷, R. Voss³¹, J.H. Vosseveld⁷⁶, N. Vranjes¹³, M. Vranjes Milosavljevic¹³, V. Vrba¹²⁹, M. Vreeswijk¹⁰⁹, R. Vuillermet³¹, I. Vukotic³², Z. Vykydal¹³⁰, P. Wagner²², W. Wagner¹⁷⁵, H. Wahlberg⁷³, S. Wahrmund⁴⁵, J. Wakabayashi¹⁰⁵, J. Walder⁷⁴, R. Walker¹⁰², W. Walkowiak¹⁴³, C. Wang¹⁵³, F. Wang¹⁷³, H. Wang¹⁵, H. Wang⁴¹, J. Wang⁴³, J. Wang^{34a}, K. Wang⁸⁹, R. Wang⁶, S.M. Wang¹⁵³, T. Wang²², T. Wang³⁶, X. Wang¹⁷⁶, C. Wanotayaroj¹¹⁸, A. Warburton⁸⁹, C.P. Ward²⁹, D.R. Wardrope⁸⁰, A. Washbrook⁴⁷, C. Wasicki⁴³, P.M. Watkins¹⁸, A.T. Watson¹⁸, I.J. Watson¹⁵², M.F. Watson¹⁸, G. Watts¹⁴⁰, S. Watts⁸⁶, B.M. Waugh⁸⁰, S. Webb⁸⁶, M.S. Weber¹⁷, S.W. Weber¹⁷⁴, J.S. Webster³², A.R. Weidberg¹²², B. Weinert⁶², J. Weingarten⁵⁵, C. Weiser⁴⁹, H. Weits¹⁰⁹, P.S. Wells³¹, T. Wenaus²⁶, T. Wengler³¹, S. Wenig³¹, N. Wermes²², M. Werner⁴⁹, P. Werner³¹, M. Wessels^{59a}, J. Wetter¹⁶³, K. Whalen¹¹⁸, A.M. Wharton⁷⁴, A. White⁸, M.J. White¹, R. White^{33b}, S. White^{126a,126b}, D. Whiteson⁶⁶, F.J. Wickens¹³³, W. Wiedenmann¹⁷³, M. Wielers¹³³, P. Wienemann²², C. Wiglesworth³⁷, L.A.M. Wiik-Fuchs²², A. Wildauer¹⁰³, H.G. Wilkens³¹, H.H. Williams¹²⁴, S. Williams¹⁰⁹, C. Willis⁹², S. Willocq⁸⁸, A. Wilson⁹¹, J.A. Wilson¹⁸, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁸, B.T. Winter²², M. Wittgen¹⁴⁵, J. Wittkowski¹⁰², S.J. Wollstadt⁸⁵, M.W. Wolter⁴⁰, H. Wolters^{128a,128c}, B.K. Wosiek⁴⁰, J. Wotschack³¹, M.J. Woudstra⁸⁶, K.W. Wozniak⁴⁰, M. Wu⁵⁶, M. Wu³², S.L. Wu¹⁷³, X. Wu⁵⁰, Y. Wu⁹¹, T.R. Wyatt⁸⁶, B.M. Wynne⁴⁷, S. Xella³⁷, D. Xu^{34a}, L. Xu²⁶, B. Yabsley¹⁵², S. Yacooob^{147a}, R. Yakabe⁶⁹, M. Yamada⁶⁸, D. Yamaguchi¹⁵⁹, Y. Yamaguchi¹²⁰, A. Yamamoto⁶⁸, S. Yamamoto¹⁵⁷, T. Yamanaka¹⁵⁷, K. Yamauchi¹⁰⁵, Y. Yamazaki⁶⁹, Z. Yan²³, H. Yang^{34e}, H. Yang¹⁷³, Y. Yang¹⁵³, W-M. Yao¹⁵, Y. Yasu⁶⁸, E. Yatsenko⁵, K.H. Yau Wong²², J. Ye⁴¹, S. Ye²⁶, I. Yeletsikh⁶⁷, A.L. Yen⁵⁸, E. Yildirim⁴³, K. Yorita¹⁷¹, R. Yoshida⁶, K. Yoshihara¹²⁴, C. Young¹⁴⁵, C.J.S. Young³¹, S. Youssef²³, D.R. Yu¹⁵, J. Yu⁸, J.M. Yu⁹¹, J. Yu¹¹⁶, L. Yuan⁶⁹, S.P.Y. Yuen²², A. Yurkewicz¹¹⁰, I. Yusuff^{29,ap}, B. Zabinski⁴⁰, R. Zaidan⁶⁴, A.M. Zaitsev^{132,ae}, J. Zalieckas¹⁴, A. Zaman¹⁵⁰, S. Zambito⁵⁸, L. Zanello^{134a,134b}, D. Zanzi⁹⁰, C. Zeitnitz¹⁷⁵, M. Zeman¹³⁰, A. Zemla^{39a}, Q. Zeng¹⁴⁵, K. Zengel²⁴, O. Zenin¹³², T. Ženiš^{146a}, D. Zerwas¹¹⁹, D. Zhang⁹¹, F. Zhang¹⁷³, H. Zhang^{34c}, J. Zhang⁶, L. Zhang⁴⁹, R. Zhang^{34b,j}, X. Zhang^{34d}, Z. Zhang¹¹⁹, X. Zhao⁴¹, Y. Zhao^{34d,119}, Z. Zhao^{34b}, A. Zhemchugov⁶⁷, J. Zhong¹²², B. Zhou⁹¹, C. Zhou⁴⁶, L. Zhou³⁶, L. Zhou⁴¹, M. Zhou¹⁵⁰, N. Zhou^{34f}, C.G. Zhu^{34d}, H. Zhu^{34a}, J. Zhu⁹¹, Y. Zhu^{34b}, X. Zhuang^{34a}, K. Zhukov⁹⁸, A. Zibell¹⁷⁴, D. Zieminska⁶², N.I. Zimine⁶⁷, C. Zimmermann⁸⁵, S. Zimmermann⁴⁹, Z. Zinonos⁵⁵, M. Zinser⁸⁵, M. Ziolkowski¹⁴³, L. Živković¹³, G. Zobernig¹⁷³, A. Zoccoli^{21a,21b}, M. zur Nedden¹⁶, G. Zurzolo^{106a,106b}, L. Zwalinski³¹.

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States of America

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c)

- Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey
- ⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America
- ⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America
- ⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America
- ⁹ Physics Department, University of Athens, Athens, Greece
- ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹² Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain, Spain
- ¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia
- ¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- ¹⁶ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Dogus University, Istanbul, Turkey
- ²⁰ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ²¹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
- ²² Physikalisches Institut, University of Bonn, Bonn, Germany
- ²³ Department of Physics, Boston University, Boston MA, United States of America
- ²⁴ Department of Physics, Brandeis University, Waltham MA, United States of America
- ²⁵ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁶ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- ²⁷ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(c) University Politehnica Bucharest, Bucharest; ^(d) West University in Timisoara, Timisoara, Romania
- ²⁸ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ³⁰ Department of Physics, Carleton University, Ottawa ON, Canada
- ³¹ CERN, Geneva, Switzerland
- ³² Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- ³³ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ³⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; (also affiliated with PKU-CHEP); ^(f) Physics Department, Tsinghua University, Beijing 100084, China
- ³⁵ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and

CNRS/IN2P3, Clermont-Ferrand, France

³⁶ Nevis Laboratory, Columbia University, Irvington NY, United States of America

³⁷ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

³⁸ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

³⁹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

⁴⁰ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴¹ Physics Department, Southern Methodist University, Dallas TX, United States of America

⁴² Physics Department, University of Texas at Dallas, Richardson TX, United States of America

⁴³ DESY, Hamburg and Zeuthen, Germany

⁴⁴ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁵ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁶ Department of Physics, Duke University, Durham NC, United States of America

⁴⁷ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁸ INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁵⁰ Section de Physique, Université de Genève, Geneva, Switzerland

⁵¹ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵² ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵³ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁴ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁵ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁶ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

⁵⁷ Department of Physics, Hampton University, Hampton VA, United States of America

⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America

⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

⁶¹ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

⁶² Department of Physics, Indiana University, Bloomington IN, United States of America

⁶³ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶⁴ University of Iowa, Iowa City IA, United States of America

⁶⁵ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America

⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

⁶⁷ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁸ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁶⁹ Graduate School of Science, Kobe University, Kobe, Japan

⁷⁰ Faculty of Science, Kyoto University, Kyoto, Japan

⁷¹ Kyoto University of Education, Kyoto, Japan

- ⁷² Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷³ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷⁴ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷⁶ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁷ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁸ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁹ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁸⁰ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁸¹ Louisiana Tech University, Ruston LA, United States of America
- ⁸² Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸³ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸⁴ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸⁵ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸⁶ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁷ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁸ Department of Physics, University of Massachusetts, Amherst MA, United States of America
- ⁸⁹ Department of Physics, McGill University, Montreal QC, Canada
- ⁹⁰ School of Physics, University of Melbourne, Victoria, Australia
- ⁹¹ Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ⁹² Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- ⁹³ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- ⁹⁵ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- ⁹⁶ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
- ⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- ⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
- ¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam,

Netherlands

- ¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹¹² Department of Physics, New York University, New York NY, United States of America
- ¹¹³ Ohio State University, Columbus OH, United States of America
- ¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- ¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- ¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- ¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
- ¹²¹ Department of Physics, University of Oslo, Oslo, Norway
- ¹²² Department of Physics, Oxford University, Oxford, United Kingdom
- ¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²⁵ National Research Centre "Kurchatov Institute" B.P.Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- ¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
- ¹³¹ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ¹³⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ¹³⁷ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
- ¹³⁸ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America

- ¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States of America
- ¹⁴¹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ¹⁴² Department of Physics, Shinshu University, Nagano, Japan
- ¹⁴³ Fachbereich Physik, Universität Siegen, Siegen, Germany
- ¹⁴⁴ Department of Physics, Simon Fraser University, Burnaby BC, Canada
- ¹⁴⁵ SLAC National Accelerator Laboratory, Stanford CA, United States of America
- ¹⁴⁶ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ¹⁴⁷ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ¹⁴⁸ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁹ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- ¹⁵⁰ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- ¹⁵¹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- ¹⁵² School of Physics, University of Sydney, Sydney, Australia
- ¹⁵³ Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵⁴ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- ¹⁵⁸ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁹ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁶⁰ Department of Physics, University of Toronto, Toronto ON, Canada
- ¹⁶¹ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
- ¹⁶² Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
- ¹⁶³ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
- ¹⁶⁴ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁵ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, United States of America
- ¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- ¹⁶⁸ Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷¹ Waseda University, Tokyo, Japan
- ¹⁷² Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷³ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

¹⁷⁵ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany

¹⁷⁶ Department of Physics, Yale University, New Haven CT, United States of America

¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia

¹⁷⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

^c Also at Novosibirsk State University, Novosibirsk, Russia

^d Also at TRIUMF, Vancouver BC, Canada

^e Also at Department of Physics, California State University, Fresno CA, United States of America

^f Also at Department of Physics, University of Fribourg, Fribourg, Switzerland

^g Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain

^h Also at Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Portugal

ⁱ Also at Tomsk State University, Tomsk, Russia

^j Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

^k Also at Università di Napoli Parthenope, Napoli, Italy

^l Also at Institute of Particle Physics (IPP), Canada

^m Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

ⁿ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia

^o Also at Louisiana Tech University, Ruston LA, United States of America

^p Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain

^q Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

^r Also at Graduate School of Science, Osaka University, Osaka, Japan

^s Also at Department of Physics, National Tsing Hua University, Taiwan

^t Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America

^u Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia

^v Also at CERN, Geneva, Switzerland

^w Also at Georgian Technical University (GTU), Tbilisi, Georgia

^x Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan

^y Also at Manhattan College, New York NY, United States of America

^z Also at Hellenic Open University, Patras, Greece

^{aa} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan

^{ab} Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France

^{ac} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^{ad} Also at School of Physics, Shandong University, Shandong, China

^{ae} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia

^{af} Also at Section de Physique, Université de Genève, Geneva, Switzerland

^{ag} Also at International School for Advanced Studies (SISSA), Trieste, Italy

^{ah} Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

^{ai} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China

^{aj} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria

^{ak} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

^{al} Also at National Research Nuclear University MEPhI, Moscow, Russia

^{am} Also at Department of Physics, Stanford University, Stanford CA, United States of America

^{an} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

^{ao} Also at Flensburg University of Applied Sciences, Flensburg, Germany

^{ap} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia

* Deceased