



CMS



The Phase-2 Upgrade of the CMS Tracker

TECHNICAL DESIGN REPORT



CERN-LHCC-2017-xxx

CMS-TDR-17-001

dd July 2017

The Phase-2 Upgrade of the CMS Tracker

Technical Design Report

CMS Collaboration

Editor

K. Klein

Chapter editors

D. Abbaneo, J. Alexander, P. Azzi, E. Brondolin, A. Canepa, J. Christiansen, S. Costa, A. Dabrowski, C. Delaere, A. Dierlamm, M. Dragicevic, R. Frühwirth, K. Hahn, A. Honma, K. Klein, S. Mersi, A. Mussgiller, M. Narain, A. Onnela, G. Sguazzoni, G. Steinbrueck, J. Thom, A. Tricomi, F. Vasey, P. Wittich.

Cover Design

S. Cittolin

Acknowledgements

This document would not exist without the devoted efforts of many colleagues, too many to be named explicitly, who contributed text, figures, etc.

The very useful feedback from all readers from the tracker, the CMS internal reviewers (P. Bloch, J. Olsen, and G. Rolandi), and the chair of the CMS Phase-2 TDRs editorial board (C. Lourenço) helped to improve the quality of this document.

We would also like to emphasise the support of the CMS management and upgrade teams, as well as the many contributions from the offline, computing, and physics groups in the development of the physics performance studies.

We would like to thank the technical staff from the various institutions for the excellent work during the design and R&D phase of this upgrade.

We also wish to thank the LHCC for their oversight and crucial advice during the development of the tracker Phase-2 Upgrade project.

Contents

I	Project Overview	9
1	The HL-LHC and the CMS Phase-2 Upgrade	11
1.1	The Large Hadron Collider	11
1.2	The HL-LHC upgrade	12
1.3	Physics motivation	13
1.4	The CMS Phase-2 Upgrade	14
2	Overview of the Phase-2 Tracker Upgrade	17
2.1	Limitations of the present tracker	17
2.2	Requirements for the tracker upgrade	18
2.3	Overview of the upgraded tracker concept	21
2.3.1	Tracker input to the L1 trigger	21
2.3.2	The Outer Tracker	22
2.3.3	The Inner Tracker	23
3	The Outer Tracker	25
3.1	Overview and layout	25
3.1.1	Implementation of hermetic layers	26
3.1.2	Implementation of p_T modules	28
3.2	The electronic system	31
3.2.1	Architecture	32
3.2.2	Data flows	33
3.2.3	Services	34
3.2.4	Off-detector electronics	34
3.3	The p_T modules	36
3.3.1	Silicon sensors	36
3.3.2	On-module electronics	39
3.3.3	Module mechanics	43
3.3.4	Module construction	47
3.3.5	Prototyping, system tests, and beam tests	52
3.4	Mechanical structures	59
3.4.1	The Tracker Barrel with 2S modules (TB2S)	59
3.4.2	The Tracker Barrel with PS modules (TBPS)	60
3.4.3	The Tracker Endcap Double-Discs (TEDD)	62
3.5	L1 track finder	64
3.5.1	L1 track finder approaches	65
3.5.2	The way forward	69
4	The Inner Tracker	71
4.1	Overview and layout	71
4.2	The pixel module	74

4.2.1	Pixel sensors	75
4.2.2	Pixel module electronics and readout chip	79
4.3	Off-detector Inner Tracker electronics	83
4.4	Inner Tracker mechanical structures	85
5	Common Mechanics and Services	89
5.1	Mechanics	89
5.2	Services	90
5.3	Tracker assembly sequence	91
5.4	Cooling system	92
5.4.1	Choice of CO ₂ as the coolant	92
5.4.2	Concept of the cooling system	92
5.4.3	General system design	93
5.5	Central beampipe	94
5.6	Detector control system and detector safety system	94
6	Expected Performance	97
6.1	Material budget	97
6.2	Local reconstruction performance	99
6.2.1	The simulation setup	99
6.2.2	Hit simulation and performance	100
6.2.3	Stub simulation and performance	102
6.3	Tracking performance	103
6.3.1	Level-1 tracking performance	103
6.3.2	Offline tracking performance	104
6.4	Physics object performance	108
6.4.1	Pileup mitigation	109
6.4.2	b tagging performance	110
6.4.3	τ tagging	113
6.4.4	Jet substructure	113
6.5	Physics projections	114
6.5.1	VBF $H \rightarrow \tau\tau$	116
6.5.2	$H \rightarrow ZZ^* \rightarrow 4\ell$	117
6.5.3	$H \rightarrow \mu^+\mu^-$	118
6.5.4	Higgs boson pair production: $HH \rightarrow b\bar{b}b\bar{b}$	119
6.5.5	Exotic new physics signatures	121
6.5.6	J/ψ reconstruction in top quark events	122
6.5.7	$B_s^0/B^0 \rightarrow \mu^+\mu^-$	124
6.5.8	$B_s^0 \rightarrow \phi\phi$	124
7	Project Organisation, Responsibilities, Planning and Cost	129
7.1	Project organisation	129
7.2	Construction responsibilities	131
7.2.1	Institution interests	131

7.3	Construction schedule	134
7.4	Cost	134
7.4.1	Cost estimate	134
7.4.2	Cost profile	138
II	Technical Descriptions	141
8	Details on the Radiation Environment	143
8.1	Simulation method	143
8.1.1	Geometry model	144
8.1.2	Simulation parameters	145
8.1.3	Scoring grids	145
8.1.4	Radiation simulation uncertainties	145
8.2	Fluence and TID maps	146
9	The Outer Tracker: Additional Information	149
9.1	Outer tracker layout and implementation of p_T modules	149
9.1.1	Summary of Outer Tracker parameters and geometry	149
9.1.2	Map of sensor spacing and p_T selection windows	149
9.1.3	Requirements on p_T module assembly precision	150
9.2	The p_T modules	152
9.2.1	Silicon sensors	152
9.2.2	On-module electronics	160
9.2.3	Module mechanics	183
9.2.4	Module construction	187
9.2.5	System tests, beam tests and tests during production	193
9.3	Mechanical structures	201
9.3.1	Details on the TB2S mechanics and cooling	201
9.3.2	Details on the TBPS mechanics and cooling	203
9.3.3	Details on the TEDD mechanics and cooling	206
9.4	L1 track finder	207
9.4.1	Associative memory plus FPGA approach	208
9.4.2	FPGA-based Hough transform approach	216
9.4.3	FPGA-based tracklet approach	224
10	The Inner Tracker: Additional Information	233
10.1	Concept and layout of the pixel detector	233
10.1.1	General considerations for the IT concept	233
10.1.2	The Inner Tracker layout	235
10.2	The pixel module	238
10.2.1	Pixel sensors	238
10.2.2	The pixel readout chip	242

10.3	Measurement of the luminosity and beam background using the Tracker Endcap Pixel Detector	256
10.3.1	Online luminosity measurement using TEPX	256
10.3.2	Beam background measurement with TEPX	259
11	Details on Common Mechanics and Services	261
11.1	Manufacture of the Outer Tracker support tube	261
11.2	Details on the tracker assembly sequence	262
11.3	Details on the cooling system	263
11.3.1	2PACL cooling system	263
11.3.2	Cooling plant concept and backup logic	265
11.3.3	Distribution system and pipework	266
11.3.4	Controls	267
11.4	Humidity control of cold volumes and interfaces	268
12	Additional Information on Material Budget, Local Reconstruction, and Tracking	269
12.1	Material budget	269
12.1.1	Estimation of the material budget	269
12.1.2	Material budget in units of nuclear interaction lengths	271
12.2	Local reconstruction performance	271
12.2.1	Tuning of the digitizer parameters	271
12.2.2	Hit and cluster properties	272
12.2.3	Stub finding performance	273
12.3	Tracking performance	277
12.3.1	Level-1 tracking performance	277
12.3.2	Offline tracking performance	278
13	Project Organisations: Details	287
13.1	Participating institutes and collaborators	287
13.2	Roles of managerial boards, TUC, TRM and TTC during Phase-2 construction . .	293
13.2.1	Tracker Upgrade Steering Group (TUSG)	293
13.2.2	Tracker Upgrade Office (TUO)	294
13.2.3	Tracker upgrade coordinator (TUC)	296
13.2.4	Tracker Finance Board (TFB)	296
13.2.5	Role of the tracker resources manager (TRM)	297
13.2.6	Role of the tracker technical coordinator (TTC)	297
13.2.7	Tracker DPG and the upgrade	298
13.3	Full Project Schedule	298
	Glossary of Special Terms and Acronyms	315
	References	317