



Submitted to: EPJC



CERN-EP-2023-099
25th May 2023

Search for Majorana neutrinos in same-sign WW scattering events from pp collisions at $\sqrt{s} = 13$ TeV

The ATLAS Collaboration

A search for Majorana neutrinos in same-sign WW scattering events is presented. The analysis uses $\sqrt{s} = 13$ TeV proton–proton collision data with an integrated luminosity of 140 fb^{-1} recorded during 2015–2018 by the ATLAS detector at the Large Hadron Collider. The analysis targets final states including exactly two same-sign muons and at least two hadronic jets well separated in rapidity. The modelling of the main backgrounds, from Standard Model same-sign WW scattering and WZ production, is constrained with data in dedicated signal-depleted control regions. The distribution of the transverse momentum of the second-hardest muon is used to search for signals originating from a heavy Majorana neutrino with a mass between 50 GeV and 20 TeV. No significant excess is observed over the background expectation. The results are interpreted in a benchmark scenario of the Phenomenological Type-I Seesaw model. In addition, the sensitivity to the Weinberg operator is investigated. Upper limits at the 95% confidence level are placed on the squared muon–neutrino–heavy-neutrino mass-mixing matrix element $|V_{\mu N}|^2$ as a function of the heavy Majorana neutrino’s mass m_N , and on the effective $\mu\mu$ Majorana neutrino mass $|m_{\mu\mu}|$.

1 Introduction

The Higgs field’s Yukawa couplings explain in a satisfactory way, and in agreement with data, the generation of the charged-fermion masses. However, the precise origin of tiny but non-zero neutrino masses, brought to light by neutrino oscillation experiments [1, 2], is not explained by the Standard Model (SM) of particle physics and remains a mystery today. Among the most compelling solutions to this mystery is the hypothesised existence of Majorana masses for neutrinos, which can be explored by high- and low-energy experiments [3–6].

Majorana neutrino masses are present in beyond-the-SM (BSM) theories that include new, heavy leptons or extended scalar sectors, collectively known as Seesaw models, or in theories with extended gauge sectors (Left-Right Symmetric Model, Grand Unified Theories) [7]. Even if these new particles have masses that are much higher than the energies reached at the Large Hadron Collider (LHC), and are therefore kinematically inaccessible, the Majorana nature of active neutrinos can still be probed indirectly using effective field theories, with the lowest-dimensional operator being the so-called dimension $d = 5$ Weinberg operator [8].

At energies below 100 MeV, the Majorana nature of neutrinos can be probed by searching for neutrinoless double beta decays of certain isotopes, which are characterised by the appearance of two same-sign electrons (e) with an absence of neutrinos (ν) in the final state [9]. Although the production of same-sign leptons (ℓ) involving muons (μ) or τ -leptons is kinematically forbidden in such isotope decays, the same process can be studied at high energies when mediated at dimension $d = 5, 7$, or higher [10–12], as shown in Figure 1(a). This is the subject of the present work, which searches for signs of heavy neutral leptons in the same-sign dimuon final state with the ATLAS detector. This search also connects to existing LHC searches for heavy Majorana neutrinos in resonant production [13–16], with the goal of extending the reach for heavy neutrino masses to beyond the TeV scale [10], where the resonant production channels become kinematically inaccessible. A similar search was reported recently by the CMS Collaboration [17]. Searches for heavy Majorana neutrinos lighter than the Z boson were conducted at LEP [18].




Figure 1: Diagrammatic representation of (a) same-sign $\mu^\pm\mu^\pm$ production in $W^\pm W^\pm$ scattering mediated by a Majorana neutrino N in proton–proton collisions and (b) electroweak same-sign $W^\pm W^\pm$ scattering, which is the main background in this search.

This search is conducted in the context of two benchmark models. The first is the Phenomenological Type-I Seesaw model [3, 19], where heavy Majorana neutrinos couple to SM particles through mass-mixing with light neutrinos, which is parameterised with a complex-valued matrix element. For simplicity, this

work investigates only the phenomenology of the lightest heavy-neutrino mass eigenstate N by assuming that all other heavy eigenstates are decoupled. The benchmark scenario is considered without e and τ flavour mixing, so the only non-zero entry in the mass-mixing matrix is the element $|V_{\mu N}|^2$. In this case the signal cross section $\sigma(pp \rightarrow \mu^\pm \mu^\pm + X)$ can be written as a function of the signal cross section $\sigma_0(pp \rightarrow \mu^\pm \mu^\pm + X)$ for the flavour-aligned scenario (in which $|V_{\mu N}| = 1$):

$$\sigma(pp \rightarrow \mu^\pm \mu^\pm + X) \equiv |V_{\mu N}|^4 \times \sigma_0(pp \rightarrow \mu^\pm \mu^\pm + X). \quad (1)$$

The two free parameters of the model are $|V_{\mu N}|^2$ and the mass m_N of the heavy Majorana neutrino.

The second benchmark model is the $d = 5$ Weinberg operator [8], which extends the SM Lagrangian by:

$$\mathcal{L}_5 = \frac{C_5^{\ell\ell'}}{\Lambda} [\Phi \cdot \bar{L}_\ell^c] [L_{\ell'} \cdot \Phi],$$

where Λ is the scale at which the particles mediating the BSM signal become relevant degrees of freedom; $C_5^{\ell\ell'}$ is a complex, flavour-dependent Wilson matrix coefficient; $L_\ell^T = (\nu_\ell, \ell)$ is the left-handed lepton doublet; and Φ is the SM Higgs doublet. Considering the Higgs vacuum expectation value $v = \sqrt{2}\langle\Phi\rangle \approx 246$ GeV, it is possible to define the quantity

$$m_{\ell\ell'} = C_5^{\ell\ell'} v^2 / \Lambda, \quad (2)$$

which for $\ell\ell' = ee$ reduces to the effective Majorana mass usually quoted by neutrinoless double beta decay experiments, which is a measure of the scale at which lepton-number symmetry is broken [9, 11]. For simplicity, it is assumed here that $C_5^{\mu\mu}$ is the only non-zero Wilson coefficient of this matrix. The signal cross section $\sigma(pp \rightarrow \mu^\pm \mu^\pm + X)$ can then be written as a function of the dimensionless effective cross section $\sigma_5(pp \rightarrow \mu^\pm \mu^\pm + X)$ for $\Lambda/|C_5^{\mu\mu}| = 1$ TeV as follows:

$$\sigma(pp \rightarrow \mu^\pm \mu^\pm + X) \equiv \frac{|C_5^{\mu\mu}|^2}{\Lambda^2} \cdot \sigma_5(pp \rightarrow \mu^\pm \mu^\pm + X). \quad (3)$$

The analysis targets final states with two same-sign muons, and also two particle jets with a large angular separation to capture the signature of vector-boson scattering. The main backgrounds are SM $W^\pm W^\pm jj$ production, shown in Figure 1(b), and WZ production, where the bosons decay leptonically. They are estimated with simulated events and their modelling is constrained in dedicated signal-depleted control regions. A data-driven technique assisted by simulation is used to model backgrounds which do not originate from prompt muons. The presence of a signal is tested in a region designed to be signal-enriched using the benchmark models discussed above.

2 The ATLAS detector

The ATLAS detector [20] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry with a nearly 4π coverage in solid angle.¹ It consists of an inner tracking

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

detector (ID) surrounded by a superconducting solenoid, electromagnetic (EM) and hadron calorimeters, and a muon spectrometer (MS).

The ID covers the pseudorapidity range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer installed before Run 2 [21, 22]. It is surrounded by a silicon microstrip detector and a straw tube transition-radiation tracking detector. The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. It consists of lead/liquid-argon (LAr) sampling calorimeters which provide EM energy measurements with high granularity up to $|\eta| = 3.2$. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is based on three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The MS includes a system of precision chambers for tracking and fast detectors for triggering. The ATLAS trigger and data acquisition system [23] contains a two-level trigger system in order to select events of interest. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a maximum rate of nearly 100 kHz. The second-level is a software-based trigger that reduces the accepted event rate to 1 kHz, on average, depending on the data-taking conditions [23]. An extensive software suite [24] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Object reconstruction and event selection

This analysis uses a set of pp collision data events collected by the ATLAS detector between 2015 and 2018 at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. Only events for which all detector subsystems were operational are considered. The data set corresponds to an integrated luminosity of 140 fb^{-1} [25, 26].

This analysis is based on events where the detector readout is triggered by the presence of at least one muon, referred to as ‘single-muon triggers’. Single-muon triggers require the presence of a single muon with a minimum transverse momentum (p_T) in the range 20–26 GeV depending on the data-taking period [27].

Events are required to have at least one collision vertex reconstructed from at least two ID tracks with $p_T > 500$ MeV. For events with several collision vertices, the one with the largest sum of the squared transverse momenta of the associated tracks is taken as the primary vertex [28].

Three types of muon candidates are used to select events for the signal region, to estimate the background contribution from fake muons, and to veto additional muons in the event selection. These muon candidates have different selection criteria and are referred to as ‘signal muons’, ‘spurious muons’, and ‘baseline muons’, respectively. Baseline muon candidates are reconstructed by combining tracks in the ID with tracks in the MS [29] and are required to have $|\eta| < 2.5$ and $p_T > 3$ GeV. Further selections on the longitudinal and transverse impact parameters are imposed. The transverse impact parameter d_0 , measured from the beamline and divided by its estimated uncertainty, must satisfy $|d_0|/\sigma(d_0) < 15$. The longitudinal impact parameter z_0 , measured from the primary vertex, is required to satisfy $|z_0 \sin(\theta)| < 1.5$ mm. Baseline muon candidates must satisfy the ‘Loose’ cut-based identification working point [30]. To select signal muons, these selection criteria are tightened to $p_T > 10$ GeV, $|\eta| < 2.5$, $|d_0|/\sigma(d_0) < 3$ and $|z_0 \sin(\theta)| < 0.5$ mm, and used together with the ‘Medium’ cut-based identification working point and an added isolation requirement from the ‘FixedCutPflowTight’ selection, based on the properties of ID tracks near the

reconstructed muon [30]. To select spurious muons, candidates must satisfy the ‘FixedCutPflowLoose’ isolation requirement and $|d_0|/\sigma(d_0) < 10$. In addition, they must fail the tighter signal-muon isolation and transverse impact parameter requirements.

Electron candidates are used to veto events. They are reconstructed from an isolated EM calorimeter energy deposit which is matched to a track in the ID [31] and they are required to have $p_T > 4.5$ GeV. The pseudorapidity of the calorimeter energy cluster, η_{cluster} , must satisfy $|\eta_{\text{cluster}}| < 2.47$. Electron candidates must pass a ‘Loose’ likelihood-based identification working point [31] that employs calorimeter and tracking information to discriminate between electrons and jets, and their tracks must have impact parameters satisfying $|d_0|/\sigma(d_0) < 5$ and $|z_0 \sin(\theta)| < 0.5$ mm.

Jets are reconstructed by using the anti- k_t algorithm [32, 33] with a radius parameter of $R = 0.4$ after applying a particle-flow algorithm [34] to tracking information and topological clusters of calorimeter-cell energies. Jets are required to have $p_T > 25$ GeV and $|\eta| < 4.5$, and are calibrated as described in Ref. [35]. The jet-vertex tagger (JVT) discriminant [36] is used to identify jets originating from the hard-scatter interaction through the use of tracking and vertexing information. Jets with $p_T < 60$ GeV and $|\eta| < 2.5$ are required to satisfy the requirement $\text{JVT} > 0.50$, corresponding to a selection efficiency of about 96% for hard-scatter jets [37]. If either of the two leading jets has $|\eta| > 2.5$ and $p_T < 60$ GeV, it must satisfy a threshold for the forward jet-vertex tagger (fJVT) discriminant [38, 39] that has an efficiency of about 93% for hard-scatter jets.

In order to suppress contributions from background processes that involve top quarks or leptonic b -hadron decays, the DL1r classification algorithm based on recurrent neural networks [40, 41] is used to identify jets containing b -hadrons (referred to as ‘ b -jets’). This algorithm identifies b -jets amongst a background of light-flavour- and charm-quark-initiated jets using information about the impact parameters of tracks associated with the jet and the topological properties of displaced vertices reconstructed within the jet. This analysis uses a b -jet efficiency working point of 85% as measured for jets with $p_T > 20$ GeV and $|\eta| < 2.5$ in simulated $t\bar{t}$ events [42]. The tagging algorithm at that working point gives an expected rejection factor of about 40 for light-flavour jets, and about 2.9 for jets originating from charm quarks [41, 43].

To resolve the potential ambiguities due to a single detector response being assigned to two objects by the reconstruction algorithm, a sequential overlap-removal procedure is applied. First, any electron found to share a track with another electron with higher p_T is removed. Second, electrons sharing their track with a muon candidate are removed. Third, labelling the rapidity of an object by y ,² any jet within $\Delta R_y = \sqrt{(\Delta y)^2 + (\Delta \phi)^2} = 0.2$ of an electron is removed, unless it is a b -jet and the electron p_T is below 100 GeV, in which case the electron is removed. Fourth, any electrons within $\Delta R_y = 0.4$ of a remaining jet are removed. Fifth, any jet that is within $\Delta R_y = 0.2$ of a muon and has less than three associated tracks is removed, unless it is a b -jet, in which case the muon is removed. Finally, remaining muons are removed if their track is within $\Delta R_y = 0.4$ of a remaining jet. Resolving the overlaps between e/μ and jets in two steps based on ΔR_y values of 0.2 and 0.4 allows the reconstruction efficiency to be maximised for b -jets including semileptonic c - and b -hadron decays.

The missing transverse momentum, with magnitude E_T^{miss} , is defined as the negative vectorial sum of the transverse momenta of all selected and calibrated electrons, muons and jets, and an additional term to account for soft energy in the event that is not associated with any of the selected objects. This soft term is calculated from unassociated ID tracks matched to the primary vertex, in order to make it more resilient to contamination from multiple interactions in the same or neighbouring bunch crossings (pile-up) [44, 45].

² The rapidity is defined as $y = \frac{1}{2} \ln \frac{E+p_z}{E-p_z}$, where E is the energy and p_z is the longitudinal component of the momentum along the beam pipe.

The object-based E_T^{miss} significance (S) is computed [46] by including the expected resolutions for all the objects used in the E_T^{miss} calculation and is used to reject background events with genuine E_T^{miss} .

At preselection level, the events are required to have at least two same-sign signal muons with $p_T > 27$ GeV and one of them has to match the muon that fired the trigger. At least two jets are required and one of the jets has to have a transverse momentum larger than 30 GeV to reduce the contamination from pile-up jets. Events with b -jets are vetoed. In order to preferentially capture the signature of $W^\pm W^\pm$ scattering in pp collisions, the invariant mass of the two jets with the highest p_T , labelled as m_{jj} , has to be larger than 300 GeV and their rapidity separation must satisfy $|\Delta y_{jj}| > 4$. These preselection cuts are applied to every event which is used further in the analysis.

4 Event simulation

Monte Carlo (MC) samples are used to model the expected signal and background yields, while backgrounds from misidentified objects are estimated using data-driven techniques described in Section 5. All MC samples are normalised to the best theory predictions available. The NNPDF3.0_{NLO} [47] PDF set was used in all matrix element calculations if not stated otherwise. The generated event samples were processed through the full ATLAS detector simulation [48] based on GEANT4 [49]. Additional simulated pp collisions generated using PYTHIA 8.186 [50] with the A3 set of tuned parameters (tune) [51] and the MSTW2008_{LO} parton distribution function (PDF) set [52] were overlaid to model the effects of pile-up. The distribution of the number of additional pp interactions in the MC samples is reweighted to match the one observed in data. All simulated samples are processed through the same reconstruction algorithms and analysis chain as the data.

The Phenomenological Type-I Seesaw model signal samples were simulated following the prescription given in Ref. [10]. The samples were simulated using the MADGRAPH5_AMC@NLO 2.7.2 [53] generator at next-to-leading order (NLO) in QCD after importing the default variant of the HEAVYNN [54, 55] FEYNRULES UFO libraries [56, 57]. All HEAVYNN events were interfaced to PYTHIA 8.243 [58]. Twenty mass points were generated, spanning the range $m_N = 50$ GeV to 20 TeV. Since the mixing parameter $V_{\mu N}$ only impacts the total cross section, as $\sigma \sim |V_{\mu N}|^4$, these mass points were generated with a mixing parameter of unity and are rescaled to other values by using Eq. (1).

The signal sample for the Weinberg operator was simulated by using the prescription given in Ref. [11]. For the hard parton-level scattering processes, MADGRAPH5_AMC@NLO 2.9.3 [53] was used at NLO in QCD after importing the default variant of the SMWEINBERG [11] FEYNRULES UFO libraries [56, 57]. The NNPDF3.1luxQED [47] PDF was used. All SMWEINBERG events were interfaced to PYTHIA 8.245 [58]. The sample was generated at an energy scale $\Lambda = 200$ TeV and with the Wilson coefficient value $C_5^{\mu\mu} = 1$. Both Λ and $C_5^{\mu\mu}$ only impact the total cross section, as $\sigma \sim (C_5^{\mu\mu}/\Lambda)^2$, so a global rescaling of a single signal sample according to Eq. (3) is used to vary their values.

For all samples of simulated signal events, the parton shower, hadronisation, and underlying-event modelling by PYTHIA used the A14 tune [59] and the NNPDF2.3_{LO} [47] PDF set, and the EVTGEN 1.7.0 program [60] was used to model the decays of bottom and charm hadrons.

Electroweak (EW) $W^\pm W^\pm$ production and decay in association with two jets was simulated with diagrams including exactly six orders of the EW coupling [61]. The simulation of the strong production processes, and the interference between EW and strong contributions, includes diagrams with exactly

four and five EW vertices [62], respectively. All SM $W^\pm W^\pm jj$ contributions were simulated with MADGRAPH5_AMC@NLO 2.6.7 [53], which was interfaced to the PYTHIA 8.244 [58] parton shower model. The matching of the matrix element simulation to parton showers used the MC@NLO method [63] based on FKS subtraction [64]. These samples used the A14 set of tunable parameters [59]. More details of the generator settings used to obtain a better description of deep-inelastic scattering data [65] are given in Ref. [61].

Samples of diboson final states (VV , $V = W/Z$) were simulated with the SHERPA 2.2.1 or 2.2.2 [66] generator depending on the process. Fully leptonic final states and semileptonic final states, where one boson decays leptonically and the other hadronically, were generated using matrix elements with NLO accuracy in QCD for up to one additional parton and with LO accuracy for up to three additional parton emissions. Samples for the loop-induced processes $gg \rightarrow VV$ were generated using LO matrix elements for up to one additional parton emission. The production of triboson (VVV) events was simulated with the SHERPA 2.2.2 generator, accurate to NLO in QCD for the inclusive process and to LO for up to two additional parton emissions, using factorised gauge-boson decays. The matrix element calculations for individual VV and VVV processes were matched and merged with the SHERPA parton shower based on Catani–Seymour dipole factorisation [67, 68] using the MEPS@NLO prescription [69–72]. The virtual QCD corrections for matrix elements with NLO accuracy were provided by the OPENLOOPS 1 library [73–75].

Additional samples are used to simulate minor backgrounds with prompt muons. The production of $t\bar{t}V$, $t\bar{t}WW$, tZq and tWZ events was modelled using the MADGRAPH5_AMC@NLO 2.3.3 generator at NLO, interfaced to PYTHIA [58]. The SHERPA 2.2.11 generator was used to simulate $V\gamma$ final states. For studies of background which does not originate from prompt muons, the production of $t\bar{t}$ and single-top-quark events was simulated using the POWHEG Box v2 [76–79] generator at NLO in QCD, interfaced to PYTHIA 8.230 [58], and the production of V +jets events was simulated with the SHERPA 2.2.11 generator.

5 Analysis strategy

The signal considered in this search is characterised by two same-sign muons with large transverse momentum and two jets with a large rapidity separation, which is already exploited in the preselection requirements. The signal region (SR) was optimised for the Phenomenological Type-I Seesaw model with Majorana neutrino masses above 1 TeV, since this is the kinematic region where this search is expected to bring unique sensitivity. The best discrimination between signal and background is given by the distribution of the transverse momentum of the second-highest- p_T muon ($p_T^{\mu_2}$). The distribution has a maximum above 200 GeV for $m_N = 500$ GeV, with a long tail towards higher momenta [10], while all SM backgrounds have a steeply falling $p_T^{\mu_2}$ distribution. The main background contributions arise from SM $W^\pm W^\pm jj$ and WZ production. The SR is defined by requiring the E_T^{miss} to have a small significance value $S < 4.5$, and events with a third baseline muon or electron are vetoed. This suppresses background from SM $W^\pm W^\pm jj$ events, which have two neutrinos in the final state (cf. Figure 1(b)), and WZ events, which have a third lepton. In contrast, these two requirements are inverted to define signal-depleted control regions where the data are used to constrain the normalisation of these simulated background processes. The event selection for the SR and the two CRs is summarised in Table 1.

A same-sign $W^\pm W^\pm jj$ control region (ssWW-CR) is selected with $S > 5.8$. In order to suppress possible contamination from signal events, $p_T^{\mu_2}$ is restricted to be below 120 GeV. This event selection also ensures that background from misidentified jets is adequately suppressed. The ssWW-CR has a SM $W^\pm W^\pm jj$ purity of 70% inclusively (64% for $80 < p_T^{\mu_2} < 120$ GeV), with the main contamination coming from WZ

Table 1: Summary of the main kinematic requirements for the different selection regions. The first four requirements belong to the preselection stage and are described in Section 3.

Observable	SR	ssWW-CR	WZ-CR
Same-sign muons		= 2 (signal μ)	
Number of b -jets		= 0	
m_{jj}		> 300 GeV	
$ \Delta y_{jj} $		> 4	
Third lepton (OS)	= 0 (baseline)	= 0 (baseline)	= 1 (signal μ)
E_T^{miss} signif. \mathcal{S}	< 4.5	> 5.8	< 4.5
$m_{\ell\ell\ell}$	—	—	> 100 GeV
$p_T^{\mu_2}$	—	< 120 GeV	—

events, whose modelling is, however, constrained in another dedicated control region. Events which fulfil the ssWW-CR requirement but with a E_T^{miss} significance $4.5 < \mathcal{S} < 5.8$ or with $p_T^{\mu_2} > 120$ GeV could have a non-negligible signal contribution. These two regions are not included in the profile likelihood fit, but are used to validate the modelling of SM $W^\pm W^\pm jj$ and WZ events. The final background predictions and the collision data agree well in both validation regions.

The second-largest background in the SR is WZ production where both bosons decay leptonically and the Z -boson-decay lepton opposite in sign to the W boson falls outside the detector acceptance (mainly due to the muon spectrometer’s rapidity coverage). To select a control region enriched in WZ production (WZ-CR), the SR is modified such that events are required to have three signal muons, with one opposite-sign (OS) muon pair to be compatible with a Z boson decay. Events with an additional baseline muon are vetoed to reduce the contribution from ZZ production. Furthermore, a large three-lepton invariant mass ($m_{\ell\ell\ell} > 100$ GeV) is required in order to reduce the fake-lepton contribution and to make the WZ-CR orthogonal to the regions where fake leptons from photons are studied, as explained later in this section. The WZ-CR has a WZ purity of 88% inclusively and 83% for $p_T^{\mu_2} > 120$ GeV.

Non-prompt muons, defined as originating from bottom- or charm-hadron, kaon or pion decays, constitute a non-negligible source of background in the analysis. Most of these muons arise from W +jets events and $t\bar{t}$ events where one W boson (originating from a top-quark decay in the $t\bar{t}$ case) decays leptonically. This background contribution is evaluated using the so-called fake-factor method [80], which is based on collision data. Fake factors are derived as a function of muon p_T in a dedicated region enriched in non-prompt muons which selects events that include a jet recoiling almost back-to-back against a fake muon candidate. In particular, the presence of W +jets events in this sample leads to a non-negligible contamination from prompt muons. This contamination is reduced by requiring the transverse mass formed by the non-prompt muon candidate’s p_T and the missing transverse momentum to be below 50 GeV. The residual prompt-muon contribution, estimated from MC predictions, is subtracted from the data, and the fake factors are calculated as the ratio of non-prompt ‘signal’ to ‘spurious’ muon events. The background from non-prompt muons is then estimated by multiplying the fake factors by the data yields observed in the so-called ‘spurious-SR’, which has the exact same requirements as the SR except that the object definition of one of the muons is changed from ‘signal’ to ‘spurious’. Non-prompt contributions originating from either the leading or subleading muon candidates are considered. The contamination from prompt muons in the spurious-SR, originating mostly from same-sign WW and WZ events, is subtracted using MC predictions. The final data-driven estimate gives a low non-prompt-muon event yield in the different analysis regions, and hence this contribution to the $p_T^{\mu_2}$ distribution is smoothed by fitting it with an exponential function.

Alternative functions are used to estimate the systematic uncertainty due to the functional form choice.


Background from $t\bar{t}V$, $t\bar{t}WW$, tWZ , tZq , ZZ and $V\gamma$ events is estimated from MC simulation and denoted as ‘Other’ backgrounds in the remainder of the paper, in which ZZ and tZq constitute the dominant contributions.

Photons originating from final-state radiation splitting into muons ($\gamma^* \rightarrow \mu\mu$) were studied in a region selecting leptonic Z boson decays produced in association with an extra muon (which is the non-prompt candidate from final-state radiation) with $m_{\ell\ell\ell} < 100$ GeV to suppress the events with initial-state radiation. Their contribution to the SR was found to be negligible. Muons with the wrong reconstructed charge were studied with MC simulation and were also found to be negligible. The probability of misreconstructing two inelastic collisions, each contributing one of a pair of same-sign W bosons, as a single event was evaluated. A Gaussian function with a standard deviation as measured in Ref. [81] was used to model the longitudinal distribution of inelastic collisions and to compute the conditional probability. Less than 0.1 events from this source are expected to pass the analysis selection. Finally, single pp interactions where more than one set of partons from each proton interact (double parton scattering) to produce two W bosons with the same sign were considered. Although produced at a rate several times larger than that of coincidental W events, less than one such event is expected to pass the analysis selection, so it is also safe to ignore this process.


6 Results

This search is conducted using the binned $p_T^{\mu_2}$ distributions. A combined profile likelihood fit is used in the SR and all CRs to obtain the final background model, as shown in Figure 2, and make further statistical inferences regarding the presence of a signal. The likelihood function depends on the free-floating signal normalisation, the free-floating SM $W^\pm W^\pm jj$ and WZ normalisations, and a set of nuisance parameters encoding the effect of systematic uncertainties. The normalisation corrections obtained by the fit are 1.17 ± 0.23 for SM $W^\pm W^\pm jj$ and 0.92 ± 0.16 for WZ backgrounds. The nuisance parameters, implemented as Gaussian constraints, allow variations of the expectations for signal and background according to the corresponding systematic uncertainties, whilst penalising the likelihood function for any deviation from the nominal expectations according to the specified constraints. The fit also reduces the impact of systematic uncertainties on the search sensitivity by exploiting the background-dominated CRs. The fit and the subsequent statistical analysis are performed for each signal mass point.


Uncertainties affecting the measurement which originate from statistical sources are considered together with systematic uncertainties related to the detector calibration and physics modelling. Uncertainty sources related to muon reconstruction and energy calibration, jet energy calibration, b -jet identification, rejection of pile-up jets, and missing transverse momentum reconstruction were studied. The uncertainty in the non-prompt muon background is evaluated by propagating both the systematic and statistical uncertainties in the fake factors and in the spurious-SR non-prompt muon yields. The systematic uncertainty is dominated by the modelling of the contamination from prompt muons in the region used to extract the fake factors. The statistical uncertainty, which dominates the uncertainty in the non-prompt background, is driven by the limited size of the spurious-SR data set. Systematic uncertainties in the physics modelling of SM same-sign WW and WZ events are estimated by varying the factorisation (μ_f) and renormalisation (μ_r) scales, as well as the strong coupling constant α_s and the PDF choice. Factorisation and renormalisation scale variations are used to account for the uncertainty due to truncated higher-order corrections. The effects of a seven-point pairwise variation of μ_f and μ_r , where each scale is either halved or doubled (the off-diagonal variations by $[0.5, 2]$ and $[2, 0.5]$ are not included), are computed and then combined into a single uncertainty by



(a)



(b)



(c)

Figure 2: Comparison of the p_T^{H2} distributions in data and the post-fit prediction under the background-only hypothesis in the different analysis regions: (a) SR, (b) ssWW-CR, and (c) WZ-CR. The shaded area surrounding the background expectation represents the total uncertainty from the post-fit computation. The ratio of the observed yields to the prediction of the background model post-fit is shown by the points in the bottom plot and the change in the prediction relative to the pre-fit yields is shown by the blue line. The ‘Other’ contribution consists mainly of ZZ and tZq events. Two benchmark signal samples are overlaid on top of the total background prediction in (a), and were obtained by using their theoretical cross sections. The last bin in (a) and (c) includes the overflow bin.

forming an envelope of the effects of these seven variations. The total PDF uncertainty is obtained from the standard deviation of NNPDF3.0_{NLO} variations and the envelope of alternative PDFs (CT14 and MMHT2014), while the effect of the α_s uncertainty is obtained by varying the nominal $\alpha_s = 0.118$ within its uncertainty of ± 0.001 . Alternative SM same-sign WW (WZ) samples generated with SHERPA 2.2.12 and MADGRAPH5_AMC@NLO interfaced to HERWIG 7.2 [82] (MADGRAPH5_AMC@NLO 2.2.2 interfaced to PYTHIA 8.186) are used to evaluate the residual generator dependencies. A similar scheme is applied to derive uncertainties from the μ_f/μ_r scale variations and from the PDF/ α_s choice for the HEAVY_N and SMWEINBERG signal samples, while other smaller backgrounds are assigned a conservative $\pm 50\%$ uncertainty correlated across analysis bins. The largest systematic uncertainty in the total background estimate is the uncertainty in the non-prompt-muon background estimation (8%). None of the considered systematic uncertainties were pulled appreciably by the fit or found to have an impact on the analysis sensitivity, which is driven by the statistical uncertainty of the data in the tail of the $p_T^{\mu_2}$ distribution. The expected limits change at the per-mille level if systematic uncertainties are not considered.

In the absence of any significant excess above the background expectation, upper limits on $|V_{\mu N}|^2$ and $|C_5^{\mu\mu}|/\Lambda$ are derived with the CL_s method [83, 84]. The asymptotic approximation [85] is used to derive the upper limits, which agree very well with those estimated via background-only pseudo-experiments. The observed and expected 95% confidence level (CL) upper limits on the heavy Majorana neutrino mixing element $|V_{\mu N}|^2$ are shown in Figure 3 as a function of m_N . The form of the exclusion curve follows what is expected from the bare cross section σ_0 as defined in Eq. (1), which rises moderately with increasing m_N , reaching a maximum around 700 GeV for 13 TeV pp collisions before decreasing again due to a kinematic suppression in the $W^\pm W^\pm$ matrix element [10]. The strongest exclusion is achieved at $m_N = 500$ GeV, with an observed (expected) upper limit of 0.10 (0.08) on $|V_{\mu N}|^2$. For a heavy neutrino mass of 20 TeV the exclusion curve reaches the mixing element's upper bound of unity. Overall, the expected limits constitute a sensitivity improvement of 15%–20% compared to the results in Ref. [17]. Over the entire mass range the observed limit is around one standard deviation weaker than the expected limit, which is due to the slight excess of data in the last two bins of the $p_T^{\mu_2}$ distribution. The observed (expected) 95% CL lower limit on the $d = 5$ Weinberg operator $\Lambda/|C_5^{\mu\mu}|$ is 3.635 (4.608) TeV, with a probability of $p_0 = 9.3\%$ that the observed data are compatible with the background-only hypothesis. Using Eq. (2), this translates into an upper limit of 16.7 (13.1) GeV on the effective $\mu\mu$ Majorana neutrino mass.

7 Conclusion

A new search for heavy Majorana neutrinos is presented, targeting the same-sign WW production mode. Since in this process the heavy neutrinos are produced in the t -channel, this analysis extends the reach to higher neutrino masses and complements previous searches in resonant production channels by adding valuable sensitivity for neutrino masses of a few hundred GeV. The search is performed using 140 fb⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV collected by the ATLAS detector at the LHC. To preferentially capture the signature of same-sign WW scattering in pp collisions, events are required to have two jets with a large rapidity separation and two muons with the same electric charge. Since signal events typically have a significantly higher muon transverse momentum than those arising from SM backgrounds, the shape of the transverse momentum distribution of the subleading muon is used to discriminate between the signal and background. No significant excess was observed above the expected backgrounds, which were modelled in dedicated control regions. Upper limits on the muon-neutrino-heavy-neutrino mass-mixing matrix element $|V_{\mu N}|^2$ at 95% confidence level are computed for signals with Majorana neutrino masses m_N between 50 GeV and 20 TeV based on a Phenomenological Type-I Seesaw model. The strongest exclusion was




Figure 3: Observed and expected 95% CL upper limits on the heavy Majorana neutrino mixing element $|V_{\mu N}|^2$ as a function of m_N in the Phenomenological Type-I Seesaw model. The one and two standard deviation bands of the expected limit are indicated in green and yellow, respectively.

achieved at $m_N = 500$ GeV, with an observed (expected) limit of 0.10 (0.08) on $|V_{\mu N}|^2$. Constraints on $|V_{\mu N}|^2$ are extended from previous results at m_N values of the order of 1 TeV in the resonant production channels to m_N values of up to 20 TeV in this analysis. In addition, limits are set on the $d = 5$ Weinberg operator, which translate to an observed (expected) upper limit of 16.7 (13.1) GeV on the effective $\mu\mu$ Majorana neutrino mass, which cannot be probed in nuclear decays.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRf and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European

Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [86].

References

- [1] Super-Kamiokande Collaboration, *Measurement of atmospheric neutrino oscillation parameters by Super-Kamiokande I*, [*Phys. Rev. D* **71** \(2005\) 112005](#), arXiv: [hep-ex/0501064](#).
- [2] SNO Collaboration, *Direct Evidence for Neutrino Flavor Transformation from Neutral-Current Interactions in the Sudbury Neutrino Observatory*, [*Phys. Rev. Lett.* **89** \(2002\) 011301](#), arXiv: [nucl-ex/0204008](#).
- [3] A. Atre, T. Han, S. Pascoli and B. Zhang, *The search for heavy Majorana neutrinos*, [*JHEP* **05** \(2009\) 030](#), arXiv: [0901.3589 \[hep-ph\]](#).
- [4] F. F. Deppisch, P. S. Bhupal Dev and A. Pilaftsis, *Neutrinos and collider physics*, [*New J. Phys.* **17** \(2015\) 075019](#), arXiv: [1502.06541 \[hep-ph\]](#).
- [5] Y. Cai, J. Herrero-García, M. A. Schmidt, A. Vicente and R. R. Volkas, *From the trees to the forest: a review of radiative neutrino mass models*, [*Front. in Phys.* **5** \(2017\) 63](#), arXiv: [1706.08524 \[hep-ph\]](#).
- [6] Y. Cai, T. Han, T. Li and R. Ruiz, *Lepton Number Violation: Seesaw Models and Their Collider Tests*, [*Front. in Phys.* **6** \(2018\) 40](#), arXiv: [1711.02180 \[hep-ph\]](#).
- [7] E. Ma, *Pathways to naturally small neutrino masses*, [*Phys. Rev. Lett.* **81** \(1998\) 1171](#), arXiv: [hep-ph/9805219](#).
- [8] S. Weinberg, *Baryon and Lepton Nonconserving Processes*, [*Phys. Rev. Lett.* **43** \(1979\) 1566](#).
- [9] M. J. Dolinski, A. W. P. Poon and W. Rodejohann, *Neutrinoless Double-Beta Decay: Status and Prospects*, [*Ann. Rev. Nucl. Part. Sci.* **69** \(2019\) 219](#), arXiv: [1902.04097 \[nucl-ex\]](#).
- [10] B. Fuks, J. Neundorff, K. Peters, R. Ruiz and M. Saimpert, *Majorana neutrinos in same-sign $W^\pm W^\pm$ scattering at the LHC: Breaking the TeV barrier*, [*Phys. Rev. D* **103** \(2021\) 055005](#), arXiv: [2011.02547 \[hep-ph\]](#).
- [11] B. Fuks, J. Neundorff, K. Peters, R. Ruiz and M. Saimpert, *Probing the Weinberg operator at colliders*, [*Phys. Rev. D* **103** \(2021\) 115014](#), arXiv: [2012.09882 \[hep-ph\]](#).

- [12] D. A. Dicus, D. D. Karatas and P. Roy, *Lepton nonconservation at supercollider energies*, [*Phys. Rev. D* **44** \(1991\) 2033](#).
- [13] ATLAS Collaboration, *Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector*, [*JHEP* **10** \(2019\) 265](#), arXiv: [1905.09787 \[hep-ex\]](#).
- [14] ATLAS Collaboration, *Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV*, [*JHEP* **07** \(2015\) 162](#), arXiv: [1506.06020 \[hep-ex\]](#).
- [15] CMS Collaboration, *Search for heavy Majorana neutrinos in same-sign dilepton channels in proton–proton collisions at $\sqrt{s} = 13$ TeV*, [*JHEP* **01** \(2019\) 122](#), arXiv: [1806.10905 \[hep-ex\]](#).
- [16] CMS Collaboration, *Search for heavy neutral leptons in events with three charged leptons in proton–proton collisions at $\sqrt{s} = 13$ TeV*, [*Phys. Rev. Lett.* **120** \(2018\) 221801](#), arXiv: [1802.02965 \[hep-ex\]](#).
- [17] CMS Collaboration, *Probing heavy Majorana neutrinos and the Weinberg operator through vector boson fusion in proton–proton collisions at $\sqrt{s} = 13$ TeV*, (2022), arXiv: [2206.08956 \[hep-ex\]](#).
- [18] DELPHI Collaboration, *Search for neutral heavy leptons produced in Z decays*, [*Z. Phys. C* **74** \(1997\) 57](#), [Erratum: *Z. Phys. C* **75** (1997) 580].
- [19] F. del Aguila and J. A. Aguilar-Saavedra, *Distinguishing seesaw models at LHC with multi-lepton signals*, [*Nucl. Phys. B* **813** \(2009\) 22](#), arXiv: [0808.2468 \[hep-ph\]](#).
- [20] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [*JINST* **3** \(2008\) S08003](#).
- [21] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [22] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, [*JINST* **13** \(2018\) T05008](#), arXiv: [1803.00844 \[physics.ins-det\]](#).
- [23] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, [*Eur. Phys. J. C* **77** \(2017\) 317](#), arXiv: [1611.09661 \[hep-ex\]](#).
- [24] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [25] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, (2022), arXiv: [2212.09379 \[hep-ex\]](#).
- [26] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, [*JINST* **13** \(2018\) P07017](#).
- [27] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, [*JINST* **15** \(2020\) P09015](#), arXiv: [2004.13447 \[hep-ex\]](#).
- [28] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.

- [29] ATLAS Collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292, arXiv: [1603.05598 \[hep-ex\]](#).
- [30] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [31] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [32] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [33] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [34] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [35] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2020) 689, arXiv: [2007.02645 \[hep-ex\]](#).
- [36] ATLAS Collaboration, *Tagging and suppression of pileup jets with the ATLAS detector*, ATLAS-CONF-2014-018, 2014, URL: <https://cds.cern.ch/record/1700870>.
- [37] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).
- [38] ATLAS Collaboration, *Forward Jet Vertex Tagging: A new technique for the identification and rejection of forward pileup jets*, ATL-PHYS-PUB-2015-034, 2015, URL: <https://cds.cern.ch/record/2042098>.
- [39] ATLAS Collaboration, *Forward jet vertex tagging using the particle flow algorithm*, ATL-PHYS-PUB-2019-026, 2019, URL: <https://cds.cern.ch/record/2683100>.
- [40] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, (2022), arXiv: [2211.16345 \[physics.data-an\]](#).
- [41] ATLAS Collaboration, *Measurement of b -tagging efficiency of c -jets in $t\bar{t}$ events using a likelihood approach with the ATLAS detector*, ATLAS-CONF-2018-001, 2018, URL: <https://cds.cern.ch/record/2306649>.
- [42] ATLAS Collaboration, *ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 970, arXiv: [1907.05120 \[hep-ex\]](#).
- [43] ATLAS Collaboration, *Calibration of light-flavour b -jet mistagging rates using ATLAS proton–proton collision data at $\sqrt{s} = 13$ TeV*, ATLAS-CONF-2018-006, 2018, URL: <https://cds.cern.ch/record/2314418>.
- [44] ATLAS Collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **78** (2018) 903, arXiv: [1802.08168 \[hep-ex\]](#).

- [45] ATLAS Collaboration, *E_T^{miss} performance in the ATLAS detector using 2015–2016 LHC pp collisions*, ATLAS-CONF-2018-023, 2018, URL: <https://cds.cern.ch/record/2625233>.
- [46] ATLAS Collaboration, *Object-based missing transverse momentum significance in the ATLAS Detector*, ATLAS-CONF-2018-038, 2018, URL: <https://cds.cern.ch/record/2630948>.
- [47] R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [48] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [49] GEANT4 Collaboration, S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [50] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: [0710.3820 \[hep-ph\]](#).
- [51] ATLAS Collaboration, *Summary of ATLAS Pythia 8 tunes*, ATL-PHYS-PUB-2012-003, 2012, URL: <https://cds.cern.ch/record/1474107>.
- [52] A. D. Martin, W. J. Stirling, R. S. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J. C* **63** (2009) 189, arXiv: [0901.0002 \[hep-ph\]](#).
- [53] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [54] C. Degrande, O. Mattelaer, R. Ruiz and J. Turner, *Fully-Automated Precision Predictions for Heavy Neutrino Production Mechanisms at Hadron Colliders*, *Phys. Rev. D* **94** (2016) 053002, arXiv: [1602.06957 \[hep-ph\]](#).
- [55] D. Alva, T. Han and R. Ruiz, *Heavy Majorana neutrinos from $W\gamma$ fusion at hadron colliders*, *JHEP* **02** (2015) 072, arXiv: [1411.7305 \[hep-ph\]](#).
- [56] N. D. Christensen et al., *A Comprehensive approach to new physics simulations*, *Eur. Phys. J. C* **71** (2011) 1541, arXiv: [0906.2474 \[hep-ph\]](#).
- [57] A. Alloul, N. D. Christensen, C. Degrande, C. Duhr and B. Fuks, *FeynRules 2.0 - A complete toolbox for tree-level phenomenology*, *Comput. Phys. Commun.* **185** (2014) 2250, arXiv: [1310.1921 \[hep-ph\]](#).
- [58] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [59] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [60] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [61] ATLAS Collaboration, *Modelling of the vector boson scattering process $pp \rightarrow W^\pm W^\pm jj$ in Monte Carlo generators in ATLAS*, ATL-PHYS-PUB-2019-004, 2019, URL: <https://cds.cern.ch/record/2655303>.
- [62] ATLAS Collaboration, *Multi-Boson Simulation for 13 TeV ATLAS Analyses*, ATL-PHYS-PUB-2017-005, 2017, URL: <https://cds.cern.ch/record/2261933>.

- [63] S. Frixione and B. R. Webber, *Matching NLO QCD computations and parton shower simulations*, JHEP **06** (2002) 029, arXiv: [hep-ph/0204244](#).
- [64] R. Frederix, S. Frixione, F. Maltoni and T. Stelzer, *Automation of next-to-leading order computations in QCD: The FKS subtraction*, JHEP **10** (2009) 003, arXiv: [0908.4272 \[hep-ph\]](#).
- [65] B. Cabouat and T. Sjöstrand, *Some Dipole Shower Studies*, Eur. Phys. J. C **78** (2018) 226, arXiv: [1710.00391 \[hep-ph\]](#).
- [66] E. Bothmann et al., *Event generation with Sherpa 2.2*, SciPost Phys. **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [67] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, JHEP **12** (2008) 039, arXiv: [0808.3674 \[hep-ph\]](#).
- [68] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, JHEP **03** (2008) 038, arXiv: [0709.1027 \[hep-ph\]](#).
- [69] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, JHEP **09** (2012) 049, arXiv: [1111.1220 \[hep-ph\]](#).
- [70] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, JHEP **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [71] S. Catani, F. Krauss, B. R. Webber and R. Kuhn, *QCD Matrix Elements + Parton Showers*, JHEP **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [72] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, JHEP **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [73] F. Buccioni et al., *OpenLoops 2*, Eur. Phys. J. C **79** (2019) 866, arXiv: [1907.13071 \[hep-ph\]](#).
- [74] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering Amplitudes with Open Loops*, Phys. Rev. Lett. **108** (2012) 111601, arXiv: [1111.5206 \[hep-ph\]](#).
- [75] A. Denner, S. Dittmaier and L. Hofer, *COLLIER: A fortran-based complex one-loop library in extended regularizations*, Comput. Phys. Commun. **212** (2017) 220, arXiv: [1604.06792 \[hep-ph\]](#).
- [76] R. Frederix, E. Re and P. Torrielli, *Single-top t -channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO*, JHEP **09** (2012) 130, arXiv: [1207.5391 \[hep-ph\]](#).
- [77] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, JHEP **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [78] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, JHEP **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [79] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, JHEP **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).

- [80] ATLAS Collaboration, *Tools for estimating fake/non-prompt lepton backgrounds with the ATLAS detector at the LHC*, (2022), arXiv: [2211.16178 \[hep-ex\]](#).
- [81] ATLAS Collaboration, *Characterization of Interaction-Point Beam Parameters Using the pp Event-Vertex Distribution Reconstructed in the ATLAS Detector at the LHC*, ATLAS-CONF-2010-027, 2010, URL: <https://cds.cern.ch/record/1277659>.
- [82] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196, arXiv: [1512.01178 \[hep-ph\]](#).
- [83] T. Junk, *Confidence level computation for combining searches with small statistics*, *Nucl. Instrum. Meth. A* **434** (1999) 435, arXiv: [hep-ex/9902006](#).
- [84] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [85] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, arXiv: [1007.1727 \[physics.data-an\]](#), Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [86] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2021-003, 2021, URL: <https://cds.cern.ch/record/2776662>.

The ATLAS Collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, A.C. Abusleme Hoffman ^{137a}, B.S. Acharya ^{69a,69b,r}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, L. Adamek ¹⁵⁵, S.V. Addepalli ²⁶, M.J. Addison ¹⁰¹, J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,ag}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ^{62a}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶³, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³², H.M.J. Ali ⁹¹, S. Ali ¹⁴⁸, S.W. Alibocus ⁹², M. Aliev ¹⁴⁵, G. Alimonti ^{71a}, W. Alkakh ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰, C. Alpigiani ¹³⁸, M. Alvarez Estevez ⁹⁹, A. Alvarez Fernandez ¹⁰⁰, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰¹, Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰¹, C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,aj}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, N. Aranzabal ³⁶, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹², J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴, G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a}, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², H. Atmani ^{35f}, P.A. Atmasiddha ¹⁰⁶, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰¹, G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,ap}, D. Babal ^{28b}, H. Bachacou ¹³⁵, K. Bachas ^{152,w}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, L. Baines ⁹⁴, C. Bakalis ¹⁰, O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²⁰, R. Balasubramanian ¹¹⁴, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵, D. Barberis ^{57b,57a}, M. Barbero ¹⁰², K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹, M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a}, A. Basan ¹⁰⁰, M. Baselga ⁴⁹, A. Bassalat ^{66,c}, M.J. Basso ^{156a}, C.R. Basson ¹⁰¹, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Baunce ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁷, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtle ²⁴, H.P. Beck ^{19,u}, K. Becker ¹⁶⁷, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{83d,83d}, M. Begel ²⁹, A. Behera ¹⁴⁵, J.K. Behr ⁴⁸, J.F. Beirer ⁵⁵, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁹, G. Bella ¹⁵¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, N.L. Belyaev ³⁷, D. Benchebroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵¹, M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁴, L. Beresford ⁴⁸,

M. Beretta ⁵³, E. Bergeaas Kuutmann ¹⁶¹, N. Berger ⁴, B. Bergmann ¹³², J. Beringer ^{17a},
G. Bernardi ⁵, C. Bernius ¹⁴³, F.U. Bernlochner ²⁴, F. Bernon ^{36,102}, T. Berry ⁹⁵, P. Berta ¹³³,
A. Berthold ⁵⁰, I.A. Bertram ⁹¹, S. Bethke ¹¹⁰, A. Betti ^{75a,75b}, A.J. Bevan ⁹⁴, M. Bhamjee ^{33c},
S. Bhatta ¹⁴⁵, D.S. Bhattacharya ¹⁶⁶, P. Bhattarai ¹⁴³, V.S. Bhopatkar ¹²¹, R. Bi ^{29,ar},
R.M. Bianchi ¹²⁹, G. Bianco ^{23b,23a}, O. Biebel ¹⁰⁹, R. Bielski ¹²³, M. Biglietti ^{77a},
T.R.V. Billoud ¹³², M. Bindi ⁵⁵, A. Bingul ^{21b}, C. Bini ^{75a,75b}, A. Biondini ⁹²,
C.J. Birch-sykes ¹⁰¹, G.A. Bird ^{20,134}, M. Birman ¹⁶⁹, M. Biros ¹³³, S. Biryukov ¹⁴⁶, T. Bisanz ⁴⁹,
E. Bisceglie ^{43b,43a}, J.P. Biswal ¹³⁴, D. Biswas ¹⁴¹, A. Bitadze ¹⁰¹, K. Bjørke ¹²⁵, I. Bloch ⁴⁸,
C. Blocker ²⁶, A. Blue ⁵⁹, U. Blumenschein ⁹⁴, J. Blumenthal ¹⁰⁰, G.J. Bobbink ¹¹⁴,
V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴, B. Boehm ¹⁶⁶, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷,
C. Bohm ^{47a}, V. Boisvert ⁹⁵, P. Bokan ⁴⁸, T. Bold ^{86a}, M. Bomben ⁵, M. Bona ⁹⁴,
M. Boonekamp ¹³⁵, C.D. Booth ⁹⁵, A.G. Borbély ^{59,an}, I.S. Bordulev ³⁷,
H.M. Borecka-Bielska ¹⁰⁸, L.S. Borgna ⁹⁶, G. Borissov ⁹¹, D. Bortoletto ¹²⁶, D. Boscherini ^{23b},
M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a}, N. Bouchhar ¹⁶³, J. Boudreau ¹²⁹,
E.V. Bouhova-Thacker ⁹¹, D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁹, J. Boyd ³⁶,
D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰, N. Brahimi ^{62d}, G. Brandt ¹⁷¹, O. Brandt ³²,
F. Braren ⁴⁸, B. Brau ¹⁰³, J.E. Brau ¹²³, R. Brenner ¹⁶⁹, L. Brenner ¹¹⁴, R. Brenner ¹⁶¹,
S. Bressler ¹⁶⁹, D. Britton ⁵⁹, D. Britzger ¹¹⁰, I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{137f},
E. Brost ²⁹, L.M. Brown ^{165,p}, L.E. Bruce ⁶¹, T.L. Bruckler ¹²⁶, P.A. Bruckman de Renstrom ⁸⁷,
B. Brüers ⁴⁸, A. Bruni ^{23b}, G. Bruni ^{23b}, M. Bruschi ^{23b}, N. Bruscino ^{75a,75b}, T. Buanes ¹⁶,
Q. Buat ¹³⁸, D. Buchin ¹¹⁰, A.G. Buckley ⁵⁹, O. Bulekov ³⁷, B.A. Bullard ¹⁴³, S. Burdin ⁹²,
C.D. Burgard ⁴⁹, A.M. Burger ⁴⁰, B. Burghgrave ⁸, O. Burlayenko ⁵⁴, J.T.P. Burr ³²,
C.D. Burton ¹¹, J.C. Burzynski ¹⁴², E.L. Busch ⁴¹, V. Büscher ¹⁰⁰, P.J. Bussey ⁵⁹,
J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁶, W. Buttinger ¹³⁴, C.J. Buxo Vazquez ¹⁰⁷,
A.R. Buzykaev ³⁷, S. Cabrera Urbán ¹⁶³, L. Cadamuro ⁶⁶, D. Caforio ⁵⁸, H. Cai ¹²⁹,
Y. Cai ^{14a,14e}, V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁷,
P. Calfayan ⁶⁸, G. Callea ⁵⁹, L.P. Caloba ^{83b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, T.P. Calvet ¹⁰²,
M. Calvetti ^{74a,74b}, R. Camacho Toro ¹²⁷, S. Camarda ³⁶, D. Camarero Munoz ²⁶,
P. Camarri ^{76a,76b}, M.T. Camerlingo ^{72a,72b}, D. Cameron ^{36,i}, C. Camincher ¹⁶⁵,
M. Campanelli ⁹⁶, A. Camplani ⁴², V. Canale ^{72a,72b}, A. Canesse ¹⁰⁴, J. Cantero ¹⁶³, Y. Cao ¹⁶²,
F. Capocasa ²⁶, M. Capua ^{43b,43a}, A. Carbone ^{71a,71b}, R. Cardarelli ^{76a}, J.C.J. Cardenas ⁸,
F. Cardillo ¹⁶³, T. Carli ³⁶, G. Carlino ^{72a}, J.I. Carlotta ¹³, B.T. Carlson ^{129,x},
E.M. Carlson ^{165,156a}, L. Carminati ^{71a,71b}, A. Carnelli ¹³⁵, M. Carnesale ^{75a,75b}, S. Caron ¹¹³,
E. Carquin ^{137f}, S. Carrá ^{71a,71b}, G. Carratta ^{23b,23a}, F. Carrio Argos ^{33g}, J.W.S. Carter ¹⁵⁵,
T.M. Carter ⁵², M.P. Casado ^{13,l}, M. Caspar ⁴⁸, E.G. Castiglia ¹⁷², F.L. Castillo ⁴,
L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶³, N.F. Castro ^{130a,130e}, A. Catinaccio ³⁶,
J.R. Catmore ¹²⁵, V. Cavaliere ²⁹, N. Cavalli ^{23b,23a}, V. Cavasinni ^{74a,74b}, Y.C. Cekmecelioglu ⁴⁸,
E. Celebi ^{21a}, F. Celli ¹²⁶, M.S. Centonze ^{70a,70b}, K. Cerny ¹²², A.S. Cerqueira ^{83a}, A. Cerri ¹⁴⁶,
L. Cerrito ^{76a,76b}, F. Cerutti ^{17a}, B. Cervato ¹⁴¹, A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸²,
Z. Chadi ^{35a}, D. Chakraborty ¹¹⁵, J. Chan ¹⁷⁰, W.Y. Chan ¹⁵³, J.D. Chapman ³², E. Chapon ¹³⁵,
B. Chargeishvili ^{149b}, D.G. Charlton ²⁰, T.P. Charman ⁹⁴, M. Chatterjee ¹⁹, C. Chauhan ¹³³,
S. Chekanov ⁶, S.V. Chekulaev ^{156a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁶, B. Chen ¹⁵¹, B. Chen ¹⁶⁵,
H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ¹⁴², M. Chen ¹²⁶, S. Chen ¹⁵³, S.J. Chen ^{14c},
X. Chen ^{62c,135}, X. Chen ^{14b,ao}, Y. Chen ^{62a}, C.L. Cheng ¹⁷⁰, H.C. Cheng ^{64a}, S. Cheong ¹⁴³,
A. Cheplakov ³⁸, E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁴, R. Cherkaoui El Moursli ^{35e},
E. Cheu ⁷, K. Cheung ⁶⁵, L. Chevalier ¹³⁵, V. Chiarella ⁵³, G. Chiarelli ^{74a}, N. Chiedde ¹⁰²,
G. Chiodini ^{70a}, A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶³, M.V. Chizhov ³⁸,

K. Choi ¹¹, A.R. Chomont ^{75a,75b}, Y. Chou ¹⁰³, E.Y.S. Chow ¹¹⁴, T. Chowdhury ^{33g}, K.L. Chu ¹⁶⁹, M.C. Chu ^{64a}, X. Chu ^{14a,14e}, J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, K.M. Ciesla ^{86a}, V. Cindro ⁹³, A. Ciocio ^{17a}, F. Cirotto ^{72a,72b}, Z.H. Citron ¹⁶⁹, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b}, B.M. Ciungu ¹⁵⁵, A. Clark ⁵⁶, P.J. Clark ⁵², J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸, L. Clissa ^{23b,23a}, Y. Coadou ¹⁰², M. Cobal ^{69a,69c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{130a}, R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a}, H. Cohen ¹⁵¹, A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{130a,130g}, M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶, F. Conventi ^{72a,aq}, H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷, F. Cormier ¹⁶⁴, L.D. Corpe ⁴⁰, M. Corradi ^{75a,75b}, F. Corriveau ^{104,ae}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³, F. Costanza ⁴, D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁵, K. Cranmer ¹⁷⁰, D. Cremonini ^{23b,23a}, S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹, M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁴, J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ⁹⁹, T. Cuhadar Donszelmann ¹⁶⁰, H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶, M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedass De Sousa ^{57b,57a}, J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰¹, W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁶, D. Dal Santo ¹⁹, C. Dallapiccola ¹⁰³, M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁹, J. Damp ¹⁰⁰, J.R. Dandoy ¹²⁸, M.F. Daneri ³⁰, M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶, S.J. Das ²⁹, S. D'Auria ^{71a,71b}, C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴, I. Dawson ⁹⁴, H.A. Day-hall ¹³², K. De ⁸, R. De Asmundis ^{72a}, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴, H. De la Torre ¹¹⁵, A. De Maria ^{14c}, A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, A. De Santo ¹⁴⁶, J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a}, J. Del Peso ⁹⁹, F. Del Rio ^{63a}, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶, L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷², M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁷, P. Dervan ⁹², K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b}, L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶, G. Di Gregorio ⁵, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, C. Diaconu ¹⁰², M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b}, F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸, C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24,161}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴, I-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰², T. Djobava ^{149b}, J.I. Djuvsland ¹⁶, C. Doglioni ^{101,98}, A. Dohnalova ^{28a}, J. Dolejsi ¹³³, Z. Dolezal ¹³³, K.M. Dona ³⁹, M. Donadelli ^{83c}, B. Dong ¹⁰⁷, J. Donini ⁴⁰, A. D'Onofrio ^{77a,77b}, M. D'Onofrio ⁹², J. Dopke ¹³⁴, A. Doria ^{72a}, N. Dos Santos Fernandes ^{130a}, P. Dougan ¹⁰¹, M.T. Dova ⁹⁰, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁶, E. Dreyer ¹⁶⁹, I. Drivas-koulouris ¹⁰, A.S. Drobac ¹⁵⁸, M. Drozdova ⁵⁶, D. Du ^{62a}, T.A. du Pree ¹¹⁴, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁹, G. Duckeck ¹⁰⁹, O.A. Ducu ^{27b}, D. Duda ⁵², A. Dudarev ³⁶, E.R. Duden ²⁶, M. D'uffizi ¹⁰¹, L. Duflot ⁶⁶, M. Dührssen ³⁶, C. Dülsen ¹⁷¹, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹, K. Dunne ^{47a,47b}, A. Duperrin ¹⁰², H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{149b}, B.L. Dwyer ¹¹⁵, G.I. Dyckes ^{17a}, M. Dyndal ^{86a}, S. Dysch ¹⁰¹, B.S. Dziedzic ⁸⁷, Z.O. Earnshaw ¹⁴⁶, G.H. Eberwein ¹²⁶, B. Eckerova ^{28a}, S. Eggebrecht ⁵⁵, E. Egidio Purcino De Souza ¹²⁷, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶, K. Einsweiler ^{17a}, T. Ekelof ¹⁶¹, P.A. Ekman ⁹⁸, S. El Farkh ^{35b}, Y. El Ghazali ^{35b}, H. El Jarrari ^{35e,148}, A. El Moussaouy ^{35a}, V. Ellajosyula ¹⁶¹, M. Ellert ¹⁶¹, F. Ellinghaus ¹⁷¹, A.A. Elliot ⁹⁴, N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emelianov ¹³⁴, Y. Enari ¹⁵³, I. Ene ^{17a}, S. Epari ¹³, J. Erdmann ⁴⁹, P.A. Erland ⁸⁷, M. Errenst ¹⁷¹, M. Escalier ⁶⁶, C. Escobar ¹⁶³, E. Etzion ¹⁵¹, G. Evans ^{130a},

H. Evans ^{id68}, L.S. Evans ^{id95}, M.O. Evans ^{id146}, A. Ezhilov ^{id37}, S. Ezzarqtouni ^{id35a}, F. Fabbri ^{id59}, L. Fabbri ^{id23b,23a}, G. Facini ^{id96}, V. Fadeyev ^{id136}, R.M. Fakhrutdinov ^{id37}, S. Falciano ^{id75a}, L.F. Falda Ulhoa Coelho ^{id36}, P.J. Falke ^{id24}, J. Faltova ^{id133}, C. Fan ^{id162}, Y. Fan ^{id14a}, Y. Fang ^{id14a,14e}, M. Fanti ^{id71a,71b}, M. Faraj ^{id69a,69b}, Z. Farazpay ^{id97}, A. Farbin ^{id8}, A. Farilla ^{id77a}, T. Farooque ^{id107}, S.M. Farrington ^{id52}, F. Fassi ^{id35e}, D. Fassouliotis ^{id9}, M. Faucci Giannelli ^{id76a,76b}, W.J. Fawcett ^{id32}, L. Fayard ^{id66}, P. Federic ^{id133}, P. Federicova ^{id131}, O.L. Fedin ^{id37,a}, G. Fedotov ^{id37}, M. Feickert ^{id170}, L. Feligioni ^{id102}, D.E. Fellers ^{id123}, C. Feng ^{id62b}, M. Feng ^{id14b}, Z. Feng ^{id114}, M.J. Fenton ^{id160}, A.B. Fenyuk ^{id37}, L. Ferencz ^{id48}, R.A.M. Ferguson ^{id91}, S.I. Fernandez Luengo ^{id137f}, M.J.V. Fernoux ^{id102}, J. Ferrando ^{id48}, A. Ferrari ^{id161}, P. Ferrari ^{id114,113}, R. Ferrari ^{id73a}, D. Ferrere ^{id56}, C. Ferretti ^{id106}, F. Fiedler ^{id100}, A. Filipčič ^{id93}, E.K. Filmer ^{id1}, F. Filthaut ^{id113}, M.C.N. Fiolhais ^{id130a,130c,e}, L. Fiorini ^{id163}, W.C. Fisher ^{id107}, T. Fitschen ^{id101}, P.M. Fitzhugh ^{id135}, I. Fleck ^{id141}, P. Fleischmann ^{id106}, T. Flick ^{id171}, M. Flores ^{id33d}, L.R. Flores Castillo ^{id64a}, L. Flores Sanz De Acedo ^{id36}, F.M. Follega ^{id78a,78b}, N. Fomin ^{id16}, J.H. Foo ^{id155}, B.C. Forland ^{id68}, A. Formica ^{id135}, A.C. Forti ^{id101}, E. Fortin ^{id36}, A.W. Fortman ^{id61}, M.G. Foti ^{id17a}, L. Fountas ^{id9}, D. Fournier ^{id66}, H. Fox ^{id91}, P. Francavilla ^{id74a,74b}, S. Francescato ^{id61}, S. Franchellucci ^{id56}, M. Franchini ^{id23b,23a}, S. Franchino ^{id63a}, D. Francis ^{id36}, L. Franco ^{id113}, L. Franconi ^{id48}, M. Franklin ^{id61}, G. Frattari ^{id26}, A.C. Freegard ^{id94}, W.S. Freund ^{id83b}, Y.Y. Frid ^{id151}, J. Friend ^{id59}, N. Fritzsche ^{id50}, A. Froch ^{id54}, D. Froidevaux ^{id36}, J.A. Frost ^{id126}, Y. Fu ^{id62a}, M. Fujimoto ^{id118,ak}, B. Fuks ^{idb}, E. Fullana Torregrosa ^{id163,*}, K.Y. Fung ^{id64a}, E. Furtado De Simas Filho ^{id83b}, M. Furukawa ^{id153}, J. Fuster ^{id163}, A. Gabrielli ^{id23b,23a}, A. Gabrielli ^{id155}, P. Gadow ^{id36}, G. Gagliardi ^{id57b,57a}, L.G. Gagnon ^{id17a}, E.J. Gallas ^{id126}, B.J. Gallop ^{id134}, K.K. Gan ^{id119}, S. Ganguly ^{id153}, J. Gao ^{id62a}, Y. Gao ^{id52}, F.M. Garay Walls ^{id137a,137b}, B. Garcia ^{id29,ar}, C. García ^{id163}, A. Garcia Alonso ^{id114}, A.G. Garcia Caffaro ^{id172}, J.E. García Navarro ^{id163}, M. Garcia-Sciveres ^{id17a}, G.L. Gardner ^{id128}, R.W. Gardner ^{id39}, N. Garelli ^{id158}, D. Garg ^{id80}, R.B. Garg ^{id143}, J.M. Gargan ^{id52}, C.A. Garner ^{id155}, S.J. Gasiorowski ^{id138}, P. Gaspar ^{id83b}, G. Gaudio ^{id73a}, V. Gautam ^{id13}, P. Gauzzi ^{id75a,75b}, I.L. Gavrilenko ^{id37}, A. Gavrilyuk ^{id37}, C. Gay ^{id164}, G. Gaycken ^{id48}, E.N. Gazis ^{id10}, A.A. Geanta ^{id27b}, C.M. Gee ^{id136}, C. Gemme ^{id57b}, M.H. Genest ^{id60}, S. Gentile ^{id75a,75b}, A.D. Gentry ^{id112}, S. George ^{id95}, W.F. George ^{id20}, T. Geralis ^{id46}, P. Gessinger-Befurt ^{id36}, M.E. Geyik ^{id171}, M. Ghani ^{id167}, M. Ghneimat ^{id141}, K. Ghorbanian ^{id94}, A. Ghosal ^{id141}, A. Ghosh ^{id160}, A. Ghosh ^{id7}, B. Giacobbe ^{id23b}, S. Giagu ^{id75a,75b}, T. Giani ^{id114}, P. Giannetti ^{id74a}, A. Giannini ^{id62a}, S.M. Gibson ^{id95}, M. Gignac ^{id136}, D.T. Gil ^{id86b}, A.K. Gilbert ^{id86a}, B.J. Gilbert ^{id41}, D. Gillberg ^{id34}, G. Gilles ^{id114}, N.E.K. Gillwald ^{id48}, L. Ginabat ^{id127}, D.M. Gingrich ^{id2,ap}, M.P. Giordani ^{id69a,69c}, P.F. Giraud ^{id135}, G. Giugliarelli ^{id69a,69c}, D. Giugni ^{id71a}, F. Giuli ^{id36}, I. Gkialas ^{id9,m}, L.K. Gladilin ^{id37}, C. Glasman ^{id99}, G.R. Gledhill ^{id123}, G. Glemža ^{id48}, M. Glisic ^{id123}, I. Gnesi ^{id43b,h}, Y. Go ^{id29,ar}, M. Goblirsch-Kolb ^{id36}, B. Gocke ^{id49}, D. Godin ^{id108}, B. Gokturk ^{id21a}, S. Goldfarb ^{id105}, T. Golling ^{id56}, M.G.D. Gololo ^{id33g}, D. Golubkov ^{id37}, J.P. Gombas ^{id107}, A. Gomes ^{id130a,130b}, G. Gomes Da Silva ^{id141}, A.J. Gomez Delegido ^{id163}, R. Gonçalves ^{id130a,130c}, G. Gonella ^{id123}, L. Gonella ^{id20}, A. Gongadze ^{id149c}, F. Gonnella ^{id20}, J.L. Gonski ^{id41}, R.Y. González Andana ^{id52}, S. González de la Hoz ^{id163}, S. Gonzalez Fernandez ^{id13}, R. Gonzalez Lopez ^{id92}, C. Gonzalez Renteria ^{id17a}, M.V. Gonzalez Rodrigues ^{id48}, R. Gonzalez Suarez ^{id161}, S. Gonzalez-Sevilla ^{id56}, G.R. Gonzalvo Rodriguez ^{id163}, L. Goossens ^{id36,j}, B. Gorini ^{id36}, E. Gorini ^{id70a,70b}, A. Gorišek ^{id93}, T.C. Gosart ^{id128}, A.T. Goshaw ^{id51}, M.I. Gostkin ^{id38}, S. Goswami ^{id121}, C.A. Gottardo ^{id36}, S.A. Gotz ^{id109}, M. Goughri ^{id35b}, V. Goumarre ^{id48}, A.G. Goussiou ^{id138}, N. Govender ^{id33c}, I. Grabowska-Bold ^{id86a}, K. Graham ^{id34}, E. Gramstad ^{id125}, S. Grancagnolo ^{id70a,70b}, M. Grandi ^{id146}, C.M. Grant ^{id1,135}, P.M. Gravila ^{id27f}, F.G. Gravili ^{id70a,70b}, H.M. Gray ^{id17a}, M. Greco ^{id70a,70b}, C. Greife ^{id24}, I.M. Gregor ^{id48}, P. Grenier ^{id143}, C. Grieco ^{id13}, A.A. Grillo ^{id136}, K. Grimm ^{id31}, S. Grinstein ^{id13,ab}, J.-F. Grivaz ^{id66}, E. Gross ^{id169}, J. Grosse-Knetter ^{id55}, C. Grud ^{id106}, J.C. Grundy ^{id126}, L. Guan ^{id106}, W. Guan ^{id170}, C. Gubbels ^{id164},

J.G.R. Guerrero Rojas ¹⁶³, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹⁰, R. Gugel ¹⁰⁰, J.A.M. Guhit ¹⁰⁶, A. Guida ¹⁸, T. Guillemin ⁴, E. Guilloton ^{167,134}, S. Guindon ³⁶, F. Guo ^{14a,14e}, J. Guo ^{62c}, L. Guo ⁴⁸, Y. Guo ¹⁰⁶, R. Gupta ⁴⁸, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴, G. Gustavino ³⁶, M. Guth ⁵⁶, P. Gutierrez ¹²⁰, L.F. Gutierrez Zagazeta ¹²⁸, C. Gutschow ⁹⁶, C. Gwenlan ¹²⁶, C.B. Gwilliam ⁹², E.S. Haaland ¹²⁵, A. Haas ¹¹⁷, M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeef ¹⁰⁰, S. Hadzic ¹¹⁰, J.J. Hahn ¹⁴¹, E.H. Haines ⁹⁶, M. Haleem ¹⁶⁶, J. Haley ¹²¹, J.J. Hall ¹³⁹, G.D. Hallewell ¹⁰², L. Halser ¹⁹, K. Hamano ¹⁶⁵, M. Hamer ²⁴, G.N. Hamity ⁵², E.J. Hampshire ⁹⁵, J. Han ^{62b}, K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁵, K. Hanagaki ⁸⁴, M. Hance ¹³⁶, D.A. Hangal ^{41,aj}, H. Hanif ¹⁴², M.D. Hank ¹²⁸, R. Hankache ¹⁰¹, J.B. Hansen ⁴², J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁷, D. Harada ⁵⁶, T. Harenberg ¹⁷¹, S. Harkusha ³⁷, M.L. Harris ¹⁰³, Y.T. Harris ¹²⁶, J. Harrison ¹³, N.M. Harrison ¹¹⁹, P.F. Harrison ¹⁶⁷, N.M. Hartman ¹⁴³, N.M. Hartmann ¹⁰⁹, Y. Hasegawa ¹⁴⁰, A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁷, C.M. Hawkes ²⁰, R.J. Hawkins ³⁶, Y. Hayashi ¹⁵³, S. Hayashida ¹¹¹, D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹¹⁴, C.P. Hays ¹²⁶, J.M. Hays ⁹⁴, H.S. Hayward ⁹², F. He ^{62a}, M. He ^{14a,14e}, Y. He ¹⁵⁴, Y. He ⁴⁸, N.B. Heatley ⁹⁴, V. Hedberg ⁹⁸, A.L. Heggelund ¹²⁵, N.D. Hehir ⁹⁴, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸¹, J. Heilmann ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁸, J.J. Heinrich ¹²³, L. Heinrich ¹¹⁰, J. Hejbal ¹³¹, L. Helary ⁴⁸, A. Held ¹⁷⁰, S. Hellesund ¹⁶, C.M. Helling ¹⁶⁴, S. Hellman ^{47a,47b}, R.C.W. Henderson ⁹¹, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁸, Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁹, L. Hervas ³⁶, M.E. Hespings ¹⁰⁰, N.P. Hessey ^{156a}, H. Hibi ⁸⁵, S.J. Hillier ²⁰, J.R. Hinds ¹⁰⁷, F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷¹, T.G. Hitchings ¹⁰¹, B. Hiti ⁹³, J. Hobbs ¹⁴⁵, R. Hobincu ^{27e}, N. Hod ¹⁶⁹, M.C. Hodgkinson ¹³⁹, B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸, T. Holm ²⁴, M. Holzbock ¹¹⁰, L.B.A.H. Hommels ³², B.P. Honan ¹⁰¹, J. Hong ^{62c}, T.M. Hong ¹²⁹, B.H. Hooberman ¹⁶², W.H. Hopkins ⁶, Y. Horii ¹¹¹, S. Hou ¹⁴⁸, A.S. Howard ⁹³, J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²², A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ^{62a}, Y.F. Hu ^{14a,14e}, S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{139,o}, Y. Huang ^{14a}, Z. Huang ¹⁰¹, Z. Hubacek ¹³², M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁶, C.A. Hugli ⁴⁸, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶, R. Hulsken ¹⁰⁴, N. Huseynov ^{12,a}, J. Huston ¹⁰⁷, J. Huth ⁶¹, R. Hyneman ¹⁴³, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{72a,72b}, R. Iguchi ¹⁵³, T. Iizawa ^{126,s}, Y. Ikegami ⁸⁴, N. Ilic ¹⁵⁵, H. Imam ^{35a}, M. Ince Lezki ⁵⁶, T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{73a,73b}, M. Iodice ^{77a}, V. Ippolito ^{75a,75b}, R.K. Irwin ⁹², M. Ishino ¹⁵³, W. Islam ¹⁷⁰, C. Issever ^{18,48}, S. Istin ^{21a}, H. Ito ¹⁶⁸, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{78a,78b}, A. Ivina ¹⁶⁹, J.M. Izen ⁴⁵, V. Izzo ^{72a}, P. Jacka ^{131,132}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴², C.S. Jagfeld ¹⁰⁹, G. Jain ^{156a}, P. Jain ⁵⁴, G. Jäkel ¹⁷¹, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁹, J. Jamieson ⁵⁹, K.W. Janas ^{86a}, M. Javurkova ¹⁰³, F. Jeanneau ¹³⁵, L. Jeanty ¹²³, J. Jejelava ^{149a,ah}, P. Jenni ^{54,j}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, C. Jia ^{62b}, J. Jia ¹⁴⁵, X. Jia ⁶¹, X. Jia ^{14a,14e}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁴⁸, J. Jimenez Pena ¹³, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁴, P. Johansson ¹³⁹, K.A. Johns ⁷, J.W. Johnson ¹³⁶, D.M. Jones ³², E. Jones ⁴⁸, P. Jones ³², R.W.L. Jones ⁹¹, T.J. Jones ⁹², H.L. Joos ^{55,36}, R. Joshi ¹¹⁹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ^{103,v}, T. Junkermann ^{63a}, A. Juste Rozas ^{13,ab}, M.K. Juzek ⁸⁷, S. Kabana ^{137e}, A. Kaczmarska ⁸⁷, M. Kado ¹¹⁰, H. Kagan ¹¹⁹, M. Kagan ¹⁴³, A. Kahn ⁴¹, A. Kahn ¹²⁸, C. Kahra ¹⁰⁰, T. Kaji ¹⁵³, E. Kajomovitz ¹⁵⁰, N. Kakati ¹⁶⁹, I. Kalaitzidou ⁵⁴, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁵, N.J. Kang ¹³⁶, D. Kar ^{33g}, K. Karava ¹²⁶, M.J. Kareem ^{156b}, E. Karentzos ⁵⁴, I. Karkanias ¹⁵², O. Karkout ¹¹⁴, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹¹, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵²,

J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹⁴⁰, M.P. Kawale ¹²⁰, T. Kawamoto ¹³⁵, E.F. Kay ³⁶, F.I. Kaya ¹⁵⁸, S. Kazakos ¹⁰⁷, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁵, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁵, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁶, J.J. Kempster ¹⁴⁶, K.E. Kennedy ⁴¹, P.D. Kennedy ¹⁰⁰, O. Kepka ¹³¹, B.P. Kerridge ¹⁶⁷, S. Kersten ¹⁷¹, B.P. Kerševan ⁹³, S. Keshri ⁶⁶, L. Keszeghova ^{28a}, S. Ketabchi Haghighat ¹⁵⁵, M. Khandoga ¹²⁷, A. Khanov ¹²¹, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁸, T.J. Khoo ¹⁸, G. Khorauli ¹⁶⁶, J. Khubua ^{149b}, Y.A.R. Khwaira ⁶⁶, A. Kilgallon ¹²³, D.W. Kim ^{47a,47b}, Y.K. Kim ³⁹, N. Kimura ⁹⁶, M.K. Kingston ⁵⁵, A. Kirchhoff ⁵⁵, C. Kirfel ²⁴, F. Kirfel ²⁴, J. Kirk ¹³⁴, A.E. Kiryunin ¹¹⁰, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁶, M.H. Klein ¹⁰⁶, M. Klein ⁹², S.B. Klein ⁵⁶, U. Klein ⁹², P. Klimek ³⁶, A. Klimentov ²⁹, T. Klioutchnikova ³⁶, P. Kluit ¹¹⁴, S. Kluth ¹¹⁰, E. Kneringer ⁷⁹, T.M. Knight ¹⁵⁵, A. Knue ⁴⁹, R. Kobayashi ⁸⁸, D. Kobylanskii ¹⁶⁹, S.F. Koch ¹²⁶, M. Kocian ¹⁴³, P. Kodyš ¹³³, D.M. Koeck ¹²³, P.T. Koenig ²⁴, T. Koffas ³⁴, M. Kolb ¹³⁵, I. Koletsou ⁴, T. Komarek ¹²², K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁸, N. Konstantinidis ⁹⁶, B. Konya ⁹⁸, R. Kopeliansky ⁶⁸, S. Koperny ^{86a}, K. Korcyl ⁸⁷, K. Kordas ^{152,g}, G. Koren ¹⁵¹, A. Korn ⁹⁶, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹⁴, O. Kortner ¹¹⁰, S. Kortner ¹¹⁰, W.H. Kostecka ¹¹⁵, V.V. Kostyukhin ¹⁴¹, A. Kotsokechagia ¹³⁵, A. Kotwal ⁵¹, A. Koulouris ³⁶, A. Kourkumeli-Charalampidi ^{73a,73b}, C. Kourkumelis ⁹, E. Kourlitis ¹¹⁰, O. Kovanda ¹⁴⁶, R. Kowalewski ¹⁶⁵, W. Kozanecki ¹³⁵, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹³, P. Kramer ¹⁰⁰, M.W. Krasny ¹²⁷, A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷¹, J.A. Kremer ¹⁰⁰, T. Kresse ⁵⁰, J. Kretschmar ⁹², K. Kreul ¹⁸, P. Krieger ¹⁵⁵, S. Krishnamurthy ¹⁰³, M. Krivos ¹³³, K. Krizka ²⁰, K. Kroeninger ⁴⁹, H. Kroha ¹¹⁰, J. Kroll ¹³¹, J. Kroll ¹²⁸, K.S. Krowpman ¹⁰⁷, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹, J.A. Krzysiak ⁸⁷, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a}, S. Kuleshov ^{137d,137b}, M. Kumar ^{33g}, N. Kumari ⁴⁸, A. Kupco ¹³¹, T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁵, L.L. Kurchaninov ^{156a}, O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵⁴, A.K. Kvam ¹⁰³, J. Kvita ¹²², T. Kwan ¹⁰⁴, N.G. Kyriacou ¹⁰⁶, L.A.O. Laatu ¹⁰², C. Lacasta ¹⁶³, F. Lacava ^{75a,75b}, H. Lacker ¹⁸, D. Lacour ¹²⁷, N.N. Lad ⁹⁶, E. Ladygin ³⁸, B. Laforge ¹²⁷, T. Lagouri ^{137e}, F.Z. Lahbabi ^{35a}, S. Lai ⁵⁵, I.K. Lakomic ^{86a}, N. Lalloue ⁶⁰, J.E. Lambert ^{165,p}, S. Lammers ⁶⁸, W. Lampl ⁷, C. Lampoudis ^{152,g}, A.N. Lancaster ¹¹⁵, E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁴, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰³, O.K.B. Langrekken ¹²⁵, A.J. Lankford ¹⁶⁰, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a}, A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁵, T. Lari ^{71a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³¹, A. Laudrain ¹⁰⁰, A. Laurier ¹⁵⁰, S.D. Lawlor ⁹⁵, Z. Lawrence ¹⁰¹, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰¹, E.M. Le Boulicaut ⁵¹, B. Leban ⁹³, A. Lebedev ⁸¹, M. LeBlanc ^{101,am}, F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁶, S.C. Lee ¹⁴⁸, S. Lee ^{47a,47b}, T.F. Lee ⁹², L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁵, M. Lefebvre ¹⁶⁵, C. Leggett ^{17a}, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰³, W. Leinonen ¹¹³, A. Leisos ^{152,aa}, M.A.L. Leite ^{83c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³³, K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁴, C. Leroy ¹⁰⁸, R. Les ¹⁰⁷, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁶, L.J. Levinson ¹⁶⁹, M.P. Lewicki ⁸⁷, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{14b}, H. Li ^{62b}, K. Li ¹³⁸, L. Li ^{62c}, M. Li ^{14a,14e}, Q.Y. Li ^{62a}, S. Li ^{14a,14e}, S. Li ^{62d,62c,f}, T. Li ^{5,d}, X. Li ¹⁰⁴, Z. Li ¹²⁶, Z. Li ¹⁰⁴, Z. Li ⁹², Z. Li ^{14a,14e}, S. Liang ^{14a,14e}, Z. Liang ^{14a}, M. Liberatore ^{135,ai}, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{83b}, H. Lien ⁶⁸, K. Lin ¹⁰⁷, R.E. Lindley ⁷, J.H. Lindon ², E. Lipeles ¹²⁸, A. Lipniacka ¹⁶, A. Lister ¹⁶⁴, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴², D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a},




M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,138,62c}, X. Liu ^{62a}, Y. Liu ^{14d,14e}, Y.L. Liu ^{62b}, Y.W. Liu ^{62a},
J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, S. Loffredo ^{76a,76b},
T. Lohse ¹⁸, K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸, M. Lokajicek ¹³¹, J.D. Lomas ²⁰, J.D. Long ¹⁶²,
I. Longarini ¹⁶⁰, L. Longo ^{70a,70b}, R. Longo ¹⁶², I. Lopez Paz ⁶⁷, A. Lopez Solis ⁴⁸,
J. Lorenz ¹⁰⁹, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹, O. Loseva ³⁷, X. Lou ^{47a,47b},
X. Lou ^{14a,14e}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹¹, G. Lu ^{14a,14e}, M. Lu ⁸⁰, S. Lu ¹²⁸,
Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁸, C. Luci ^{75a,75b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁸,
I. Luise ¹⁴⁵, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴⁴, B. Lund-Jensen ¹⁴⁴, N.A. Luongo ¹²³,
M.S. Lutz ¹⁵¹, D. Lynn ²⁹, H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸, V. Lyubushkin ³⁸,
T. Lyubushkina ³⁸, M.M. Lyukova ¹⁴⁵, H. Ma ²⁹, K. Ma ^{62a}, L.L. Ma ^{62b}, Y. Ma ¹²¹,
D.M. Mac Donell ¹⁶⁵, G. Maccarrone ⁵³, J.C. MacDonald ¹⁰⁰, P.C. Machado De Abreu Farias ^{83b},
R. Madar ⁴⁰, W.F. Mader ⁵⁰, T. Madula ⁹⁶, J. Maeda ⁸⁵, T. Maeno ²⁹, M. Maerker ⁵⁰,
H. Maguire ¹³⁹, V. Maiboroda ¹³⁵, A. Maio ^{130a,130b,130d}, K. Maj ^{86a}, O. Majersky ⁴⁸,
S. Majewski ¹²³, N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁷, Pa. Malecki ⁸⁷,
V.P. Maleev ³⁷, F. Malek ⁶⁰, M. Mali ⁹³, D. Malito ^{95,t}, U. Mallik ⁸⁰, S. Maltezos ¹⁰,
S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{73a,73b}, J.P. Mandalia ⁹⁴, I. Mandić ⁹³,
L. Manhaes de Andrade Filho ^{83a}, I.M. Maniatis ¹⁶⁹, J. Manjarres Ramos ¹⁰², D.C. Mankad ¹⁶⁹,
A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵, S. Manzoni ³⁶, A. Marantis ¹⁵², G. Marchiori ⁵,
M. Marcisovsky ¹³¹, C. Marcon ^{71a,71b}, M. Marinescu ²⁰, M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹,
Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶³, T.A. Martin ¹⁶⁷, V.J. Martin ⁵², B. Martin dit Latour ¹⁶,
L. Martinelli ^{75a,75b}, M. Martinez ^{13,ab}, P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³,
P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁴, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶, A. Marzin ³⁶,
D. Mascione ^{78a,78b}, L. Masetti ¹⁰⁰, T. Mashimo ¹⁵³, J. Masik ¹⁰¹, A.L. Maslennikov ³⁷,
L. Massa ^{23b}, P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b}, A. Mastroberardino ^{43b,43a},
T. Masubuchi ¹⁵³, T. Mathisen ¹⁶¹, J. Matousek ¹³³, N. Matsuzawa ¹⁵³, J. Maurer ^{27b}, B. Mačec ⁹³,
D.A. Maximov ³⁷, R. Mazini ¹⁴⁸, I. Maznas ¹⁵², M. Mazza ¹⁰⁷, S.M. Mazza ¹³⁶,
E. Mazzeo ^{71a,71b}, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶, E.F. McDonald ¹⁰⁵,
A.E. McDougall ¹¹⁴, J.A. Mcfayden ¹⁴⁶, R.P. McGovern ¹²⁸, G. Mchedlidze ^{149b},
R.P. Mckenzie ^{33g}, T.C. Mclachlan ⁴⁸, D.J. McLaughlin ⁹⁶, K.D. McLean ¹⁶⁵, S.J. McMahon ¹³⁴,
P.C. McNamara ¹⁰⁵, C.M. Mcpartland ⁹², R.A. McPherson ^{165,ae}, S. Mehlhase ¹⁰⁹, A. Mehta ⁹²,
D. Melini ¹⁵⁰, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵, F. Meloni ⁴⁸,
A.M. Mendes Jacques Da Costa ¹⁰¹, H.Y. Meng ¹⁵⁵, L. Meng ⁹¹, S. Menke ¹¹⁰, M. Mentink ³⁶,
E. Meoni ^{43b,43a}, C. Merlassino ¹²⁶, L. Merola ^{72a,72b}, C. Meroni ^{71a}, G. Merz ¹⁰⁶, O. Meshkov ³⁷,
J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁸, J-P. Meyer ¹³⁵, R.P. Middleton ¹³⁴, L. Mijović ⁵²,
G. Mikenberg ¹⁶⁹, M. Mikestikova ¹³¹, M. Mikuž ⁹³, H. Mildner ¹⁰⁰, A. Milic ³⁶, C.D. Milke ⁴⁴,
D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b}, T. Min ^{14c}, A.A. Minaenko ³⁷,
I.A. Minashvili ^{149b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{86a}, M. Mineev ³⁸, Y. Mino ⁸⁸,
L.M. Mir ¹³, M. Miralles Lopez ¹⁶³, M. Mironova ^{17a}, A. Mishima ¹⁵³, M.C. Missio ¹¹³,
A. Mitra ¹⁶⁷, V.A. Mitsou ¹⁶³, Y. Mitsumori ¹¹¹, O. Miu ¹⁵⁵, P.S. Miyagawa ⁹⁴,
T. Mkrtchyan ^{63a}, M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶, S. Mobius ¹⁹,
P. Moder ⁴⁸, P. Mogg ¹⁰⁹, A.F. Mohammed ^{14a,14e}, S. Mohapatra ⁴¹, G. Mokgatitswane ^{33g},
L. Moleri ¹⁶⁹, B. Mondal ¹⁴¹, S. Mondal ¹³², G. Monig ¹⁴⁶, K. Mönig ⁴⁸, E. Monnier ¹⁰²,
L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ¹³, M. Montella ¹¹⁹, F. Montekali ^{77a,77b},
F. Monticelli ⁹⁰, S. Monzani ^{69a,69c}, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{130a},
M. Moreno Llácer ¹⁶³, C. Moreno Martinez ⁵⁶, P. Moretini ^{57b}, S. Morgenstern ³⁶, M. Morii ⁶¹,
M. Morinaga ¹⁵³, A.K. Morley ³⁶, F. Morodei ^{75a,75b}, L. Morvaj ³⁶, P. Moschovakos ³⁶,
B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴, P. Moskvitina ¹¹³, J. Moss ^{31,q}, E.J.W. Moyse ¹⁰³,

O. Mtintsilana ^{id33g}, S. Muanza ^{id102}, J. Mueller ^{id129}, D. Muenstermann ^{id91}, R. Müller ^{id19}, G.A. Mullier ^{id161}, A.J. Mullin ^{id32}, J.J. Mullin ^{id128}, D.P. Mungo ^{id155}, D. Munoz Perez ^{id163}, F.J. Munoz Sanchez ^{id101}, M. Murin ^{id101}, W.J. Murray ^{id167,134}, A. Murrone ^{id71a,71b}, J.M. Muse ^{id120}, M. Muškinja ^{id17a}, C. Mwewa ^{id29}, A.G. Myagkov ^{id37,a}, A.J. Myers ^{id8}, A.A. Myers ^{id129}, G. Myers ^{id68}, M. Myska ^{id132}, B.P. Nachman ^{id17a}, O. Nackenhorst ^{id49}, A. Nag ^{id50}, K. Nagai ^{id126}, K. Nagano ^{id84}, J.L. Nagle ^{id29,ar}, E. Nagy ^{id102}, A.M. Nairz ^{id36}, Y. Nakahama ^{id84}, K. Nakamura ^{id84}, K. Nakkalil ^{id5}, H. Nanjo ^{id124}, R. Narayan ^{id44}, E.A. Narayanan ^{id112}, I. Naryshkin ^{id37}, M. Naseri ^{id34}, S. Nasri ^{id159}, C. Nass ^{id24}, G. Navarro ^{id22a}, J. Navarro-Gonzalez ^{id163}, R. Nayak ^{id151}, A. Nayaz ^{id18}, P.Y. Nechaeva ^{id37}, F. Nechansky ^{id48}, L. Nedic ^{id126}, T.J. Neep ^{id20}, A. Negri ^{id73a,73b}, M. Negrini ^{id23b}, C. Nellist ^{id114}, C. Nelson ^{id104}, K. Nelson ^{id106}, S. Nemecek ^{id131}, M. Nessi ^{id36,k}, M.S. Neubauer ^{id162}, F. Neuhaus ^{id100}, J. Neundorff ^{id48}, R. Newhouse ^{id164}, P.R. Newman ^{id20}, C.W. Ng ^{id129}, Y.W.Y. Ng ^{id48}, B. Ngair ^{id35e}, H.D.N. Nguyen ^{id108}, R.B. Nickerson ^{id126}, R. Nicolaidou ^{id135}, J. Nielsen ^{id136}, M. Niemeyer ^{id55}, J. Niermann ^{id55,36}, N. Nikiforou ^{id36}, V. Nikolaenko ^{id37,a}, I. Nikolic-Audit ^{id127}, K. Nikolopoulos ^{id20}, P. Nilsson ^{id29}, I. Ninca ^{id48}, H.R. Nindhito ^{id56}, G. Ninio ^{id151}, A. Nisati ^{id75a}, N. Nishu ^{id2}, R. Nisius ^{id110}, J-E. Nitschke ^{id50}, E.K. Nkadimeng ^{id33g}, T. Nobe ^{id153}, D.L. Noel ^{id32}, T. Nommensen ^{id147}, M.B. Norfolk ^{id139}, R.R.B. Norisam ^{id96}, B.J. Norman ^{id34}, J. Novak ^{id93}, T. Novak ^{id48}, L. Novotny ^{id132}, R. Novotny ^{id112}, L. Nozka ^{id122}, K. Ntekas ^{id160}, N.M.J. Nunes De Moura Junior ^{id83b}, E. Nurse ^{id96}, J. Ocariz ^{id127}, A. Ochi ^{id85}, I. Ochoa ^{id130a}, S. Oerdek ^{id48,y}, J.T. Offermann ^{id39}, A. Ogrodnik ^{id133}, A. Oh ^{id101}, C.C. Ohm ^{id144}, H. Oide ^{id84}, R. Oishi ^{id153}, M.L. Ojeda ^{id48}, M.W. O'Keefe ^{id92}, Y. Okumura ^{id153}, L.F. Oleiro Seabra ^{id130a}, S.A. Olivares Pino ^{id137d}, D. Oliveira Damazio ^{id29}, D. Oliveira Goncalves ^{id83a}, J.L. Oliver ^{id160}, A. Olszewski ^{id87}, Ö.O. Öncel ^{id54}, A.P. O'Neill ^{id19}, A. Onofre ^{id130a,130e}, P.U.E. Onyisi ^{id11}, M.J. Oreglia ^{id39}, G.E. Orellana ^{id90}, D. Orestano ^{id77a,77b}, N. Orlando ^{id13}, R.S. Orr ^{id155}, V. O'Shea ^{id59}, L.M. Osojnak ^{id128}, R. Ospanov ^{id62a}, G. Otero y Garzon ^{id30}, H. Otono ^{id89}, P.S. Ott ^{id63a}, G.J. Ottino ^{id17a}, M. Ouchrif ^{id35d}, J. Ouellette ^{id29}, F. Ould-Saada ^{id125}, M. Owen ^{id59}, R.E. Owen ^{id134}, K.Y. Oyulmaz ^{id21a}, V.E. Ozcan ^{id21a}, N. Ozturk ^{id8}, S. Ozturk ^{id82}, H.A. Pacey ^{id32}, A. Pacheco Pages ^{id13}, C. Padilla Aranda ^{id13}, G. Padovano ^{id75a,75b}, S. Pagan Griso ^{id17a}, G. Palacino ^{id68}, A. Palazzo ^{id70a,70b}, S. Palestini ^{id36}, J. Pan ^{id172}, T. Pan ^{id64a}, D.K. Panchal ^{id11}, C.E. Pandini ^{id114}, J.G. Panduro Vazquez ^{id95}, H.D. Pandya ^{id1}, H. Pang ^{id14b}, P. Pani ^{id48}, G. Panizzo ^{id69a,69c}, L. Paolozzi ^{id56}, C. Papadatos ^{id108}, S. Parajuli ^{id44}, A. Paramonov ^{id6}, C. Paraskevopoulos ^{id10}, D. Paredes Hernandez ^{id64b}, T.H. Park ^{id155}, M.A. Parker ^{id32}, F. Parodi ^{id57b,57a}, E.W. Parrish ^{id115}, V.A. Parrish ^{id52}, J.A. Parsons ^{id41}, U. Parzefall ^{id54}, B. Pascual Dias ^{id108}, L. Pascual Dominguez ^{id151}, E. Pasqualucci ^{id75a}, S. Passaggio ^{id57b}, F. Pastore ^{id95}, P. Pasuwan ^{id47a,47b}, P. Patel ^{id87}, U.M. Patel ^{id51}, J.R. Pater ^{id101}, T. Pauly ^{id36}, J. Pearkes ^{id143}, M. Pedersen ^{id125}, R. Pedro ^{id130a}, S.V. Peleganchuk ^{id37}, O. Penc ^{id36}, E.A. Pender ^{id52}, H. Peng ^{id62a}, K.E. Penski ^{id109}, M. Penzin ^{id37}, B.S. Peralva ^{id83d,83d}, A.P. Pereira Peixoto ^{id60}, L. Pereira Sanchez ^{id47a,47b}, D.V. Perepelitsa ^{id29,ar}, E. Perez Codina ^{id156a}, M. Perganti ^{id10}, L. Perini ^{id71a,71b,*}, H. Pernegger ^{id36}, O. Perrin ^{id40}, K. Peters ^{id48}, R.F.Y. Peters ^{id101}, B.A. Petersen ^{id36}, T.C. Petersen ^{id42}, E. Petit ^{id102}, V. Petousis ^{id132}, C. Petridou ^{id152,g}, A. Petrukhin ^{id141}, M. Pettee ^{id17a}, N.E. Pettersson ^{id36}, A. Petukhov ^{id37}, K. Petukhova ^{id133}, R. Pezoa ^{id137f}, L. Pezzotti ^{id36}, G. Pezzullo ^{id172}, T.M. Pham ^{id170}, T. Pham ^{id105}, P.W. Phillips ^{id134}, G. Piacquadio ^{id145}, E. Pianori ^{id17a}, F. Piazza ^{id71a,71b}, R. Piegaia ^{id30}, D. Pietreanu ^{id27b}, A.D. Pilkington ^{id101}, M. Pinamonti ^{id69a,69c}, J.L. Pinfold ^{id2}, B.C. Pinheiro Pereira ^{id130a}, A.E. Pinto Pinoargote ^{id100,135}, L. Pintucci ^{id69a,69c}, K.M. Piper ^{id146}, A. Pirttikoski ^{id56}, D.A. Pizzi ^{id34}, L. Pizzimento ^{id76a,76b}, A. Pizzini ^{id114}, M.-A. Pleier ^{id29}, V. Plesanovs ^{id54}, V. Pleskot ^{id133}, E. Plotnikova ^{id38}, G. Poddar ^{id4}, R. Poettgen ^{id98}, L. Poggioli ^{id127}, I. Pokharel ^{id55}, S. Polacek ^{id133}, G. Polesello ^{id73a}, A. Poley ^{id142,156a}, R. Polifka ^{id132}, A. Polini ^{id23b}, C.S. Pollard ^{id167}, Z.B. Pollock ^{id119}, V. Polychronakos ^{id29}, E. Pompa Pacchi ^{id75a,75b}, D. Ponomarenko ^{id113},

L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{156a},
 S. Pospisil ¹³², M.A. Postill ¹³⁹, P. Postolache ^{27c}, K. Potamianos ¹⁶⁷, P.P. Potepa ^{86a},
 I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³, M.E. Pozo Astigarraga ³⁶,
 A. Prades Ibanez ¹⁶³, J. Pretel ⁵⁴, D. Price ¹⁰¹, M. Primavera ^{70a}, M.A. Principe Martin ⁹⁹,
 R. Privara ¹²², T. Procter ⁵⁹, M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸, K. Prokofiev ^{64c}, G. Proto ¹¹⁰,
 S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, J.E. Puddefoot ¹³⁹,
 D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁶, D. Qichen ¹⁰¹, Y. Qin ¹⁰¹, T. Qiu ⁵²,
 A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰¹, G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁴, G. Rabanal Bolanos ⁶¹,
 D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹,
 E. Ramakoti ³⁷, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b}, V. Raskina ¹²⁷,
 D.F. Rassloff ^{63a}, S. Rave ¹⁰⁰, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁹, M. Raymond ³⁶, A.L. Read ¹²⁵,
 N.P. Readioff ¹³⁹, D.M. Rebuzzi ^{73a,73b}, G. Redlinger ²⁹, A.S. Reed ¹¹⁰, K. Reeves ²⁶,
 J.A. Reidelsturz ^{171,z}, D. Reikher ¹⁵¹, A. Rej ¹⁴¹, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b},
 M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ¹⁶⁰, A.L. Rescia ⁴⁸, S. Resconi ^{71a},
 M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷, E. Reynolds ^{17a}, O.L. Rezanova ³⁷,
 P. Reznicek ¹³³, N. Ribaric ⁹¹, E. Ricci ^{78a,78b}, R. Richter ¹¹⁰, S. Richter ^{47a,47b},
 E. Richter-Was ^{86b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷, P. Riedler ³⁶, E.M. Riefel ^{47a,47b},
 M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
 M.P. Rinnagel ¹⁰⁹, G. Ripellino ¹⁶¹, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵,
 F. Rizatdinova ¹²¹, E. Rizvi ⁹⁴, B.A. Roberts ¹⁶⁷, B.R. Roberts ^{17a}, S.H. Robertson ^{104,ae},
 D. Robinson ³², C.M. Robles Gajardo ^{137f}, M. Robles Manzano ¹⁰⁰, A. Robson ⁵⁹, A. Rocchi ^{76a,76b},
 C. Roda ^{74a,74b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴,
 A.M. Rodríguez Vera ^{156b}, S. Roe ³⁶, J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹,
 O. Røhne ¹²⁵, R.A. Rojas ¹⁰³, C.P.A. Roland ⁶⁸, J. Roloff ²⁹, A. Romanouk ³⁷,
 E. Romano ^{73a,73b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶², N. Rompotis ⁹², L. Roos ¹²⁷,
 S. Rosati ^{75a}, B.J. Rosser ³⁹, E. Rossi ¹²⁶, E. Rossi ^{72a,72b}, L.P. Rossi ^{57b}, L. Rossini ⁵⁴,
 R. Rosten ¹¹⁹, M. Rotaru ^{27b}, B. Rottler ⁵⁴, C. Rougier ¹⁰², D. Rousseau ⁶⁶, D. Rousso ³²,
 A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵, A. Rozanov ¹⁰², Y. Rozen ¹⁵⁰, X. Ruan ^{33g},
 A. Rubio Jimenez ¹⁶³, A.J. Ruby ⁹², V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁶,
 R.E. Ruiz^b, A. Ruiz-Martinez ¹⁶³, A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸,
 H.L. Russell ¹⁶⁵, G. Russo ^{75a,75b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³², K. Rybacki⁹¹,
 M. Rybar ¹³³, E.B. Rye ¹²⁵, A. Ryzhov ⁴⁴, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³,
 L. Sabetta ^{75a,75b}, H.F-W. Sadrozinski ¹³⁶, F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹⁴⁶,
 M. Safdari ¹⁴³, S. Saha ¹⁶⁵, M. Sahinsoy ¹¹⁰, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³,
 D. Salamani ³⁶, A. Salnikov ¹⁴³, J. Salt ¹⁶³, A. Salvador Salas ¹³, D. Salvatore ^{43b,43a},
 F. Salvatore ¹⁴⁶, A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ^{152,g}, D. Sampsonidou ¹²³,
 J. Sánchez ¹⁶³, A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶³, H. Sandaker ¹²⁵, C.O. Sander ⁴⁸,
 J.A. Sandesara ¹⁰³, M. Sandhoff ¹⁷¹, C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁴, T. Sano ⁸⁸,
 A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰, H. Santos ^{130a,130b}, S.N. Santpur ^{17a}, A. Santra ¹⁶⁹,
 K.A. Saoucha ^{116b}, J.G. Saraiva ^{130a,130d}, J. Sardain ⁷, O. Sasaki ⁸⁴, K. Sato ¹⁵⁷, C. Sauer^{63b},
 F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{155,ap}, R. Sawada ¹⁵³, C. Sawyer ¹³⁴, L. Sawyer ⁹⁷,
 I. Sayago Galvan ¹⁶³, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁶, J. Schaarschmidt ¹³⁸,
 P. Schacht ¹¹⁰, D. Schaefer ³⁹, U. Schäfer ¹⁰⁰, A.C. Schaffer ^{66,44}, D. Schaile ¹⁰⁹,
 R.D. Schamberger ¹⁴⁵, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³³,
 F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, E.J. Schioppa ^{70a,70b},
 M. Schioppa ^{43b,43a}, B. Schlag ¹⁴³, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷¹,
 M.A. Schmidt ¹⁷¹, K. Schmieden ¹⁰⁰, C. Schmitt ¹⁰⁰, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁵,

A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁶, M. Schott ¹⁰⁰, J. Schovancova ³⁶,
 S. Schramm ⁵⁶, F. Schroeder ¹⁷¹, T. Schroer ⁵⁶, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴,
 B.A. Schumm ¹³⁶, Ph. Schune ¹³⁵, A.J. Schuy ¹³⁸, H.R. Schwartz ¹³⁶, A. Schwartzman ¹⁴³,
 T.A. Schwarz ¹⁰⁶, Ph. Schwemling ¹³⁵, R. Schwienhorst ¹⁰⁷, A. Sciandra ¹³⁶, G. Sciolla ²⁶,
 F. Scuri ^{74a}, C.D. Sebastiani ⁹², K. Sedlaczek ¹¹⁵, P. Seema ¹⁸, S.C. Seidel ¹¹², A. Seiden ¹³⁶,
 B.D. Seidlitz ⁴¹, C. Seitz ⁴⁸, J.M. Seixas ^{83b}, G. Sekhniadze ^{72a}, S.J. Sekula ⁴⁴, L. Selem ⁶⁰,
 N. Semprini-Cesari ^{23b,23a}, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶³, L. Serin ⁶⁶, L. Serkin ^{69a,69b},
 M. Sessa ^{76a,76b}, H. Severini ¹²⁰, F. Sforza ^{57b,57a}, A. Sfyrila ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴⁴,
 J.D. Shahinian ¹²⁸, D. Shaked Renous ¹⁶⁹, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶,
 A.S. Sharma ¹⁶⁴, P. Sharma ⁸⁰, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁶, S.M. Shaw ¹⁰¹,
 A. Shcherbakova ³⁷, Q. Shen ^{62c,5}, P. Sherwood ⁹⁶, L. Shi ⁹⁶, X. Shi ^{14a}, C.O. Shimmin ¹⁷²,
 J.D. Shinner ⁹⁵, I.P.J. Shipsey ¹²⁶, S. Shirabe ^{56,k}, M. Shiyakova ³⁸, J. Shlomi ¹⁶⁹,
 M.J. Shochet ³⁹, J. Shojaii ¹⁰⁵, D.R. Shope ¹²⁵, B. Shrestha ¹²⁰, S. Shrestha ^{119,as},
 E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁵, P. Sicho ¹³¹, A.M. Sickles ¹⁶², E. Sideras Haddad ^{33g},
 A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{86a}, F. Sili ⁹⁰, J.M. Silva ²⁰,
 M.V. Silva Oliveira ²⁹, S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹,
 H. Simpson ¹⁴⁶, L.R. Simpson ¹⁰⁶, N.D. Simpson ⁹⁸, S. Simsek ⁸², S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁵,
 S. Singh ¹⁵⁵, S. Sinha ⁴⁸, S. Sinha ¹⁰¹, M. Sioli ^{23b,23a}, I. Siral ³⁶, E. Sitnikova ⁴⁸,
 S.Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ^{20,al}, P. Skubic ¹²⁰,
 M. Slawinska ⁸⁷, V. Smakhtin ¹⁶⁹, B.H. Smart ¹³⁴, J. Smiesko ³⁶, S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷,
 L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁸, A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁶,
 J.L. Smith ⁹², R. Smith ¹⁴³, M. Smizanska ⁹¹, K. Smolek ¹³², A.A. Snesarev ³⁷, S.R. Snider ¹⁵⁵,
 H.L. Snoek ¹¹⁴, S. Snyder ²⁹, R. Sobie ^{165,ae}, A. Soffer ¹⁵¹, C.A. Solans Sanchez ³⁶,
 E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶³, A.A. Solodkov ³⁷, S. Solomon ²⁶, A. Soloshenko ³⁸,
 K. Solovieva ⁵⁴, O.V. Solovyanov ⁴⁰, V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³,
 W.Y. Song ^{156b}, J.M. Sonneveld ¹¹⁴, A. Sopczak ¹³², A.L. Sopio ⁹⁶, F. Sopkova ^{28b},
 V. Sothilingam ^{63a}, S. Sottocornola ⁶⁸, R. Soualah ^{116b}, Z. Soumami ^{35e}, D. South ⁴⁸,
 N. Soybelman ¹⁶⁹, S. Spagnolo ^{70a,70b}, M. Spalla ¹¹⁰, D. Sperlich ⁵⁴, G. Spigo ³⁶, S. Spinali ⁹¹,
 D.P. Spiteri ⁵⁹, M. Spousta ¹³³, E.J. Staats ³⁴, A. Stabile ^{71a,71b}, R. Stamen ^{63a}, A. Stampekis ²⁰,
 M. Standke ²⁴, E. Stanecka ⁸⁷, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, B. Stapf ⁴⁸,
 E.A. Starchenko ³⁷, G.H. Stark ¹³⁶, J. Stark ¹⁰², D.M. Starko ^{156b}, P. Staroba ¹³¹, P. Starovoitov ^{63a},
 S. Stärz ¹⁰⁴, R. Staszewski ⁸⁷, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶¹, P. Steinberg ²⁹,
 B. Stelzer ^{142,156a}, H.J. Stelzer ¹²⁹, O. Stelzer-Chilton ^{156a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁶,
 G.A. Stewart ³⁶, J.R. Stewart ¹²¹, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{130a},
 S. Stonjek ¹¹⁰, A. Straessner ⁵⁰, J. Strandberg ¹⁴⁴, S. Strandberg ^{47a,47b}, M. Stratmann ¹⁷¹,
 M. Strauss ¹²⁰, T. Strebler ¹⁰², P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁶, D.M. Strom ¹²³, L.R. Strom ⁴⁸,
 R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹²⁰, N.A. Styles ⁴⁸,
 D. Su ¹⁴³, S. Su ^{62a}, W. Su ^{62d}, X. Su ^{62a,66}, K. Sugizaki ¹⁵³, V.V. Sulin ³⁷, M.J. Sullivan ⁹²,
 D.M.S. Sultan ^{78a,78b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁸, S. Sun ¹⁰⁶, S. Sun ¹⁷⁰,
 O. Sunneborn Gudnadottir ¹⁶¹, N. Sur ¹⁰², M.R. Sutton ¹⁴⁶, H. Suzuki ¹⁵⁷, M. Svatos ¹³¹,
 M. Swiatlowski ^{156a}, T. Swirski ¹⁶⁶, I. Sykora ^{28a}, M. Sykora ¹³³, T. Sykora ¹³³, D. Ta ¹⁰⁰,
 K. Tackmann ^{48,ac}, A. Taffard ¹⁶⁰, R. Tahirout ^{156a}, J.S. Tafoya Vargas ⁶⁶, E.P. Takeva ⁵²,
 Y. Takubo ⁸⁴, M. Talby ¹⁰², A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵¹, A. Tanaka ¹⁵³,
 J. Tanaka ¹⁵³, R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, Z. Tao ¹⁶⁴, S. Tapia Araya ^{137f},
 S. Tapprogge ¹⁰⁰, A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁰, K. Tariq ^{14a}, G. Tarna ^{102,27b},
 G.F. Tartarelli ^{71a}, P. Tas ¹³³, M. Tasevsky ¹³¹, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶², G. Tateno ¹⁵³,
 Y. Tayalati ^{35e,ad}, G.N. Taylor ¹⁰⁵, W. Taylor ^{156b}, H. Teagle ⁹², A.S. Tee ¹⁷⁰,

R. Teixeira De Lima ¹⁴³, P. Teixeira-Dias ⁹⁵, J.J. Teoh ¹⁵⁵, K. Terashi ¹⁵³, J. Terron ⁹⁹, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{155,ae}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵², T. Theveniaux-Pelzer ¹⁰², O. Thielmann ¹⁷¹, D.W. Thomas ⁹⁵, J.P. Thomas ²⁰, E.A. Thompson ^{17a}, P.D. Thompson ²⁰, E. Thomson ¹²⁸, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, D. Timoshyn ¹³³, E.X.L. Ting ¹, P. Tipton ¹⁷², S.H. Tlou ^{33g}, A. Tnourji ⁴⁰, K. Todome ¹⁵⁴, S. Todorova-Nova ¹³³, S. Todt ⁵⁰, M. Togawa ⁸⁴, J. Tojo ⁸⁹, S. Tokár ^{28a}, K. Tokushuku ⁸⁴, O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{84,111}, L. Tompkins ¹⁴³, K.W. Topolnicki ^{86b}, E. Torrence ¹²³, H. Torres ¹⁰², E. Torró Pastor ¹⁶³, M. Toscani ³⁰, C. Toscirì ³⁹, M. Tost ¹¹, D.R. Tovey ¹³⁹, A. Traet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁶, A. Tricoli ²⁹, I.M. Trigger ^{156a}, S. Trincas-Duvold ¹²⁷, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, C. Troncon ^{71a}, L. Truong ^{33c}, M. Trzebinski ⁸⁷, A. Trzupek ⁸⁷, F. Tsai ¹⁴⁵, M. Tsai ¹⁰⁶, A. Tsiamis ^{152,g}, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{156a}, A. Tsirigotis ^{152,aa}, V. Tsiskaridze ¹⁵⁵, E.G. Tskhadadze ^{149a}, M. Tsopoulou ^{152,g}, Y. Tsujikawa ⁸⁸, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸⁴, O. Tsur ¹⁵⁰, K. Tsur ¹¹⁸, D. Tsybychev ¹⁴⁵, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ^{57b,57a}, I. Turk Cakir ^{3a}, R. Turra ^{71a}, T. Turtuvshin ^{38,af}, P.M. Tuts ⁴¹, S. Tzamaras ^{152,g}, P. Tzanis ¹⁰, E. Tzovara ¹⁰⁰, F. Ukegawa ¹⁵⁷, P.A. Ulloa Poblete ^{137c,137b}, E.N. Umaka ²⁹, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰⁵, G. Usai ⁸, R. Ushioda ¹⁵⁴, M. Usman ¹⁰⁸, Z. Uysal ^{21b}, L. Vacavant ¹⁰², V. Vacek ¹³², B. Vachon ¹⁰⁴, K.O.H. Vadla ¹²⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁶, C. Valderanis ¹⁰⁹, E. Valdes Santurio ^{47a,47b}, M. Valente ^{156a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶³, E. Valiente Moreno ¹⁶³, A. Vallier ¹⁰², J.A. Valls Ferrer ¹⁶³, D.R. Van Arneeman ¹¹⁴, T.R. Van Daalen ¹³⁸, A. Van Der Graaf ⁴⁹, P. Van Gemmeren ⁶, M. Van Rijnbach ^{125,36}, S. Van Stroud ⁹⁶, I. Van Vulpen ¹¹⁴, M. Vanadia ^{76a,76b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁵, E.R. Vandewall ¹²¹, D. Vannicola ¹⁵¹, L. Vannoli ^{57b,57a}, R. Vari ^{75a}, E.W. Varnes ⁷, C. Varni ^{17b}, T. Varol ¹⁴⁸, D. Varouchas ⁶⁶, L. Varriale ¹⁶³, K.E. Varvell ¹⁴⁷, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁵, A. Vasyukov ³⁸, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰¹, M.J. Veen ¹⁰³, I. Veliscek ¹²⁶, L.M. Veloce ¹⁵⁵, F. Veloso ^{130a,130c}, S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, S. Ventura Gonzalez ¹³⁵, A. Verbytskyi ¹¹⁰, M. Verducci ^{74a,74b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{83b}, W. Verkerke ¹¹⁴, J.C. Vermeulen ¹¹⁴, C. Vernieri ¹⁴³, M. Vessella ¹⁰³, M.C. Vetterli ^{142,ap}, A. Vgenopoulos ^{152,g}, N. Viaux Maira ^{137f}, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁶, L. Vigani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶³, E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vinciter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², A. Visibile ¹¹⁴, C. Vittori ³⁶, I. Vivarelli ¹⁴⁶, V. Vladimirov ¹⁶⁷, E. Voevodina ¹¹⁰, F. Vogel ¹⁰⁹, P. Vokac ¹³², Yu. Volkotrub ^{86a}, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³³, K. Vorobev ³⁷, M. Vos ¹⁶³, K. Voss ¹⁴¹, J.H. Vosseveld ⁹², M. Vozak ¹¹⁴, L. Vozdecky ⁹⁴, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹⁴, N.K. Vu ^{62d,62c}, R. Vuillermet ³⁶, O. Vujanovic ¹⁰⁰, I. Vukotic ³⁹, S. Wada ¹⁵⁷, C. Wagner ¹⁰³, J.M. Wagner ^{17a}, W. Wagner ¹⁷¹, S. Wahdan ¹⁷¹, H. Wahlberg ⁹⁰, M. Wakida ¹¹¹, J. Walder ¹³⁴, R. Walker ¹⁰⁹, W. Walkowiak ¹⁴¹, A. Wall ¹²⁸, T. Wamorkar ⁶, A.Z. Wang ¹⁷⁰, C. Wang ¹⁰⁰, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a}, R.-J. Wang ¹⁰⁰, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁸, S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁸⁰, W. Wang ^{14a}, X. Wang ^{14c}, X. Wang ¹⁶², X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁶, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁶, A. Warburton ¹⁰⁴, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, H. Watson ⁵⁹, M.F. Watson ²⁰, E. Watton ^{59,134}, G. Watts ¹³⁸, B.M. Waugh ⁹⁶, C. Weber ²⁹, H.A. Weber ¹⁸, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁶, A.R. Weidberg ¹²⁶, E.J. Weik ¹¹⁷, J. Weingarten ⁴⁹, M. Weirich ¹⁰⁰, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹¹⁰,

N. Wermes ¹, M. Wessels ^{63a}, A.M. Wharton ⁹¹, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰, L. Wickremasinghe ¹²⁴, W. Wiedenmann ¹⁷⁰, C. Wiel ⁵⁰, M. WIELERS ¹³⁴, C. WIGLESWORTH ⁴², D.J. Wilbern ¹²⁰, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁸, S. Williams ³², S. Willocq ¹⁰³, B.J. Wilson ¹⁰¹, P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²³, B.T. Winter ⁵⁴, J.K. Winter ¹⁰¹, M. Wittgen ¹⁴³, M. Wobisch ⁹⁷, Z. Wolffs ¹¹⁴, J. Wollrath ¹⁶⁰, M.W. Wolter ⁸⁷, H. Wolters ^{130a,130c}, A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, J. Wu ^{14a,14e}, M. Wu ^{64a}, M. Wu ¹¹³, S.L. Wu ¹⁷⁰, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ¹³⁵, J. Wuerzinger ¹¹⁰, T.R. Wyatt ¹⁰¹, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁸, T. Xu ¹⁰⁶, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu ^{14a}, B. Yabsley ¹⁴⁷, S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁴, E. Yamashita ¹⁵³, H. Yamauchi ¹⁵⁷, T. Yamazaki ^{17a}, Y. Yamazaki ⁸⁵, J. Yan ^{62c}, S. Yan ¹²⁶, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang ^{62a}, Z. Yang ^{62a}, W-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ^{14a}, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁶, I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁶, P. Yin ⁴¹, K. Yorita ¹⁶⁸, S. Younas ^{27b}, C.J.S. Young ³⁶, C. Young ¹⁴³, C. Yu ^{14a,14e}, Y. Yu ^{62a}, M. Yuan ¹⁰⁶, R. Yuan ^{62b,n}, L. Yue ⁹⁶, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid ⁵², T. Zakareishvili ^{149b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{137d,137b}, J. Zang ¹⁵³, D. Zanzi ⁵⁴, O. Zaplatilek ¹³², C. Zeitnitz ¹⁷¹, H. Zeng ^{14a}, J.C. Zeng ¹⁶², D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁴, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, B. Zhang ^{14c}, D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{14c}, P. Zhang ^{14a,14e}, R. Zhang ¹⁷⁰, S. Zhang ¹⁰⁶, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Y. Zhang ⁹⁶, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶², X. Zheng ^{62a}, Z. Zheng ¹⁴³, D. Zhong ¹⁶², B. Zhou ¹⁰⁶, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁶, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶, T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

^{3(a)}Department of Physics, Ankara University, Ankara; ^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

^{14(a)}Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Physics Department, Tsinghua University, Beijing; ^(c)Department of Physics, Nanjing University, Nanjing; ^(d)School of Science, Shenzhen Campus of Sun Yat-sen University; ^(e)University of Chinese Academy of Science (UCAS),

Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁷(^a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (^b) University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²¹(^a) Department of Physics, Bogazici University, Istanbul; (^b) Department of Physics Engineering, Gaziantep University, Gaziantep; (^c) Department of Physics, Istanbul University, Istanbul; Türkiye.

²²(^a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (^b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; (^c) Pontificia Universidad Javeriana, Bogota; Colombia.

²³(^a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (^b) INFN Sezione di Bologna; Italy.

²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.

²⁵Department of Physics, Boston University, Boston MA; United States of America.

²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.

²⁷(^a) Transilvania University of Brasov, Brasov; (^b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (^c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (^d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (^e) University Politehnica Bucharest, Bucharest; (^f) West University in Timisoara, Timisoara; (^g) Faculty of Physics, University of Bucharest, Bucharest; Romania.

²⁸(^a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (^b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.

²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.

³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.

³¹California State University, CA; United States of America.

³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.

³³(^a) Department of Physics, University of Cape Town, Cape Town; (^b) iThemba Labs, Western

Cape; (^c) Department of Mechanical Engineering Science, University of Johannesburg,

Johannesburg; (^d) National Institute of Physics, University of the Philippines Diliman

(Philippines); (^e) University of South Africa, Department of Physics, Pretoria; (^f) University of Zululand, KwaDlangezwa; (^g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.

³⁴Department of Physics, Carleton University, Ottawa ON; Canada.

³⁵(^a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (^b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (^c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (^d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (^e) Faculté des sciences, Université Mohammed V, Rabat; (^f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.

³⁶CERN, Geneva; Switzerland.

³⁷Affiliated with an institute covered by a cooperation agreement with CERN.

³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.

³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.

- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende;(^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁷(^a)Department of Physics, Stockholm University;(^b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik , Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁷(^a)Dipartimento di Fisica, Università di Genova, Genova;(^b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶²(^a)Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;(^b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;(^c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;(^d)Tsung-Dao Lee Institute, Shanghai; China.
- ⁶³(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;(^b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴(^a)Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;(^b)Department of Physics, University of Hong Kong, Hong Kong;(^c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(^a)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;(^b)ICTP, Trieste;(^c)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷⁰(^a)INFN Sezione di Lecce;(^b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹(^a)INFN Sezione di Milano;(^b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷²(^a)INFN Sezione di Napoli;(^b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³(^a)INFN Sezione di Pavia;(^b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁴(^a)INFN Sezione di Pisa;(^b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁵(^a)INFN Sezione di Roma;(^b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁶(^a)INFN Sezione di Roma Tor Vergata;(^b)Dipartimento di Fisica, Università di Roma Tor Vergata,

Roma; Italy.

^{77(a)}INFN Sezione di Roma Tre; ^(b)Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.

^{78(a)}INFN-TIFPA; ^(b)Università degli Studi di Trento, Trento; Italy.

⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.

⁸⁰University of Iowa, Iowa City IA; United States of America.

⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.

⁸²Istinye University, Sariyer, Istanbul; Türkiye.

^{83(a)}Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c)Instituto de Física, Universidade de São Paulo, São Paulo; ^(d)Rio de Janeiro State University, Rio de Janeiro; Brazil.

⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.

⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.

^{86(a)}AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.

⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.

⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.

⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.

⁹⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.

⁹¹Physics Department, Lancaster University, Lancaster; United Kingdom.

⁹²Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.

⁹³Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.

⁹⁴School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.

⁹⁵Department of Physics, Royal Holloway University of London, Egham; United Kingdom.

⁹⁶Department of Physics and Astronomy, University College London, London; United Kingdom.

⁹⁷Louisiana Tech University, Ruston LA; United States of America.

⁹⁸Fysiska institutionen, Lunds universitet, Lund; Sweden.

⁹⁹Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.

¹⁰⁰Institut für Physik, Universität Mainz, Mainz; Germany.

¹⁰¹School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.

¹⁰²CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.

¹⁰³Department of Physics, University of Massachusetts, Amherst MA; United States of America.

¹⁰⁴Department of Physics, McGill University, Montreal QC; Canada.

¹⁰⁵School of Physics, University of Melbourne, Victoria; Australia.

¹⁰⁶Department of Physics, University of Michigan, Ann Arbor MI; United States of America.

¹⁰⁷Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

¹⁰⁸Group of Particle Physics, University of Montreal, Montreal QC; Canada.

¹⁰⁹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.

¹¹⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.

¹¹¹Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.

¹¹²Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

¹¹³Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

- ¹¹⁴Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁵Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁶(^a) New York University Abu Dhabi, Abu Dhabi; (^b) University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁷Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁸Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁹Ohio State University, Columbus OH; United States of America.
- ¹²⁰Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²¹Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²²Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²³Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁴Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁵Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁶Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁷LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁸Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁹Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³⁰(^a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; (^b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (^c) Departamento de Física, Universidade de Coimbra, Coimbra; (^d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (^e) Departamento de Física, Universidade do Minho, Braga; (^f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (^g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³¹Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³²Czech Technical University in Prague, Prague; Czech Republic.
- ¹³³Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁴Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁵IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁶Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁷(^a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (^b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (^c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (^d) Universidad Andres Bello, Department of Physics, Santiago; (^e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (^f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁸Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁹Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁰Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴¹Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴²Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴³SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁴Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁵Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of

America.

¹⁴⁶Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.

¹⁴⁷School of Physics, University of Sydney, Sydney; Australia.

¹⁴⁸Institute of Physics, Academia Sinica, Taipei; Taiwan.

¹⁴⁹(^a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (^b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (^c) University of Georgia, Tbilisi; Georgia.

¹⁵⁰Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

¹⁵¹Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

¹⁵²Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.

¹⁵³International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.

¹⁵⁴Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.

¹⁵⁵Department of Physics, University of Toronto, Toronto ON; Canada.

¹⁵⁶(^a) TRIUMF, Vancouver BC; (^b) Department of Physics and Astronomy, York University, Toronto ON; Canada.

¹⁵⁷Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.

¹⁵⁸Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.

¹⁵⁹United Arab Emirates University, Al Ain; United Arab Emirates.

¹⁶⁰Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.

¹⁶¹Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.

¹⁶²Department of Physics, University of Illinois, Urbana IL; United States of America.

¹⁶³Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.

¹⁶⁴Department of Physics, University of British Columbia, Vancouver BC; Canada.

¹⁶⁵Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.

¹⁶⁶Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.

¹⁶⁷Department of Physics, University of Warwick, Coventry; United Kingdom.

¹⁶⁸Waseda University, Tokyo; Japan.

¹⁶⁹Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.

¹⁷⁰Department of Physics, University of Wisconsin, Madison WI; United States of America.

¹⁷¹Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.

¹⁷²Department of Physics, Yale University, New Haven CT; United States of America.

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also affiliated with an international laboratory covered by a cooperation agreement with CERN.

^c Also at An-Najah National University, Nablus; Palestine.

^d Also at APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

^e Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^f Also at Center for High Energy Physics, Peking University; China.

^g Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki ; Greece.

^h Also at Centro Studi e Ricerche Enrico Fermi; Italy.

ⁱ Also at CERN Tier-0; Switzerland.

^j Also at CERN, Geneva; Switzerland.

^k Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

- ^l Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^m Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ⁿ Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ^o Also at Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ^p Also at Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ^q Also at Department of Physics, California State University, Sacramento; United States of America.
- ^r Also at Department of Physics, King's College London, London; United Kingdom.
- ^s Also at Department of Physics, Oxford University, Oxford; United Kingdom.
- ^t Also at Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ^u Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^v Also at Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ^w Also at Department of Physics, University of Thessaly; Greece.
- ^x Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^y Also at Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ^z Also at Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ^{aa} Also at Hellenic Open University, Patras; Greece.
- ^{ab} Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^{ac} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^{ad} Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ^{ae} Also at Institute of Particle Physics (IPP); Canada.
- ^{af} Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
- ^{ag} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{ah} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ^{ai} Also at IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ^{aj} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ^{ak} Also at Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ^{al} Also at School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ^{am} Also at School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ^{an} Also at SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ^{ao} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ap} Also at TRIUMF, Vancouver BC; Canada.
- ^{aq} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{ar} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{as} Also at Washington College, Chestertown, MD; United States of America.
- * Deceased