

Search for a new scalar resonance in flavour-changing neutral-current top-quark decays $t \rightarrow qX$ ($q = u, c$), with $X \rightarrow b\bar{b}$, in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for flavour-changing neutral-current decays of a top quark into an up-type quark (either up or charm) and a light scalar particle X decaying into a bottom anti-bottom quark pair is presented. The search focuses on top-quark pair production where one top quark decays to qX , with $X \rightarrow b\bar{b}$, and the other top quark decays according to the Standard Model, with the W boson decaying leptonically. The final state is thus characterised by an isolated electron or muon and at least four jets. Events are categorised according to the multiplicity of jets and jets tagged as originating from b -quarks, and a neural network is used to discriminate between signal and background processes. The data analysed correspond to 139 fb^{-1} of proton–proton collisions at a centre-of-mass energy of 13 TeV, recorded with the ATLAS detector at the LHC. The 95% confidence-level upper limits between 0.019% and 0.062% are derived for the branching fraction $\mathcal{B}(t \rightarrow uX)$ and between 0.018% and 0.078% for the branching fraction $\mathcal{B}(t \rightarrow cX)$, for masses of the scalar particle X between 20 and 160 GeV.

KEYWORDS: Hadron-Hadron Scattering

ARXIV EPRINT: [2301.03902](https://arxiv.org/abs/2301.03902)

Contents

1	Introduction	1
2	ATLAS detector	2
3	Object definition and event selection	3
4	Monte Carlo samples	4
5	Analysis strategy	7
6	Systematic uncertainties	11
7	Results	15
8	Conclusion	24
	The ATLAS collaboration	32

1 Introduction

Flavour-changing neutral-current (FCNC) interactions do not exist at tree level in the Standard Model (SM) and are strongly suppressed at higher orders due to the Glashow-Iliopoulos-Maiani (GIM) mechanism [1]. Several extensions of the SM, like the quark-singlet model [2], the two-Higgs doublet model with or without flavour-conservation [3–6], SUSY with R-parity violation [7], or composite Higgs models with partial compositeness [8], predict the presence of FCNC contributions already at tree level, and would enhance the top-quark FCNC decay branching fractions by more than ten orders of magnitude. Other extensions of the SM predict the existence of new particles, either a neutral scalar, a pseudoscalar, or an axion-like particle (ALP), which are strongly coupled with third generation quarks and include FCNC couplings with first and second generation quarks. One of the simplest extensions to the SM is the Froggatt-Nielsen mechanism [9, 10], which introduces a non-SM Higgs field X with flavour charge, the so-called *flavon*, and a flavour dependent extra symmetry $U(1)_F$ that is broken so that the hierarchy between the couplings depends on the vacuum expectation value of the flavon. In this model, and for masses of a neutral scalar particle X below 200 GeV, the leading decay mode is $X \rightarrow b\bar{b}$.

The ATLAS and CMS collaborations have searched for FCNC $t \rightarrow qH$ decays, where H is the SM Higgs boson and q either an up- or charm-quark, in pp collisions at $\sqrt{s} = 13$ TeV [11–15]. However, searches for similar signatures involving a FCNC decay of the top-quark into a beyond-the-SM (BSM) particle lighter than the top quark are uncovered




Figure 1. Leading-order Feynman diagram for the production of a scalar particle X in association with a top quark.

in the literature. This paper presents a generic search for top-quark pair production where one of the top quarks decays to a light scalar particle X (with mass $m_X < m_{\text{top}}$), with $X \rightarrow b\bar{b}$, and an up-type quark (either u or c), while the other top quark decays to Wb according to the SM with the W boson decaying leptonically, as shown in figure 1. This search uses the full Run 2 dataset of pp collisions recorded at $\sqrt{s} = 13$ TeV. Events with one charged lepton ($l = e, \mu$) and jets in the final state are considered, and separate regions are defined according to the overall number of jets and the number of jets tagged as containing a b -hadron. In order to distinguish signals from SM backgrounds, a neural network (NN) is employed, with basic information from the jets and the lepton as well as invariant masses and angular separation between pairs of jets. Limits on the $t \rightarrow qX$ branching fraction are set by means of a simultaneous fit to the NN output distributions in the different analysis regions.

2 ATLAS detector

ATLAS [16–18] is a multipurpose detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer (MS). The ID covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is based on three large

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The MS includes a system of precision tracking chambers and fast detectors for triggering. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz [19]. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. An extensive software suite [20] is used for real and simulated data reconstruction and analysis, for operation and in the trigger and data acquisition systems of the experiment.

3 Object definition and event selection

Data were recorded from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector between 2015 and 2018. Only data consistent with the beam collision region and for which all relevant detector components were functional are used [21]. The total integrated luminosity is 139 fb^{-1} [22, 23]. Events were recorded with a single-electron or a single-muon trigger, with minimum thresholds on the transverse momentum (p_T) varying from 20 to 26 GeV depending on the lepton flavour and peak instantaneous luminosity during data taking. The triggers with the lowest p_T thresholds include isolation requirements based on the ID or EM calorimeter measurements [24–27]. In each event, the primary vertex is defined as the reconstructed vertex consistent with originating from the beam collision region in the $x - y$ plane having the highest scalar sum of the squared p_T of associated tracks with $p_T \geq 0.5 \text{ GeV}$ [28].

Electrons are reconstructed from energy clusters in the EM calorimeter matched to tracks reconstructed in the ID [29], and are required to have $p_T > 27 \text{ GeV}$ and $|\eta| < 2.47$. Candidates in the calorimeter barrel–endcap transition region ($1.37 < |\eta| < 1.52$) are excluded. Electrons must satisfy a “Tight” identification criterion based on a likelihood discriminant described in ref. [30], the longitudinal impact parameter must be smaller than 0.5 mm, and the transverse impact parameter significance smaller than 5, both defined with respect to the beam line. An isolation criterion is applied to the selected electrons so that the scalar sum of the transverse energy clusters of the calorimeter in a cone of $\Delta R = 0.2$ around the electron is less than 6% of the electron p_T , excluding clusters originating from the electron itself. In addition, the scalar sum of the p_T of the tracks above 1 GeV within $\Delta R = 0.2$ around the electron is required to be smaller than 6% of the electron p_T .

Muons are reconstructed from MS tracks matched to tracks in the ID, and are required to have $p_T > 27 \text{ GeV}$ and $|\eta| < 2.5$, the longitudinal impact parameter smaller than 0.5 mm, and the transverse impact parameter significance smaller than 3, both defined with respect to the beam line. Muons are identified based on “Medium” requirements defined in ref. [31]. The isolation criterion for the selected muons is defined as the scalar sum of the p_T of tracks within a cone around the muon (excluding the associated track) to be smaller than 6% of the muon p_T , with the track isolation cone radius equal to $\min(10 \text{ GeV}/p_T^\mu, 0.3)$ for $p_T < 50 \text{ GeV}$ and 0.2 for $p_T > 50 \text{ GeV}$.

Jets are reconstructed from topological energy clusters in the calorimeter and tracks from the ID using the particle-flow method [32], based on the anti- k_t clustering algo-

rithm [33] implemented in the FastJet package [34] with a radius parameter of 0.4. The jet energy is calibrated at particle level [35] and jets are required to have $|\eta| < 2.5$ and a minimum p_T of 25 GeV. Quality criteria are imposed to identify jets arising from non-collision sources or detector noise, and any event containing such a jet is removed [36]. For jets with $|\eta| < 2.4$ and $p_T < 60$ GeV, the contribution of jets from additional pp collisions in the same and neighbouring bunch crossings (pile-up) is suppressed by the use of the “jet-vertex-tagger” (JVT) [37].

Jets containing b -hadrons are identified with the DL1r b -tagging algorithm, based on a deep feed-forward NN [38–40]. A jet is b -tagged if the DL1r score is above a certain threshold, referred to as operating point (OP). Four OPs are defined with average expected efficiencies for jets containing b -hadrons of 60%, 70%, 77% and 85%, which are each progressively looser, as determined in simulated $t\bar{t}$ events. The DL1r b -tagging score is divided into five exclusive bins according to the OPs, and the distribution obtained by ordering these five bins from higher to lower b -jet efficiency is referred to as “pseudo-continuous” b -tagging score. Jets fulfilling either of the two tightest bins, the 60% OP (b -jets) or the 70% and not the 60% OPs (bl -jets, for looser b -tagging score), are used in the analysis.

The missing transverse momentum (E_T^{miss}) in the event is computed as the magnitude of the negative vector sum of the p_T of all selected and calibrated physics objects in the event. Low-momentum tracks from the primary vertex that cannot be associated with any of the reconstructed physics objects described above are also included in the E_T^{miss} calculation, as a soft term [41, 42].

A sequential overlap removal procedure is applied to ensure that the same calorimeter energy deposit or the same track is not associated with two or more reconstructed objects, following the prescription described in ref. [43].

Events are required to have exactly one selected electron or muon that matches the lepton that fired the trigger, and at least four jets. At least two of the jets are identified as b -jets, and an additional one as a bl -jet. Further requirements on E_T^{miss} and on the transverse mass of the lepton and E_T^{miss} (m_T^W ²) are $E_T^{\text{miss}} \geq 20$ GeV and $E_T^{\text{miss}} + m_T^W \geq 60$ GeV, to further reject multi-jet background.

4 Monte Carlo samples

Monte Carlo (MC) samples are used to model signal and background processes, as well as to derive related modelling uncertainties. The generated events are processed through either a simulation [44] of the ATLAS detector geometry and response using Geant4 [45] or through a faster simulation where the full Geant4 simulation of the calorimeter response is replaced by a detailed parameterisation of the shower shapes [46]. The effect of pile-up is modelled by overlaying the simulated hard-scatter event with inelastic pp events generated with PYTHIA 8.186 [47] using the NNPDF2.3_{LO} [48] set of parton distribution functions (PDF) and the A3 set of tuned parameters (tune) [49].

The $t \rightarrow qX$ signal process is modelled with the POWHEG-BOX v2 [50–52] generator at next-to-leading order (NLO) with the NNPDF3.0_{NLO} [48] PDF set and the h_{damp} pa-

² $m_T^W = \sqrt{(p_T^l)^2 + (E_T^{\text{miss}})^2}$, where p_T^l is the transverse momentum of the lepton.

parameter³ set to 1.5 times the mass of the top quark. The events are interfaced to PYTHIA 8.244 [53] with the A14 tune [54] to model the parton shower, hadronisation, and underlying event. The top-quark decays are modelled with MADSPIN [55, 56] for both the SM, $t \rightarrow Wb$, and BSM, $t \rightarrow qX$, decays assuming a neutral scalar particle X [57] generated based on the leading order (LO) NNPDF2.3_{LO} model with $\mathcal{B}(X \rightarrow b\bar{b})=100\%$ and the SM Higgs-boson decay width (0.004 GeV).

A total of 52 samples are generated with the $t\bar{t}$ cross-section, (see below) and 13 different X masses, m_X , and four different $t \rightarrow qX$ and $\bar{t} \rightarrow \bar{q}X$ decays: $t \rightarrow uX$, $\bar{t} \rightarrow \bar{u}X$, $t \rightarrow cX$ and $\bar{t} \rightarrow \bar{c}X$.⁴ The m_X hypotheses range from 20 to 160 GeV in steps of 10 GeV, with the exception of the 110 and 130 GeV mass points. The contribution of the $qg \rightarrow tX$ process has been neglected. The acceptance times efficiency of the selection presented in the previous section for the $t \rightarrow uX$ ($t \rightarrow cX$) process ranges from 0.16% (0.22%) for the 20 GeV mass sample to 1.65% (1.70%) for the 140 GeV mass sample, decreasing slightly to 1.52% (1.51%) for the 160 GeV mass sample. As the mass of the scalar approaches the mass of the top quark, the efficiency to reconstruct the u - or c -jet decreases. Four additional samples, $t \rightarrow uH$, $\bar{t} \rightarrow \bar{u}H$, $t \rightarrow cH$ and $\bar{t} \rightarrow \bar{c}H$, where H has a mass of 125 GeV and decays according to the SM Higgs boson, are generated using the same setup as for the $t \rightarrow qX$ signal samples.

The main background for this search originates from $t\bar{t}$ production in association with jets, followed by smaller contributions from single-top-quark, Z and W bosons plus jets (referred to as V +jets), $t\bar{t}V$, $t\bar{t}H$ and diboson, as well as rare processes involving the production of a top quark. The background due to non-prompt leptons is expected to be negligible based on studies of data using multiple lepton isolation criteria [58] and on the analysis of low E_T^{miss} events.

The production of $t\bar{t}$ + jets events is modelled using the POWHEG-BOX v2 NLO generator with the NNPDF3.0_{NLO} PDF set and the h_{damp} parameter set to 1.5 times the top-quark mass. The parton shower and hadronisation are modelled by PYTHIA 8.230 with the appropriate A14 tune. The b -quark production from the matrix element is modelled using the five-flavour scheme (5FS) [59, 60]. The sample is normalised to the Top++2.0 [61] theoretical cross-section of 832^{+46}_{-51} pb, calculated at next-to-next-to-leading order (NNLO) in QCD that includes resummation of next-to-next-to-leading logarithmic (NNLL) soft-gluon terms [62–66]. Theoretical uncertainties result from variations of the factorisation and renormalisation scales, as well as from uncertainties in the PDF and α_S , which represent the largest contribution to the overall theoretical uncertainty in the cross-section and are calculated using the PDF4LHC [67] prescription.

Analogously to previous similar searches performed in ATLAS [58, 68], the simulated $t\bar{t}$ + jets events are categorised depending on the flavour content of additional jets not originating from the decay of the $t\bar{t}$ system. Events that have at least one jet originating

³The h_{damp} parameter is a resummation damping factor and one of the parameters that controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high- p_T radiation against which the $t\bar{t}$ system recoils.

⁴For simplicity, all signal processes are denoted as $t \rightarrow qX$, with the charge-conjugate $\bar{t} \rightarrow \bar{q}X$ implied, unless stated otherwise.

from a b -hadron are labelled as $t\bar{t} + \geq 1b$; those with no jets originating from b -hadrons but at least one jet originating from a c -hadron are labelled as $t\bar{t} + \geq 1c$; finally, events containing no additional heavy-flavour jets, aside those from top-quark or W -boson decays, are labelled as $t\bar{t}$ +light.

Additional samples are generated to estimate $t\bar{t}$ + jets systematic uncertainties. The impact of using different parton shower and hadronisation models is evaluated by comparing the nominal sample with another sample produced with the same POWHEG-BOX v2 generator and the NNPDF3.0_{NLO} PDF set, but interfaced to HERWIG 7.04 [69, 70]. To assess the uncertainty in the NLO generator, the POWHEG-BOX v2 sample is compared to a sample of events generated with MADGRAPH5_AMC@NLO 2.6.0 and the NNPDF3.0_{NLO} PDF set, interfaced to PYTHIA 8.230. Radiation systematic uncertainties are derived by multiplying the factorisation and renormalisation scales values in the nominal sample by factors of 0.5 and 2 and using the *Var3c* variation of the A14 parton shower tune.

To evaluate systematic uncertainties on the modelling of the $t\bar{t} + \geq 1b$ process, samples with the POWHEG-BOX RES [71] generator and OPENLOOPS [72–74] are produced, using a pre-release of the implementation of this process in POWHEG-BOX RES provided by the authors [75], with the NNPDF3.0_{NLO} PDF set. The four-flavour (4FS) scheme is used with the b -quark mass set to 4.95 GeV. They are interfaced to PYTHIA 8.240 with the A14 tune. The factorisation scale is set to $0.5 \times \sum_{i=t,\bar{t},b,\bar{b},j} m_{T,i}$,⁵ the renormalisation scale to $\prod_{i=t,\bar{t},b,\bar{b}} m_{T,i}^{1/4}$, and the h_{damp} parameter to $0.5 \times \sum_{i=t,\bar{t},b,\bar{b}} m_{T,i}$.

All generated $t\bar{t}$ samples assume a diagonal Cabibbo-Kobayashi-Maskawa matrix, thus the $W \rightarrow cb$ contribution is not included ($\mathcal{B} = 5.72 \times 10^{-4}$). Additional $t\bar{t}$ + jets events are produced with one of the W s decaying leptonically and the other to cb , using the SM with non-zero Wolfenstein coefficients and 5FS. As for the nominal $t\bar{t}$, POWHEG+HERWIG 7.1.6 and MADGRAPH5_AMC@NLO samples are produced to estimate systematic uncertainties related to the parton shower and hadronisation and to the MC generator, respectively.

The associated production of top quarks with W bosons (tW), single-top-quark t -channel and single-top-quark s -channel productions are modelled with the POWHEG-BOX v2 generator at NLO accuracy in QCD using the 5FS scheme and the NNPDF3.0_{NLO} set of PDFs. The events are interfaced to PYTHIA 8.230. The uncertainty due to the parton shower and hadronisation model is evaluated by comparing the nominal samples with samples where events generated with POWHEG-BOX v2 are interfaced to HERWIG 7.04. To assess the uncertainty in the NLO generator, the nominal samples are compared to samples generated with MADGRAPH5_AMC@NLO 2.6.2 at NLO in QCD using the 5FS scheme and the NNPDF2.3_{LO} PDF set.

The tW process is modelled using the diagram removal scheme [76] to handle interference and overlap with $t\bar{t}$ production. A related uncertainty is estimated by comparing it with an alternative sample generated using the diagram subtraction scheme [77]. The tW single-top-quark process inclusive cross-section is corrected to the theory prediction calculated at NLO in QCD with NNLL soft-gluon corrections [78, 79], whereas the inclusive cross-section for t -channel and s -channel single-top-quark production is calculated at NLO in QCD with HATHOR 2.1 [80, 81].

⁵ $m_{T,i} = \sqrt{m_i^2 + p_{T,i}^2}$.

Samples of W/Z +jets events are generated with the SHERPA v2.2.1 [82] generator. The matrix-element calculation is performed up to two additional partons at NLO and up to four additional partons at LO with the Comix [83] and OPENLOOPS libraries. The matrix-element calculation is merged with the SHERPA parton shower [84] using the ME+PS@NLO prescription [85–88]. The PDF set used for the matrix-element calculation is NNPDF3.0_{NNLO}. Both the W +jets and Z +jets samples are normalised to their respective inclusive NNLO theory cross-sections calculated with FEWZ [89].

Diboson processes (WW , WZ , and ZZ , collectively denoted as VV) are simulated with the SHERPA 2.2.1 or 2.2.2 generator depending on the process, and include off-shell effects and Higgs boson contributions when appropriate. Fully leptonic and semi-leptonic final states are generated using matrix elements at NLO in QCD for up to one additional parton, and at LO for up to three additional parton emissions. The matrix-element calculations are matched and merged with the SHERPA parton shower using the MEPS@NLO prescription. Virtual QCD corrections are provided by the OPENLOOPS library, and the NNPDF3.0_{NNLO} set of PDFs is used along with the dedicated set of tuned parton-shower parameters developed by the SHERPA authors.

The production of $t\bar{t}H$ events is modelled with POWHEG+PYTHIA 8.230, generated at NLO with the NNPDF3.0_{NLO} PDF set. The uncertainty due to the parton shower and hadronisation model is evaluated by comparison with samples modelled with HERWIG 7.0.4. To assess the uncertainty in the generator choice, the nominal samples are compared to samples generated with MADGRAPH5_AMC@NLO 2.6.2 at NLO in QCD using the 5FS scheme and the NNPDF2.3_{NLO} PDF set. The $t\bar{t}H$ cross-section is calculated at NLO QCD and NLO electroweak accuracies using MADGRAPH5_AMC@NLO, as reported in ref. [90]. The production of $t\bar{t}V$, tHq and tZq events is modelled with the MADGRAPH5_AMC@NLO 2.3.3 generator at NLO and the NNPDF3.0_{NLO} PDF, and interfaced to PYTHIA 8.210. The tZq total cross-section is calculated at NLO using MADGRAPH5_AMC@NLO 2.3.3 with the NNPDF3.0_{NLO} PDF set.

In all samples the top-quark mass is set to 172.5 GeV, and the decays of b - and c -hadrons are performed by EVTGEN v1.6.0 [91], except in samples simulated by the SHERPA event generator. All samples and their basic generation parameters are summarised in table 1.

5 Analysis strategy

In order to optimise the sensitivity of the search, events are categorised into separate regions according to the number of reconstructed jets (j) and b -jets (b) in the event. The analysis uses three regions enriched in signal, 4j 3b, 5j 3b and 6j 3b, and three control regions with small expected signal yields, 4j 4b, 5j $\geq 4b$ and 6j $\geq 4b$. In all cases, the b -jets are defined at the 60% OP. A discriminating variable based on a NN is defined in each signal region for each scalar mass hypothesis. The binned output of this variable is used in a combined profile likelihood fit to separate the scalar signal from the SM backgrounds, whereas the control regions are also included in the fit to constrain background normalisation factors. Thus, the fit simultaneously determines both the signal and background yields, while constraining the overall background model within the assigned systematic uncertainties.

Physics process	ME generator	PS generator	Normalisation	Simulation
$t \rightarrow qX$	POWHEG-BOX v2	PYTHIA 8.244	NLO	Fast
$t\bar{t} + \text{jets}$	POWHEG-BOX v2	PYTHIA 8.244	NNLO+NNLL	Fast
Single-top tW	POWHEG-BOX v2	PYTHIA 8.230	NNLO+NNLL	Full
Single-top t -chan	POWHEG-BOX v2	PYTHIA 8.230	NNLO+NNLL	Full
Single-top s -chan	POWHEG-BOX v2	PYTHIA 8.230	NNLO+NNLL	Full
$V + \text{jets}$	SHERPA 2.2.1	SHERPA 2.2.1	NNLO	Full
Diboson	SHERPA 2.2	SHERPA 2.2	NLO	Full
$t\bar{t}H$	POWHEG-BOX v2	PYTHIA 8.230	NLO	Full
$t\bar{t}V$	MADGRAPH5_AMC@NLO 2.3.3	PYTHIA 8.210	NLO	Full
tHq	MADGRAPH5_AMC@NLO 2.3.3	PYTHIA 8.210	NLO	Full
tZq	MADGRAPH5_AMC@NLO 2.3.3	PYTHIA 8.210	NLO	Full

Table 1. Nominal simulated signal and background event samples. The ME generator, PS generator and calculation accuracy of the cross-section in QCD used for normalisation are shown. The $t \rightarrow qH$ samples are generated using the same setup as for the $t \rightarrow qX$ signal samples. Either SHERPA 2.2.1 or SHERPA 2.2.2 was used for different diboson contributions. The rightmost column shows whether fast or full simulation was used to produce the samples.

The main background for this search originates from $t\bar{t}$ production in association with jets. It was observed that the simulation does not provide a fully satisfactory description of the data jet multiplicity and the transverse energy distributions. To improve the agreement between simulation and data, three additional regions requiring two b -jets and one additional bl -jet, named 2b+1bl in the following, are used to extract weights to correct the $t\bar{t}$ and $W \rightarrow cb$ simulated distributions, similarly to the method developed in recent ATLAS searches [68, 92]. As the signal samples are modelled as $t\bar{t}$ events using the same MC generator, the correction factors, which have small impact, are also applied to the signal.

Data and MC predictions are compared in the 2b+1bl regions separately for events with four, five and six jets to extract reweighting factors. Since the mismodelling is assumed to be mainly due to the additional radiation in the parton shower, which is independent of the flavour of the associated jet, the correction factors are expected to be appropriate for the 3b and $\geq 4b$ regions as well, to the point that the remaining discrepancies would be covered by the $t\bar{t}$ systematic uncertainty model. The $t\bar{t}$ corrections are derived for each jet multiplicity and as a function of H_T^{all} , defined as the scalar sum of the transverse momenta of all selected objects in the event including E_T^{miss} . The reweighting factors for each jet multiplicity can be expressed as:

$$R(H_T^{\text{all}}) = \frac{N_{\text{Data}}(H_T^{\text{all}}) - N_{\text{MC}}^{\text{non-}t\bar{t}}(H_T^{\text{all}})}{N_{\text{MC}}^{t\bar{t}}(H_T^{\text{all}})}. \quad (5.1)$$

In all jet multiplicities, the reweighting factors are close to unity for $H_T^{\text{all}} > 800 \text{ GeV}$ and increase rapidly up to a factor of 2–3 towards lower values of H_T^{all} . Among several functions, a hyperbola ($R(H_T^{\text{all}}) = A + \frac{B}{(H_T^{\text{all}})^C}$) was found to be the best fit to the weight functions to obtain the final corrections for each jet multiplicity, as shown in figure 2. Figure 3 shows the effect of the reweighting in the leading jet p_T distribution in the 3b signal regions.




Figure 2. Weight functions obtained from the comparison between data and simulation of H_T^{all} for the 2b+1bl regions and three different jet multiplicities, with the uncertainty bands associated to the variations of the eigenvalues of the matrix error of the fit function, namely A , B and C . The errors in the data points include the statistical uncertainties in data and MC predictions.

To enhance the separation between signal and background, a NN with five hidden layers of 250 nodes each, 3000 batch size, $10^{-0.75}$ learning rate, rectified linear unit activation function, and binary cross entropy loss function, has been used and is implemented with the deep learning library, Keras 2.4.3 [93]. Batch normalisation [94] is performed to speed up the learning process, dropout [95] is applied at a 25% rate, and the Adam algorithm [96] is used to optimise the parameters.

The variables used in the NN include information on the kinematics of the various reconstructed objects in addition to observables meant to reconstruct the $X \rightarrow b\bar{b}$ system. In the following, jets are ordered by looser b -tagging OP, and by p_T within a given bin. With this convention, the list of NN input variables includes:

- p_T , η and ϕ of the first six leading jets.
- E_T^{miss} magnitude and ϕ .
- p_T and η of the lepton.⁶

⁶The origin of the ϕ coordinate is chosen to be that of the lepton, and the ϕ s of the rest of the reconstructed objects are redefined relative to it.




Figure 3. Distributions of the leading jet p_T before the fit to the data in the different 3b analysis regions before (from (a) to (c)) and after (from (d) to (f)) applying the H_T^{all} -based reweighting. The last bin includes the overflow. The uncertainty bands include the correlated systematic uncertainties in the prediction and the statistical uncertainties uncorrelated across bins. In cases (d) to (f), the uncertainty bands are computed after the reweighting and include the associated uncertainties (see section 6).

- Bin of pseudo-continuous b -tagging distribution for the fourth, fifth and sixth jets.
- Three invariant masses and three ΔR of two b -jets from the three leading jets combined in pairs. These variables aim to reconstruct the decay of the scalar particle, although the width of the reconstructed mass is dominated by experimental resolution effects.

A 5-fold training [97] is performed using the events in the $[4-6]j3b$ and $[4-6]j\geq 4b$ regions of the $t \rightarrow uX$ and $t \rightarrow cX$ signal processes separately. For each training, all background samples and all signal samples with $m_X \geq 30$ GeV for the corresponding process are used. The various backgrounds are normalised according to their cross-sections, while the different signals are normalised to the total background. The training also includes the value of the m_X parameter, which for signal events is defined to be the true mass of the sig-




Figure 4. NN output distributions in the three signal regions for top-quark decays to uX under the 30, 80 and 120 GeV X mass hypotheses. Background samples are normalised according to their cross-sections. Signal and background distributions are finally normalised to the same area.

nal sample, while for background events a random value of the X mass, taken from the fraction of signal masses in the input dataset, is assigned to each event [98]. In addition to increasing the size of the training sample, the use of a mass-parameterised NN allows the different signals to be differentiated. Figures 4 and 5 compare the distributions of the NN output in the signal regions between either the $t \rightarrow uX$ or $t \rightarrow cX$ process and the background for three representative values of m_X : 30, 80, and 120 GeV. For high values of m_X , the invariant masses and angular distances of the b -jet pairs peak at similar values in both signal and background events, thus reducing the NN discriminating power. The NN output distributions are used in a fit to extract the amount of signal in data.

6 Systematic uncertainties

Several sources of uncertainties, which may affect the normalisation of the signal and backgrounds, as well as the shape of their corresponding NN outputs, are considered in this




Figure 5. NN output distributions in the three signal regions for top-quark decays to cX under the 30, 80 and 120 GeV X mass hypotheses. Background samples are normalised according to their cross-sections. Signal and background distributions are finally normalised to the same area.

analysis. Correlations of a given uncertainty are set across processes and event categories as appropriate.

Different sources of systematic uncertainties covering potential mismodelling of the $t\bar{t}$ background depending on jet and b -jet multiplicities have been considered. The uncertainties associated to the $t\bar{t} + \geq 1b$, $t\bar{t} + \geq 1c$ and $t\bar{t}$ +light processes are treated as uncorrelated, unless stated otherwise. Uncertainties associated with the choice of matrix-element generator and parton shower and hadronisation models are obtained by comparing the nominal $t\bar{t}$ sample with alternative samples. These uncertainties are evaluated by deriving data-based corrections for these alternative samples in a procedure analogous to that used to correct the nominal $t\bar{t}$ sample (see section 5). The $t\bar{t}$ modelling uncertainties are thus evaluated by comparing the alternative $t\bar{t}$ samples to the nominal ones after the corresponding data-based corrections are applied to both sets. These uncertainties are further decorrelated between different jet multiplicity regions. The uncertainty due to initial- and final-state radiation (ISR/FSR) is estimated by varying the parameters of the A14 parton shower

Systematic uncertainty	Description	Process
NLO generator	POWHEG+PYTHIA8 vs. MG5_AMC+PYTHIA8	$t\bar{t}$ 4j, 5j, 6j
Parton shower & hadronisation	POWHEG+PYTHIA8 vs. POWHEG+HERWIG7	$t\bar{t}$ 4j, 5j, 6j
Radiation	$\mu_R, \mu_F, h_{\text{damp}}, \text{ISR and FSR}$	$t\bar{t}$ 4j, 5j, 6j
$t\bar{t}+\geq 1b$ modelling	5FS vs 4FS	$t\bar{t}+\geq 1b$ 4j, 5j, 6j
$t\bar{t}+\geq 1b$ cross-section	$\pm 50\%$	$t\bar{t}+\geq 1b$
$t\bar{t}+\geq 1c$ cross-section	$\pm 50\%$	$t\bar{t}+\geq 1c$
$t\bar{t}$ reweighting	Stat. unc. derived from matrix error	All $t\bar{t}$ +jets

Table 2. Summary of the sources of systematic uncertainty for $t\bar{t}$ +jets modelling. The last column of the table indicates the $t\bar{t}$ +jets components to which a systematic uncertainty is assigned and if split in jet multiplicity. Each contribution of the radiation systematic uncertainty is varied individually. The NLO generator, parton shower and hadronisation, as well as radiation and reweighting uncertainties are also applied to signal samples.

tune [99] as described in ref. [92]. An uncertainty accounting for missing higher-order QCD corrections in the matrix-element calculation is estimated by varying the renormalisation (μ_R) and factorisation (μ_F) scales in POWHEG BOX v2 by factors of 2 and 0.5 relative to the nominal scales. Uncertainties due to high-order QCD corrections, ISR and FSR modelling are treated as correlated between different jet multiplicity regions. The $t\bar{t}+\geq 1b$ modelling uncertainty is evaluated by comparing the 5FS nominal sample to the alternative 4FS. A normalisation uncertainty of 50% is assumed separately for $t\bar{t}+\geq 1b$ and $t\bar{t}+\geq 1c$. For $t\bar{t}+\geq 1b$ the choice is motivated by the level of agreement between data and prediction in the control regions for this background before the fit [100]. The $t\bar{t}+\geq 1b$ normalisation uncertainty is constrained from the fit, while the $t\bar{t}+\geq 1c$ normalisation uncertainty is not.

The background originating from $t\bar{t}$ events with a W boson decaying into a charm and a bottom quark is modelled with dedicated samples of simulated events. Modelling uncertainties from the choice of the NLO generator as well as parton shower and hadronisation models for this sub-set of $t\bar{t}$ events are assigned by comparing the nominal prediction with alternative events generated with MG5_AMC+PYTHIA8 and POWHEG+HERWIG, respectively, as discussed in section 4. An additional cross-section uncertainty for this process is assigned by combining in quadrature the 6% uncertainty in the inclusive $t\bar{t}$ production cross-section with a 3% uncertainty in the V_{cb} measurements [101].

Systematic uncertainties in the data-based $t\bar{t}$ corrections (section 5) arise from the statistical uncertainty in the parametrisation of the correction factors and subtraction of the non- $t\bar{t}$ backgrounds. These uncertainties are uncorrelated in each jet multiplicity, but correlated across $t\bar{t}+\geq 1b$, $t\bar{t}+\geq 1c$ and $t\bar{t}$ +light background components, as they cover the modelling of the parton shower. Table 2 summarises the systematic uncertainties affecting the modelling of the $t\bar{t}$ + jets background.

Uncertainties affecting the modelling of the single-top-quark background include a $+5\%/ -4\%$ uncertainty in the total cross-section estimated as a weighted average of the theoretical uncertainties in t -, Wt - and s -channel productions [78, 102, 103]. Uncertainties associated with the choice of the NLO generator, parton shower and hadronisation models are evaluated by using alternative samples introduced in section 4. These uncertainties

are treated as uncorrelated among single-top-quark production processes. An additional systematic uncertainty in the Wt -channel process concerning the separation between $t\bar{t}$ and Wt at NLO is assessed by comparing samples generated with the diagram subtraction or the diagram removal schemes. The uncertainty in the ISR and FSR modelling is estimated with the same procedure used to evaluate the corresponding source from the $t\bar{t}$ background.

Uncertainties affecting the normalisation of the V +jets background are estimated for the sum of W +jets and Z +jets. The agreement between data and the total background predictions is found to be within approximately 40%, which is taken to be the total normalisation uncertainty correlated across all V +jets processes. This uncertainty is justified by variations of the factorisation and renormalisation scales and of the matching parameters in the Sherpa samples, and by the uncertainty in the extraction from data of the correction factor for the heavy-flavour component [48, 104]. An additional 25% uncertainty is added in quadrature to the inclusive 40% uncertainty for each additional jet multiplicity beyond four, resulting in 47% and 52% in regions with five and six jets, respectively [105].

Uncertainties in the diboson background normalisation include 5% from the NLO theory cross-sections [106], as well as an additional 24% normalisation uncertainty added in quadrature for each additional inclusive jet-multiplicity bin, based on a comparison among different algorithms for merging LO matrix elements and parton showers [105]. Therefore, the total uncertainty is 34%, 42% and 48% for events with four, five, and six jets, respectively. Recent comparisons between data and SHERPA 2.1.1 for $WZ \rightarrow \ell'\nu\ell\ell + \geq 4$ jets show agreement within the experimental uncertainty of approximately 40% [107], which further motivates the uncertainties above. Uncertainties in the $t\bar{t}V$, tZ , $t\bar{t}H$ and tH cross-sections are 60%, 60%, +9/-12% and 50%, respectively, arising from the uncertainties in their respective NLO theoretical cross-sections [90, 108].

Finally, several normalisation and shape uncertainties are taken into account for the $t \rightarrow qX$ signal. Since no alternative signal samples are used in the analysis, the uncertainties from the choice of NLO generator, parton shower and hadronisation, and reweighting of the $t\bar{t}$ +light background are assigned to the signal. These uncertainties are chosen to be correlated with the $t\bar{t}$ +light background, and thus are included in the $t\bar{t}$ +light modelling category in tables 3 and 4, and uncorrelated across jet multiplicities.

The uncertainty in the measurement of the integrated luminosity of the Run 2 dataset is 1.7% [22] and affects the overall normalisation of all simulated processes. The uncertainty is derived using the LUCID-2 detector for the baseline luminosity measurements [23] from a calibration of the luminosity scale using $x - y$ beam-separation scans. An uncertainty is assigned to the modelling of pile-up in simulation to account for differences in predicted and measured inelastic cross-sections in a given fiducial volume [109].

Uncertainties associated with electrons and muons arise from the trigger, reconstruction, identification and isolation efficiencies [24, 25, 29, 31]. These efficiencies are slightly different between data and simulation, and scale factors derived using tag-and-probe techniques in data enriched in $Z \rightarrow \ell^+\ell^-$ ($\ell = e, \mu$) events and in the corresponding MC samples are applied to the simulation to correct for the differences [110, 111]. Additional uncertainties in the lepton momentum scale and resolution are derived using data enriched in $Z \rightarrow \ell^+\ell^-$ and $J/\psi \rightarrow \ell^+\ell^-$ events [29, 111]. In total, four independent components

are considered for electrons and ten for muons. The combined effect of all these uncertainties results in an overall normalisation uncertainty in the signal and background of approximately 1%.

Uncertainties in jet measurements arise from the jet energy scale (JES) and resolution, and from the efficiency to pass the JVT requirements [35, 112, 113]. The largest contribution results from the JES, the uncertainty of which is split into 29 uncorrelated components, and depends on jet p_T and η , jet flavour, pile-up treatment, and simulation of the hadronic shower shape. The JES is calibrated with a series of simulation-based corrections and measurements in data samples enriched in photon, Z -boson, or multi-jet production.

The b -tagging efficiencies for b - and c -jets in the simulation are corrected by p_T -dependent factors to match the efficiencies in data, whereas in the case of light-jets the efficiency is scaled by p_T - and η -dependent factors. The b -jet efficiencies and c -jet mis-tagging rates are measured in a data sample enriched in $t\bar{t}$ events [38, 114], while the light-jet mis-tagging rates are measured in a multi-jet data sample enriched in light jets. Uncertainties affecting b -, c -, and light-jet efficiencies or mis-tagging rates are decomposed into 45, 15 and 20 uncorrelated components, respectively [115].

Uncertainties associated with energy scales and resolutions of leptons and jets are propagated to the E_T^{miss} reconstruction. Additional uncertainties affecting the reconstruction of low energy particles present in the event, not associated with any leptons or jets, are measured using data enriched in $Z \rightarrow \ell^+ \ell^-$ events by studying the recoil of the Z -boson [116].

7 Results

The presence of a $t \rightarrow qX$ signal is tested by means of a binned maximum-likelihood fit to the data performed simultaneously in all analysis regions. Each mass hypothesis and process, $t \rightarrow uX$ or $t \rightarrow cX$, is tested separately. The inputs to the fit are the NN output distributions in the three signal regions and the total yields in the three control regions, and the likelihood is constructed as a product of Poisson probability terms over all bins considered in the search. The parameter of interest is the branching fraction of $t \rightarrow qX$, set to a reference value of 0.1%. The likelihood function also depends on a set of nuisance parameters that encode the effect of systematic uncertainties in the signal and background expectations. All nuisance parameters are subject to Gaussian, log-normal or Poisson constraints in the likelihood.

For a given value of μ , the nuisance parameters θ allow variations of the expected amount of signal and background according to the corresponding systematic uncertainties, and their fitted values result in deviations from the nominal expectations that provide the best fit to the data for each mass hypothesis and quark flavour. This procedure allows a reduction of the impact of systematic uncertainties on the search sensitivity by taking advantage of the highly populated background-dominated bins included in the likelihood fit. Statistical uncertainties in each bin of the predicted NN output are taken into account by dedicated parameters in the fit. The best-fit branching fraction is obtained by performing a binned likelihood fit to the data under the signal-plus-background hypothesis, maximising the likelihood function $\mathcal{L}(\mu, \theta)$ over μ and θ .

The test statistic q_μ is defined as the profile likelihood ratio, $q_\mu = -2 \log(\mathcal{L}(\mu, \hat{\theta}_\mu) / \mathcal{L}(\hat{\mu}, \hat{\theta}))$, where $\hat{\mu}$ and $\hat{\theta}$ are the values of the parameters that maximise the likelihood function (subject to the constraint $0 \leq \hat{\mu} \leq \mu$), and $\hat{\theta}_\mu$ are the values of the nuisance parameters that maximise the likelihood function for a given value of μ . A related test statistic is used to determine whether the observed data is compatible with the background-only hypothesis by setting $\mu = 0$ in the profile likelihood ratio and leaving $\hat{\mu}$ unconstrained: $q_0 = -2 \log(\mathcal{L}(0, \hat{\theta}_0) / \mathcal{L}(\hat{\mu}, \hat{\theta}))$. The p -value (referred to as p_0) representing the level of agreement between the data and the background-only hypothesis, is estimated by integrating the distribution of q_0 based on the asymptotic formulae in ref. [117], above the observed value of q_0 in the data. Upper limits on μ , and thus on the branching fraction $\mathcal{B}$, are derived by using q_μ in the CL_s method [118, 119]. For a given signal scenario, values of $\mathcal{B}$ yielding CL_s < 0.05, where CL_s is computed using the asymptotic approximation, are excluded at $\leq 95\%$ confidence level (CL).

There are about 200 nuisance parameters considered in the fit, and this number varies slightly across the range of mass hypotheses. The $t\bar{t} + \geq 1b$ normalisation, modelling, parton shower and hadronisation uncertainties are the most constrained by the fit. A summary of the systematic uncertainties with similar sources grouped together is given for m_X values of 30, 80 and 120 GeV in tables 3 and 4 for the $t \rightarrow uX$ and $t \rightarrow cX$ processes, respectively. Depending on the process and the m_X hypothesis, the total systematic uncertainty is dominated by $t\bar{t}$ modelling, jet energy scale and resolution, or jet tagging uncertainties.

Table 5 shows the event yields after the background-plus-signal fit under the $t \rightarrow uX$ and $t \rightarrow cX$ hypotheses with the X scalar mass of 30 GeV. Figures 6 to 8 show the post-fit distributions of the NN output in the 3b regions and the yields in the $\geq 4b$ regions for the 30, 80 and 120 GeV m_X hypotheses and the two signal processes. The binning of the NN distributions is optimised for each signal, so as to maximize the signal over the background per bin, while keeping a sufficient fraction of events in each bin. After the fit, good agreement between the data and simulation is found in the input variables of the NN.

The 95% CL upper limits on $\mathcal{B}(t \rightarrow uX) \times \mathcal{B}(X \rightarrow b\bar{b})$ and $\mathcal{B}(t \rightarrow cX) \times \mathcal{B}(X \rightarrow b\bar{b})$ obtained using the CL_s method are presented in figure 9. A local excess of 1.8 standard deviations is seen in the $t \rightarrow uX$ channel at $m_X = 40$ GeV. Also, a roughly two-standard deviation excess can be seen in the $t \rightarrow cX$ observed limit over almost the entire range of m_X . This excess, slightly visible in figures 7 and 8 (e) to (h), is not compatible with the presence of a scalar particle X , which would show up as a narrower, resonance-like, excess in the limit plot.

The observed (expected) limits range from 0.019% (0.017%) to 0.062% (0.056%) for $\mathcal{B}(t \rightarrow uX) \times \mathcal{B}(X \rightarrow b\bar{b})$ and from 0.018% (0.015%) to 0.078% (0.056%) for $\mathcal{B}(t \rightarrow cX) \times \mathcal{B}(X \rightarrow b\bar{b})$. The p_0 values range from 0.033 (under the $m_X = 40$ GeV hypothesis) to 0.908 for the $t \rightarrow uX$ fits and from 0.016 (under the $m_X = 80$ GeV hypothesis) to 0.332 for the $t \rightarrow cX$ fits. Although the kinematics of $t \rightarrow uX$ and $t \rightarrow cX$ events are very similar, they slightly differ in the fourth jet due to its different flavour. Given the use of b -tagging information in the NN training, the discrimination achieved between background and $t \rightarrow uX$ or $t \rightarrow cX$ signals slightly differs too and depends on the mass of the scalar. Similarly, the observed (expected) 95% CL upper limit on $\mathcal{B}(t \rightarrow uH)$ is 0.077% (0.088%) and that on $\mathcal{B}(t \rightarrow cH)$ is 0.12% (0.076%), where the single top-quark contribution to the

Uncertainty source	$\Delta\mu(uX_{30})$	$\Delta\mu(uX_{80})$	$\Delta\mu(uX_{120})$
$t\bar{t} + \geq 1b$ modelling	0.040	0.060	0.098
$t\bar{t} + \geq 1c$ modelling	0.033	0.055	0.091
$t\bar{t}$ +light modelling	0.034	0.058	0.040
$t\bar{t} + \geq 1b$ normalisation	0.012	0.011	0.039
$t\bar{t} + \geq 1c$ normalisation	0.017	0.036	0.087
$W \rightarrow cb$ modelling	0.001	0.010	0.017
$t\bar{t}$ reweighting	0.005	0.013	0.017
Other backgrounds	0.008	0.026	0.023
Luminosity, JVT, pile-up	0.002	0.006	0.012
Lepton trigger, identification, isolation	0.001	0.004	0.007
Jet energy scale and resolution	0.008	0.037	0.040
b -tagging efficiency for b -jets	0.007	0.008	0.041
b -tagging efficiency for c -jets	0.014	0.027	0.079
b -tagging efficiency for light jets	0.007	0.008	0.010
E_T^{miss}	0.002	0.010	0.011
Total systematic uncertainty	0.077	0.125	0.220
Signal statistical uncertainty	0.014	0.009	0.007
Total statistical uncertainty	0.064	0.070	0.065
Total uncertainty	0.098	0.141	0.230

Table 3. Summary of the statistical and systematic uncertainties in $\mu = \mathcal{B}(t \rightarrow uX)$ shown for an X signal with a mass of 30, 80 or 120 GeV, extracted from the fit to the data. A pre-fit value of $\mu = 0.1\%$ is assumed for all X mass hypotheses. Due to correlations between the different sources of uncertainty, the total systematic uncertainty in μ can be different from the sum in quadrature of the individual sources.

process has not been included because it is negligible and SM decay branching fractions have been assumed for the Higgs boson.

The limits can be compared with previous results on FCNC $t \rightarrow qH$ searches, where H is the SM Higgs boson, obtained by ATLAS with 36 fb⁻¹ of data, 0.52% (0.49%) for the observed (expected) limit on $\mathcal{B}(t \rightarrow uH(b\bar{b}))$ and 0.42% (0.40%) for the observed (expected) limit on $\mathcal{B}(t \rightarrow cH(b\bar{b}))$ [11]. The observed (expected) limits obtained by CMS with 137 fb⁻¹ of data are 0.079% (0.11%) for $\mathcal{B}(t \rightarrow uH(b\bar{b}))$ and 0.094% (0.086%) for $\mathcal{B}(t \rightarrow cH(b\bar{b}))$ [14]. The expected limits presented in this paper are on average a factor of three better than the previous ATLAS results scaled to the same integrated luminosity, and slightly better than the CMS results. The use of a NN instead of a likelihood discriminant, a better b -tagging algorithm, and better $t\bar{t}$ background modelling are the main improvements over the previous ATLAS analysis. In these comparisons the fact that this analysis assumes a $\mathcal{B}(X \rightarrow b\bar{b}) = 100\%$, whereas the $t \rightarrow qH$ results are affected by a smaller $\mathcal{B}(H \rightarrow b\bar{b})$, has been taken into account. More stringent limits were obtained by CMS using the $H \rightarrow \gamma\gamma$ decay mode: 0.019% (0.031%) for the observed (expected) limit on $\mathcal{B}(t \rightarrow uH(\gamma\gamma))$ and 0.073% (0.051%) for the observed (expected) limit on $\mathcal{B}(t \rightarrow cH(\gamma\gamma))$ [15]. Finally, the observed (expected) ATLAS limits on $\mathcal{B}(t \rightarrow qH)$ with $H \rightarrow \tau\bar{\tau}$, obtained with 139 fb⁻¹ of data, are 0.072% (0.036%) for $t \rightarrow uH$ and 0.099% (0.050%) for $t \rightarrow cH$ [12], which are comparable with the results presented in this paper.

Uncertainty source	$\Delta\mu(cX_{30})$	$\Delta\mu(cX_{80})$	$\Delta\mu(cX_{120})$
$t\bar{t}+\geq 1b$ modelling	0.034	0.074	0.079
$t\bar{t}+\geq 1c$ modelling	0.010	0.012	0.040
$t\bar{t}$ +light modelling	0.008	0.049	0.038
$t\bar{t}+\geq 1b$ normalisation	0.026	0.038	0.001
$t\bar{t}+\geq 1c$ normalisation	0.019	0.048	0.013
$W \rightarrow cb$ modelling	0.001	0.020	0.015
$t\bar{t}$ reweighting	0.005	0.013	0.019
Other backgrounds	0.009	0.057	0.047
Luminosity, JVT, pile-up	0.005	0.005	0.003
Lepton trigger, identification, isolation	0.001	0.004	0.003
Jet energy scale and resolution	0.017	0.049	0.051
b -tagging efficiency for b -jets	0.003	0.016	0.023
b -tagging efficiency for c -jets	0.010	0.038	0.091
b -tagging efficiency for light jets	0.009	0.065	0.125
E_T^{miss}	0.001	0.003	0.008
Total systematic uncertainty	0.056	0.150	0.208
Signal statistical uncertainty	0.017	0.012	0.008
Total statistical uncertainty	0.064	0.067	0.058
Total uncertainty	0.079	0.162	0.217

Table 4. Summary of the statistical and systematic uncertainties in $\mu = \mathcal{B}(t \rightarrow cX)$ shown for an X signal with a mass of 30, 80 or 120 GeV, extracted from the fit to the data. A value of $\mu = 0.1\%$ is assumed for all X mass hypotheses. Due to correlations between the different sources of uncertainty, the total systematic uncertainty in μ can be different from the sum in quadrature of the individual sources.

$t \rightarrow uX, m_X = 30 \text{ GeV}$						
	4j 3b	4j 4b	5j 3b	5j $\geq 4b$	6j 3b	6j $\geq 4b$
$t\bar{t} + \text{light}$	9300 ± 900	4.0 ± 2.4	6200 ± 900	7 ± 5	2700 ± 500	5 ± 4
$t\bar{t} + \geq 1b$	11200 ± 1000	319 ± 22	15400 ± 1200	980 ± 50	12000 ± 900	1250 ± 60
$t\bar{t} + \geq 1c$	3400 ± 1100	12 ± 7	4200 ± 1300	33 ± 11	2900 ± 900	29 ± 10
$W \rightarrow cb$	380 ± 60	8.1 ± 1.2	270 ± 50	11.4 ± 1.9	132 ± 22	7.4 ± 2.4
Single- t	1200 ± 400	19 ± 11	1100 ± 400	49 ± 22	640 ± 280	60 ± 40
$t\bar{t}H$	106 ± 14	6.6 ± 1.0	273 ± 32	45 ± 7	309 ± 35	75 ± 10
$t\bar{t}V$	120 ± 80	7 ± 5	190 ± 120	25 ± 15	190 ± 120	33 ± 21
$VV, V + \text{jets}$	870 ± 290	16 ± 5	770 ± 40	28.9 ± 3.0	459 ± 32	27.5 ± 3.2
Signal	10 ± 40	0.02 ± 0.08	8 ± 33	0.2 ± 0.8	4 ± 16	0.1 ± 0.6
Total	26580 ± 170	392 ± 17	28410 ± 180	1176 ± 33	19300 ± 150	1490 ± 40
Data	26614	374	28394	1179	19302	1492

$t \rightarrow cX, m_X = 30 \text{ GeV}$						
	4j 3b	4j 4b	5j 3b	5j $\geq 4b$	6j 3b	6j $\geq 4b$
$t\bar{t} + \text{light}$	10200 ± 1200	6.4 ± 3.3	6700 ± 1000	10 ± 6	3000 ± 600	7 ± 5
$t\bar{t} + \geq 1b$	9800 ± 1200	284 ± 25	14500 ± 1300	970 ± 50	11400 ± 1000	1250 ± 60
$t\bar{t} + \geq 1c$	3900 ± 1300	17 ± 10	4600 ± 1400	41 ± 14	3300 ± 1100	35 ± 12
$W \rightarrow cb$	400 ± 60	8.7 ± 1.2	280 ± 50	12.3 ± 2.1	134 ± 23	7.9 ± 2.6
Single- t	1200 ± 400	25 ± 15	1100 ± 400	43 ± 19	550 ± 230	51 ± 31
$t\bar{t}H$	109 ± 14	6.9 ± 1.0	280 ± 33	46 ± 7	316 ± 35	78 ± 11
$t\bar{t}V$	140 ± 80	8 ± 5	220 ± 120	28 ± 16	220 ± 120	38 ± 22
$VV, V + \text{jets}$	810 ± 260	16 ± 5	730 ± 50	27.0 ± 3.0	425 ± 34	25.0 ± 3.0
Signal	20 ± 40	0.5 ± 1.2	14 ± 31	0.5 ± 1.1	7 ± 15	0.4 ± 1.0
Total	26600 ± 180	373 ± 18	28400 ± 190	1183 ± 34	19310 ± 150	1490 ± 40
Data	26614	374	28394	1179	19302	1492

Table 5. Event yields of the signal and SM background processes in the six analysis regions after the fit to the data under the $t \rightarrow uX$ (top) and $t \rightarrow cX$ (bottom) hypotheses assuming $m_X = 30 \text{ GeV}$. Total includes signal and background. The quoted uncertainties take into account correlations and constraints of the nuisance parameters and include both the statistical and systematic uncertainties. Negative correlations between the $t\bar{t} + \text{light}$, $t\bar{t} + \geq 1b$ and $t\bar{t} + \geq 1c$ modelling uncertainties can make the uncertainty in the total yields smaller than in the individual components.




Figure 6. Comparison between the data and prediction for the NN output in the 3b regions for the $t \rightarrow uX$ ((a) to (c)) and the $t \rightarrow cX$ ((d) to (f)) processes, and the yields in the $\geq 4b$ regions for the $t \rightarrow uX$ (g) and the $t \rightarrow cX$ (h) processes after the signal-plus-background fit to data for the 30 GeV X scalar mass hypothesis. The dashed red line corresponds to a $m_X = 30$ GeV signal normalised to the total background. The uncertainty bands show the total uncertainty after the fit.




Figure 7. Comparison between the data and prediction for the NN output in the 3b regions for the $t \rightarrow uX$ ((a) to (c)) and the $t \rightarrow cX$ ((d) to (f)) processes, and the yields in the $\geq 4b$ regions for the $t \rightarrow uX$ (g) and the $t \rightarrow cX$ (h) processes after the signal-plus-background fit to data for the 80 GeV X scalar mass hypothesis. The dashed red line corresponds to a $m_X = 80$ GeV signal normalised to the total background. The uncertainty bands show the total uncertainty after the fit.






Figure 8. Comparison between the data and prediction for the NN output in the 3b regions for the $t \rightarrow uX$ ((a) to (c)) and the $t \rightarrow cX$ ((d) to (f)) processes, and the yields in the $\geq 4b$ regions for the $t \rightarrow uX$ (g) and the $t \rightarrow cX$ (h) processes after the signal-plus-background fit to data for the 120 GeV X scalar mass hypothesis. The dashed red line corresponds to a $m_X = 120$ GeV signal normalised to the total background. The uncertainty bands show the total uncertainty after the fit.



(a) $t \rightarrow uX$



(b) $t \rightarrow cX$

Figure 9. Expected and observed 95% CL upper limits for $\mathcal{B}(t \rightarrow uX) \times \mathcal{B}(X \rightarrow b\bar{b})$ (a) and $\mathcal{B}(t \rightarrow cX) \times \mathcal{B}(X \rightarrow b\bar{b})$ (b). The bands surrounding the expected limits show the 68% and 95% confidence intervals, respectively.

8 Conclusion

A search for a neutral scalar particle X produced in flavour-changing neutral-current top-quark decays is presented, based on a data sample corresponding to an integrated luminosity of 139 fb^{-1} from proton-proton collisions at $\sqrt{s}=13\text{ TeV}$, recorded with the ATLAS detector at the LHC. The search for $t \rightarrow qX$, with $X \rightarrow b\bar{b}$, produced in $t\bar{t}$ events is performed in the X mass range from 20 to 160 GeV in single-lepton final states. A discriminant neural network has been trained for each $t \rightarrow uX$ or $t \rightarrow cX$ process to distinguish between signal and background. The output of the neural network depends on the X mass, and a fit to the data is performed simultaneously on these output distributions in the signal regions and the total yields in the control regions, separately for the various mass hypotheses.

No significant excess above the expected Standard Model background is found and observed (expected) 95% confidence-level upper limits between 0.019% (0.017%) and 0.062% (0.056%) are derived for the branching fraction $\mathcal{B}(t \rightarrow uX) \times \mathcal{B}(X \rightarrow b\bar{b})$ and between 0.018% (0.015%) and 0.078% (0.056%) for the branching fraction $\mathcal{B}(t \rightarrow cX) \times \mathcal{B}(X \rightarrow b\bar{b})$ in the explored mass range. The expected limits are on average a factor of three better than the previous ATLAS results scaled to the same integrated luminosity. The same neural network is used to derive limits for the branching fraction of a top quark into the Standard Model Higgs boson and a quark, resulting in 95% confidence level upper limits of 0.077% (0.088%) for the observed (expected) $\mathcal{B}(t \rightarrow uH)$ and 0.12% (0.076%) for the observed (expected) $\mathcal{B}(t \rightarrow cH)$.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF,

Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [120].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] S.L. Glashow, J. Iliopoulos and L. Maiani, *Weak interactions with lepton-hadron symmetry*, *Phys. Rev. D* **2** (1970) 1285 [[INSPIRE](#)].
- [2] J.A. Aguilar-Saavedra, *Effects of mixing with quark singlets*, *Phys. Rev. D* **67** (2003) 035003 [*Erratum ibid.* **69** (2004) 099901] [[hep-ph/0210112](#)] [[INSPIRE](#)].
- [3] S. Bejar, J. Guasch and J. Solà, *Loop induced flavor changing neutral decays of the top quark in a general two Higgs doublet model*, *Nucl. Phys. B* **600** (2001) 21 [[hep-ph/0011091](#)] [[INSPIRE](#)].
- [4] J. Guasch and J. Solà, *FCNC top quark decays: A Door to SUSY physics in high luminosity colliders?*, *Nucl. Phys. B* **562** (1999) 3 [[hep-ph/9906268](#)] [[INSPIRE](#)].
- [5] J.J. Cao et al., *SUSY-induced FCNC top-quark processes at the large hadron collider*, *Phys. Rev. D* **75** (2007) 075021 [[hep-ph/0702264](#)] [[INSPIRE](#)].
- [6] J. Cao et al., *SUSY induced top quark FCNC decay $t \rightarrow ch$ after Run I of LHC*, *Eur. Phys. J. C* **74** (2014) 3058 [[arXiv:1404.1241](#)] [[INSPIRE](#)].
- [7] G. Eilam et al., *Top quark rare decay $t \rightarrow ch$ in R-parity violating SUSY*, *Phys. Lett. B* **510** (2001) 227 [[hep-ph/0102037](#)] [[INSPIRE](#)].
- [8] A. Azatov, G. Panico, G. Perez and Y. Soreq, *On the flavor structure of natural composite Higgs models & top flavor violation*, *JHEP* **12** (2014) 082 [[arXiv:1408.4525](#)] [[INSPIRE](#)].
- [9] C.D. Froggatt and H.B. Nielsen, *Hierarchy of quark masses, Cabibbo angles and CP violation*, *Nucl. Phys. B* **147** (1979) 277 [[INSPIRE](#)].
- [10] S. Banerjee, M. Chala and M. Spannowsky, *Top quark FCNCs in extended Higgs sectors*, *Eur. Phys. J. C* **78** (2018) 683 [[arXiv:1806.02836](#)] [[INSPIRE](#)].
- [11] ATLAS collaboration, *Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector*, *JHEP* **05** (2019) 123 [[arXiv:1812.11568](#)] [[INSPIRE](#)].
- [12] ATLAS collaboration, *Search for flavour-changing neutral current interactions of the top quark and the Higgs boson in events with a pair of τ -leptons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector*, *JHEP* **2306** (2023) 155 [[arXiv:2208.11415](#)] [[INSPIRE](#)].

- [13] CMS collaboration, *Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13$ TeV*, *JHEP* **06** (2018) 102 [[arXiv:1712.02399](#)] [[INSPIRE](#)].
- [14] CMS collaboration, *Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV*, *JHEP* **02** (2022) 169 [[arXiv:2112.09734](#)] [[INSPIRE](#)].
- [15] CMS collaboration, *Search for flavor-changing neutral current interactions of the top quark and Higgs boson in final states with two photons in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **129** (2022) 032001 [[arXiv:2111.02219](#)] [[INSPIRE](#)].
- [16] ATLAS collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [17] ATLAS collaboration, *ATLAS insertable B-layer technical design report*, *ATLAS-TDR-2010-19* (2010).
- [18] B. Abbott, *Production and Integration of the ATLAS Insertable B-Layer*, 2018 *JINST* **13** T05008 [[arXiv:1803.00844](#)] [[INSPIRE](#)].
- [19] ATLAS collaboration, *Performance of the ATLAS Trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].
- [20] ATLAS collaboration, *The ATLAS collaboration software and firmware*, *ATL-SOFT-PUB-2021-001* (2021).
- [21] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [22] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *ATLAS-CONF-2019-021* (2019).
- [23] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, 2018 *JINST* **13** P07017 [[INSPIRE](#)].
- [24] ATLAS collaboration, *Performance of the ATLAS muon triggers in Run 2*, 2020 *JINST* **15** P09015 [[arXiv:2004.13447](#)] [[INSPIRE](#)].
- [25] ATLAS collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47 [[arXiv:1909.00761](#)] [[INSPIRE](#)].
- [26] ATLAS collaboration, *Operation of the ATLAS trigger system in Run 2*, 2020 *JINST* **15** P10004 [[arXiv:2007.12539](#)] [[INSPIRE](#)].
- [27] ATLAS collaboration, *The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2*, *Eur. Phys. J. C* **82** (2022) 206 [[arXiv:2107.02485](#)] [[INSPIRE](#)].
- [28] ATLAS collaboration, *Vertex reconstruction performance of the ATLAS detector at $\sqrt{s} = 13$ TeV*, *ATL-PHYS-PUB-2015-026* (2015).
- [29] ATLAS collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data*, 2019 *JINST* **14** P12006 [[arXiv:1908.00005](#)] [[INSPIRE](#)].
- [30] ATLAS collaboration, *Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton-proton collision data*, *ATLAS-CONF-2016-024* (2016).
- [31] ATLAS collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578 [[arXiv:2012.00578](#)] [[INSPIRE](#)].

- [32] ATLAS collaboration, *Jet reconstruction and performance using particle flow with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 466 [[arXiv:1703.10485](#)] [[INSPIRE](#)].
- [33] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [34] M. Cacciari, G.P. Salam and G. Soyez, *FastJet User Manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [35] ATLAS collaboration, *Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002 [[arXiv:1703.09665](#)] [[INSPIRE](#)].
- [36] ATLAS collaboration, *Selection of jets produced in 13 TeV proton-proton collisions with the ATLAS detector*, [ATLAS-CONF-2015-029](#) (2015).
- [37] ATLAS collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581 [[arXiv:1510.03823](#)] [[INSPIRE](#)].
- [38] ATLAS collaboration, *ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 970 [[arXiv:1907.05120](#)] [[INSPIRE](#)].
- [39] ATLAS collaboration, *Commissioning of the ATLAS b-tagging algorithms using $t\bar{t}$ events in early Run 2 data*, [ATL-PHYS-PUB-2015-039](#) (2015).
- [40] ATLAS collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, [arXiv:2211.16345](#) [[INSPIRE](#)].
- [41] ATLAS collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector in the first proton-proton collisions at $\sqrt{s} = 13$ TeV*, [ATL-PHYS-PUB-2015-027](#) (2015).
- [42] ATLAS collaboration, *Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 241 [[arXiv:1609.09324](#)] [[INSPIRE](#)].
- [43] ATLAS collaboration, *Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **07** (2020) 124 [[arXiv:2002.07546](#)] [[INSPIRE](#)].
- [44] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [45] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [46] ATLAS collaboration, *The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim*, [ATL-PHYS-PUB-2010-013](#) (2010).
- [47] T. Sjöstrand, S. Mrenna and P.Z. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [[INSPIRE](#)].
- [48] R.D. Ball, *Parton distributions for the LHC Run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [49] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, [ATL-PHYS-PUB-2016-017](#) (2016).
- [50] P. Nason, *A New method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040 [[hep-ph/0409146](#)] [[INSPIRE](#)].

- [51] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with Parton Shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070 [[arXiv:0709.2092](#)] [[INSPIRE](#)].
- [52] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043 [[arXiv:1002.2581](#)] [[INSPIRE](#)].
- [53] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [54] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, *ATL-PHYS-PUB-2014-021* (2014).
- [55] S. Frixione, E. Laenen, P. Motylinski and B.R. Webber, *Angular correlations of lepton pairs from vector boson and top quark decays in Monte Carlo simulations*, *JHEP* **04** (2007) 081 [[hep-ph/0702198](#)] [[INSPIRE](#)].
- [56] P. Artoisenet, R. Frederix, O. Mattelaer and R. Rietkerk, *Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations*, *JHEP* **03** (2013) 015 [[arXiv:1212.3460](#)] [[INSPIRE](#)].
- [57] C. Degrande, F. Maltoni, J. Wang and C. Zhang, *Automatic computations at next-to-leading order in QCD for top-quark flavor-changing neutral processes*, *Phys. Rev. D* **91** (2015) 034024 [[arXiv:1412.5594](#)] [[INSPIRE](#)].
- [58] ATLAS collaboration, *Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **11** (2018) 085 [[arXiv:1808.03599](#)] [[INSPIRE](#)].
- [59] F. Maltoni, G. Ridolfi and M. Ubiali, *b-initiated processes at the LHC: a reappraisal*, *JHEP* **07** (2012) 022 [*Erratum ibid.* **04** (2013) 095] [[arXiv:1203.6393](#)] [[INSPIRE](#)].
- [60] F. Maltoni, G. Ridolfi and M. Ubiali, *b-initiated processes at the LHC: a reappraisal*, *JHEP* **07** (2012) 022 [*Erratum ibid.* **04** (2013) 095] [[arXiv:1203.6393](#)] [[INSPIRE](#)].
- [61] M. Czakon and A. Mitov, *Top++: a program for the calculation of the top-pair cross-section at hadron colliders*, *Comput. Phys. Commun.* **185** (2014) 2930 [[arXiv:1112.5675](#)] [[INSPIRE](#)].
- [62] M. Cacciari et al., *Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation*, *Phys. Lett. B* **710** (2012) 612 [[arXiv:1111.5869](#)] [[INSPIRE](#)].
- [63] P. Bärnreuther, M. Czakon and A. Mitov, *Percent level precision physics at the Tevatron: first genuine NNLO QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$* , *Phys. Rev. Lett.* **109** (2012) 132001 [[arXiv:1204.5201](#)] [[INSPIRE](#)].
- [64] M. Czakon and A. Mitov, *NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels*, *JHEP* **12** (2012) 054 [[arXiv:1207.0236](#)] [[INSPIRE](#)].
- [65] M. Czakon and A. Mitov, *NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction*, *JHEP* **01** (2013) 080 [[arXiv:1210.6832](#)] [[INSPIRE](#)].
- [66] M. Czakon, P. Fiedler and A. Mitov, *Total top-quark pair-production cross section at hadron colliders through $O(\alpha_s^4)$* , *Phys. Rev. Lett.* **110** (2013) 252004 [[arXiv:1303.6254](#)] [[INSPIRE](#)].
- [67] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001 [[arXiv:1510.03865](#)] [[INSPIRE](#)].
- [68] ATLAS collaboration, *Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **06** (2021) 145 [[arXiv:2102.10076](#)] [[INSPIRE](#)].

- [69] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196 [[arXiv:1512.01178](#)] [[INSPIRE](#)].
- [70] M. Bähr et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639 [[arXiv:0803.0883](#)] [[INSPIRE](#)].
- [71] T. Ježo, J.M. Lindert, N. Moretti and S. Pozzorini, *New NLOPS predictions for $t\bar{t} + b$ -jet production at the LHC*, *Eur. Phys. J. C* **78** (2018) 502 [[arXiv:1802.00426](#)] [[INSPIRE](#)].
- [72] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866 [[arXiv:1907.13071](#)] [[INSPIRE](#)].
- [73] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601 [[arXiv:1111.5206](#)] [[INSPIRE](#)].
- [74] A. Denner, S. Dittmaier and L. Hofer, *Collier: a fortran-based Complex One-Loop Library in Extended Regularizations*, *Comput. Phys. Commun.* **212** (2017) 220 [[arXiv:1604.06792](#)] [[INSPIRE](#)].
- [75] T. Ježo, *Powheg-Box-Res ttbb source code*, https://gitlab.cern.ch/tjezo/powheg-box-res_ttbb/.
- [76] S. Frixione et al., *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029 [[arXiv:0805.3067](#)] [[INSPIRE](#)].
- [77] R. Frederix, E. Re and P. Torrielli, *Single-top t -channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO*, *JHEP* **09** (2012) 130 [[arXiv:1207.5391](#)] [[INSPIRE](#)].
- [78] N. Kidonakis, *Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^-* , *Phys. Rev. D* **82** (2010) 054018 [[arXiv:1005.4451](#)] [[INSPIRE](#)].
- [79] N. Kidonakis, *Top Quark Production*, in the proceedings of the *Helmholtz International Summer School on Physics of Heavy Quarks and Hadrons*, <bbl:err:where>, <bbl:err:when> (2014), p. 139–168 [[DOI:10.3204/DESY-PROC-2013-03/Kidonakis](#)] [[arXiv:1311.0283](#)] [[INSPIRE](#)].
- [80] M. Aliev et al., *HATHOR: HAdronic Top and Heavy quarks crOss section calculatoR*, *Comput. Phys. Commun.* **182** (2011) 1034 [[arXiv:1007.1327](#)] [[INSPIRE](#)].
- [81] P. Kant et al., *HatHor for single top-quark production: Updated predictions and uncertainty estimates for single top-quark production in hadronic collisions*, *Comput. Phys. Commun.* **191** (2015) 74 [[arXiv:1406.4403](#)] [[INSPIRE](#)].
- [82] SHERPA collaboration, *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034 [[arXiv:1905.09127](#)] [[INSPIRE](#)].
- [83] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039 [[arXiv:0808.3674](#)] [[INSPIRE](#)].
- [84] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani-Seymour dipole factorisation*, *JHEP* **03** (2008) 038 [[arXiv:0709.1027](#)] [[INSPIRE](#)].
- [85] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049 [[arXiv:1111.1220](#)] [[INSPIRE](#)].
- [86] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers: the NLO case*, *JHEP* **04** (2013) 027 [[arXiv:1207.5030](#)] [[INSPIRE](#)].
- [87] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, *QCD matrix elements + parton showers*, *JHEP* **11** (2001) 063 [[hep-ph/0109231](#)] [[INSPIRE](#)].

- [88] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053 [[arXiv:0903.1219](#)] [[INSPIRE](#)].
- [89] C. Anastasiou, L.J. Dixon, K. Melnikov and F. Petriello, *High precision QCD at hadron colliders: Electroweak gauge boson rapidity distributions at NNLO*, *Phys. Rev. D* **69** (2004) 094008 [[hep-ph/0312266](#)] [[INSPIRE](#)].
- [90] LHC HIGGS CROSS SECTION working group, *Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector*, [arXiv:1610.07922](#) [[DOI:10.23731/CYRM-2017-002](#)] [[INSPIRE](#)].
- [91] D.J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152 [[INSPIRE](#)].
- [92] ATLAS collaboration, *Measurement of the $t\bar{t}t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **11** (2021) 118 [[arXiv:2106.11683](#)] [[INSPIRE](#)].
- [93] F. Chollet et al., *Keras*, <https://keras.io>.
- [94] S. Ioffe and C. Szegedy, *Batch normalization: accelerating deep network training by reducing internal covariate shift*, [arXiv:1502.03167](#) [[INSPIRE](#)].
- [95] G.E. Hinton et al., *Improving neural networks by preventing co-adaptation of feature detectors*, [arXiv:1207.0580](#).
- [96] D.P. Kingma and J. Ba, *Adam: a method for stochastic optimization*, [arXiv:1412.6980](#) [[INSPIRE](#)].
- [97] R. Kohavi, *A study of cross-validation and bootstrap for accuracy estimation and model selection*, in the proceedings of the of the 14th International Joint Conference on Artificial Intelligence — Volume 2, (1995), p. 1137–1143.
- [98] P. Baldi et al., *Parameterized neural networks for high-energy physics*, *Eur. Phys. J. C* **76** (2016) 235 [[arXiv:1601.07913](#)] [[INSPIRE](#)].
- [99] ATLAS collaboration, *Studies on top-quark Monte Carlo modelling with Sherpa and MG5_aMC@NLO*, *ATL-PHYS-PUB-2017-007* (2017).
- [100] ATLAS collaboration, *Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **04** (2019) 046 [[arXiv:1811.12113](#)] [[INSPIRE](#)].
- [101] PARTICLE DATA GROUP collaboration, *Review of particle physics*, *PTEP* **2020** (2020) 083C01 [[INSPIRE](#)].
- [102] N. Kidonakis, *Next-to-next-to-leading-order collinear and soft gluon corrections for t -channel single top quark production*, *Phys. Rev. D* **83** (2011) 091503 [[arXiv:1103.2792](#)] [[INSPIRE](#)].
- [103] N. Kidonakis, *NNLL resummation for s -channel single top quark production*, *Phys. Rev. D* **81** (2010) 054028 [[arXiv:1001.5034](#)] [[INSPIRE](#)].
- [104] E. Bothmann, M. Schönherr and S. Schumann, *Reweighting QCD matrix-element and parton-shower calculations*, *Eur. Phys. J. C* **76** (2016) 590 [[arXiv:1606.08753](#)] [[INSPIRE](#)].
- [105] J. Alwall et al., *Comparative study of various algorithms for the merging of parton showers and matrix elements in hadronic collisions*, *Eur. Phys. J. C* **53** (2008) 473 [[arXiv:0706.2569](#)] [[INSPIRE](#)].
- [106] J.M. Campbell and R.K. Ellis, *An Update on vector boson pair production at hadron colliders*, *Phys. Rev. D* **60** (1999) 113006 [[hep-ph/9905386](#)] [[INSPIRE](#)].

- [107] ATLAS collaboration, *Measurement of the $W^\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector*, *Phys. Lett. B* **762** (2016) 1 [[arXiv:1606.04017](#)] [[INSPIRE](#)].
- [108] ATLAS collaboration, *Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **99** (2019) 072009 [[arXiv:1901.03584](#)] [[INSPIRE](#)].
- [109] ATLAS collaboration, *Measurement of the Inelastic Proton-Proton Cross section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC*, *Phys. Rev. Lett.* **117** (2016) 182002 [[arXiv:1606.02625](#)] [[INSPIRE](#)].
- [110] ATLAS collaboration, *Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 639 [[arXiv:1902.04655](#)] [[INSPIRE](#)].
- [111] ATLAS collaboration, *Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292 [[arXiv:1603.05598](#)] [[INSPIRE](#)].
- [112] ATLAS collaboration, *Measurements of b -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV*, *JHEP* **08** (2018) 089 [[arXiv:1805.01845](#)] [[INSPIRE](#)].
- [113] ATLAS collaboration, *Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 580 [Erratum *ibid.* **77** (2017) 712] [[arXiv:1705.02211](#)] [[INSPIRE](#)].
- [114] ATLAS collaboration, *Measurement of the c -jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector*, *Eur. Phys. J. C* **82** (2022) 95 [[arXiv:2109.10627](#)] [[INSPIRE](#)].
- [115] ATLAS collaboration, *Calibration of light-flavour b -jet mistagging rates using ATLAS proton-proton collision data at $\sqrt{s} = 13$ TeV*, [ATLAS-CONF-2018-006](#) (2018).
- [116] ATLAS collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **78** (2018) 903 [[arXiv:1802.08168](#)] [[INSPIRE](#)].
- [117] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [[arXiv:1007.1727](#)] [[INSPIRE](#)].
- [118] T. Junk, *Confidence level computation for combining searches with small statistics*, *Nucl. Instrum. Meth. A* **434** (1999) 435 [[hep-ex/9902006](#)] [[INSPIRE](#)].
- [119] A.L. Read, *Presentation of search results: The CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [120] ATLAS collaboration, *ATLAS Computing Acknowledgements*, [ATL-SOFT-PUB-2021-003](#) (2021) [[INSPIRE](#)].

The ATLAS collaboration

G. Aad [ID](#)¹⁰¹, B. Abbott [ID](#)¹¹⁹, D.C. Abbott [ID](#)¹⁰², K. Abeling [ID](#)⁵⁵, S.H. Abidi [ID](#)²⁹,
A. Aboulhorma [ID](#)^{35e}, H. Abramowicz [ID](#)¹⁵⁰, H. Abreu [ID](#)¹⁴⁹, Y. Abulaiti [ID](#)¹¹⁶,
A.C. Abusleme Hoffman [ID](#)^{136a}, B.S. Acharya [ID](#)^{68a,68b,o}, B. Achkar [ID](#)⁵⁵, C. Adam Bourdarios [ID](#)⁴,
L. Adamczyk [ID](#)^{84a}, L. Adamek [ID](#)¹⁵⁴, S.V. Addepalli [ID](#)²⁶, J. Adelman [ID](#)¹¹⁴, A. Adiguzel [ID](#)^{21c},
S. Adorni [ID](#)⁵⁶, T. Adye [ID](#)¹³³, A.A. Affolder [ID](#)¹³⁵, Y. Afik [ID](#)³⁶, M.N. Agaras [ID](#)¹³,
J. Agarwala [ID](#)^{72a,72b}, A. Aggarwal [ID](#)⁹⁹, C. Agheorghiesei [ID](#)^{27c}, J.A. Aguilar-Saavedra [ID](#)^{129f},
A. Ahmad [ID](#)³⁶, F. Ahmadov [ID](#)^{38,w}, W.S. Ahmed [ID](#)¹⁰³, S. Ahuja [ID](#)⁹⁴, X. Ai [ID](#)⁴⁸, G. Aielli [ID](#)^{75a,75b},
I. Aizenberg [ID](#)¹⁶⁸, M. Akbiyik [ID](#)⁹⁹, T.P.A. Åkesson [ID](#)⁹⁷, A.V. Akimov [ID](#)³⁷, K. Al Khoury [ID](#)⁴¹,
G.L. Alberghi [ID](#)^{23b}, J. Albert [ID](#)¹⁶⁴, P. Albicocco [ID](#)⁵³, M.J. Alconada Verzini [ID](#)⁸⁹,
S. Alderweireldt [ID](#)⁵², M. Aleksa [ID](#)³⁶, I.N. Aleksandrov [ID](#)³⁸, C. Alexa [ID](#)^{27b}, T. Alexopoulos [ID](#)¹⁰,
A. Alfonsi [ID](#)¹¹³, F. Alfonsi [ID](#)^{23b}, M. Alhroob [ID](#)¹¹⁹, B. Ali [ID](#)¹³¹, S. Ali [ID](#)¹⁴⁷, M. Aliev [ID](#)³⁷,
G. Alimonti [ID](#)^{70a}, W. Alkakh [ID](#)⁵⁵, C. Allaire [ID](#)³⁶, B.M.M. Allbrooke [ID](#)¹⁴⁵, P.P. Allport [ID](#)²⁰,
A. Aloisio [ID](#)^{71a,71b}, F. Alonso [ID](#)⁸⁹, C. Alpigiani [ID](#)¹³⁷, E. Alunno Camelia [ID](#)^{75a,75b},
M. Alvarez Estevez [ID](#)⁹⁸, M.G. Alviggi [ID](#)^{71a,71b}, Y. Amaral Coutinho [ID](#)^{81b}, A. Ambler [ID](#)¹⁰³,
C. Amelung [ID](#)³⁶, C.G. Ames [ID](#)¹⁰⁸, D. Amidei [ID](#)¹⁰⁵, S.P. Amor Dos Santos [ID](#)^{129a}, S. Amoroso [ID](#)⁴⁸,
K.R. Amos [ID](#)¹⁶², C.S. Amrouche [ID](#)⁵⁶, V. Ananiev [ID](#)¹²⁴, C. Anastopoulos [ID](#)¹³⁸, T. Andeen [ID](#)¹¹,
J.K. Anders [ID](#)¹⁹, S.Y. Andrean [ID](#)^{47a,47b}, A. Andreazza [ID](#)^{70a,70b}, S. Angelidakis [ID](#)⁹,
A. Angerami [ID](#)^{41,y}, A.V. Anisenkov [ID](#)³⁷, A. Annovi [ID](#)^{73a}, C. Antel [ID](#)⁵⁶, M.T. Anthony [ID](#)¹³⁸,
E. Antipov [ID](#)¹²⁰, M. Antonelli [ID](#)⁵³, D.J.A. Antrim [ID](#)^{17a}, F. Anulli [ID](#)^{74a}, M. Aoki [ID](#)⁸², T. Aoki [ID](#)¹⁵²,
J.A. Aparisi Pozo [ID](#)¹⁶², M.A. Aparo [ID](#)¹⁴⁵, L. Aperio Bella [ID](#)⁴⁸, C. Appelt [ID](#)¹⁸, N. Aranzabal [ID](#)³⁶,
V. Araujo Ferraz [ID](#)^{81a}, C. Arcangeletti [ID](#)⁵³, A.T.H. Arce [ID](#)⁵¹, E. Arena [ID](#)⁹¹, J-F. Arguin [ID](#)¹⁰⁷,
S. Argyropoulos [ID](#)⁵⁴, J.-H. Arling [ID](#)⁴⁸, A.J. Armbruster [ID](#)³⁶, O. Arnaez [ID](#)¹⁵⁴, H. Arnold [ID](#)¹¹³,
Z.P. Arrubarrena Tame [ID](#)¹⁰⁸, G. Artoni [ID](#)^{74a,74b}, H. Asada [ID](#)¹¹⁰, K. Asai [ID](#)¹¹⁷, S. Asai [ID](#)¹⁵²,
N.A. Asbah [ID](#)⁶¹, J. Assahsah [ID](#)^{35d}, K. Assamagan [ID](#)²⁹, R. Astalos [ID](#)^{28a}, R.J. Atkin [ID](#)^{33a},
M. Atkinson [ID](#)¹⁶¹, N.B. Atlay [ID](#)¹⁸, H. Atmani [ID](#)^{62b}, P.A. Atmasiddha [ID](#)¹⁰⁵, K. Augsten [ID](#)¹³¹,
S. Auricchio [ID](#)^{71a,71b}, A.D. Auriol [ID](#)²⁰, V.A. Austrup [ID](#)¹⁷⁰, G. Ayner [ID](#)¹⁴⁹, G. Avolio [ID](#)³⁶,
K. Axiotis [ID](#)⁵⁶, M.K. Ayoub [ID](#)^{14c}, G. Azuelos [ID](#)^{107,aa}, D. Babal [ID](#)^{28a}, H. Bachacou [ID](#)¹³⁴,
K. Bachas [ID](#)^{151,q}, A. Bachiu [ID](#)³⁴, F. Backman [ID](#)^{47a,47b}, A. Badea [ID](#)⁶¹, P. Bagnaia [ID](#)^{74a,74b},
M. Bahmani [ID](#)¹⁸, A.J. Bailey [ID](#)¹⁶², V.R. Bailey [ID](#)¹⁶¹, J.T. Baines [ID](#)¹³³, C. Bakalis [ID](#)¹⁰,
O.K. Baker [ID](#)¹⁷¹, P.J. Bakker [ID](#)¹¹³, E. Bakos [ID](#)¹⁵, D. Bakshi Gupta [ID](#)⁸, S. Balaji [ID](#)¹⁴⁶,
R. Balasubramanian [ID](#)¹¹³, E.M. Baldin [ID](#)³⁷, P. Balek [ID](#)¹³², E. Ballabene [ID](#)^{70a,70b}, F. Balli [ID](#)¹³⁴,
L.M. Baltes [ID](#)^{63a}, W.K. Balunas [ID](#)³², J. Balz [ID](#)⁹⁹, E. Banas [ID](#)⁸⁵, M. Bandieramonte [ID](#)¹²⁸,
A. Bandyopadhyay [ID](#)²⁴, S. Bansal [ID](#)²⁴, L. Barak [ID](#)¹⁵⁰, E.L. Barberio [ID](#)¹⁰⁴, D. Barberis [ID](#)^{57b,57a},
M. Barbero [ID](#)¹⁰¹, G. Barbour [ID](#)⁹⁵, K.N. Barends [ID](#)^{33a}, T. Barillari [ID](#)¹⁰⁹, M-S. Barisits [ID](#)³⁶,
T. Barklow [ID](#)¹⁴², R.M. Barnett [ID](#)^{17a}, P. Baron [ID](#)¹²¹, D.A. Baron Moreno [ID](#)¹⁰⁰, A. Baroncelli [ID](#)^{62a},
G. Barone [ID](#)²⁹, A.J. Barr [ID](#)¹²⁵, L. Barranco Navarro [ID](#)^{47a,47b}, F. Barreiro [ID](#)⁹⁸,
J. Barreiro Guimarães da Costa [ID](#)^{14a}, U. Barron [ID](#)¹⁵⁰, M.G. Barros Teixeira [ID](#)^{129a}, S. Barsov [ID](#)³⁷,
F. Bartels [ID](#)^{63a}, R. Bartoldus [ID](#)¹⁴², A.E. Barton [ID](#)⁹⁰, P. Bartos [ID](#)^{28a}, A. Basalae [ID](#)⁴⁸,
A. Basan [ID](#)⁹⁹, M. Baselga [ID](#)⁴⁹, I. Bashta [ID](#)^{76a,76b}, A. Bassalat [ID](#)^{66,al}, M.J. Basso [ID](#)¹⁵⁴,
C.R. Basson [ID](#)¹⁰⁰, R.L. Bates [ID](#)⁵⁹, S. Batlamous [ID](#)^{35e}, J.R. Batley [ID](#)³², B. Batool [ID](#)¹⁴⁰,
M. Battaglia [ID](#)¹³⁵, D. Battulga [ID](#)¹⁸, M. Baucé [ID](#)^{74a,74b}, P. Bauer [ID](#)²⁴, A. Bayirli [ID](#)^{21a},

J.B. Beacham ^{ib51}, T. Beau ^{ib126}, P.H. Beauchemin ^{ib157}, F. Becherer ^{ib54}, P. Bechtle ^{ib24},
H.P. Beck ^{ib19,p}, K. Becker ^{ib166}, C. Becot ^{ib48}, A.J. Beddall ^{ib21d}, V.A. Bednyakov ^{ib38},
C.P. Bee ^{ib144}, L.J. Beemster ^{ib15}, T.A. Beermann ^{ib36}, M. Begalli ^{ib81d,81d}, M. Begel ^{ib29},
A. Behera ^{ib144}, J.K. Behr ^{ib48}, C. Beirao Da Cruz E Silva ^{ib36}, J.F. Beirer ^{ib55,36}, F. Beisiegel ^{ib24},
M. Belfkir ^{ib158}, G. Bella ^{ib150}, L. Bellagamba ^{ib23b}, A. Bellerive ^{ib34}, P. Bellos ^{ib20},
K. Beloborodov ^{ib37}, K. Belotskiy ^{ib37}, N.L. Belyaev ^{ib37}, D. Benckekroun ^{ib35a}, F. Bendebba ^{ib35a},
Y. Benhammou ^{ib150}, D.P. Benjamin ^{ib29}, M. Benoit ^{ib29}, J.R. Bensinger ^{ib26}, S. Bentvelsen ^{ib113},
L. Beresford ^{ib36}, M. Beretta ^{ib53}, D. Berge ^{ib18}, E. Bergeaas Kuutmann ^{ib160}, N. Berger ^{ib4},
B. Bergmann ^{ib131}, J. Beringer ^{ib17a}, S. Berlendis ^{ib7}, G. Bernardi ^{ib5}, C. Bernius ^{ib142},
F.U. Bernlochner ^{ib24}, T. Berry ^{ib94}, P. Berta ^{ib132}, A. Berthold ^{ib50}, I.A. Bertram ^{ib90},
S. Bethke ^{ib109}, A. Betti ^{ib74a,74b}, A.J. Bevan ^{ib93}, M. Bhamjee ^{ib33c}, S. Bhatta ^{ib144},
D.S. Bhattacharya ^{ib165}, P. Bhattarai ^{ib26}, V.S. Bhopatkar ^{ib120}, R. Bi ^{ib29,ad}, R.M. Bianchi ^{ib128},
O. Biebel ^{ib108}, R. Bielski ^{ib122}, M. Biglietti ^{ib76a}, T.R.V. Billoud ^{ib131}, M. Bindi ^{ib55},
A. Bingul ^{ib21b}, C. Bini ^{ib74a,74b}, S. Biondi ^{ib23b,23a}, A. Biondini ^{ib91}, C.J. Birch-sykes ^{ib100},
G.A. Bird ^{ib20,133}, M. Birman ^{ib168}, T. Bisanz ^{ib36}, E. Bisceglie ^{ib43b,43a}, D. Biswas ^{ib169,k},
A. Bitadze ^{ib100}, K. Björke ^{ib124}, I. Bloch ^{ib48}, C. Blocker ^{ib26}, A. Blue ^{ib59}, U. Blumenschein ^{ib93},
J. Blumenthal ^{ib99}, G.J. Bobbink ^{ib113}, V.S. Bobrovnikov ^{ib37}, M. Boehler ^{ib54}, D. Bogavac ^{ib36},
A.G. Bogdanchikov ^{ib37}, C. Bohm ^{ib47a}, V. Boisvert ^{ib94}, P. Bogan ^{ib48}, T. Bold ^{ib84a},
M. Bomben ^{ib5}, M. Bona ^{ib93}, M. Boonekamp ^{ib134}, C.D. Booth ^{ib94}, A.G. Borbély ^{ib59},
H.M. Borecka-Bielska ^{ib107}, L.S. Borgna ^{ib95}, G. Borissov ^{ib90}, D. Bortoletto ^{ib125},
D. Boscherini ^{ib23b}, M. Bosman ^{ib13}, J.D. Bossio Sola ^{ib36}, K. Bouaouda ^{ib35a}, J. Boudreau ^{ib128},
E.V. Bouhova-Thacker ^{ib90}, D. Boumediene ^{ib40}, R. Bouquet ^{ib5}, A. Boveia ^{ib118}, J. Boyd ^{ib36},
D. Boye ^{ib29}, I.R. Boyko ^{ib38}, J. Bracinik ^{ib20}, N. Brahimi ^{ib62d}, G. Brandt ^{ib170}, O. Brandt ^{ib32},
F. Braren ^{ib48}, B. Brau ^{ib102}, J.E. Brau ^{ib122}, K. Brendlinger ^{ib48}, R. Brenner ^{ib168}, L. Brenner ^{ib36},
R. Brenner ^{ib160}, S. Bressler ^{ib168}, B. Brickwedde ^{ib99}, D. Britton ^{ib59}, D. Britzger ^{ib109},
I. Brock ^{ib24}, G. Brooijmans ^{ib41}, W.K. Brooks ^{ib136f}, E. Brost ^{ib29},
P.A. Bruckman de Renstrom ^{ib85}, B. Brüers ^{ib48}, D. Bruncko ^{ib28b,*}, A. Bruni ^{ib23b}, G. Bruni ^{ib23b},
M. Bruschi ^{ib23b}, N. Bruscino ^{ib74a,74b}, L. Bryngemark ^{ib142}, T. Buanes ^{ib16}, Q. Buat ^{ib137},
P. Buchholz ^{ib140}, A.G. Buckley ^{ib59}, I.A. Budagov ^{ib38,*}, M.K. Bugge ^{ib124}, O. Bulekov ^{ib37},
B.A. Bullard ^{ib61}, S. Burdin ^{ib91}, C.D. Burgard ^{ib48}, A.M. Burger ^{ib40}, B. Burghgrave ^{ib8},
J.T.P. Burr ^{ib32}, C.D. Burton ^{ib11}, J.C. Burzynski ^{ib141}, E.L. Busch ^{ib41}, V. Büscher ^{ib99},
P.J. Bussey ^{ib59}, J.M. Butler ^{ib25}, C.M. Buttar ^{ib59}, J.M. Butterworth ^{ib95}, W. Buttinger ^{ib133},
C.J. Buxo Vazquez ^{ib106}, A.R. Buzykaev ^{ib37}, G. Cabras ^{ib23b}, S. Cabrera Urbán ^{ib162},
D. Caforio ^{ib58}, H. Cai ^{ib128}, Y. Cai ^{ib14a,14d}, V.M.M. Cairo ^{ib36}, O. Cakir ^{ib3a}, N. Calace ^{ib36},
P. Calafiura ^{ib17a}, G. Calderini ^{ib126}, P. Calfayan ^{ib67}, G. Callea ^{ib59}, L.P. Caloba ^{ib81b},
D. Calvet ^{ib40}, S. Calvet ^{ib40}, T.P. Calvet ^{ib101}, M. Calvetti ^{ib73a,73b}, R. Camacho Toro ^{ib126},
S. Camarda ^{ib36}, D. Camarero Munoz ^{ib26}, P. Camarri ^{ib75a,75b}, M.T. Camerlingo ^{ib76a,76b},
D. Cameron ^{ib124}, C. Camincher ^{ib164}, M. Campanelli ^{ib95}, A. Camplani ^{ib42}, V. Canale ^{ib71a,71b},
A. Canesse ^{ib103}, M. Cano Bret ^{ib79}, J. Cantero ^{ib162}, Y. Cao ^{ib161}, F. Capocasa ^{ib26},
M. Capua ^{ib43b,43a}, A. Carbone ^{ib70a,70b}, R. Cardarelli ^{ib75a}, J.C.J. Cardenas ^{ib8}, F. Cardillo ^{ib162},
T. Carli ^{ib36}, G. Carlino ^{ib71a}, B.T. Carlson ^{ib128,r}, E.M. Carlson ^{ib164,155a}, L. Carminati ^{ib70a,70b},
M. Carnesale ^{ib74a,74b}, S. Caron ^{ib112}, E. Carquin ^{ib136f}, S. Carrá ^{ib70a,70b}, G. Carratta ^{ib23b,23a},
F. Carrio Argos ^{ib33g}, J.W.S. Carter ^{ib154}, T.M. Carter ^{ib52}, M.P. Casado ^{ib13,h}, A.F. Casha ^{ib154},

E.G. Castiglia [171](#), F.L. Castillo [63a](#), L. Castillo Garcia [13](#), V. Castillo Gimenez [162](#),
N.F. Castro [129a,129e](#), A. Catinaccio [36](#), J.R. Catmore [124](#), V. Cavaliere [29](#),
N. Cavalli [23b,23a](#), V. Cavasinni [73a,73b](#), E. Celebi [21a](#), F. Celli [125](#), M.S. Centonze [69a,69b](#),
K. Cerny [121](#), A.S. Cerqueira [81a](#), A. Cerri [145](#), L. Cerrito [75a,75b](#), F. Cerutti [17a](#),
A. Cervelli [23b](#), S.A. Cetin [21d](#), Z. Chadi [35a](#), D. Chakraborty [114](#), M. Chala [129f](#),
J. Chan [169](#), W.Y. Chan [152](#), J.D. Chapman [32](#), B. Chargeishvili [148b](#), D.G. Charlton [20](#),
T.P. Charman [93](#), M. Chatterjee [19](#), S. Chekanov [6](#), S.V. Chekulaev [155a](#),
G.A. Chelkov [38,a](#), A. Chen [105](#), B. Chen [150](#), B. Chen [164](#), C. Chen [62a](#), H. Chen [14c](#),
H. Chen [29](#), J. Chen [62c](#), J. Chen [26](#), S. Chen [152](#), S.J. Chen [14c](#), X. Chen [62c](#),
X. Chen [14b,z](#), Y. Chen [62a](#), C.L. Cheng [169](#), H.C. Cheng [64a](#), A. Cheplakov [38](#),
E. Cheremushkina [48](#), E. Cherepanova [113](#), R. Cherkaoui El Moursli [35e](#), E. Cheu [7](#),
K. Cheung [65](#), L. Chevalier [134](#), V. Chiarella [53](#), G. Chiarelli [73a](#), N. Chiedde [101](#),
G. Chiodini [69a](#), A.S. Chisholm [20](#), A. Chitan [27b](#), M. Chitishvili [162](#), Y.H. Chiu [164](#),
M.V. Chizhov [38](#), K. Choi [11](#), A.R. Chomont [74a,74b](#), Y. Chou [102](#), E.Y.S. Chow [113](#),
T. Chowdhury [33g](#), L.D. Christopher [33g](#), K.L. Chu [64a](#), M.C. Chu [64a](#), X. Chu [14a,14d](#),
J. Chudoba [130](#), J.J. Chwastowski [85](#), D. Cieri [109](#), K.M. Ciesla [84a](#), V. Cindro [92](#),
A. Ciocio [17a](#), F. Ciotto [71a,71b](#), Z.H. Citron [168,l](#), M. Citterio [70a](#), D.A. Ciubotaru [27b](#),
B.M. Ciungu [154](#), A. Clark [56](#), P.J. Clark [52](#), J.M. Clavijo Columbie [48](#), S.E. Clawson [100](#),
C. Clement [47a,47b](#), J. Clercx [48](#), L. Clissa [23b,23a](#), Y. Coadou [101](#), M. Cobal [68a,68c](#),
A. Coccaro [57b](#), R.F. Coelho Barrue [129a](#), R. Coelho Lopes De Sa [102](#), S. Coelli [70a](#),
H. Cohen [150](#), A.E.C. Coimbra [70a,70b](#), B. Cole [41](#), J. Collot [60](#), P. Conde Muiño [129a,129g](#),
M.P. Connell [33c](#), S.H. Connell [33c](#), I.A. Connelly [59](#), E.I. Conroy [125](#), F. Conventi [71a,ab](#),
H.G. Cooke [20](#), A.M. Cooper-Sarkar [125](#), F. Cormier [163](#), L.D. Corpe [36](#), M. Corradi [74a,74b](#),
E.E. Corrigan [97](#), F. Corriveau [103,v](#), A. Cortes-Gonzalez [18](#), M.J. Costa [162](#), F. Costanza [4](#),
D. Costanzo [138](#), B.M. Cote [118](#), G. Cowan [94](#), J.W. Cowley [32](#), K. Cranmer [116](#),
S. Crépé-Renaudin [60](#), F. Crescioli [126](#), M. Cristinziani [140](#), M. Cristoforetti [77a,77b,c](#),
V. Croft [157](#), G. Crosetti [43b,43a](#), A. Cueto [36](#), T. Cuhadar Donszelmann [159](#), H. Cui [14a,14d](#),
Z. Cui [7](#), A.R. Cukierman [142](#), W.R. Cunningham [59](#), F. Curcio [43b,43a](#), P. Czodrowski [36](#),
M.M. Czurylo [63b](#), M.J. Da Cunha Sargedas De Sousa [62a](#), J.V. Da Fonseca Pinto [81b](#),
C. Da Via [100](#), W. Dabrowski [84a](#), T. Dado [49](#), S. Dahbi [33g](#), T. Dai [105](#),
C. Dallapiccola [102](#), M. Dam [42](#), G. D’amen [29](#), V. D’Amico [108](#), J. Damp [99](#),
J.R. Dandoy [127](#), M.F. Daneri [30](#), M. Danninger [141](#), V. Dao [36](#), G. Darbo [57b](#),
S. Darmora [6](#), S.J. Das [29,ad](#), S. D’Auria [70a,70b](#), C. David [155b](#), T. Davidek [132](#),
D.R. Davis [51](#), B. Davis-Purcell [34](#), I. Dawson [93](#), K. De [8](#), R. De Asmundis [71a](#),
M. De Beurs [113](#), N. De Biase [48](#), S. De Castro [23b,23a](#), N. De Groot [112](#), P. de Jong [113](#),
H. De la Torre [106](#), A. De Maria [14c](#), A. De Salvo [74a](#), U. De Sanctis [75a,75b](#),
A. De Santo [145](#), J.B. De Vivie De Regie [60](#), D.V. Dedovich [38](#), J. Degens [113](#), A.M. Deiana [44](#),
F. Del Corso [23b,23a](#), J. Del Peso [98](#), F. Del Rio [63a](#), F. Deliot [134](#), C.M. Delitzsch [49](#),
M. Della Pietra [71a,71b](#), D. Della Volpe [56](#), A. Dell’Acqua [36](#), L. Dell’Asta [70a,70b](#),
M. Delmastro [4](#), P.A. Delsart [60](#), S. Demers [171](#), M. Demichev [38](#), S.P. Denisov [37](#),
L. D’Eramo [114](#), D. Derendarz [85](#), F. Derue [126](#), P. Dervan [91](#), K. Desch [24](#), K. Dette [154](#),
C. Deutsch [24](#), P.O. Deviveiros [36](#), F.A. Di Bello [74a,74b](#), A. Di Ciaccio [75a,75b](#),
L. Di Ciaccio [4](#), A. Di Domenico [74a,74b](#), C. Di Donato [71a,71b](#), A. Di Girolamo [36](#),

G. Di Gregorio [ID](#)^{73a,73b}, A. Di Luca [ID](#)^{77a,77b}, B. Di Micco [ID](#)^{76a,76b}, R. Di Nardo [ID](#)^{76a,76b},
C. Diaconu [ID](#)¹⁰¹, F.A. Dias [ID](#)¹¹³, T. Dias Do Vale [ID](#)¹⁴¹, M.A. Diaz [ID](#)^{136a,136b},
F.G. Diaz Capriles [ID](#)²⁴, M. Didenko [ID](#)¹⁶², E.B. Diehl [ID](#)¹⁰⁵, L. Diehl [ID](#)⁵⁴, S. Díez Cornell [ID](#)⁴⁸,
C. Diez Pardos [ID](#)¹⁴⁰, C. Dimitriadis [ID](#)^{24,160}, A. Dimitrievska [ID](#)^{17a}, W. Ding [ID](#)^{14b}, J. Dingfelder [ID](#)²⁴,
I.-M. Dinu [ID](#)^{27b}, S.J. Dittmeier [ID](#)^{63b}, F. Dittus [ID](#)³⁶, F. Djama [ID](#)¹⁰¹, T. Djobava [ID](#)^{148b},
J.I. Djuvsland [ID](#)¹⁶, C. Doglioni [ID](#)^{100,97}, J. Dolejsi [ID](#)¹³², Z. Dolezal [ID](#)¹³², M. Donadelli [ID](#)^{81c},
B. Dong [ID](#)^{62c}, J. Donini [ID](#)⁴⁰, A. D’Onofrio [ID](#)^{14c}, M. D’Onofrio [ID](#)⁹¹, J. Dopke [ID](#)¹³³, A. Doria [ID](#)^{71a},
M.T. Dova [ID](#)⁸⁹, A.T. Doyle [ID](#)⁵⁹, M.A. Draguet [ID](#)¹²⁵, E. Drechsler [ID](#)¹⁴¹, E. Dreyer [ID](#)¹⁶⁸,
I. Drivas-koulouris [ID](#)¹⁰, A.S. Drobac [ID](#)¹⁵⁷, D. Du [ID](#)^{62a}, T.A. du Pree [ID](#)¹¹³, F. Dubinin [ID](#)³⁷,
M. Dubovsky [ID](#)^{28a}, E. Duchovni [ID](#)¹⁶⁸, G. Duckeck [ID](#)¹⁰⁸, O.A. Ducu [ID](#)^{27b}, D. Duda [ID](#)¹⁰⁹,
A. Dudarev [ID](#)³⁶, M. D’uffizi [ID](#)¹⁰⁰, L. Duflot [ID](#)⁶⁶, M. Dührssen [ID](#)³⁶, C. Dülsen [ID](#)¹⁷⁰,
A.E. Dumitriu [ID](#)^{27b}, M. Dunford [ID](#)^{63a}, S. Dungs [ID](#)⁴⁹, K. Dunne [ID](#)^{47a,47b}, A. Duperrin [ID](#)¹⁰¹,
H. Duran Yildiz [ID](#)^{3a}, M. Düren [ID](#)⁵⁸, A. Durglishvili [ID](#)^{148b}, B.L. Dwyer [ID](#)¹¹⁴, G.I. Dyckes [ID](#)^{17a},
M. Dyndal [ID](#)^{84a}, S. Dysch [ID](#)¹⁰⁰, B.S. Dziedzic [ID](#)⁸⁵, Z.O. Earnshaw [ID](#)¹⁴⁵, B. Eckerova [ID](#)^{28a},
M.G. Eggleston [ID](#)⁵¹, E. Egidio Purcino De Souza [ID](#)^{81b}, L.F. Ehrke [ID](#)⁵⁶, G. Eigen [ID](#)¹⁶,
K. Einsweiler [ID](#)^{17a}, T. Ekelof [ID](#)¹⁶⁰, P.A. Ekman [ID](#)⁹⁷, Y. El Ghazali [ID](#)^{35b}, H. El Jarrari [ID](#)^{35e,147},
A. El Moussaouy [ID](#)^{35a}, V. Ellajosyula [ID](#)¹⁶⁰, M. Ellert [ID](#)¹⁶⁰, F. Ellinghaus [ID](#)¹⁷⁰, A.A. Elliot [ID](#)⁹³,
N. Ellis [ID](#)³⁶, J. Elmsheuser [ID](#)²⁹, M. Elsing [ID](#)³⁶, D. Emelianov [ID](#)¹³³, A. Emerman [ID](#)⁴¹,
Y. Enari [ID](#)¹⁵², I. Ene [ID](#)^{17a}, S. Epari [ID](#)¹³, J. Erdmann [ID](#)⁴⁹, A. Ereditato [ID](#)¹⁹, P.A. Erland [ID](#)⁸⁵,
M. Errenst [ID](#)¹⁷⁰, M. Escalier [ID](#)⁶⁶, C. Escobar [ID](#)¹⁶², E. Etzion [ID](#)¹⁵⁰, G. Evans [ID](#)^{129a}, H. Evans [ID](#)⁶⁷,
M.O. Evans [ID](#)¹⁴⁵, A. Ezhilov [ID](#)³⁷, S. Ezzarqtouni [ID](#)^{35a}, F. Fabbri [ID](#)⁵⁹, L. Fabbri [ID](#)^{23b,23a},
G. Facini [ID](#)⁹⁵, V. Fadeyev [ID](#)¹³⁵, R.M. Fakhruddinov [ID](#)³⁷, S. Falciano [ID](#)^{74a}, P.J. Falke [ID](#)²⁴,
S. Falke [ID](#)³⁶, J. Faltova [ID](#)¹³², Y. Fan [ID](#)^{14a}, Y. Fang [ID](#)^{14a,14d}, G. Fanourakis [ID](#)⁴⁶, M. Fanti [ID](#)^{70a,70b},
M. Faraj [ID](#)^{68a,68b}, A. Farbin [ID](#)⁸, A. Farilla [ID](#)^{76a}, T. Farooque [ID](#)¹⁰⁶, S.M. Farrington [ID](#)⁵²,
F. Fassi [ID](#)^{35e}, D. Fassouliotis [ID](#)⁹, M. Fauci Giannelli [ID](#)^{75a,75b}, W.J. Fawcett [ID](#)³², L. Fayard [ID](#)⁶⁶,
P. Federicova [ID](#)¹³⁰, O.L. Fedin [ID](#)^{37,a}, G. Fedotov [ID](#)³⁷, M. Feickert [ID](#)¹⁶¹, L. Feligioni [ID](#)¹⁰¹,
A. Fell [ID](#)¹³⁸, D.E. Fellers [ID](#)¹²², C. Feng [ID](#)^{62b}, M. Feng [ID](#)^{14b}, Z. Feng [ID](#)¹¹³, M.J. Fenton [ID](#)¹⁵⁹,
A.B. Fenyuk [ID](#)³⁷, L. Ferencz [ID](#)⁴⁸, S.W. Ferguson [ID](#)⁴⁵, J. Pretel [ID](#)⁵⁴, J. Ferrando [ID](#)⁴⁸, A. Ferrari [ID](#)¹⁶⁰,
P. Ferrari [ID](#)¹¹³, R. Ferrari [ID](#)^{72a}, D. Ferrere [ID](#)⁵⁶, C. Ferretti [ID](#)¹⁰⁵, F. Fiedler [ID](#)⁹⁹, A. Filipčič [ID](#)⁹²,
E.K. Filmer [ID](#)¹, F. Filthaut [ID](#)¹¹², M.C.N. Fiolhais [ID](#)^{129a,129c,b}, L. Fiorini [ID](#)¹⁶², F. Fischer [ID](#)¹⁴⁰,
W.C. Fisher [ID](#)¹⁰⁶, T. Fitschen [ID](#)²⁰, I. Fleck [ID](#)¹⁴⁰, P. Fleischmann [ID](#)¹⁰⁵, T. Flick [ID](#)¹⁷⁰,
L. Flores [ID](#)¹²⁷, M. Flores [ID](#)^{33d,ah}, L.R. Flores Castillo [ID](#)^{64a}, F.M. Follega [ID](#)^{77a,77b}, N. Fomin [ID](#)¹⁶,
J.H. Foo [ID](#)¹⁵⁴, B.C. Forland [ID](#)⁶⁷, A. Formica [ID](#)¹³⁴, A.C. Forti [ID](#)¹⁰⁰, E. Fortin [ID](#)¹⁰¹,
A.W. Fortman [ID](#)⁶¹, M.G. Foti [ID](#)^{17a}, L. Fountas [ID](#)^{9,ak}, D. Fournier [ID](#)⁶⁶, H. Fox [ID](#)⁹⁰,
P. Francavilla [ID](#)^{73a,73b}, S. Francescato [ID](#)⁶¹, M. Franchini [ID](#)^{23b,23a}, S. Franchino [ID](#)^{63a}, D. Francis [ID](#)³⁶,
L. Franco [ID](#)¹¹², L. Franconi [ID](#)¹⁹, M. Franklin [ID](#)⁶¹, G. Frattari [ID](#)²⁶, A.C. Freegard [ID](#)⁹³,
P.M. Freeman [ID](#)²⁰, W.S. Freund [ID](#)^{81b}, N. Fritzsche [ID](#)⁵⁰, A. Froch [ID](#)⁵⁴, D. Froidevaux [ID](#)³⁶,
J.A. Frost [ID](#)¹²⁵, Y. Fu [ID](#)^{62a}, M. Fujimoto [ID](#)¹¹⁷, E. Fullana Torregrosa [ID](#)^{162,*}, J. Fuster [ID](#)¹⁶²,
A. Gabrielli [ID](#)^{23b,23a}, A. Gabrielli [ID](#)¹⁵⁴, P. Gadow [ID](#)⁴⁸, G. Gagliardi [ID](#)^{57b,57a}, L.G. Gagnon [ID](#)^{17a},
G.E. Gallardo [ID](#)¹²⁵, E.J. Gallas [ID](#)¹²⁵, B.J. Gallop [ID](#)¹³³, R. Gamboa Goni [ID](#)⁹³, K.K. Gan [ID](#)¹¹⁸,
S. Ganguly [ID](#)¹⁵², J. Gao [ID](#)^{62a}, Y. Gao [ID](#)⁵², F.M. Garay Walls [ID](#)^{136a,136b}, B. Garcia [ID](#)^{29,ad},
C. García [ID](#)¹⁶², J.E. García Navarro [ID](#)¹⁶², J.A. García Pascual [ID](#)^{14a}, M. Garcia-Sciveres [ID](#)^{17a},
R.W. Gardner [ID](#)³⁹, D. Garg [ID](#)⁷⁹, R.B. Garg [ID](#)^{142,aj}, S. Gargiulo [ID](#)⁵⁴, C.A. Garner [ID](#)¹⁵⁴,

V. Garonne²⁹, S.J. Gasiorowski¹³⁷, P. Gaspar^{81b}, G. Gaudio^{72a}, V. Gautam¹³,
P. Gauzzi^{74a,74b}, I.L. Gavrilenko³⁷, A. Gavrilyuk³⁷, C. Gay¹⁶³, G. Gaycken⁴⁸,
E.N. Gazis¹⁰, A.A. Geanta^{27b,27e}, C.M. Gee¹³⁵, J. Geisen⁹⁷, M. Geisen⁹⁹,
C. Gemme^{57b}, M.H. Genest⁶⁰, S. Gentile^{74a,74b}, S. George⁹⁴, W.F. George²⁰,
T. Geralis⁴⁶, L.O. Gerlach⁵⁵, P. Gessinger-Befurt³⁶, M. Ghasemi Bostanabad¹⁶⁴,
M. Ghneimat¹⁴⁰, A. Ghosal¹⁴⁰, A. Ghosh¹⁵⁹, A. Ghosh⁷, B. Giacobbe^{23b},
S. Giagu^{74a,74b}, N. Giangiacomi¹⁵⁴, P. Giannetti^{73a}, A. Giannini^{62a}, S.M. Gibson⁹⁴,
M. Gignac¹³⁵, D.T. Gil^{84b}, A.K. Gilbert^{84a}, B.J. Gilbert⁴¹, D. Gillberg³⁴,
G. Gilles¹¹³, N.E.K. Gillwald⁴⁸, L. Ginabat¹²⁶, D.M. Gingrich^{2,aa}, M.P. Giordani^{68a,68c},
P.F. Giraud¹³⁴, G. Giugliarelli^{68a,68c}, D. Giugni^{70a}, F. Giuli³⁶, I. Gkialas^{9,i},
L.K. Gladilin³⁷, C. Glasman⁹⁸, G.R. Gledhill¹²², M. Glisic¹²², I. Gnesi^{43b,e}, Y. Go^{29,ad},
M. Goblirsch-Kolb²⁶, D. Godin¹⁰⁷, S. Goldfarb¹⁰⁴, T. Golling⁵⁶, M.G.D. Gololo^{33g},
D. Golubkov³⁷, J.P. Gombas¹⁰⁶, A. Gomes^{129a,129b}, G. Gomes Da Silva¹⁴⁰,
A.J. Gomez Delegido¹⁶², R. Goncalves Gama⁵⁵, R. Gonalo^{129a,129c}, G. Gonella¹²²,
L. Gonella²⁰, A. Gongadze³⁸, F. Gonnella²⁰, J.L. Gonski⁴¹, R.Y. Gonzlez Andana⁵²,
S. Gonzlez de la Hoz¹⁶², S. Gonzalez Fernandez¹³, R. Gonzalez Lopez⁹¹,
C. Gonzalez Renteria^{17a}, R. Gonzalez Suarez¹⁶⁰, S. Gonzalez-Sevilla⁵⁶,
G.R. Gonzalvo Rodriguez¹⁶², L. Goossens³⁶, N.A. Gorasia²⁰, P.A. Gorbounov³⁷,
B. Gorini³⁶, E. Gorini^{69a,69b}, A. Gorišek⁹², A.T. Goshaw⁵¹, M.I. Gostkin³⁸,
C.A. Gottardo³⁶, M. Goughri^{35b}, V. Goumarre⁴⁸, A.G. Goussiou¹³⁷, N. Govender^{33c},
C. Goy⁴, I. Grabowska-Bold^{84a}, K. Graham³⁴, E. Gramstad¹²⁴, S. Grancagnolo¹⁸,
M. Grandi¹⁴⁵, V. Gratchev^{37,*}, P.M. Gravila^{27f}, F.G. Gravili^{69a,69b}, H.M. Gray^{17a},
M. Greco^{69a,69b}, C. Greife²⁴, I.M. Gregor⁴⁸, P. Grenier¹⁴², C. Grieco¹³,
A.A. Grillo¹³⁵, K. Grimm^{31,m}, S. Grinstein^{13,t}, J.-F. Grivaz⁶⁶, E. Gross¹⁶⁸,
J. Grosse-Knetter⁵⁵, C. Grud¹⁰⁵, A. Grummer¹¹¹, J.C. Grundy¹²⁵, L. Guan¹⁰⁵,
W. Guan¹⁶⁹, C. Gubbels¹⁶³, J.G.R. Guerrero Rojas¹⁶², G. Guerrieri^{68a,68b},
F. Guescini¹⁰⁹, R. Gugel⁹⁹, J.A.M. Guhit¹⁰⁵, A. Guida⁴⁸, T. Guillemin⁴,
E. Guilloton^{166,133}, S. Guindon³⁶, F. Guo^{14a,14d}, J. Guo^{62c}, L. Guo⁶⁶, Y. Guo¹⁰⁵,
R. Gupta⁴⁸, S. Gurbuz²⁴, S.S. Gurdasani⁵⁴, G. Gustavino³⁶, M. Guth⁵⁶,
P. Gutierrez¹¹⁹, L.F. Gutierrez Zagazeta¹²⁷, C. Gutsche⁹⁵, C. Guyot¹³⁴,
C. Gwenlan¹²⁵, C.B. Gwilliam⁹¹, E.S. Haaland¹²⁴, A. Haas¹¹⁶, M. Habedank⁴⁸,
C. Haber^{17a}, H.K. Hadavand⁸, A. Hadeef⁹⁹, S. Hadzic¹⁰⁹, M. Haleem¹⁶⁵, J. Haley¹²⁰,
J.J. Hall¹³⁸, G.D. Halleswell¹⁰¹, L. Halser¹⁹, K. Hamano¹⁶⁴, H. Hamdaoui^{35e},
M. Hamer²⁴, G.N. Hamity⁵², J. Han^{62b}, K. Han^{62a}, L. Han^{14c}, L. Han^{62a},
S. Han^{17a}, Y.F. Han¹⁵⁴, K. Hanagaki⁸², M. Hance¹³⁵, D.A. Hangal^{41,y}, M.D. Hank³⁹,
R. Hankache¹⁰⁰, J.B. Hansen⁴², J.D. Hansen⁴², P.H. Hansen⁴², K. Hara¹⁵⁶,
D. Harada⁵⁶, T. Harenberg¹⁷⁰, S. Harkusha³⁷, Y.T. Harris¹²⁵, N.M. Harrison¹¹⁸,
P.F. Harrison¹⁶⁶, N.M. Hartman¹⁴², N.M. Hartmann¹⁰⁸, Y. Hasegawa¹³⁹, A. Hasib⁵²,
S. Haug¹⁹, R. Hauser¹⁰⁶, M. Havranek¹³¹, C.M. Hawkes²⁰, R.J. Hawkins³⁶,
S. Hayashida¹¹⁰, D. Hayden¹⁰⁶, C. Hayes¹⁰⁵, R.L. Hayes¹⁶³, C.P. Hays¹²⁵,
J.M. Hays⁹³, H.S. Hayward⁹¹, F. He^{62a}, Y. He¹⁵³, Y. He¹²⁶, M.P. Heath⁵²,
V. Hedberg⁹⁷, A.L. Heggelund¹²⁴, N.D. Hehir⁹³, C. Heidegger⁵⁴, K.K. Heidegger⁵⁴,
W.D. Heidorn⁸⁰, J. Heilman³⁴, S. Heim⁴⁸, T. Heim^{17a}, J.G. Heinlein¹²⁷,

J.J. Heinrich ¹²², L. Heinrich ^{109,ai}, J. Hejbal ¹³⁰, L. Helary ⁴⁸, A. Held ¹⁶⁹,
S. Hellesund ¹²⁴, C.M. Helling ¹⁶³, S. Hellman ^{47a,47b}, C. Helsens ³⁶, R.C.W. Henderson ⁹⁰,
L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ¹⁴², Y. Hernández Jiménez ¹⁴⁴,
M.G. Herrmann ¹⁰⁸, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁸, L. Hervas ³⁶,
N.P. Hessey ^{155a}, H. Hibi ⁸³, E. Higón-Rodríguez ¹⁶², S.J. Hillier ²⁰, I. Hinchliffe ^{17a},
F. Hinterkeuser ²⁴, M. Hirose ¹²³, S. Hirose ¹⁵⁶, D. Hirschbuehl ¹⁷⁰, T.G. Hitchings ¹⁰⁰,
B. Hiti ⁹², J. Hobbs ¹⁴⁴, R. Hobincu ^{27e}, N. Hod ¹⁶⁸, M.C. Hodgkinson ¹³⁸,
B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸, D. Hohn ⁵⁴, T. Holm ²⁴, M. Holzbock ¹⁰⁹,
L.B.A.H. Hommels ³², B.P. Honan ¹⁰⁰, J. Hong ^{62c}, T.M. Hong ¹²⁸, Y. Hong ⁵⁵,
J.C. Honig ⁵⁴, A. Hönle ¹⁰⁹, B.H. Hooberman ¹⁶¹, W.H. Hopkins ⁶, Y. Horii ¹¹⁰,
S. Hou ¹⁴⁷, A.S. Howard ⁹², J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²¹,
A. Hrynevich ³⁷, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁷, Q. Hu ^{41,y}, Y.F. Hu ^{14a,14d,ac},
D.P. Huang ⁹⁵, S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{62a}, Y. Huang ^{14a}, Z. Huang ¹⁰⁰,
Z. Hubacek ¹³¹, M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁵, M. Huhtinen ³⁶,
S.K. Huiberts ¹⁶, R. Hulsken ¹⁰³, N. Huseynov ^{12,a}, J. Huston ¹⁰⁶, J. Huth ⁶¹,
R. Hyneman ¹⁴², S. Hyrych ^{28a}, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴⁰,
L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{71a,71b}, R. Iguchi ¹⁵², T. Iizawa ⁵⁶, Y. Ikegami ⁸²,
A. Ilg ¹⁹, N. Ilic ¹⁵⁴, H. Imam ^{35a}, T. Ingebrechtsen Carlson ^{47a,47b}, G. Introzzi ^{72a,72b},
M. Iodice ^{76a}, V. Ippolito ^{74a,74b}, M. Ishino ¹⁵², W. Islam ¹⁶⁹, C. Issever ^{18,48},
S. Istin ^{21a,af}, H. Ito ¹⁶⁷, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{77a,77b}, A. Ivina ¹⁶⁸,
J.M. Izen ⁴⁵, V. Izzo ^{71a}, P. Jacka ^{130,131}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴¹,
C.S. Jagfeld ¹⁰⁸, G. Jäkel ¹⁷⁰, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁸, J. Jamieson ⁵⁹,
K.W. Janas ^{84a}, G. Jarlskog ⁹⁷, A.E. Jaspán ⁹¹, M. Javurkova ¹⁰², F. Jeanneau ¹³⁴,
L. Jeanty ¹²², J. Jejelava ^{148a,x}, P. Jenni ^{54,f}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, J. Jia ¹⁴⁴,
X. Jia ⁶¹, X. Jia ^{14a,14d}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁵², J. Jimenez Pena ¹⁰⁹,
S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵³, P. Johansson ¹³⁸, K.A. Johns ⁷, D.M. Jones ³²,
E. Jones ¹⁶⁶, P. Jones ³², R.W.L. Jones ⁹⁰, T.J. Jones ⁹¹, R. Joshi ¹¹⁸, J. Jovicevic ¹⁵,
X. Ju ^{17a}, J.J. Jungbuthr ³⁶, A. Juste Rozas ^{13,t}, S. Kabana ^{136e}, A. Kaczmarek ⁸⁵,
M. Kado ^{74a,74b}, H. Kagan ¹¹⁸, M. Kagan ¹⁴², A. Kahn ⁴¹, A. Kahn ¹²⁷, C. Kahra ⁹⁹,
T. Kaji ¹⁶⁷, E. Kajomovitz ¹⁴⁹, N. Kakati ¹⁶⁸, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁴,
S. Kanayama ¹⁵³, N.J. Kang ¹³⁵, Y. Kano ¹¹⁰, D. Kar ^{33g}, K. Karava ¹²⁵,
M.J. Kareem ^{155b}, E. Karentzos ⁵⁴, I. Karkanas ¹⁵¹, S.N. Karpov ³⁸, Z.M. Karpova ³⁸,
V. Kartvelishvili ⁹⁰, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵¹, C. Kato ^{62d}, J. Katzy ⁴⁸,
S. Kaur ³⁴, K. Kawade ¹³⁹, K. Kawagoe ⁸⁸, T. Kawamoto ¹³⁴, G. Kawamura ⁵⁵,
E.F. Kay ¹⁶⁴, F.I. Kaya ¹⁵⁷, S. Kazakov ¹³, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁴,
J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁴, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁵,
D. Kelsey ¹⁴⁵, J.J. Kempster ²⁰, K.E. Kennedy ⁴¹, O. Kepka ¹³⁰, B.P. Kerridge ¹⁶⁶,
S. Kersten ¹⁷⁰, B.P. Kerševan ⁹², S. Keshri ⁶⁶, L. Keszeghova ^{28a},
S. Ketabchi Haghighat ¹⁵⁴, M. Khandoga ¹²⁶, A. Khanov ¹²⁰, A.G. Kharlamov ³⁷,
T. Kharlamova ³⁷, E.E. Khoda ¹³⁷, T.J. Khoo ¹⁸, G. Khorauli ¹⁶⁵, J. Khubua ^{148b},
Y.A.R. Khwaira ⁶⁶, M. Kiehn ³⁶, A. Kilgallon ¹²², D.W. Kim ^{47a,47b}, E. Kim ¹⁵³,
Y.K. Kim ³⁹, N. Kimura ⁹⁵, A. Kirchhoff ⁵⁵, D. Kirchmeier ⁵⁰, C. Kirfel ²⁴, J. Kirk ¹³³,
A.E. Kiryunin ¹⁰⁹, T. Kishimoto ¹⁵², D.P. Kisliuk ¹⁵⁴, C. Kitsaki ¹⁰, O. Kivernyk ²⁴,

M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁵, M.H. Klein ¹⁰⁵, M. Klein ⁹¹, S.B. Klein ⁵⁶,
 U. Klein ⁹¹, P. Klimek ³⁶, A. Klimentov ²⁹, F. Klimpel ¹⁰⁹, T. Klingl ²⁴,
 T. Klioutchnikova ³⁶, F.F. Klitzner ¹⁰⁸, P. Kluit ¹¹³, S. Kluth ¹⁰⁹, E. Kneringer ⁷⁸,
 T.M. Knight ¹⁵⁴, A. Knue ⁵⁴, D. Kobayashi ⁸⁸, R. Kobayashi ⁸⁶, M. Kocian ¹⁴²,
 P. Kodyš ¹³², D.M. Koeck ¹⁴⁵, P.T. Koenig ²⁴, T. Koffas ³⁴, N.M. Köhler ³⁶, M. Kolb ¹³⁴,
 I. Koletsou ⁴, T. Komarek ¹²¹, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁷,
 N. Konstantinidis ⁹⁵, B. Konya ⁹⁷, R. Kopeliansky ⁶⁷, S. Koperny ^{84a}, K. Korcyl ⁸⁵,
 K. Kordas ¹⁵¹, G. Koren ¹⁵⁰, A. Korn ⁹⁵, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷,
 B. Kortman ¹¹³, O. Kortner ¹⁰⁹, S. Kortner ¹⁰⁹, W.H. Kostecka ¹¹⁴, V.V. Kostyukhin ¹⁴⁰,
 A. Kotskechagia ¹³⁴, A. Kotwal ⁵¹, A. Koulouris ³⁶, A. Kourkumeli-Charalampidi ^{72a,72b},
 C. Kourkumelis ⁹, E. Kourlitis ⁶, O. Kovanda ¹⁴⁵, R. Kowalewski ¹⁶⁴, W. Kozanecki ¹³⁴,
 A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹², P. Kramer ⁹⁹, M.W. Krasny ¹²⁶,
 A. Krasznahorkay ³⁶, J.A. Kremer ⁹⁹, T. Kresse ⁵⁰, J. Kretschmar ⁹¹, K. Kreul ¹⁸,
 P. Krieger ¹⁵⁴, F. Krieter ¹⁰⁸, S. Krishnamurthy ¹⁰², A. Krishnan ^{63b}, M. Krivos ¹³²,
 K. Krizka ^{17a}, K. Kroeninger ⁴⁹, H. Kroha ¹⁰⁹, J. Kroll ¹³⁰, J. Kroll ¹²⁷,
 K.S. Krowpman ¹⁰⁶, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸⁰, M.C. Kruse ⁵¹,
 J.A. Krzysiak ⁸⁵, A. Kubota ¹⁵³, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, D. Kuechler ⁴⁸,
 J.T. Kuechler ⁴⁸, S. Kuehn ³⁶, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a},
 S. Kuleshov ^{136d,136b}, M. Kumar ^{33g}, N. Kumari ¹⁰¹, M. Kuna ⁶⁰, A. Kupco ¹³⁰,
 T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸³, L.L. Kurchaninov ^{155a},
 Y.A. Kurochkin ³⁷, A. Kurova ³⁷, E.S. Kuwertz ³⁶, M. Kuze ¹⁵³, A.K. Kvam ¹⁰²,
 J. Kvita ¹²¹, T. Kwan ¹⁰³, K.W. Kwok ^{64a}, N.G. Kyriacou ¹⁰⁵, L.A.O. Laatu ¹⁰¹,
 C. Lacasta ¹⁶², F. Lacava ^{74a,74b}, H. Lacker ¹⁸, D. Lacour ¹²⁶, N.N. Lad ⁹⁵,
 E. Ladygin ³⁸, B. Laforge ¹²⁶, T. Lagouri ^{136e}, S. Lai ⁵⁵, I.K. Lakomic ^{84a}, N. Lalloue ⁶⁰,
 J.E. Lambert ¹¹⁹, S. Lammers ⁶⁷, W. Lampl ⁷, C. Lampoudis ¹⁵¹, A.N. Lancaster ¹¹⁴,
 E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹³, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰²,
 A.J. Lankford ¹⁵⁹, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{72a}, A. Lapertosa ^{57b,57a},
 J.F. Laporte ¹³⁴, T. Lari ^{70a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³⁰,
 T.S. Lau ^{64a}, A. Laudrain ⁹⁹, A. Laurier ³⁴, S.D. Lawlor ⁹⁴, Z. Lawrence ¹⁰⁰,
 M. Lazzaroni ^{70a,70b}, B. Le ¹⁰⁰, B. Leban ⁹², A. Lebedev ⁸⁰, M. LeBlanc ³⁶, T. LeCompte ⁶,
 F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁵, G.R. Lee ¹⁶, L. Lee ⁶¹, S.C. Lee ¹⁴⁷, S. Lee ^{47a,47b},
 T.F. Lee ⁹¹, L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁴, M. Lefebvre ¹⁶⁴, C. Leggett ^{17a},
 K. Lehmann ¹⁴¹, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰², A. Leisos ^{151,s},
 M.A.L. Leite ^{81c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³², K.J.C. Leney ⁴⁴, T. Lenz ²⁴,
 S. Leone ^{73a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴³, C. Leroy ¹⁰⁷, R. Les ¹⁰⁶,
 C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁵, L.J. Levinson ¹⁶⁸,
 M.P. Lewicki ⁸⁵, D.J. Lewis ²⁰, B. Li ^{14b}, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c,62d}, H. Li ^{62a},
 H. Li ^{62b}, H. Li ^{14c}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁷, L. Li ^{62c}, M. Li ^{14a,14d}, Q.Y. Li ^{62a},
 S. Li ^{62d,62c,d}, T. Li ^{62b}, X. Li ¹⁰³, Z. Li ^{62b}, Z. Li ¹²⁵, Z. Li ¹⁰³, Z. Li ⁹¹, Z. Liang ^{14a},
 M. Liberatore ⁴⁸, B. Liberti ^{75a}, K. Lie ^{64c}, J. Lieber Marin ^{81b}, K. Lin ¹⁰⁶,
 R.A. Linck ⁶⁷, R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸, E. Lipeles ¹²⁷, A. Lipniacka ¹⁶,
 A. Lister ¹⁶³, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴¹, D. Liu ^{62d,62c}, J.B. Liu ^{62a},
 J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,137,62c},

X. Liu ^{62a}, Y. Liu ⁴⁸, Y. Liu ^{14c,14d}, Y.L. Liu ¹⁰⁵, Y.W. Liu ^{62a}, M. Livan ^{72a,72b}, J. Llorente Merino ¹⁴¹, S.L. Lloyd ⁹³, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, S. Loffredo ^{75a,75b}, T. Lohse ¹⁸, K. Lohwasser ¹³⁸, M. Lokajicek ¹³⁰, J.D. Long ¹⁶¹, I. Longarini ^{74a,74b}, L. Longo ^{69a,69b}, R. Longo ¹⁶¹, I. Lopez Paz ³⁶, A. Lopez Solis ⁴⁸, J. Lorenz ¹⁰⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁸, A. Lösle ⁵⁴, X. Lou ^{47a,47b}, X. Lou ^{14a,14d}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁶², G. Lu ^{14a,14d}, M. Lu ⁷⁹, S. Lu ¹²⁷, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁷, C. Luci ^{74a,74b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁷, I. Luise ¹⁴⁴, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴³, B. Lund-Jensen ¹⁴³, N.A. Luongo ¹²², M.S. Lutz ¹⁵⁰, D. Lynn ²⁹, H. Lyons ⁹¹, R. Lysak ¹³⁰, E. Lytken ⁹⁷, F. Lyu ^{14a}, V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, H. Ma ²⁹, L.L. Ma ^{62b}, Y. Ma ⁹⁵, D.M. Mac Donell ¹⁶⁴, G. Maccarrone ⁵³, J.C. MacDonald ¹³⁸, R. Madar ⁴⁰, W.F. Mader ⁵⁰, J. Maeda ⁸³, T. Maeno ²⁹, M. Maerker ⁵⁰, V. Magerl ⁵⁴, J. Magro ^{68a,68c}, H. Maguire ¹³⁸, D.J. Mahon ⁴¹, C. Maidantchik ^{81b}, A. Maio ^{129a,129b,129d}, K. Maj ^{84a}, O. Majersky ^{28a}, S. Majewski ¹²², N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁶, Pa. Malecki ⁸⁵, V.P. Maleev ³⁷, F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁷⁹, C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{72a,72b}, J.P. Mandalia ⁹³, I. Mandić ⁹², L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ¹⁵¹, M. Manisha ¹³⁴, J. Manjarres Ramos ⁵⁰, D.C. Mankad ¹⁶⁸, A. Mann ¹⁰⁸, B. Mansoulie ¹³⁴, S. Manzoni ³⁶, A. Marantis ^{151,s}, G. Marchiori ⁵, M. Marcisovsky ¹³⁰, L. Marcoccia ^{75a,75b}, C. Marcon ^{70a,70b}, M. Marinescu ²⁰, M. Marjanovic ¹¹⁹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶², T.A. Martin ¹⁶⁶, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{74a,74b}, M. Martinez ^{13,t}, P. Martinez Agullo ¹⁶², V.I. Martinez Outschoorn ¹⁰², P. Martinez Suarez ¹³, S. Martin-Haugh ¹³³, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹⁰⁹, L. Masetti ⁹⁹, T. Mashimo ¹⁵², J. Masik ¹⁰⁰, A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{71a,71b}, P. Mastrandrea ^{73a,73b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵², T. Mathisen ¹⁶⁰, N. Matsuzawa ¹⁵², J. Maurer ^{27b}, B. Maček ⁹², D.A. Maximov ³⁷, R. Mazini ¹⁴⁷, I. Maznas ¹⁵¹, M. Mazza ¹⁰⁶, S.M. Mazza ¹³⁵, C. Mc Ginn ^{29,ad}, J.P. Mc Gowan ¹⁰³, S.P. Mc Kee ¹⁰⁵, T.G. McCarthy ¹⁰⁹, W.P. McCormack ^{17a}, E.F. McDonald ¹⁰⁴, A.E. McDougall ¹¹³, J.A. Mcfayden ¹⁴⁵, G. Mchedlidze ^{148b}, R.P. Mckenzie ^{33g}, T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁵, K.D. McLean ¹⁶⁴, S.J. McMahon ¹³³, P.C. McNamara ¹⁰⁴, C.M. Mcpartland ⁹¹, R.A. McPherson ^{164,v}, T. Megy ⁴⁰, S. Mehlhase ¹⁰⁸, A. Mehta ⁹¹, B. Meirose ⁴⁵, D. Melini ¹⁴⁹, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵, F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{129a}, A.M. Mendes Jacques Da Costa ²⁰, H.Y. Meng ¹⁵⁴, L. Meng ⁹⁰, S. Menke ¹⁰⁹, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁵, L. Merola ^{71a,71b}, C. Meroni ^{70a}, G. Merz ¹⁰⁵, O. Meshkov ³⁷, J.K.R. Meshreki ¹⁴⁰, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁷, J-P. Meyer ¹³⁴, M. Michetti ¹⁸, R.P. Middleton ¹³³, L. Mijović ⁵², G. Mikenberg ¹⁶⁸, M. Mikestikova ¹³⁰, M. Mikuž ⁹², H. Mildner ¹³⁸, A. Milic ¹⁵⁴, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁸, D.A. Milstead ^{47a,47b}, T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{148b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁶, B. Mindur ^{84a}, M. Mineev ³⁸, Y. Mino ⁸⁶, L.M. Mir ¹³, M. Miralles Lopez ¹⁶², M. Mironova ¹²⁵, T. Mitani ¹⁶⁷, A. Mitra ¹⁶⁶, V.A. Mitsou ¹⁶², O. Miu ¹⁵⁴, P.S. Miyagawa ⁹³, Y. Miyazaki ⁸⁸, A. Mizukami ⁸², J.U. Mjörnmark ⁹⁷,

T. Mkrtchyan [163a](#), T. Mlinarevic [195](#), M. Mlynarikova [136](#), T. Moa [147a,47b](#), S. Mobius [155](#), K. Mochizuki [1107](#), P. Moder [148](#), P. Mogg [1108](#), A.F. Mohammed [114a,14d](#), S. Mohapatra [141](#), G. Mokgatitswane [133g](#), B. Mondal [1140](#), S. Mondal [1131](#), K. Mönig [148](#), E. Monnier [1101](#), L. Monsonis Romero [162](#), J. Montejo Berlingen [136](#), M. Montella [1118](#), F. Monticelli [189](#), N. Morange [166](#), A.L. Moreira De Carvalho [1129a](#), M. Moreno Llácer [162](#), C. Moreno Martinez [113](#), P. Morettini [157b](#), S. Morgenstern [166](#), M. Morii [161](#), M. Morinaga [152](#), V. Morisbak [1124](#), A.K. Morley [136](#), F. Morodei [174a,74b](#), L. Morvaj [136](#), P. Moschovakos [136](#), B. Moser [136](#), M. Mosidze [148b](#), T. Moskalets [154](#), P. Moskvitina [1112](#), J. Moss [131,n](#), E.J.W. Moyse [1102](#), S. Muanza [1101](#), J. Mueller [1128](#), D. Muenstermann [190](#), R. Müller [119](#), G.A. Mullier [197](#), J.J. Mullin [1127](#), D.P. Mungo [170a,70b](#), J.L. Munoz Martinez [113](#), D. Munoz Perez [162](#), F.J. Munoz Sanchez [1100](#), M. Murin [1100](#), W.J. Murray [166,133](#), A. Murrone [170a,70b](#), J.M. Muse [1119](#), M. Muškinja [117a](#), C. Mwewa [129](#), A.G. Myagkov [137,a](#), A.J. Myers [18](#), A.A. Myers [128](#), G. Myers [167](#), M. Myska [1131](#), B.P. Nachman [117a](#), O. Nackenhorst [149](#), A. Nag [150](#), K. Nagai [1125](#), K. Nagano [182](#), J.L. Nagle [129,ad](#), E. Nagy [1101](#), A.M. Nairz [136](#), Y. Nakahama [182](#), K. Nakamura [182](#), H. Nanjo [1123](#), R. Narayan [144](#), E.A. Narayanan [111](#), I. Naryshkin [137](#), M. Naseri [134](#), C. Nass [124](#), G. Navarro [122a](#), J. Navarro-Gonzalez [162](#), R. Nayak [150](#), A. Nayaz [118](#), P.Y. Nechaeva [137](#), F. Nechansky [148](#), L. Nedic [1125](#), T.J. Neep [120](#), A. Negri [172a,72b](#), M. Negrini [123b](#), C. Nellist [1112](#), C. Nelson [1103](#), K. Nelson [1105](#), S. Nemecek [1130](#), M. Nessi [136,g](#), M.S. Neubauer [161](#), F. Neuhaus [199](#), J. Neundorff [148](#), R. Newhouse [163](#), P.R. Newman [120](#), C.W. Ng [1128](#), Y.S. Ng [18](#), Y.W.Y. Ng [159](#), B. Ngair [135e](#), H.D.N. Nguyen [1107](#), R.B. Nickerson [1125](#), R. Nicolaidou [1134](#), J. Nielsen [1135](#), M. Niemeyer [155](#), N. Nikiforou [136](#), V. Nikolaenko [137,a](#), I. Nikolic-Audit [1126](#), K. Nikolopoulos [120](#), P. Nilsson [129](#), H.R. Nindhito [156](#), A. Nisati [174a](#), N. Nishu [12](#), R. Nisius [1109](#), J-E. Nitschke [150](#), E.K. Nkadimeng [133g](#), S.J. Noacco Rosende [189](#), T. Nobe [152](#), D.L. Noel [132](#), Y. Noguchi [186](#), T. Nommensen [1146](#), M.A. Nomura [129](#), M.B. Norfolk [1138](#), R.R.B. Norisam [195](#), B.J. Norman [134](#), J. Novak [192](#), T. Novak [148](#), O. Novgorodova [150](#), L. Novotny [1131](#), R. Novotny [1111](#), L. Nozka [1121](#), K. Ntekas [159](#), E. Nurse [195](#), F.G. Oakham [134,aa](#), J. Ocariz [1126](#), A. Ochi [183](#), I. Ochoa [1129a](#), S. Oerdek [160](#), A. Ogrodnik [184a](#), A. Oh [1100](#), C.C. Ohm [1143](#), H. Oide [153](#), R. Oishi [152](#), M.L. Ojeda [148](#), Y. Okazaki [186](#), M.W. O’Keefe [191](#), Y. Okumura [152](#), A. Olariu [127b](#), L.F. Oleiro Seabra [1129a](#), S.A. Olivares Pino [1136e](#), D. Oliveira Damazio [129](#), D. Oliveira Goncalves [181a](#), J.L. Oliver [159](#), M.J.R. Olsson [159](#), A. Olszewski [185](#), J. Olszowska [185,*](#), Ö.O. Öncel [154](#), D.C. O’Neil [141](#), A.P. O’Neill [119](#), A. Onofre [1129a,129e](#), P.U.E. Onyisi [111](#), M.J. Oreglia [139](#), G.E. Orellana [189](#), D. Orestano [176a,76b](#), N. Orlando [113](#), R.S. Orr [1154](#), V. O’Shea [159](#), R. Ospanov [162a](#), G. Otero y Garzon [130](#), H. Otono [188](#), P.S. Ott [163a](#), G.J. Ottino [117a](#), M. Ouchrif [135d](#), J. Ouellette [129,ad](#), F. Ould-Saada [1124](#), M. Owen [159](#), R.E. Owen [1133](#), K.Y. Oyulmaz [121a](#), V.E. Ozcan [121a](#), N. Ozturk [18](#), S. Ozturk [121d](#), J. Pacalt [1121](#), H.A. Pacey [132](#), K. Pachal [151](#), A. Pacheco Pages [113](#), C. Padilla Aranda [113](#), G. Padovano [174a,74b](#), S. Pagan Griso [117a](#), G. Palacino [167](#), A. Palazzo [169a,69b](#), S. Palazzo [152](#), S. Palestini [136](#), M. Palka [184b](#), J. Pan [1171](#), T. Pan [164a](#), D.K. Panchal [111](#), C.E. Pandini [1113](#), J.G. Panduro Vazquez [194](#), H. Pang [114b](#), P. Pani [148](#), G. Panizzo [168a,68c](#), L. Paolozzi [156](#), C. Papadatos [1107](#), S. Parajuli [144](#), A. Paramonov [16](#), C. Paraskevopoulos [110](#), D. Paredes Hernandez [164b](#), T.H. Park [1154](#), M.A. Parker [132](#), F. Parodi [157b,57a](#), E.W. Parrish [1114](#), V.A. Parrish [152](#), J.A. Parsons [141](#),

U. Parzefall [ID](#)⁵⁴, B. Pascual Dias [ID](#)¹⁰⁷, L. Pascual Dominguez [ID](#)¹⁵⁰, V.R. Pascuzzi [ID](#)^{17a},
F. Pasquali [ID](#)¹¹³, E. Pasqualucci [ID](#)^{74a}, S. Passaggio [ID](#)^{57b}, F. Pastore [ID](#)⁹⁴, P. Pasuwan [ID](#)^{47a,47b},
P. Patel [ID](#)⁸⁵, J.R. Pater [ID](#)¹⁰⁰, J. Patton⁹¹, T. Pauly [ID](#)³⁶, J. Pearkes [ID](#)¹⁴², M. Pedersen [ID](#)¹²⁴,
R. Pedro [ID](#)^{129a}, S.V. Peleganchuk [ID](#)³⁷, O. Penc [ID](#)³⁶, E.A. Pender⁵², C. Peng [ID](#)^{64b}, H. Peng [ID](#)^{62a},
K.E. Penski [ID](#)¹⁰⁸, M. Penzin [ID](#)³⁷, B.S. Peralva [ID](#)^{81d,81d}, A.P. Pereira Peixoto [ID](#)⁶⁰,
L. Pereira Sanchez [ID](#)^{47a,47b}, D.V. Perepelitsa [ID](#)^{29,ad}, E. Perez Codina [ID](#)^{155a}, M. Perganti [ID](#)¹⁰,
L. Perini [ID](#)^{70a,70b,*}, H. Pernegger [ID](#)³⁶, S. Perrella [ID](#)³⁶, A. Perrevoort [ID](#)¹¹², O. Perrin [ID](#)⁴⁰,
K. Peters [ID](#)⁴⁸, R.F.Y. Peters [ID](#)¹⁰⁰, B.A. Petersen [ID](#)³⁶, T.C. Petersen [ID](#)⁴², E. Petit [ID](#)¹⁰¹,
V. Petousis [ID](#)¹³¹, C. Petridou [ID](#)¹⁵¹, A. Petrukhin [ID](#)¹⁴⁰, M. Pettee [ID](#)^{17a}, N.E. Pettersson [ID](#)³⁶,
A. Petukhov [ID](#)³⁷, K. Petukhova [ID](#)¹³², A. Peyaud [ID](#)¹³⁴, R. Pezoa [ID](#)^{136f}, L. Pezzotti [ID](#)³⁶,
G. Pezzullo [ID](#)¹⁷¹, T.M. Pham [ID](#)¹⁶⁹, T. Pham [ID](#)¹⁰⁴, P.W. Phillips [ID](#)¹³³, M.W. Phipps [ID](#)¹⁶¹,
G. Piacquadio [ID](#)¹⁴⁴, E. Pianori [ID](#)^{17a}, F. Piazza [ID](#)^{70a,70b}, R. Piegai [ID](#)³⁰, D. Pietreanu [ID](#)^{27b},
A.D. Pilkington [ID](#)¹⁰⁰, M. Pinamonti [ID](#)^{68a,68c}, J.L. Pinfeld [ID](#)², B.C. Pinheiro Pereira [ID](#)^{129a},
C. Pitman Donaldson⁹⁵, D.A. Pizzi [ID](#)³⁴, L. Pizzimento [ID](#)^{75a,75b}, A. Pizzini [ID](#)¹¹³, M.-A. Pleier [ID](#)²⁹,
V. Plesanovs⁵⁴, V. Pleskot [ID](#)¹³², E. Plotnikova³⁸, G. Poddar [ID](#)⁴, R. Poettgen [ID](#)⁹⁷,
L. Poggioli [ID](#)¹²⁶, I. Pogrebnyak [ID](#)¹⁰⁶, D. Pohl [ID](#)²⁴, I. Pokharel [ID](#)⁵⁵, S. Polacek [ID](#)¹³²,
G. Polesello [ID](#)^{72a}, A. Poley [ID](#)^{141,155a}, R. Polifka [ID](#)¹³¹, A. Polini [ID](#)^{23b}, C.S. Pollard [ID](#)¹²⁵,
Z.B. Pollock [ID](#)¹¹⁸, V. Polychronakos [ID](#)²⁹, E. Pompa Pacchi [ID](#)^{74a,74b}, D. Ponomarenko [ID](#)³⁷,
L. Pontecorvo [ID](#)³⁶, S. Popa [ID](#)^{27a}, G.A. Popeneciu [ID](#)^{27d}, D.M. Portillo Quintero [ID](#)^{155a},
S. Pospisil [ID](#)¹³¹, P. Postolache [ID](#)^{27c}, K. Potamianos [ID](#)¹²⁵, I.N. Potrap [ID](#)³⁸, C.J. Potter [ID](#)³²,
H. Potti [ID](#)¹, T. Poulsen [ID](#)⁴⁸, J. Poveda [ID](#)¹⁶², G. Pownall [ID](#)⁴⁸, M.E. Pozo Astigarraga [ID](#)³⁶,
A. Prades Ibanez [ID](#)¹⁶², M.M. Prapa [ID](#)⁴⁶, D. Price [ID](#)¹⁰⁰, M. Primavera [ID](#)^{69a},
M.A. Principe Martin [ID](#)⁹⁸, M.L. Proffitt [ID](#)¹³⁷, N. Proklova [ID](#)¹²⁷, K. Prokofiev [ID](#)^{64c},
G. Proto [ID](#)^{75a,75b}, S. Protopopescu [ID](#)²⁹, J. Proudfoot [ID](#)⁶, M. Przybycien [ID](#)^{84a},
J.E. Puddefoot [ID](#)¹³⁸, D. Pudzha [ID](#)³⁷, P. Puzo⁶⁶, D. Pyatiizbyantseva [ID](#)³⁷, J. Qian [ID](#)¹⁰⁵,
Y. Qin [ID](#)¹⁰⁰, T. Qiu [ID](#)⁹³, A. Quadt [ID](#)⁵⁵, M. Queitsch-Maitland [ID](#)¹⁰⁰, G. Rabanal Bolanos [ID](#)⁶¹,
D. Rafanoharana [ID](#)⁵⁴, F. Ragusa [ID](#)^{70a,70b}, J.L. Rainbolt [ID](#)³⁹, J.A. Raine [ID](#)⁵⁶, S. Rajagopalan [ID](#)²⁹,
E. Ramakoti [ID](#)³⁷, K. Ran [ID](#)^{48,14d}, V. Raskina [ID](#)¹²⁶, D.F. Rassloff [ID](#)^{63a}, S. Rave [ID](#)⁹⁹,
B. Ravina [ID](#)⁵⁵, I. Ravinovich [ID](#)¹⁶⁸, M. Raymond [ID](#)³⁶, A.L. Read [ID](#)¹²⁴, N.P. Readioff [ID](#)¹³⁸,
D.M. Rebuzzi [ID](#)^{72a,72b}, G. Redlinger [ID](#)²⁹, K. Reeves [ID](#)⁴⁵, J.A. Reidelsturz [ID](#)¹⁷⁰, D. Reikher [ID](#)¹⁵⁰,
A. Reiss⁹⁹, A. Rej [ID](#)¹⁴⁰, C. Rembser [ID](#)³⁶, A. Renardi [ID](#)⁴⁸, M. Renda [ID](#)^{27b}, M.B. Rendel¹⁰⁹,
A.G. Rennie [ID](#)⁵⁹, S. Resconi [ID](#)^{70a}, M. Ressegotti [ID](#)^{57b,57a}, E.D. Resseguie [ID](#)^{17a}, S. Rettie [ID](#)⁹⁵,
B. Reynolds¹¹⁸, E. Reynolds [ID](#)^{17a}, M. Rezaei Estabragh [ID](#)¹⁷⁰, O.L. Rezanova [ID](#)³⁷,
P. Reznicek [ID](#)¹³², E. Ricci [ID](#)^{77a,77b}, R. Richter [ID](#)¹⁰⁹, S. Richter [ID](#)^{47a,47b}, E. Richter-Was [ID](#)^{84b},
M. Ridel [ID](#)¹²⁶, P. Rieck [ID](#)¹¹⁶, P. Riedler [ID](#)³⁶, M. Rijssenbeek [ID](#)¹⁴⁴, A. Rimoldi [ID](#)^{72a,72b},
M. Rimoldi [ID](#)⁴⁸, L. Rinaldi [ID](#)^{23b,23a}, T.T. Rinn [ID](#)²⁹, M.P. Rinnagel [ID](#)¹⁰⁸, G. Ripellino [ID](#)¹⁴³,
I. Riu [ID](#)¹³, P. Rivadeneira [ID](#)⁴⁸, J.C. Rivera Vergara [ID](#)¹⁶⁴, F. Rizatdinova [ID](#)¹²⁰, E. Rizvi [ID](#)⁹³,
C. Rizzi [ID](#)⁵⁶, B.A. Roberts [ID](#)¹⁶⁶, B.R. Roberts [ID](#)^{17a}, S.H. Robertson [ID](#)^{103,v}, M. Robin [ID](#)⁴⁸,
D. Robinson [ID](#)³², C.M. Robles Gajardo [ID](#)^{136f}, M. Robles Manzano [ID](#)⁹⁹, A. Robson [ID](#)⁵⁹,
A. Rocchi [ID](#)^{75a,75b}, C. Roda [ID](#)^{73a,73b}, S. Rodriguez Bosca [ID](#)^{63a}, Y. Rodriguez Garcia [ID](#)^{22a},
A. Rodriguez Rodriguez [ID](#)⁵⁴, A.M. Rodríguez Vera [ID](#)^{155b}, S. Roe [ID](#)³⁶, J.T. Roemer [ID](#)¹⁵⁹,
A.R. Roepe-Gier [ID](#)¹¹⁹, J. Roggel [ID](#)¹⁷⁰, O. Røhne [ID](#)¹²⁴, R.A. Rojas [ID](#)¹⁶⁴, B. Roland [ID](#)⁵⁴,
C.P.A. Roland [ID](#)⁶⁷, J. Roloff [ID](#)²⁹, A. Romaniouk [ID](#)³⁷, E. Romano [ID](#)^{72a,72b}, M. Romano [ID](#)^{23b},

A.C. Romero Hernandez [ID](#)¹⁶¹, N. Rompotis [ID](#)⁹¹, L. Roos [ID](#)¹²⁶, S. Rosati [ID](#)^{74a}, B.J. Rosser [ID](#)³⁹, E. Rossi [ID](#)⁴, E. Rossi [ID](#)^{71a,71b}, L.P. Rossi [ID](#)^{57b}, L. Rossini [ID](#)⁴⁸, R. Rosten [ID](#)¹¹⁸, M. Rotaru [ID](#)^{27b}, B. Rottler [ID](#)⁵⁴, D. Rousseau [ID](#)⁶⁶, D. Rousso [ID](#)³², G. Rovelli [ID](#)^{72a,72b}, A. Roy [ID](#)¹⁶¹, A. Rozanov [ID](#)¹⁰¹, Y. Rozen [ID](#)¹⁴⁹, X. Ruan [ID](#)^{33g}, A. Rubio Jimenez [ID](#)¹⁶², A.J. Ruby [ID](#)⁹¹, V.H. Ruelas Rivera [ID](#)¹⁸, T.A. Ruggeri [ID](#)¹, F. Rühr [ID](#)⁵⁴, A. Ruiz-Martinez [ID](#)¹⁶², A. Rummler [ID](#)³⁶, Z. Rurikova [ID](#)⁵⁴, N.A. Rusakovich [ID](#)³⁸, H.L. Russell [ID](#)¹⁶⁴, J.P. Rutherford [ID](#)⁷, K. Rybacki [ID](#)⁹⁰, M. Rybar [ID](#)¹³², E.B. Rye [ID](#)¹²⁴, A. Ryzhov [ID](#)³⁷, J.A. Sabater Iglesias [ID](#)⁵⁶, P. Sabatini [ID](#)¹⁶², L. Sabetta [ID](#)^{74a,74b}, H.F.W. Sadrozinski [ID](#)¹³⁵, F. Safai Tehrani [ID](#)^{74a}, B. Safarzadeh Samani [ID](#)¹⁴⁵, M. Safdari [ID](#)¹⁴², S. Saha [ID](#)¹⁰³, M. Sahinsoy [ID](#)¹⁰⁹, M. Saimpert [ID](#)¹³⁴, M. Saito [ID](#)¹⁵², T. Saito [ID](#)¹⁵², D. Salamani [ID](#)³⁶, G. Salamanna [ID](#)^{76a,76b}, A. Salnikov [ID](#)¹⁴², J. Salt [ID](#)¹⁶², A. Salvador Salas [ID](#)¹³, D. Salvatore [ID](#)^{43b,43a}, F. Salvatore [ID](#)¹⁴⁵, A. Salzburger [ID](#)³⁶, D. Sammel [ID](#)⁵⁴, D. Sampsonidis [ID](#)¹⁵¹, D. Sampsonidou [ID](#)^{62d,62c}, J. Sánchez [ID](#)¹⁶², A. Sanchez Pineda [ID](#)⁴, V. Sanchez Sebastian [ID](#)¹⁶², H. Sandaker [ID](#)¹²⁴, C.O. Sander [ID](#)⁴⁸, J.A. Sandesara [ID](#)¹⁰², M. Sandhoff [ID](#)¹⁷⁰, C. Sandoval [ID](#)^{22b}, D.P.C. Sankey [ID](#)¹³³, A. Sansoni [ID](#)⁵³, L. Santi [ID](#)^{74a,74b}, C. Santoni [ID](#)⁴⁰, H. Santos [ID](#)^{129a,129b}, S.N. Santpur [ID](#)^{17a}, A. Santra [ID](#)¹⁶⁸, K.A. Saoucha [ID](#)¹³⁸, J.G. Saraiva [ID](#)^{129a,129d}, J. Sardain [ID](#)⁷, O. Sasaki [ID](#)⁸², K. Sato [ID](#)¹⁵⁶, C. Sauer [ID](#)^{63b}, F. Sauerburger [ID](#)⁵⁴, E. Sauvan [ID](#)⁴, P. Savard [ID](#)^{154,aa}, R. Sawada [ID](#)¹⁵², C. Sawyer [ID](#)¹³³, L. Sawyer [ID](#)⁹⁶, I. Sayago Galvan [ID](#)¹⁶², C. Sbarra [ID](#)^{23b}, A. Sbrizzi [ID](#)^{23b,23a}, T. Scanlon [ID](#)⁹⁵, J. Schaarschmidt [ID](#)¹³⁷, P. Schacht [ID](#)¹⁰⁹, D. Schaefer [ID](#)³⁹, U. Schäfer [ID](#)⁹⁹, A.C. Schaffer [ID](#)⁶⁶, D. Schaile [ID](#)¹⁰⁸, R.D. Schamberger [ID](#)¹⁴⁴, E. Schanet [ID](#)¹⁰⁸, C. Scharf [ID](#)¹⁸, V.A. Schegelsky [ID](#)³⁷, D. Scheirich [ID](#)¹³², F. Schenck [ID](#)¹⁸, M. Schernau [ID](#)¹⁵⁹, C. Scheulen [ID](#)⁵⁵, C. Schiavi [ID](#)^{57b,57a}, Z.M. Schillaci [ID](#)²⁶, E.J. Schioppa [ID](#)^{69a,69b}, M. Schioppa [ID](#)^{43b,43a}, B. Schlag [ID](#)^{99,aj}, K.E. Schleicher [ID](#)⁵⁴, S. Schlenker [ID](#)³⁶, K. Schmieden [ID](#)⁹⁹, C. Schmitt [ID](#)⁹⁹, S. Schmitt [ID](#)⁴⁸, L. Schoeffel [ID](#)¹³⁴, A. Schoening [ID](#)^{63b}, P.G. Scholer [ID](#)⁵⁴, E. Schopf [ID](#)¹²⁵, M. Schott [ID](#)⁹⁹, J. Schovancova [ID](#)³⁶, S. Schramm [ID](#)⁵⁶, F. Schroeder [ID](#)¹⁷⁰, H-C. Schultz-Coulon [ID](#)^{63a}, M. Schumacher [ID](#)⁵⁴, B.A. Schumm [ID](#)¹³⁵, Ph. Schune [ID](#)¹³⁴, A. Schwartzman [ID](#)¹⁴², T.A. Schwarz [ID](#)¹⁰⁵, Ph. Schwemling [ID](#)¹³⁴, R. Schwienhorst [ID](#)¹⁰⁶, A. Sciandra [ID](#)¹³⁵, G. Sciolla [ID](#)²⁶, F. Scuri [ID](#)^{73a}, F. Scutti [ID](#)¹⁰⁴, C.D. Sebastiani [ID](#)⁹¹, K. Sedlaczek [ID](#)⁴⁹, P. Seema [ID](#)¹⁸, S.C. Seidel [ID](#)¹¹¹, A. Seiden [ID](#)¹³⁵, B.D. Seidlitz [ID](#)⁴¹, T. Seiss [ID](#)³⁹, C. Seitz [ID](#)⁴⁸, J.M. Seixas [ID](#)^{81b}, G. Sekhniaidze [ID](#)^{71a}, S.J. Sekula [ID](#)⁴⁴, L. Selem [ID](#)⁴, N. Semprini-Cesari [ID](#)^{23b,23a}, S. Sen [ID](#)⁵¹, D. Sengupta [ID](#)⁵⁶, V. Senthilkumar [ID](#)¹⁶², L. Serin [ID](#)⁶⁶, L. Serkin [ID](#)^{68a,68b}, M. Sessa [ID](#)^{76a,76b}, H. Severini [ID](#)¹¹⁹, S. Sevova [ID](#)¹⁴², F. Sforza [ID](#)^{57b,57a}, A. Sfyrila [ID](#)⁵⁶, E. Shabalina [ID](#)⁵⁵, R. Shaheen [ID](#)¹⁴³, J.D. Shahinian [ID](#)¹²⁷, N.W. Shaikh [ID](#)^{47a,47b}, D. Shaked Renous [ID](#)¹⁶⁸, L.Y. Shan [ID](#)^{14a}, M. Shapiro [ID](#)^{17a}, A. Sharma [ID](#)³⁶, A.S. Sharma [ID](#)¹⁶³, P. Sharma [ID](#)⁷⁹, S. Sharma [ID](#)⁴⁸, P.B. Shatalov [ID](#)³⁷, K. Shaw [ID](#)¹⁴⁵, S.M. Shaw [ID](#)¹⁰⁰, Q. Shen [ID](#)^{62c,5}, P. Sherwood [ID](#)⁹⁵, L. Shi [ID](#)⁹⁵, C.O. Shimmin [ID](#)¹⁷¹, Y. Shimogama [ID](#)¹⁶⁷, J.D. Shinner [ID](#)⁹⁴, I.P.J. Shipsey [ID](#)¹²⁵, S. Shirabe [ID](#)⁶⁰, M. Shiyakova [ID](#)³⁸, J. Shlomi [ID](#)¹⁶⁸, M.J. Shochet [ID](#)³⁹, J. Shojaii [ID](#)¹⁰⁴, D.R. Shope [ID](#)¹²⁴, S. Shrestha [ID](#)^{118,ae}, E.M. Shrif [ID](#)^{33g}, M.J. Shroff [ID](#)¹⁶⁴, P. Sicho [ID](#)¹³⁰, A.M. Sickles [ID](#)¹⁶¹, E. Sideras Haddad [ID](#)^{33g}, A. Sidoti [ID](#)^{23b}, F. Siegert [ID](#)⁵⁰, Dj. Sijacki [ID](#)¹⁵, R. Sikora [ID](#)^{84a}, F. Sili [ID](#)⁸⁹, J.M. Silva [ID](#)²⁰, M.V. Silva Oliveira [ID](#)³⁶, S.B. Silverstein [ID](#)^{47a}, S. Simion [ID](#)⁶⁶, R. Simoniello [ID](#)³⁶, E.L. Simpson [ID](#)⁵⁹, N.D. Simpson [ID](#)⁹⁷, S. Simsek [ID](#)^{21d}, S. Sindhu [ID](#)⁵⁵, P. Sinervo [ID](#)¹⁵⁴, V. Sinetckii [ID](#)³⁷, S. Singh [ID](#)¹⁴¹, S. Singh [ID](#)¹⁵⁴, S. Sinha [ID](#)⁴⁸, S. Sinha [ID](#)^{33g}, M. Sioli [ID](#)^{23b,23a}, I. Siral [ID](#)¹²², S.Yu. Sivoklov [ID](#)^{37,*}, J. Sjölin [ID](#)^{47a,47b}, A. Skaf [ID](#)⁵⁵, E. Skorda [ID](#)⁹⁷, P. Skubic [ID](#)¹¹⁹, M. Slawinska [ID](#)⁸⁵, V. Smakhtin [ID](#)¹⁶⁸,

B.H. Smart [ID](#)¹³³, J. Smiesko [ID](#)³⁶, S.Yu. Smirnov [ID](#)³⁷, Y. Smirnov [ID](#)³⁷, L.N. Smirnova [ID](#)^{37,a},
O. Smirnova [ID](#)⁹⁷, A.C. Smith [ID](#)⁴¹, E.A. Smith [ID](#)³⁹, H.A. Smith [ID](#)¹²⁵, J.L. Smith [ID](#)⁹¹, R. Smith [ID](#)¹⁴²,
M. Smizanska [ID](#)⁹⁰, K. Smolek [ID](#)¹³¹, A. Smykiewicz [ID](#)⁸⁵, A.A. Snegarev [ID](#)³⁷, H.L. Snoek [ID](#)¹¹³,
S. Snyder [ID](#)²⁹, R. Sobie [ID](#)^{164,v}, A. Soffer [ID](#)¹⁵⁰, C.A. Solans Sanchez [ID](#)³⁶, E.Yu. Soldatov [ID](#)³⁷,
U. Soldevila [ID](#)¹⁶², A.A. Solodkov [ID](#)³⁷, S. Solomon [ID](#)⁵⁴, A. Soloshenko [ID](#)³⁸, K. Solovieva [ID](#)⁵⁴,
O.V. Solovyanov [ID](#)³⁷, V. Solovyev [ID](#)³⁷, P. Sommer [ID](#)³⁶, A. Sonay [ID](#)¹³, W.Y. Song [ID](#)^{155b},
A. Sopczak [ID](#)¹³¹, A.L. Sopio [ID](#)⁹⁵, F. Sopkova [ID](#)^{28b}, V. Sothilingam [ID](#)^{63a}, S. Sottocornola [ID](#)^{72a,72b},
R. Soualah [ID](#)^{115b}, Z. Soumami [ID](#)^{35e}, D. South [ID](#)⁴⁸, S. Spagnolo [ID](#)^{69a,69b}, M. Spalla [ID](#)¹⁰⁹,
F. Spanò [ID](#)⁹⁴, D. Sperlich [ID](#)⁵⁴, G. Spigo [ID](#)³⁶, M. Spina [ID](#)¹⁴⁵, S. Spinali [ID](#)⁹⁰, D.P. Spiteri [ID](#)⁵⁹,
M. Spousta [ID](#)¹³², E.J. Staats [ID](#)³⁴, A. Stabile [ID](#)^{70a,70b}, R. Stamen [ID](#)^{63a}, M. Stamenkovic [ID](#)¹¹³,
A. Stampekis [ID](#)²⁰, M. Standke [ID](#)²⁴, E. Stanecka [ID](#)⁸⁵, M.V. Stange [ID](#)⁵⁰, B. Stanislaus [ID](#)^{17a},
M.M. Stanitzki [ID](#)⁴⁸, M. Stankaityte [ID](#)¹²⁵, B. Stapf [ID](#)⁴⁸, E.A. Starchenko [ID](#)³⁷, G.H. Stark [ID](#)¹³⁵,
J. Stark [ID](#)^{101,ag}, D.M. Starko [ID](#)^{155b}, P. Staroba [ID](#)¹³⁰, P. Starovoitov [ID](#)^{63a}, S. Stärz [ID](#)¹⁰³,
R. Staszewski [ID](#)⁸⁵, G. Stavropoulos [ID](#)⁴⁶, J. Steentoft [ID](#)¹⁶⁰, P. Steinberg [ID](#)²⁹, A.L. Steinhebel [ID](#)¹²²,
B. Stelzer [ID](#)^{141,155a}, H.J. Stelzer [ID](#)¹²⁸, O. Stelzer-Chilton [ID](#)^{155a}, H. Stenzel [ID](#)⁵⁸,
T.J. Stevenson [ID](#)¹⁴⁵, G.A. Stewart [ID](#)³⁶, M.C. Stockton [ID](#)³⁶, G. Stoicea [ID](#)^{27b}, M. Stolarski [ID](#)^{129a},
S. Stonjek [ID](#)¹⁰⁹, A. Straessner [ID](#)⁵⁰, J. Strandberg [ID](#)¹⁴³, S. Strandberg [ID](#)^{47a,47b}, M. Strauss [ID](#)¹¹⁹,
T. Streblor [ID](#)¹⁰¹, P. Strizenec [ID](#)^{28b}, R. Ströhmer [ID](#)¹⁶⁵, D.M. Strom [ID](#)¹²², L.R. Strom [ID](#)⁴⁸,
R. Stroynowski [ID](#)⁴⁴, A. Strubig [ID](#)^{47a,47b}, S.A. Stucci [ID](#)²⁹, B. Stugu [ID](#)¹⁶, J. Stupak [ID](#)¹¹⁹,
N.A. Styles [ID](#)⁴⁸, D. Su [ID](#)¹⁴², S. Su [ID](#)^{62a}, W. Su [ID](#)^{62d,137,62c}, X. Su [ID](#)^{62a,66}, K. Sugizaki [ID](#)¹⁵²,
V.V. Sulin [ID](#)³⁷, M.J. Sullivan [ID](#)⁹¹, D.M.S. Sultan [ID](#)^{77a,77b}, L. Sultanaliyeva [ID](#)³⁷, S. Sultansoy [ID](#)^{3b},
T. Sumida [ID](#)⁸⁶, S. Sun [ID](#)¹⁰⁵, S. Sun [ID](#)¹⁶⁹, O. Sunneborn Gudnadottir [ID](#)¹⁶⁰, M.R. Sutton [ID](#)¹⁴⁵,
M. Svatos [ID](#)¹³⁰, M. Swiatlowski [ID](#)^{155a}, T. Swirski [ID](#)¹⁶⁵, I. Sykora [ID](#)^{28a}, M. Sykora [ID](#)¹³²,
T. Sykora [ID](#)¹³², D. Ta [ID](#)⁹⁹, K. Tackmann [ID](#)^{48,u}, A. Taffard [ID](#)¹⁵⁹, R. Tafirout [ID](#)^{155a},
J.S. Tafoya Vargas [ID](#)⁶⁶, R.H.M. Taibah [ID](#)¹²⁶, R. Takashima [ID](#)⁸⁷, K. Takeda [ID](#)⁸³, E.P. Takeva [ID](#)⁵²,
Y. Takubo [ID](#)⁸², M. Talby [ID](#)¹⁰¹, A.A. Talyshiev [ID](#)³⁷, K.C. Tam [ID](#)^{64b}, N.M. Tamir [ID](#)¹⁵⁰,
A. Tanaka [ID](#)¹⁵², J. Tanaka [ID](#)¹⁵², R. Tanaka [ID](#)⁶⁶, M. Tanasini [ID](#)^{57b,57a}, J. Tang [ID](#)^{62c}, Z. Tao [ID](#)¹⁶³,
S. Tapia Araya [ID](#)⁸⁰, S. Tapprogge [ID](#)⁹⁹, A. Tarek Abouelfadl Mohamed [ID](#)¹⁰⁶, S. Tarem [ID](#)¹⁴⁹,
K. Tariq [ID](#)^{62b}, G. Tarna [ID](#)^{27b}, G.F. Tartarelli [ID](#)^{70a}, P. Tas [ID](#)¹³², M. Tasevsky [ID](#)¹³⁰,
E. Tassi [ID](#)^{43b,43a}, A.C. Tate [ID](#)¹⁶¹, G. Tateno [ID](#)¹⁵², Y. Tayalati [ID](#)^{35e}, G.N. Taylor [ID](#)¹⁰⁴,
W. Taylor [ID](#)^{155b}, H. Teagle [ID](#)⁹¹, A.S. Tee [ID](#)¹⁶⁹, R. Teixeira De Lima [ID](#)¹⁴², P. Teixeira-Dias [ID](#)⁹⁴,
J.J. Teoh [ID](#)¹⁵⁴, K. Terashi [ID](#)¹⁵², J. Terron [ID](#)⁹⁸, S. Terzo [ID](#)¹³, M. Testa [ID](#)⁵³, R.J. Teuscher [ID](#)^{154,v},
A. Thaler [ID](#)⁷⁸, O. Theiner [ID](#)⁵⁶, N. Themistokleous [ID](#)⁵², T. Theveniaux-Pelzer [ID](#)¹⁸,
O. Thielmann [ID](#)¹⁷⁰, D.W. Thomas [ID](#)⁹⁴, J.P. Thomas [ID](#)²⁰, E.A. Thompson [ID](#)⁴⁸, P.D. Thompson [ID](#)²⁰,
E. Thomson [ID](#)¹²⁷, E.J. Thorpe [ID](#)⁹³, Y. Tian [ID](#)⁵⁵, V. Tikhomirov [ID](#)^{37,a}, Yu.A. Tikhonov [ID](#)³⁷,
S. Timoshenko [ID](#)³⁷, E.X.L. Ting [ID](#)¹, P. Tipton [ID](#)¹⁷¹, S. Tisserant [ID](#)¹⁰¹, S.H. Tlou [ID](#)^{33g},
A. Tmourji [ID](#)⁴⁰, K. Todome [ID](#)^{23b,23a}, S. Todorova-Nova [ID](#)¹³², S. Todt [ID](#)⁵⁰, M. Togawa [ID](#)⁸²,
J. Tojo [ID](#)⁸⁸, S. Tokár [ID](#)^{28a}, K. Tokushuku [ID](#)⁸², R. Tombs [ID](#)³², M. Tomoto [ID](#)^{82,110},
L. Tompkins [ID](#)^{142,aj}, K.W. Topolnicki [ID](#)^{84b}, P. Tornambe [ID](#)¹⁰², E. Torrence [ID](#)¹²², H. Torres [ID](#)^{50,ag},
E. Torró Pastor [ID](#)¹⁶², M. Toscani [ID](#)³⁰, C. Toscizi [ID](#)³⁹, D.R. Tovey [ID](#)¹³⁸, A. Traeet [ID](#)¹⁶,
I.S. Trandafir [ID](#)^{27b}, T. Trefzger [ID](#)¹⁶⁵, A. Tricoli [ID](#)²⁹, I.M. Trigger [ID](#)^{155a}, S. Trincaz-Duvold [ID](#)¹²⁶,
D.A. Trischuk [ID](#)²⁶, B. Trocme [ID](#)⁶⁰, A. Trofymov [ID](#)⁶⁶, C. Troncon [ID](#)^{70a}, L. Truong [ID](#)^{33c},
M. Trzebinski [ID](#)⁸⁵, A. Trzupek [ID](#)⁸⁵, F. Tsai [ID](#)¹⁴⁴, M. Tsai [ID](#)¹⁰⁵, A. Tsiamis [ID](#)¹⁵¹,

P.V. Tsiarashka³⁷, S. Tsigaridas^{155a}, A. Tsirigotis^{151,s}, V. Tsiskaridze¹⁴⁴,
E.G. Tskhadadze^{148a}, M. Tsopoulou¹⁵¹, Y. Tsujikawa⁸⁶, I.I. Tsukerman³⁷, V. Tsulaia^{17a},
S. Tsuno⁸², O. Tsur¹⁴⁹, D. Tsybychev¹⁴⁴, Y. Tu^{64b}, A. Tudorache^{27b}, V. Tudorache^{27b},
A.N. Tuna³⁶, S. Turchikhin³⁸, I. Turk Cakir^{3a}, R. Turra^{70a}, T. Turtuvshin³⁸,
P.M. Tuts⁴¹, S. Tzamarias¹⁵¹, P. Tzanis¹⁰, E. Tzovara⁹⁹, K. Uchida¹⁵², F. Ukegawa¹⁵⁶,
P.A. Ulloa Poblete^{136c}, G. Unal³⁶, M. Unal¹¹, A. Undrus²⁹, G. Unel¹⁵⁹, J. Urban^{28b},
P. Urquijo¹⁰⁴, G. Usai⁸, R. Ushioda¹⁵³, M. Usman¹⁰⁷, Z. Uysal^{21b}, V. Vacek¹³¹,
B. Vachon¹⁰³, K.O.H. Vadla¹²⁴, T. Vafeiadis³⁶, C. Valderanis¹⁰⁸,
E. Valdes Santurio^{47a,47b}, M. Valente^{155a}, S. Valentinetti^{23b,23a}, A. Valero¹⁶²,
A. Vallier^{101,ag}, J.A. Valls Ferrer¹⁶², T.R. Van Daalen¹³⁷, P. Van Gemmeren⁶,
M. Van Rijnbach^{124,36}, S. Van Stroud⁹⁵, I. Van Vulpen¹¹³, M. Vanadia^{75a,75b},
W. Vandelli³⁶, M. Vandenbroucke¹³⁴, E.R. Vandewall¹²⁰, D. Vannicola¹⁵⁰,
L. Vannoli^{57b,57a}, R. Vari^{74a}, E.W. Varnes⁷, C. Varni^{17a}, T. Varol¹⁴⁷, D. Varouchas⁶⁶,
L. Varriale¹⁶², K.E. Varvell¹⁴⁶, M.E. Vasile^{27b}, L. Vaslin⁴⁰, G.A. Vasquez¹⁶⁴,
F. Vazeille⁴⁰, T. Vazquez Schroeder³⁶, J. Veatch³¹, V. Vecchio¹⁰⁰, M.J. Veen¹⁰²,
I. Veliscek¹²⁵, L.M. Veloce¹⁵⁴, F. Veloso^{129a,129c}, S. Veneziano^{74a}, A. Ventura^{69a,69b},
A. Verbytskyi¹⁰⁹, M. Verducci^{73a,73b}, C. Vergis²⁴, M. Verissimo De Araujo^{81b},
W. Verkerke¹¹³, J.C. Vermeulen¹¹³, C. Vernieri¹⁴², P.J. Verschuuren⁹⁴, M. Vessella¹⁰²,
M.C. Vetterli^{141,aa}, A. Vgenopoulos¹⁵¹, N. Viaux Maira^{136f}, T. Vickey¹³⁸,
O.E. Vickey Boeriu¹³⁸, G.H.A. Viehhauser¹²⁵, L. Vigani^{63b}, M. Villa^{23b,23a},
M. Villaplana Perez¹⁶², E.M. Villhauer⁵², E. Vilucchi⁵³, M.G. Vincter³⁴, G.S. Virdee²⁰,
A. Vishwakarma⁵², C. Vittori^{23b,23a}, I. Vivarelli¹⁴⁵, V. Vladimirov¹⁶⁶, E. Voevodina¹⁰⁹,
F. Vogel¹⁰⁸, P. Vokac¹³¹, J. Von Ahnen⁴⁸, E. Von Toerne²⁴, B. Vormwald³⁶,
V. Vorobel¹³², K. Vorobev³⁷, M. Vos¹⁶², J.H. Vossebeld⁹¹, M. Vozak¹¹³,
L. Vozdecky⁹³, N. Vranjes¹⁵, M. Vranjes Milosavljevic¹⁵, M. Vreeswijk¹¹³,
R. Vuillermet³⁶, O. Vujanovic⁹⁹, I. Vukotic³⁹, S. Wada¹⁵⁶, C. Wagner¹⁰²,
W. Wagner¹⁷⁰, S. Wahdan¹⁷⁰, H. Wahlberg⁸⁹, R. Wakasa¹⁵⁶, M. Wakida¹¹⁰,
V.M. Walbrecht¹⁰⁹, J. Walder¹³³, R. Walker¹⁰⁸, W. Walkowiak¹⁴⁰, A.M. Wang⁶¹,
A.Z. Wang¹⁶⁹, C. Wang^{62a}, C. Wang^{62c}, H. Wang^{17a}, J. Wang^{64a}, P. Wang⁴⁴,
R.-J. Wang⁹⁹, R. Wang⁶¹, R. Wang⁶, S.M. Wang¹⁴⁷, S. Wang^{62b}, T. Wang^{62a},
W.T. Wang⁷⁹, W.X. Wang^{62a}, X. Wang^{14c}, X. Wang¹⁶¹, X. Wang^{62c}, Y. Wang^{62d},
Y. Wang^{14c}, Z. Wang¹⁰⁵, Z. Wang^{62d,51,62c}, Z. Wang¹⁰⁵, A. Warburton¹⁰³,
R.J. Ward²⁰, N. Warrack⁵⁹, A.T. Watson²⁰, M.F. Watson²⁰, G. Watts¹³⁷,
B.M. Waugh⁹⁵, A.F. Webb¹¹, C. Weber²⁹, M.S. Weber¹⁹, S.M. Weber^{63a}, C. Wei^{62a},
Y. Wei¹²⁵, A.R. Weidberg¹²⁵, J. Weingarten⁴⁹, M. Weirich⁹⁹, C. Weiser⁵⁴,
C.J. Wells⁴⁸, T. Wenaus²⁹, B. Wendland⁴⁹, T. Wengler³⁶, N.S. Wenke¹⁰⁹,
N. Wermes²⁴, M. Wessels^{63a}, K. Whalen¹²², A.M. Wharton⁹⁰, A.S. White⁶¹,
A. White⁸, M.J. White¹, D. Whiteson¹⁵⁹, L. Wickremasinghe¹²³, W. Wiedenmann¹⁶⁹,
C. Wiel⁵⁰, M. Wielers¹³³, N. Wieseotte⁹⁹, C. Wigglesworth⁴², L.A.M. Wiik-Fuchs⁵⁴,
D.J. Wilbern¹¹⁹, H.G. Wilkens³⁶, D.M. Williams⁴¹, H.H. Williams¹²⁷, S. Williams³²,
S. Willocq¹⁰², P.J. Windischhofer¹²⁵, F. Winklmeier¹²², B.T. Winter⁵⁴, M. Wittgen¹⁴²,
M. Wobisch⁹⁶, R. Wölke¹²⁵, J. Wollrath¹⁵⁹, M.W. Wolter⁸⁵, H. Wolters^{129a,129c},
V.W.S. Wong¹⁶³, A.F. Wongel⁴⁸, S.D. Worm⁴⁸, B.K. Wosiek⁸⁵, K.W. Woźniak⁸⁵,

K. Wraight ⁵⁹, J. Wu ^{14a,14d}, M. Wu ^{64a}, M. Wu ¹¹², S.L. Wu ¹⁶⁹, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ^{134,62a}, J. Wuerzinger ¹²⁵, T.R. Wyatt ¹⁰⁰, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, X. Xiao ¹⁰⁵, M. Xie ^{62a}, X. Xie ^{62a}, J. Xiong ^{17a}, I. Xiotidis ¹⁴⁵, D. Xu ^{14a}, H. Xu ^{62a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁷, T. Xu ¹⁰⁵, W. Xu ¹⁰⁵, Y. Xu ^{14b}, Z. Xu ^{62b}, Z. Xu ¹⁴², B. Yabsley ¹⁴⁶, S. Yacoob ^{33a}, N. Yamaguchi ⁸⁸, Y. Yamaguchi ¹⁵³, H. Yamauchi ¹⁵⁶, T. Yamazaki ^{17a}, Y. Yamazaki ⁸³, J. Yan ^{62c}, S. Yan ¹²⁵, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{17a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Z. Yang ^{62a,105}, W.-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁵, I. Yeletsikh ³⁸, M.R. Yexley ⁹⁰, P. Yin ⁴¹, K. Yorita ¹⁶⁷, C.J.S. Young ⁵⁴, C. Young ¹⁴², M. Yuan ¹⁰⁵, R. Yuan ^{62b,j}, L. Yue ⁹⁵, X. Yue ^{63a}, M. Zaazoua ^{35e}, B. Zabinski ⁸⁵, E. Zaid ⁵², T. Zakareishvili ^{148b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{136d}, J. Zang ¹⁵², D. Zanzi ⁵⁴, O. Zaplatilek ¹³¹, S.V. ZeiBner ⁴⁹, C. Zeitnitz ¹⁷⁰, J.C. Zeng ¹⁶¹, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹³, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, B. Zhang ^{14c}, D.F. Zhang ¹³⁸, G. Zhang ^{14b}, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14d}, L. Zhang ^{14c}, P. Zhang ^{14a,14d}, R. Zhang ¹⁶⁹, S. Zhang ¹⁰⁵, T. Zhang ¹⁵², X. Zhang ^{62c}, X. Zhang ^{62b}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁷, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁵, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, X. Zheng ^{62a}, Z. Zheng ¹⁴², D. Zhong ¹⁶¹, B. Zhou ¹⁰⁵, C. Zhou ¹⁶⁹, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, C. Zhu ^{14a,14d}, H.L. Zhu ^{62a}, H. Zhu ^{14a}, J. Zhu ¹⁰⁵, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴⁰, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶, T.G. Zorbas ¹³⁸, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ (a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

- ²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
- ²¹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul; ^(d) Istinye University, Sariyer, Istanbul; Türkiye
- ²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ²³ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy
- ²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²⁵ Department of Physics, Boston University, Boston MA; United States of America
- ²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
- ²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, KwaDlangezwa; ^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies — Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- ³⁶ CERN, Geneva; Switzerland
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; United States of America

- ⁵² SUPA — School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA — School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁸ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁹ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷⁰ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷¹ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷³ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁷ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁸ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁷⁹ University of Iowa, Iowa City IA; United States of America
- ⁸⁰ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁸¹ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- ⁸² KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸³ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁴ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁵ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁶ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁷ Kyoto University of Education, Kyoto; Japan

- ⁸⁸ *Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan*
- ⁸⁹ *Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina*
- ⁹⁰ *Physics Department, Lancaster University, Lancaster; United Kingdom*
- ⁹¹ *Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom*
- ⁹² *Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia*
- ⁹³ *School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom*
- ⁹⁴ *Department of Physics, Royal Holloway University of London, Egham; United Kingdom*
- ⁹⁵ *Department of Physics and Astronomy, University College London, London; United Kingdom*
- ⁹⁶ *Louisiana Tech University, Ruston LA; United States of America*
- ⁹⁷ *Fysiska institutionen, Lunds universitet, Lund; Sweden*
- ⁹⁸ *Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain*
- ⁹⁹ *Institut für Physik, Universität Mainz, Mainz; Germany*
- ¹⁰⁰ *School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom*
- ¹⁰¹ *CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France*
- ¹⁰² *Department of Physics, University of Massachusetts, Amherst MA; United States of America*
- ¹⁰³ *Department of Physics, McGill University, Montreal QC; Canada*
- ¹⁰⁴ *School of Physics, University of Melbourne, Victoria; Australia*
- ¹⁰⁵ *Department of Physics, University of Michigan, Ann Arbor MI; United States of America*
- ¹⁰⁶ *Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America*
- ¹⁰⁷ *Group of Particle Physics, University of Montreal, Montreal QC; Canada*
- ¹⁰⁸ *Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany*
- ¹⁰⁹ *Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany*
- ¹¹⁰ *Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan*
- ¹¹¹ *Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America*
- ¹¹² *Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands*
- ¹¹³ *Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands*
- ¹¹⁴ *Department of Physics, Northern Illinois University, DeKalb IL; United States of America*
- ¹¹⁵ ^(a) *New York University Abu Dhabi, Abu Dhabi; ^(b) University of Sharjah, Sharjah; United Arab Emirates*
- ¹¹⁶ *Department of Physics, New York University, New York NY; United States of America*
- ¹¹⁷ *Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan*
- ¹¹⁸ *Ohio State University, Columbus OH; United States of America*
- ¹¹⁹ *Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America*
- ¹²⁰ *Department of Physics, Oklahoma State University, Stillwater OK; United States of America*
- ¹²¹ *Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic*
- ¹²² *Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America*
- ¹²³ *Graduate School of Science, Osaka University, Osaka; Japan*
- ¹²⁴ *Department of Physics, University of Oslo, Oslo; Norway*
- ¹²⁵ *Department of Physics, Oxford University, Oxford; United Kingdom*
- ¹²⁶ *LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France*
- ¹²⁷ *Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America*
- ¹²⁸ *Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America*
- ¹²⁹ ^(a) *Laboratório de Instrumentação e Física Experimental de Partículas — LIP, Lisboa;*
^(b) *Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento*

- de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹³⁰ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³¹ Czech Technical University in Prague, Prague; Czech Republic
- ¹³² Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- ¹³⁴ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁵ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁶ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁷ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- ¹³⁹ Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- ¹⁴⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁸ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
- ¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
- ¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- ¹⁵⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁸ United Arab Emirates University, Al Ain; United Arab Emirates
- ¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁶⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia — CSIC, Valencia; Spain
- ¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada

- ¹⁶⁵ *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany*
¹⁶⁶ *Department of Physics, University of Warwick, Coventry; United Kingdom*
¹⁶⁷ *Waseda University, Tokyo; Japan*
¹⁶⁸ *Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel*
¹⁶⁹ *Department of Physics, University of Wisconsin, Madison WI; United States of America*
¹⁷⁰ *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany*
¹⁷¹ *Department of Physics, Yale University, New Haven CT; United States of America*

^a *Also Affiliated with an institute covered by a cooperation agreement with CERN*

^b *Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America*

^c *Also at Bruno Kessler Foundation, Trento; Italy*

^d *Also at Center for High Energy Physics, Peking University; China*

^e *Also at Centro Studi e Ricerche Enrico Fermi; Italy*

^f *Also at CERN, Geneva; Switzerland*

^g *Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland*

^h *Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain*

ⁱ *Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece*

^j *Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America*

^k *Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America*

^l *Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel*

^m *Also at Department of Physics, California State University, East Bay; United States of America*

ⁿ *Also at Department of Physics, California State University, Sacramento; United States of America*

^o *Also at Department of Physics, King's College London, London; United Kingdom*

^p *Also at Department of Physics, University of Fribourg, Fribourg; Switzerland*

^q *Also at Department of Physics, University of Thessaly; Greece*

^r *Also at Department of Physics, Westmont College, Santa Barbara; United States of America*

^s *Also at Hellenic Open University, Patras; Greece*

^t *Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain*

^u *Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany*

^v *Also at Institute of Particle Physics (IPP); Canada*

^w *Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan*

^x *Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia*

^y *Also at Lawrence Livermore National Laboratory, Livermore; United States of America*

^z *Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China*

^{aa} *Also at TRIUMF, Vancouver BC; Canada*

^{ab} *Also at Università di Napoli Parthenope, Napoli; Italy*

^{ac} *Also at University of Chinese Academy of Sciences (UCAS), Beijing; China*

^{ad} *Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America*

^{ae} *Also at Washington College, Maryland; United States of America*

^{af} *Also at Yeditepe University, Physics Department, Istanbul; Türkiye*

^{ag} *Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France*

^{ah} *National Institute of Physics, University of the Philippines Diliman*

^{ai} *Also at Technical University of Munich, Munich; Germany*

^{aj} *Also at Department of Physics, Stanford University, Stanford CA; United States of America*

^{ak} *Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece*

^{al} *Also at Physics Department, An-Najah National University, Nablus; Palestine*

^{*} *Deceased*