


Search for Inelastic Dark Matter in Events with Two Displaced Muons and Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV

A. Hayrapetyan *et al.**
(CMS Collaboration)

 (Received 19 May 2023; revised 24 September 2023; accepted 29 November 2023; published 23 January 2024)

A search for dark matter in events with a displaced nonresonant muon pair and missing transverse momentum is presented. The analysis is performed using an integrated luminosity of 138 fb^{-1} of proton-proton (pp) collision data at a center-of-mass energy of 13 TeV produced by the LHC in 2016–2018. No significant excess over the predicted backgrounds is observed. Upper limits are set on the product of the inelastic dark matter production cross section $\sigma(pp \rightarrow A' \rightarrow \chi_1 \chi_2)$ and the decay branching fraction $\mathcal{B}(\chi_2 \rightarrow \chi_1 \mu^+ \mu^-)$, where A' is a dark photon and χ_1 and χ_2 are states in the dark sector with near mass degeneracy. This is the first dedicated collider search for inelastic dark matter.

DOI: [10.1103/PhysRevLett.132.041802](https://doi.org/10.1103/PhysRevLett.132.041802)

The presence of dark matter (DM) is strongly supported by observations [1–5], but its nature remains largely unknown. Dedicated experiments (e.g., Refs. [6–9]) have searched for DM directly, but no signal has yet been detected. Particle colliders are a complementary tool in this effort. Several searches for minimal models of DM have been carried out at the CERN LHC, such as those predicting weakly interacting massive particles [10–15]. Collider-based searches for long-lived particles (LLPs) can probe a wider range of DM models than previously explored [16–26]. These particles can travel macroscopic distances before decaying inside the detector, leaving unique signatures. Several theoretical mechanisms predict a suppressed phase space for the production and decay of DM states, which would lead to long-lived DM phenomenology at the LHC [18]. Moreover, targeting LLPs has the considerable advantage of reducing or even eliminating a large class of standard model (SM) backgrounds, thus improving sensitivity for models with low-energy final-state particles, a theoretically well-motivated but typically challenging signature [27–30].

In this Letter, we present a novel search for DM production in LHC proton-proton (pp) collisions that targets displaced-decay signatures. Specifically, we probe an inelastic DM (IDM) model [29–31] that postulates the existence of at least two states in the dark sector (the lightest of which is the stable DM) accompanied by a dark photon that kinetically mixes with the SM

hypercharge [32]. In inelastic coupling scenarios, these states cannot scatter elastically with other particles (e.g., nucleons) [31]. These models predict a flavor-mixing off-diagonal vector coupling between the states and the dark photon, such that both states are produced simultaneously. A small mass gap between the lighter and heavier states leads to a compressed phase space and increased lifetime of the heavier state, thus producing LLP decay signatures in the CMS detector. Such models can account for the observed thermal-relic abundance [29], which is the density of dark matter energy left over from the early evolution of the Universe, while evading the increasingly stringent experimental constraints set by other DM searches. Previous studies [29,33–35] have placed bounds on the IDM production cross section for lighter dark matter masses (< 1 GeV) by reinterpreting existing results from previous experiments [36–39] or via fixed-target experimental setups. The work described here is the first dedicated collider search for IDM, which provides new sensitivity to heavier DM masses (≈ 3 –80 GeV) and to displaced nonresonant dimuon production. This is achieved via the use of a dedicated displaced muon reconstruction algorithm and optimized event selection criteria, including isolation requirements. The signal selection efficiencies may be as low as 10^{-4} for low DM masses and highly displaced signal hypotheses, but the predicted IDM production cross sections can be as large as a few picobarns. The pioneering sensitivity achieved in this work to the unique final-state topology comprising low- p_T , displaced, and nonresonant muon pairs foreshadows the increasing attention devoted to more complex scenarios of new physics, given the absence of conclusive evidence for resonances or other singular phenomena incompatible with the SM. The techniques presented here will enable novel searches targeting models of DM with a rich structure and

*Full author list given at the end of the Letter.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.




FIG. 1. Feynman diagram of IDM production and decay in pp collisions. The heavier state χ_2 can be long-lived and decays to χ_1 and to a muon pair via an off-shell dark photon A' .

other compressed-spectra models, such as supersymmetry models featuring coannihilation [40,41]. Tabulated results are provided in the HEPData record for this analysis [42].

The process of interest includes a dark photon A' that is produced in the pp collision and recoils from an initial-state radiation jet, which is needed for efficient triggering on the event. The A' decays promptly to two states χ_1 and χ_2 with a near mass degeneracy, as illustrated in Fig. 1. The light DM state χ_1 (with mass m_1) is stable and not detected. The heavy state χ_2 (with mass m_2) travels a measurable distance before decaying to another χ_1 and a pair of SM particles via an off-shell dark photon. The mass splitting between the two states $\Delta \equiv m_2 - m_1$ is relatively small, between 10% and 40% of m_1 , resulting in decay products that are “soft” (transverse momentum $p_T \lesssim 15$ GeV) and have small angular separation. Here we focus on final states with muons because of the powerful reconstruction and identification tools available for displaced muons and the higher purity of the reconstruction compared to that of soft electrons. The escaping χ_1 particles are collimated with the soft muons and lead to sizable \vec{p}_T^{miss} , defined as the projection onto the plane perpendicular to the beam axis of the negative vector momentum sum of all reconstructed objects in an event. Its magnitude is referred to as p_T^{miss} . Previous CMS, ATLAS, and LHCb searches for processes with dimuon signatures [16,17,20–22,24,26,43] are not as sensitive to this class of models, for various reasons. Some analyses rely on the detection of dimuon resonances [16,22,24,26], whereas muons in IDM are not resonantly produced. Others must compromise on either requiring higher muon p_T [17,20,26,43] to keep the background and trigger rates manageable or requiring muons to be prompt [21,24]. However, such selections also remove a significant fraction of IDM signal-like events, which feature both soft and displaced muons. Finally, searches for monojet signatures could have some sensitivity to IDM models for muon displacements sufficiently high such that both muons are not reconstructed, but there would be a large background from multijet processes, as well as low signal production at the high muon-pair displacement. The signal sensitivity would therefore be small. The required signature including displaced muons allows backgrounds to be

controlled without the need for a higher p_T^{miss} threshold, which would greatly reduce the efficiency to reconstruct the IDM signal.

The central feature of the CMS apparatus is a superconducting solenoid of 6m internal diameter, providing a magnetic field of 3.8 T. The solenoid volume contains a silicon pixel and strip tracker (extending in radius from 4 to 110 cm and covering the range of pseudorapidity $|\eta| < 2.4$), a lead tungstate crystal electromagnetic calorimeter, and a brass-scintillator hadron calorimeter, each composed of a barrel and two end cap sections. Forward calorimeters extend the η coverage provided by the barrel and end cap detectors. Muons are detected in gas-ionization detectors embedded in the steel flux-return yoke outside the solenoid, extending radially from about 4 to 7 m and covering the range $|\eta| < 2.4$. A more detailed description of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in Ref. [44]. A particle-flow (PF) algorithm [45] aims to reconstruct and identify each individual particle in an event, with an optimized combination of information from the various elements of the CMS detector.

The analysis is carried out with data collected by the CMS Collaboration in 2016–2018 with a total integrated luminosity of 138 fb^{-1} . Simulated samples of signal and background events are used to optimize the event selection. Signal samples with dimuon decays are generated with MadGraph5_aMC@NLO v.2.6.0 [46,47] at leading order in quantum chromodynamics (QCD) and injected into PYTHIA v8.226 [48] for fragmentation and parton shower modeling. Motivated by Ref. [29] and other sources, we select parameters consisting of m_1 in the range 3–80 GeV, $m_{A'} = 3m_1$, $\Delta = \{0.1, 0.4\}m_1$, $c\tau$ in the range 1–1000 mm, and $\alpha_D = \{0.1, 0.4\}$. Here, $c\tau$ is the proper decay length of χ_2 and α_D is the coupling strength of the $U(1)_D$ in the dark sector. These five parameters fix the kinetic mixing coefficient ϵ , which controls the amount of mixing between the dark photon and the SM hypercharge. The CUETP8M1 underlying event tune [49] is applied to 2016 samples and the CP5 tune [50] to 2017–2018 samples. Two parton distribution function sets are used: NNPDF3.0 [51] (2016) and NNPDF3.1 [52] (2017–2018). Additional pp interactions in the same or adjacent bunch crossings (pileup) are also simulated, with a frequency distribution matching that in data. Finally, the detector response is simulated with GEANT4 [53] and identical reconstruction algorithms are applied to collision and simulated samples.

The event selection exploits the unique features expected from IDM: a pair of collinear, soft, and displaced muons collimated with \vec{p}_T^{miss} . The muons are too soft to pass the trigger selection, so at least one energetic jet is required to boost the DM particles and enhance the p_T^{miss} spectrum. Candidate events are first selected with triggers with a minimum p_T^{miss} threshold of 120 GeV at the trigger level




FIG. 2. Simulated muon reconstruction efficiency of standard (blue squares) and displaced (red circles) reconstruction algorithms as a function of transverse vertex displacement v_{xy} . The two dashed vertical gray lines denote the ends of the fiducial tracker and muon detector regions, respectively.

and 200 GeV in the off-line selection, constructed excluding muons [54]. The leading jet in the event is required to have $p_T > 80$ GeV and $|\eta| < 2.4$. To accommodate additional initial-state emissions, only one other jet, with $p_T > 30$ GeV and $|\eta| < 5.0$, is allowed per event. The jet p_T requirement removes low-momentum jets produced in pileup interactions. Limiting the number of jets reduces the dominant background from events with jets produced through the strong interaction, referred to as QCD events, while retaining approximately 70% of the signal yield. To suppress top quark backgrounds, events are vetoed if any jets are identified as originating from a bottom quark, based on the loose working point of the DeepCSV algorithm [55,56]. The leading (subleading) jet must be azimuthally separated from \vec{p}_T^{miss} by at least 1.50 (0.75) rad. These selections further suppress backgrounds by ensuring that the DM system is well isolated in the event.

Muons are reconstructed with a specialized algorithm designed to remain efficient even for large displacements of the muon-pair vertex of up to several meters from the luminous region. This displaced stand-alone algorithm (DSA) uses only information from the muon system and does not require muons to originate from the interaction point [20,57]. In Fig. 2, the DSA reconstruction efficiency for a representative signal sample is compared to that of the standard global reconstruction algorithm [57], which requires both tracker and muon detector information. The efficiency is calculated vs the distance v_{xy} in the transverse plane between the primary vertex (defined as the vertex

with the largest value of summed charged particle p_T^2) and the muon-pair vertex. The efficiency remains high even when the muon-pair vertex lies beyond the inner radius of the muon detector planes.

The baseline muon selection requires at least two identified DSA muons. The identification criteria comprise > 12 hits across ≥ 2 different muon detector planes (and > 18 hits if no hits are found in the muon detector end caps); track fit quality $\chi^2/\text{d.o.f.} < 2.5$, p_T resolution $\sigma_{p_T}/p_T < 1$, $p_T > 5$ GeV, and $|\eta| < 2.4$. The efficiency to identify such a DSA muon (about 90%) is measured with three different data samples providing complementary coverage of the kinematic phase space: cosmic ray muons (as a proxy for displaced muons), muon pairs from Z boson decays (high p_T), and muon pairs from J/ψ meson decays (low p_T). This efficiency is compared to that of the corresponding simulated sample and the yearly efficiency ratio is parametrized as a function of muon p_T , η , and transverse impact parameter d_{xy} (defined as the closest distance in the transverse plane between the track trajectory and the main vertex) and applied as a correction to simulated events [26]. A cosmic ray muon veto is implemented by discarding events containing at least one pair of back-to-back DSA muons. At least one pair of oppositely charged DSA muons must form a well-reconstructed vertex (using a Kalman filtering algorithm [58]) as inferred from a vertex fit with quality $\chi^2/\text{d.o.f.} < 4$ and a relative position resolution of about 2%–3% (1%) at low (high) displacements. The muon pair with the smallest χ^2 value is chosen. The overall efficiency to correctly assign muon charges is greater than 97% because of the low-energy spectrum of IDM muons. Finally, we require the muons to be collimated with $\Delta R \equiv \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} < 0.9$ and the dimuon p_T to be azimuthally aligned with the p_T^{miss} in the event, $\Delta\phi_{\mu\mu}^{\text{miss}} \equiv |\Delta\phi(\vec{p}_T^{\text{miss}}, \vec{p}_T^{\mu\mu})| < 0.5$. These requirements remove more than 90% of the electroweak SM backgrounds without incurring a significant loss of signal efficiency.

The DSA muons have higher reconstruction efficiencies but degraded momentum resolution and impact parameter resolution compared to muons reconstructed with the standard algorithm. This is due to the smaller lever arm and lack of tracker information. To recover some of the performance at lower displacements, a match-and-replace procedure is implemented whereby DSA muon system tracks that are found close to muons reconstructed with the PF algorithm (PF muons) are replaced with the latter. The matching requirement is $\Delta R < 0.2$ at the location of the innermost muon spectrometer track hit. The baseline requirement of two DSA muons in the event selection removes ambiguities in the PF-DSA matching. The vertex is then refitted and again required to pass the $\chi^2/\text{d.o.f.} < 4$ threshold. We divide the signal region (SR) into three categories (0–2) based on the number of PF-DSA matches

found. Highly displaced signal events fall in the zero-match category, since typically no PF muons are reconstructed, while signal events with slightly displaced muons fall in the one- or two-match categories, like most SM backgrounds. This categorization thus further enhances the search sensitivity for displaced signal models in the zero-match category.

Backgrounds passing the event selection consist mainly of three types: QCD events with genuine or misidentified muons and p_T^{miss} arising from jet mismeasurements (dominant in all match categories); multijet W events where the W boson decays to a muon and a muon-neutrino and a misidentified muon is selected (contributing to the one-match category); and multijet Z events where the Z boson decays to two neutrinos and two misidentified muons are selected (contributing to the zero- and one-match categories). Misidentified muons may be associated with pileup interactions or the underlying event and therefore not correlate with the hard scatter in the event, or they may arise from instrumental deficiencies. No backgrounds from cosmic ray muons or other noncollisional contributions are expected because of the highly selective event requirements, the cosmic ray veto, and the use of p_T^{miss} triggers. The absence of such backgrounds was checked with a dedicated sample of events collected with noncollisional triggers, which require particles traversing the CMS detector while simultaneously vetoing any beam particles crossing the down- and upstream ends of the detector.

A modified matrix (“ $ABCD$ ”) method is employed to estimate the backgrounds, relying on two independent variables to discriminate between signal and background. The two-dimensional plane formed by these variables is divided into four bins (A – D). Because the variables are independent, all four bins can be described using only three parameters: a normalization rate plus a vertical and a horizontal transfer coefficient. The final degree of freedom is then used to fit the signal rate across all bins [59].

To maximize sensitivity, different variables are used in each match category. All three match categories use the minimum d_{xy} of the two muons, referred to as $\text{min-}d_{xy}$. In the one- and two-match categories, the second

discriminating variable is the relative PF isolation $I_{\text{PF}}^{\text{rel}}$ of the $\text{min-}d_{xy}$ muon, defined as the p_T sum of all photons, charged and neutral hadrons found within a $\Delta R < 0.4$ cone of a muon, divided by its p_T . Unlike in QCD events, where muons originate from parton fragmentation and hadronization processes, muons in IDM should be isolated. In the zero-match category, where no PF muons are identified, the second $ABCD$ variable is $\Delta\phi_{\mu\mu}^{\text{miss}}$. The assumption of independence between all variables is extensively checked, as described in the next paragraph. The simultaneous fit accounts for the presence of signal in all $ABCD$ bins, but a higher concentration is expected for high $\text{min-}d_{xy}$, low $I_{\text{PF}}^{\text{rel}}$, and small $\Delta\phi_{\mu\mu}^{\text{miss}}$.

To validate the background estimation procedure and to optimize the $ABCD$ binning, a multijet validation region (VR) enriched with backgrounds and devoid of signal is defined by inverting the requirement on the number of jets in the event, demanding at least three jets. Simulation studies show that QCD multijet events are the dominant background source in all match categories, comprising about 80% of the expected backgrounds both in the SR and in the VR. The shapes of all observables used in the $ABCD$ procedure were found to agree within uncertainties between the VR and the SR, and between data and MC simulation. Several sets of $ABCD$ bins are defined in the VR and the agreement between predicted and observed yields in bin D (the bin with the smallest backgrounds) is confirmed for each set. We choose a grid of bin boundaries centered around the optimal bins in each match category, for a total of 31 tests. The ensemble of control tests shows no statistically significant deviation between prediction and observation. Since these closure tests indicate that the observables chosen for the background validation are not correlated (within the statistical precision of the method), no systematic uncertainties are applied to the background prediction in the analysis, which is entirely dominated by statistical uncertainties. The optimal $ABCD$ binning (reported in Table I for each match category) is determined by requiring at least three events in each of at least three bins of the $ABCD$ plane,

TABLE I. Definition of $ABCD$ bins and yields in data, per match category. The predicted yield in the bin with the smallest backgrounds (bin D) is extracted from the simultaneous four-bin fit by assuming zero signal, which corresponds to $(\text{Obs. } B \times \text{Obs. } C)/(\text{Obs. } A)$ in this limit. Uncertainties in the predicted yields are purely statistical and determined from the propagation of Poisson uncertainties in the various bins.

Bin	Zero match			One match			Two match		
	$\Delta\phi_{\mu\mu}^{\text{miss}}$ (rad)	Min- d_{xy} (cm)	Events	$I_{\text{PF}}^{\text{rel}}$	Min- d_{xy} (cm)	Events	$I_{\text{PF}}^{\text{rel}}$	Min- d_{xy} (cm)	Events
Obs. A	0–0.25	3–15	68	>0.25	0.02–0.75	716	>0.25	0.02–0.15	424
Obs. B	0.25–0.50	3–15	9	<0.25	0.02–0.75	33	<0.25	0.02–0.15	22
Obs. C	0–0.25	>15	9	>0.25	>0.75	12	>0.25	>0.15	10
Obs. D			2			0			0
Pred. D	0.25–0.50	>15	1.2 ± 0.6	<0.25	>0.75	0.5 ± 0.2	<0.25	>0.15	0.5 ± 0.2

TABLE II. Systematic uncertainties in the analysis. The jet uncertainties are larger in 2017 because of noise issues with the ECAL end cap. The tracking inefficiency in 2016 is caused by the unexpected saturation of photodiode signals in the tracker. The first two rows give the uncertainty per PF muon. Thus, for the first row, the contributions are 0%, 5%, and 10% in the zero-, one- and two-match categories, respectively. The third row lists the DSA displaced reconstruction (reco.) systematic uncertainty.

Uncertainty	2016	2017	2018	Correlation
PF displaced ID	5	5	5	Total
PF prompt ID	3.2	2.8	3.0	Total
DSA displaced reco.	2	2	2	Total
DSA displaced ID	2	2	2	Total
DSA prompt ID	0.6	0.7	0.6	Total
b quark jet ID	0.5	0.5	0.5	Total
Electron and photon ID	0.5	0.5	0.5	Total
Trigger	1.5	1.5	1.5	Total
Jet energy resolution	1.0	9.0	2.5	None
Jet energy scale	2.0	6.0	2.0	Total
Luminosity	1.2	2.3	2.5	Partial
Tracking inefficiency	10

which is needed for a reasonable background estimation in the fourth bin.

The dominant signal uncertainties in the analysis are either statistical, arising from a low selection efficiency for some signal hypotheses, or systematic due to imperfect




FIG. 3. Measured $\min-d_{xy}$ distribution in the two-match category, after requiring the $\min-d_{xy}$ muon to pass the isolation requirement $I_{PF}^{el} < 0.25$ (i.e., the B and D bins of the $ABCD$ plane). Overlaid with a red histogram is the background predicted from the region of the $ABCD$ plane failing the same requirement (the A and C bins), as well as three signal benchmark hypotheses (as defined in the legends), assuming α_D is equal to the electromagnetic (EM) fine-structure constant α_{EM} . The red hatched bands correspond to the background prediction uncertainty. The last bin includes the overflow.

knowledge of efficiencies, energy corrections, and the integrated luminosity [60–62]. The total signal systematic uncertainties averaged over all years are approximately 20%, 30%, and 40% for the zero-, one- and two-match categories, respectively (with a yearly breakdown shown in Table II). These are applied uniformly to all signal hypotheses, unlike the statistical uncertainty, which depends on the signal efficiency of each hypothesis.

The observed yields in data are used to perform a simultaneous fit to the four $ABCD$ bins in each match




FIG. 4. Two-dimensional exclusion surfaces for $\Delta = 0.1m_1$ (top) and $0.4m_1$ (bottom), as functions of the DM mass m_1 and the signal strength y , with $m_{A'} = 3m_1$. Filled histograms denote observed limits on $\sigma(pp \rightarrow A' \rightarrow \chi_2 \chi_1) \mathcal{B}(\chi_2 \rightarrow \chi_1 \mu^+ \mu^-)$. Solid (dashed) curves denote the observed (expected) exclusion limits at 95% C.L., with 68% C.L. uncertainty bands around the expectation. Regions above the curves are excluded, depending on the α_D hypothesis: $\alpha_D = \alpha_{EM}$ (dark blue) or 0.1 (light magenta). The sensitivity is higher in the region near $m_1 \approx 30$ GeV or $m_{A'} \approx 90$ GeV because of the A' mixing with the Z boson in that mass range.

category, and the fit results are found to be consistent with the background-only hypothesis, as illustrated in Table I. Specifically, the measured (predicted) yields are $2 (1.2 \pm 0.6)$, $0 (0.5 \pm 0.2)$, and $0 (0.5 \pm 0.2)$ in the zero-, one-, and two-match categories, respectively. Figure 3 shows the measured $\min-d_{xy}$ distribution in the two-match category, for the subset of events passing the isolation requirement (B and D bins). To derive the background prediction shown in Fig. 3, the observed distribution in bins A and C is normalized to the sum of yields counted in bins B and D under the no-signal assumption.

We assess 95% confidence level (C.L.) limits on the product of the DM production cross section and decay branching fraction $\sigma(pp \rightarrow A' \rightarrow \chi_2 \chi_1) \mathcal{B}(\chi_2 \rightarrow \chi_1 \mu^+ \mu^-)$ using a modified frequentist criterion C.L._s with the likelihood ratio test statistic [63,64]. The upper limits are shown in Fig. 4 as a function of the mass m_1 of the DM state and the interaction strength $y \equiv e^2 \alpha_D (m_1/m_{A'})^4$. This choice of parametrization allows the relevant variables to be scaled with the thermal-relic abundance in a straightforward way, as explored in Ref. [29]. The exclusion curves (in blue and magenta) depend more strongly on the choices of α_D and of $m_{A'}$ than the cross section limits because of the resonant enhancement arising from the mixing between the A' and Z bosons when $m_{A'} \approx m_Z$. Results are shown for $m_{A'} = 3m_1$, which is chosen for compatibility with the target thermal-relic DM abundances as determined by cosmological observations. Regions of parameter space are excluded in both mass-splitting scenarios: for $\Delta = 0.1m_1$, values of y above $\sim 10^{-7} - 10^{-6}$ and above $\sim 10^{-8} - 10^{-7}$, depending on the choice of α_D , are excluded at $m_1 = 3$ and 80 GeV, respectively. For $\Delta = 0.4m_1$, the relative exclusion sensitivity is weaker because of the smaller production cross sections, which scale as $1/\Delta^5$ when all other parameters are fixed. Only the region near the A' - Z resonance is excluded in this scenario.

In summary, a search has been presented for inelastically coupled dark matter with a unique final-state signature including a soft, displaced muon pair collimated with the missing transverse momentum vector. The analysis is performed using proton-proton collision data produced by the LHC at a center-of-mass energy of 13 TeV and collected with the CMS experiment in 2016–2018. The data sample corresponds to an integrated luminosity of 138 fb^{-1} . Control samples in data are used to predict the background, and no significant excess is observed over standard model expectations. Upper limits are set on the product of the DM production cross section and decay branching fraction into muons as a function of DM mass m_1 and interaction strength. This is the first dedicated collider search for inelastic dark matter and it significantly expands the sensitivity to m_1 above the GeV scale.

The supporting data for this Letter are openly available at HEPData [42].

We thank Brian Shuve for providing calculations for some of the cross sections used in this Letter. We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); MoER, ERC PUT, and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LAS (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI and NSTDA (Thailand); TUBITAK and TENMAK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (U.S.).

-
- [1] A. Arbey and F. Mahmoudi, Dark matter and the early Universe: A review, *Prog. Part. Nucl. Phys.* **119**, 103865 (2021).
 - [2] D. Clowe, A. Gonzalez, and M. Markevitch, Weak-lensing mass reconstruction of the interacting cluster 1E 0657-558: Direct evidence for the existence of dark matter, *Astrophys. J.* **604**, 596 (2004).
 - [3] E. Komatsu *et al.*, Five-year Wilkinson Microwave Anisotropy Probe observations: Cosmological interpretation, *Astrophys. J. Suppl. Ser.* **180**, 330 (2009).
 - [4] M. Ackermann *et al.* (Fermi-LAT Collaboration), Searching for dark matter annihilation from Milky Way dwarf spheroidal galaxies with six years of Fermi Large Area Telescope data, *Phys. Rev. Lett.* **115**, 231301 (2015).
 - [5] N. Aghanim *et al.* (Planck Collaboration), Planck 2018 results. VI. Cosmological parameters, *Astron. Astrophys.* **641**, A6 (2020); **652**, C4(E) (2021).
 - [6] M. Schumann, Direct detection of WIMP dark matter: Concepts and status, *J. Phys. G* **46**, 103003 (2019).

- [7] D. S. Akerib *et al.* (LUX Collaboration), Results from a search for dark matter in the complete LUX exposure, *Phys. Rev. Lett.* **118**, 021303 (2017).
- [8] E. Aprile *et al.* (XENON Collaboration), Search for inelastic scattering of WIMP dark matter in XENON1T, *Phys. Rev. D* **103**, 063028 (2021).
- [9] R. Agnese *et al.* (SuperCDMS Collaboration), Results from the Super Cryogenic Dark Matter Search Experiment at Soudan, *Phys. Rev. Lett.* **120**, 061802 (2018).
- [10] ATLAS Collaboration, Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector, *J. High Energy Phys.* **05** (2019) 142.
- [11] ATLAS Collaboration, Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* **103**, 112006 (2021).
- [12] CMS Collaboration, Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **11** (2021) 153.
- [13] ATLAS Collaboration, Search for dark matter produced in association with a standard model Higgs boson decaying into b-quarks using the full run 2 dataset from the ATLAS detector, *J. High Energy Phys.* **11** (2021) 209.
- [14] ATLAS Collaboration, Combination of searches for invisible decays of the Higgs boson using 139 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS experiment, *Phys. Lett. B* **842**, 137963 (2023).
- [15] CMS Collaboration, A search for decays of the Higgs boson to invisible particles in events with a top-antitop quark pair or a vector boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **83**, 933 (2023).
- [16] ATLAS Collaboration, Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* **99**, 012001 (2019).
- [17] ATLAS Collaboration, Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett. B* **801**, 135114 (2020).
- [18] J. Alimena *et al.*, Searching for long-lived particles beyond the standard model at the Large Hadron Collider, *J. Phys. G* **47**, 090501 (2020).
- [19] ATLAS Collaboration, Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector, *Eur. Phys. J. C* **80**, 450 (2020).
- [20] CMS Collaboration, Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **05** (2018) 127.
- [21] LHCb Collaboration, Searches for low-mass dimuon resonances, *J. High Energy Phys.* **10** (2020) 156.
- [22] CMS Collaboration, Search for a narrow resonance lighter than 200 GeV decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **124**, 131802 (2020).
- [23] CMS Collaboration, Search for long-lived particles using displaced jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. D* **104**, 012015 (2021).
- [24] CMS Collaboration, Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream, *J. High Energy Phys.* **04** (2022) 062.
- [25] CMS Collaboration, Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **82**, 153 (2022).
- [26] CMS Collaboration, Search for long-lived particles decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **05** (2023) 228.
- [27] K. Griest and D. Seckel, Three exceptions in the calculation of relic abundances, *Phys. Rev. D* **43**, 3191 (1991).
- [28] J. Edsjö and P. Gondolo, Neutralino relic density including coannihilations, *Phys. Rev. D* **56**, 1879 (1997).
- [29] E. Izaguirre, G. Krnjaic, and B. Shuve, Discovering inelastic thermal-relic dark matter at colliders, *Phys. Rev. D* **93**, 063523 (2016).
- [30] A. Berlin and F. Kling, Inelastic dark matter at the LHC lifetime frontier: ATLAS, CMS, LHCb, CODEX-b, FASER, and MATHUSLA, *Phys. Rev. D* **99**, 015021 (2019).
- [31] D. Smith and N. Weiner, Inelastic dark matter, *Phys. Rev. D* **64**, 043502 (2001).
- [32] B. Holdom, Two $U(1)$'s and epsilon charge shifts, *Phys. Lett.* **166B**, 196 (1986).
- [33] B. Batell, R. Essig, and Z. Surujon, Strong constraints on sub-GeV dark sectors from SLAC beam dump E137, *Phys. Rev. Lett.* **113**, 171802 (2014).
- [34] E. Izaguirre, Y. Kahn, G. Krnjaic, and M. Moschella, Testing light dark matter coannihilation with fixed-target experiments, *Phys. Rev. D* **96**, 055007 (2017).
- [35] M. Mongillo, A. Abdullahi, B. B. Oberhauser, P. Crivelli, M. Hostert, D. Massaro, L. M. Bueno, and S. Pascoli, Constraining light thermal inelastic dark matter with NA64, *Eur. Phys. J. C* **83**, 391 (2023).
- [36] J. D. Bjorken, S. Eklund, W. R. Nelson, A. Abashian, C. Church, B. Lu, L. W. Mo, T. A. Nunamaker, and P. Rassmann, Search for neutral metastable penetrating particles produced in the SLAC beam dump, *Phys. Rev. D* **38**, 3375 (1988).
- [37] L. B. Auerbach *et al.* (LSND Collaboration), Measurement of electron-neutrino electron elastic scattering, *Phys. Rev. D* **63**, 112001 (2001).
- [38] A. Hook, E. Izaguirre, and J. G. Wacker, Model independent bounds on kinetic mixing, *Adv. High Energy Phys.* **2011**, 859762 (2011).
- [39] J. P. Lees *et al.* (BABAR Collaboration), Search for invisible decays of a dark photon produced in e^+e^- collisions at BABAR, *Phys. Rev. Lett.* **119**, 131804 (2017).
- [40] H. Baer, V. Barger, and P. Huang, Hidden SUSY at the LHC: The light Higgsino-world scenario and the role of a lepton collider, *J. High Energy Phys.* **11** (2011) 031.
- [41] Z. Han, G. D. Kribs, A. Martin, and A. Menon, Hunting quasidegenerate Higgsinos, *Phys. Rev. D* **89**, 075007 (2014).
- [42] CMS Collaboration, HEPData record for this analysis (2023), [10.17182/hepdata.140434](https://doi.org/10.17182/hepdata.140434).
- [43] ATLAS Collaboration, Search for heavy neutral leptons in decays of W bosons using a dilepton displaced vertex in

- $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, *Phys. Rev. Lett.* **131**, 061803 (2023).
- [44] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* **3**, S08004 (2008).
- [45] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *J. Instrum.* **12**, P10003 (2017).
- [46] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H.-S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [47] J. Alwall, S. Höche, F. Krauss, N. Lavesson, L. Lönnblad, F. Maltoni, M. L. Mangano, M. Moretti, C. G. Papadopoulos, F. Piccinini, S. Schumann, M. Treccani, J. Winter, and M. Worek, Comparative study of various algorithms for the merging of parton showers and matrix elements in hadronic collisions, *Eur. Phys. J. C* **53**, 473 (2007).
- [48] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA8.2, *Comput. Phys. Commun.* **191**, 159 (2015).
- [49] CMS Collaboration, Event generator tunes obtained from underlying event and multiparton scattering measurements, *Eur. Phys. J. C* **76**, 155 (2016).
- [50] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, *Eur. Phys. J. C* **80**, 4 (2020).
- [51] R. D. Ball, V. Bertone, S. Carrazza, C. S. Deans, L. Del Debbio, S. Forte, A. Guffanti, N. P. Hartland, J. I. Latorre, J. Rojo, and M. Ubiali (The NNPDF Collaboration), Parton distributions for the LHC run II, *J. High Energy Phys.* **04** (2015) 040.
- [52] R. D. Ball, V. Bertone, S. Carrazza, L. D. Debbio, S. Forte, P. Groth-Merrild, A. Guffanti, N. P. Hartland, Z. Kassabov, J. I. Latorre, E. R. Nocera, J. Rojo, L. Rottoli, E. Slade, and M. Ubiali, Parton distributions from high-precision collider data, *Eur. Phys. J. C* **77**, 663 (2017).
- [53] S. Agostinelli *et al.* (GEANT4 Collaboration), GEANT4—a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [54] CMS Collaboration, The CMS trigger system, *J. Instrum.* **12**, P01020 (2017).
- [55] CMS Collaboration, Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, *J. Instrum.* **13**, P05011 (2017).
- [56] CMS Collaboration, Performance summary of AK4 jet b tagging with data from proton-proton collisions at 13 TeV with the CMS detector, CMS Detector Performance Note, Report No. CMS-DP-2023-005, 2023, <https://cds.cern.ch/record/2854609>.
- [57] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* **13**, P06015 (2018).
- [58] R. Frühwirth, Application of Kalman filtering to track and vertex fitting, *Nucl. Instrum. Methods Phys. Res., Sect. A* **262**, 444 (1987).
- [59] CMS Collaboration, Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. D* **100**, 112003 (2019).
- [60] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, *Eur. Phys. J. C* **81**, 800 (2021).
- [61] CMS Collaboration, CMS luminosity measurement for the 2017 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, Report No. CMS-PAS-LUM-17-004, 2018, <https://cds.cern.ch/record/2621960>.
- [62] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, Report No. CMS-PAS-LUM-18-002, 2019, <https://cds.cern.ch/record/2676164>.
- [63] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods Phys. Res., Sect. A* **434**, 435 (1999).
- [64] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).

A. Hayrapetyan,¹ A. Tumasyan^{1,b} W. Adam² J. W. Andrejkovic,² T. Bergauer² S. Chatterjee² K. Damanakis² M. Dragicevic² A. Escalante Del Valle² P. S. Hussain^{2,c} M. Jeitler^{2,c} N. Krammer² D. Liko² I. Mikulec² J. Schieck^{2,c} R. Schöfbeck² D. Schwarz² M. Sonawane² S. Templ² W. Waltenberger² C.-E. Wulz^{2,c} M. R. Darwish^{3,d} T. Janssen³ P. Van Mechelen³ E. S. Bols⁴ J. D'Hondt⁴ S. Dansana⁴ A. De Moor⁴ M. Delcourt⁴ H. El Faham⁴ S. Lowette⁴ I. Makarenko⁴ A. Morton⁴ D. Müller⁴ A. R. Sahasransu⁴ S. Tavernier⁴ M. Tytgat^{4,e} S. Van Putte⁴ D. Vannerom⁴ B. Clerbaux⁵ G. De Lentdecker⁵ L. Favart⁵ D. Hohov⁵ J. Jaramillo⁵ A. Khalilzadeh⁵ K. Lee⁵ M. Mahdavihorrani⁵ A. Malara⁵ S. Paredes⁵ L. Pétré⁵ N. Postiau⁵ L. Thomas⁵ M. Vanden Bemden⁵ C. Vander Velde⁵ P. Vanlaer⁵ M. De Coen⁶ D. Dobur⁶ J. Knolle⁶ L. Lambrecht⁶ G. Mestdach⁶ C. Rendón⁶ A. Samalan⁶ K. Skovpen⁶ N. Van Den Bossche⁶ L. Wezenbeek⁶ A. Benecke⁷ G. Bruno⁷ C. Caputo⁷ C. Delaere⁷ I. S. Donertas⁷ A. Giammanco⁷ K. Jaffel⁷ Sa. Jain⁷ V. Lemaître⁷ J. Lidrych⁷ P. Mastrapasqua⁷ K. Mondal⁷ T. T. Tran⁷ S. Wertz⁷ G. A. Alves⁸ E. Coelho⁸ C. Hensel⁸ T. Menezes De Oliveira⁸ A. Moraes⁸ P. Rebello Teles⁸ M. Soeiro⁸ W. L. Aldá Júnior⁹ M. Alves Gallo Pereira⁹ M. Barroso Ferreira Filho⁹ H. Brandao Malbouisson⁹ W. Carvalho⁹ J. Chinellato^{9,f} E. M. Da Costa⁹ G. G. Da Silveira^{9,g} D. De Jesus Damiao⁹ S. Fonseca De Souza⁹ J. Martins^{9,h}

C. Mora Herrera⁹, K. Mota Amarilo⁹, L. Mundim⁹, H. Nogima⁹, A. Santoro⁹, S. M. Silva Do Amaral⁹,
A. Sznajder⁹, M. Thiel⁹, A. Vilela Pereira⁹, C. A. Bernardes^{10,g}, L. Calligaris¹⁰, T. R. Fernandez Perez Tomei¹⁰,
E. M. Gregores¹⁰, P. G. Mercadante¹⁰, S. F. Novaes¹⁰, B. Orzari¹⁰, Sandra S. Padula¹⁰, A. Aleksandrov¹¹,
G. Antchev¹¹, R. Hadjiiska¹¹, P. Iaydjiev¹¹, M. Misheva¹¹, M. Shopova¹¹, G. Sultanov¹¹, A. Dimitrov¹²,
T. Ivanov¹², L. Litov¹², B. Pavlov¹², P. Petkov¹², A. Petrov¹², E. Shumka¹², S. Keshri¹³, S. Thakur¹³,
T. Cheng¹⁴, Q. Guo¹⁴, T. Javaid¹⁴, M. Mittal¹⁴, L. Yuan¹⁴, G. Bauer^{15,i}, Z. Hu¹⁵, K. Yi^{15,j,i}, G. M. Chen^{16,k},
H. S. Chen^{16,k}, M. Chen^{16,k}, F. Iemmi¹⁶, C. H. Jiang¹⁶, A. Kapoor¹⁶, H. Liao¹⁶, Z.-A. Liu^{16,l}, F. Monti¹⁶,
R. Sharma¹⁶, J. N. Song^{16,l}, J. Tao¹⁶, J. Wang¹⁶, H. Zhang¹⁶, A. Agapitos¹⁷, Y. Ban¹⁷, A. Levin¹⁷, C. Li¹⁷,
Q. Li¹⁷, X. Lyu¹⁷, Y. Mao¹⁷, S. J. Qian¹⁷, X. Sun¹⁷, D. Wang¹⁷, H. Yang¹⁷, C. Zhou¹⁷, Z. You¹⁸, N. Lu¹⁹,
X. Gao^{20,m}, D. Leggat²⁰, H. Okawa²⁰, Y. Zhang²⁰, Z. Lin²¹, C. Lu²¹, M. Xiao²¹, C. Avila²²,
D. A. Barbosa Trujillo²², A. Cabrera²², C. Florez²², J. Fraga²², J. A. Reyes Vega²², J. Mejia Guisao²³, F. Ramirez²³,
M. Rodriguez²³, J. D. Ruiz Alvarez²³, D. Giljanovic²⁴, N. Godinovic²⁴, D. Lelas²⁴, A. Sculac²⁴, M. Kovac²⁵,
T. Sculac²⁵, P. Bargassa²⁶, V. Brigljevic²⁶, B. K. Chitroda²⁶, D. Ferencek²⁶, S. Mishra²⁶, A. Starodumov^{26,n},
T. Susa²⁶, A. Attikis²⁷, K. Christoforou²⁷, S. Konstantinou²⁷, J. Mousa²⁷, C. Nicolaou²⁷, F. Ptochos²⁷,
P. A. Razis²⁷, H. Rykaczewski²⁷, H. Saka²⁷, A. Stepennov²⁷, M. Finger²⁸, M. Finger Jr.²⁸, A. Kveton²⁸,
E. Ayala²⁹, E. Carrera Jarrin³⁰, Y. Assran^{31,o,p}, S. Elgammal^{31,o}, M. Abdullah Al-Mashad³², M. A. Mahmoud³²,
R. K. Dewanjee^{33,q}, K. Ehataht³³, M. Kadastik³³, T. Lange³³, S. Nandan³³, C. Nielsen³³, J. Pata³³, M. Raidal³³,
L. Tani³³, C. Veelken³³, H. Kirschenmann³⁴, K. Osterberg³⁴, M. Voutilainen³⁴, S. Bharthuar³⁵, E. Brücken³⁵,
F. Garcia³⁵, J. Havukainen³⁵, K. T. S. Kallonen³⁵, M. S. Kim³⁵, R. Kinnunen³⁵, T. Lampén³⁵, K. Lassila-Perini³⁵,
S. Lehti³⁵, T. Lindén³⁵, M. Lotti³⁵, L. Martikainen³⁵, M. Myllymäki³⁵, M. m. Rantanen³⁵, H. Siikonen³⁵,
E. Tuominen³⁵, J. Tuominiemi³⁵, P. Luukka³⁶, H. Petrow³⁶, T. Tuuva^{36,a}, M. Besancon³⁷, F. Couderc³⁷,
M. Dejardin³⁷, D. Denegri³⁷, J. L. Faure³⁷, F. Ferri³⁷, S. Ganjour³⁷, P. Gras³⁷, G. Hamel de Monchenault³⁷,
V. Lohezic³⁷, J. Malcles³⁷, J. Rander³⁷, A. Rosowsky³⁷, M. Ö. Sahin³⁷, A. Savoy-Navarro^{37,r}, P. Simkina³⁷,
M. Titov³⁷, C. Baldenegro Barrera³⁸, F. Beaudette³⁸, A. Buchot Perraguin³⁸, P. Busson³⁸, A. Cappati³⁸,
C. Charlot³⁸, F. Damas³⁸, O. Davignon³⁸, G. Falmagne³⁸, B. A. Fontana Santos Alves³⁸, S. Ghosh³⁸,
A. Gilbert³⁸, R. Granier de Cassagnac³⁸, A. Hakimi³⁸, B. Harikrishnan³⁸, L. Kalipoliti³⁸, G. Liu³⁸, J. Motta³⁸,
M. Nguyen³⁸, C. Ochando³⁸, L. Portales³⁸, R. Salerno³⁸, U. Sarkar³⁸, J. B. Sauvan³⁸, Y. Sirois³⁸,
A. Tarabini³⁸, E. Vernazza³⁸, A. Zabi³⁸, A. Zghiche³⁸, J.-L. Agram^{39,s}, J. Andrea³⁹, D. Appar³⁹, D. Bloch³⁹,
J.-M. Brom³⁹, E. C. Chabert³⁹, C. Collard³⁹, S. Falke³⁹, U. Goerlach³⁹, C. Grimault³⁹, R. Haeberle³⁹,
A.-C. Le Bihan³⁹, M. A. Sessini³⁹, P. Van Hove³⁹, S. Beauceron⁴⁰, B. Blancon⁴⁰, G. Boudoul⁴⁰, N. Chanon⁴⁰,
J. Choi⁴⁰, D. Contardo⁴⁰, P. Depasse⁴⁰, C. Dozen^{40,t}, H. El Mamouni⁴⁰, J. Fay⁴⁰, S. Gascon⁴⁰, M. Gouzevitch⁴⁰,
C. Greenberg⁴⁰, G. Grenier⁴⁰, B. Ille⁴⁰, I. B. Laktineh⁴⁰, M. Lethuillier⁴⁰, L. Mirabito⁴⁰, S. Perries⁴⁰,
M. Vander Donckt⁴⁰, P. Verdier⁴⁰, J. Xiao⁴⁰, D. Chokheli⁴¹, I. Lomidze⁴¹, Z. Tsamalaidze^{41,n}, V. Botta⁴²,
L. Feld⁴², K. Klein⁴², M. Lipinski⁴², D. Meuser⁴², A. Pauls⁴², N. Röwert⁴², M. Teroerde⁴², S. Diekmann⁴²,
A. Dodonova⁴³, N. Eich⁴³, D. Eliseev⁴³, F. Engelke⁴³, M. Erdmann⁴³, P. Fackeldey⁴³, B. Fischer⁴³,
T. Hebbeker⁴³, K. Hoepfner⁴³, F. Ivone⁴³, A. Jung⁴³, M. y. Lee⁴³, L. Mastrolorenzo⁴³, M. Merschmeyer⁴³,
A. Meyer⁴³, S. Mukherjee⁴³, D. Noll⁴³, A. Novak⁴³, F. Nowotny⁴³, A. Pozdnyakov⁴³, Y. Rath⁴³, W. Redjeb⁴³,
F. Rehm⁴³, H. Reithler⁴³, V. Sarkisovi⁴³, A. Schmidt⁴³, S. C. Schuler⁴³, A. Sharma⁴³, A. Stein⁴³,
F. Torres Da Silva De Araujo^{43,u}, L. Vigilante⁴³, S. Wiedenbeck⁴³, S. Zaleski⁴³, C. Dziwok⁴⁴, G. Flügge⁴⁴,
W. Haj Ahmad^{44,v}, T. Kress⁴⁴, A. Nowack⁴⁴, O. Pooth⁴⁴, A. Stahl⁴⁴, T. Ziemons⁴⁴, A. Zotz⁴⁴,
H. Aarup Petersen⁴⁵, M. Aldaya Martin⁴⁵, J. Alimena⁴⁵, S. Amoroso⁴⁵, Y. An⁴⁵, S. Baxter⁴⁵, M. Bayatmakou⁴⁵,
H. Becerril Gonzalez⁴⁵, O. Behnke⁴⁵, A. Belvedere⁴⁵, S. Bhattacharya⁴⁵, F. Blekman^{45,w}, K. Borras^{45,x},
D. Brunner⁴⁵, A. Campbell⁴⁵, A. Cardini⁴⁵, C. Cheng⁴⁵, F. Colombina⁴⁵, S. Consuegra Rodríguez⁴⁵,
G. Correia Silva⁴⁵, M. De Silva⁴⁵, G. Eckerlin⁴⁵, D. Eckstein⁴⁵, L. I. Estevez Banos⁴⁵, O. Filatov⁴⁵, E. Gallo^{45,y},
A. Geiser⁴⁵, A. Giraldi⁴⁵, G. Greau⁴⁵, V. Guglielmi⁴⁵, M. Guthoff⁴⁵, A. Hinzmann⁴⁵, A. Jafari^{45,y}, L. Jeppe⁴⁵,
N. Z. Jomhari⁴⁵, B. Kaech⁴⁵, M. Kasemann⁴⁵, H. Kaveh⁴⁵, C. Kleinwort⁴⁵, R. Kogler⁴⁵, M. Komm⁴⁵,
D. Krücker⁴⁵, W. Lange⁴⁵, D. Leyva Pernia⁴⁵, K. Lipka^{45,z}, W. Lohmann^{45,aa}, R. Mankel⁴⁵,
I.-A. Melzer-Pellmann⁴⁵, M. Mendizabal Morentin⁴⁵, J. Metwally⁴⁵, A. B. Meyer⁴⁵, G. Milella⁴⁵, M. Mormile⁴⁵,
A. Mussgiller⁴⁵, A. Nürnberg⁴⁵, Y. Otarid⁴⁵, D. Pérez Adán⁴⁵, E. Ranken⁴⁵, A. Raspereza⁴⁵, B. Ribeiro Lopes⁴⁵

J. Rübenach,⁴⁵ A. Saggio⁴⁵, M. Scham^{45,x,bb}, V. Scheurer,⁴⁵ S. Schnake^{45,x}, P. Schütze⁴⁵, C. Schwanenberger^{45,w},
M. Shchedrolosiev⁴⁵, R. E. Sosa Ricardo⁴⁵, L. P. Sreelatha Pramod⁴⁵, D. Stafford⁴⁵, F. Vazzoler⁴⁵,
A. Ventura Barroso⁴⁵, R. Walsh⁴⁵, Q. Wang⁴⁵, Y. Wen⁴⁵, K. Wichmann⁴⁵, L. Wiens^{45,x}, C. Wissing⁴⁵,
S. Wuchterl⁴⁵, Y. Yang⁴⁵, A. Zimmermann Castro Santos⁴⁵, A. Albrecht⁴⁶, S. Albrecht⁴⁶, M. Antonello⁴⁶,
S. Bein⁴⁶, L. Benato⁴⁶, M. Bonanomi⁴⁶, P. Connor⁴⁶, M. Eich⁴⁶, K. El Morabit⁴⁶, Y. Fischer⁴⁶, A. Fröhlich⁴⁶,
C. Garbers⁴⁶, E. Garutti⁴⁶, A. Grohsjean⁴⁶, M. Hajheidari⁴⁶, J. Haller⁴⁶, H. R. Jabusch⁴⁶, G. Kasieczka⁴⁶,
P. Keicher⁴⁶, R. Klanner⁴⁶, W. Korcari⁴⁶, T. Kramer⁴⁶, V. Kutzner⁴⁶, F. Labe⁴⁶, J. Lange⁴⁶, A. Lobanov⁴⁶,
C. Matthies⁴⁶, A. Mehta⁴⁶, L. Moureaux⁴⁶, M. Mrowietz⁴⁶, A. Nigamova⁴⁶, Y. Nissan⁴⁶, A. Paasch⁴⁶,
K. J. Pena Rodriguez⁴⁶, T. Quadfasel⁴⁶, B. Raciti⁴⁶, M. Rieger⁴⁶, D. Savoio⁴⁶, J. Schindler⁴⁶, P. Schleper⁴⁶,
M. Schröder⁴⁶, J. Schwandt⁴⁶, M. Sommerhalder⁴⁶, H. Stadie⁴⁶, G. Steinbrück⁴⁶, A. Tews⁴⁶, M. Wolf⁴⁶,
S. Brommer⁴⁷, M. Burkart⁴⁷, E. Butz⁴⁷, T. Chwalek⁴⁷, A. Dierlamm⁴⁷, A. Droll⁴⁷, N. Faltermann⁴⁷, M. Giffels⁴⁷,
A. Gottmann⁴⁷, F. Hartmann^{47,cc}, M. Horzela⁴⁷, U. Husemann⁴⁷, M. Klute⁴⁷, R. Koppenhöfer⁴⁷, M. Link⁴⁷,
A. Lintuluoto⁴⁷, S. Maier⁴⁷, S. Mitra⁴⁷, Th. Müller⁴⁷, M. Neukum⁴⁷, M. Oh⁴⁷, G. Quast⁴⁷, K. Rabbertz⁴⁷,
I. Shvetsov⁴⁷, H. J. Simonis⁴⁷, N. Trevisani⁴⁷, R. Ulrich⁴⁷, J. van der Linden⁴⁷, R. F. Von Cube⁴⁷, M. Wassmer⁴⁷,
S. Wieland⁴⁷, F. Wittig⁴⁷, R. Wolf⁴⁷, S. Wunsch⁴⁷, X. Zuo⁴⁷, G. Anagnostou⁴⁸, P. Assiouras⁴⁸, G. Daskalakis⁴⁸,
A. Kyriakis⁴⁸, A. Papadopoulos^{48,cc}, A. Stakia⁴⁸, D. Karasavvas⁴⁹, P. Kontaxakis⁴⁹, G. Melachroinos⁴⁹, A. Panagiotou⁴⁹,
I. Papavergou⁴⁹, I. Paraskevas⁴⁹, N. Saoulidou⁴⁹, K. Theofilatos⁴⁹, E. Tziaferi⁴⁹, K. Vellidis⁴⁹, I. Zisopoulos⁴⁹,
G. Bakas⁵⁰, T. Chatzistavrou⁵⁰, G. Karapostoli⁵⁰, K. Kousouris⁵⁰, I. Papakrivopoulos⁵⁰, E. Siamarkou⁵⁰,
G. Tsipolitis⁵⁰, A. Zacharopoulou⁵⁰, K. Adamidis⁵¹, I. Bestintzanos⁵¹, I. Evangelou⁵¹, C. Foudas⁵¹, P. Gianneios⁵¹,
C. Kamtsikis⁵¹, P. Katsoulis⁵¹, P. Kokkas⁵¹, P. G. Kosmoglou Kioseoglou⁵¹, N. Manthos⁵¹, I. Papadopoulos⁵¹,
J. Stroglogas⁵¹, M. Csanád⁵², K. Farkas⁵², M. M. A. Gadallah^{52,dd}, Á. Kadlecik⁵², P. Major⁵², K. Mandal⁵²,
G. Pásztor⁵², A. J. Rádl^{52,ee}, O. Surányi⁵², G. I. Veres⁵², M. Bartók^{53,ff}, C. Hajdu⁵³, D. Horvath^{53,gg,hh},
F. Sikler⁵³, V. Veszpremi⁵³, G. Bencze⁵⁴, S. Czellar⁵⁴, J. Karancsi^{54,ff}, J. Molnar⁵⁴, Z. Szillasi⁵⁴, P. Raics⁵⁵,
B. Ujvari^{55,ii}, G. Zilizi⁵⁵, T. Csorgo^{56,ee}, F. Nemes^{56,ee}, T. Novak⁵⁶, J. Babbar⁵⁷, S. Bansal⁵⁷, S. B. Beri⁵⁷,
V. Bhatnagar⁵⁷, G. Chaudhary⁵⁷, S. Chauhan⁵⁷, N. Dhingra^{57,ji}, R. Gupta⁵⁷, A. Kaur⁵⁷, A. Kaur⁵⁷, H. Kaur⁵⁷,
M. Kaur⁵⁷, S. Kumar⁵⁷, P. Kumari⁵⁷, M. Meena⁵⁷, K. Sandeep⁵⁷, T. Sheokand⁵⁷, J. B. Singh^{57,kk}, A. Singla⁵⁷,
A. Ahmed⁵⁸, A. Bhardwaj⁵⁸, A. Chhetri⁵⁸, B. C. Choudhary⁵⁸, A. Kumar⁵⁸, M. Naimuddin⁵⁸, K. Ranjan⁵⁸,
S. Saumya⁵⁸, S. Baradia⁵⁹, S. Barman^{59,ll}, S. Bhattacharya⁵⁹, D. Bhowmik⁵⁹, S. Dutta⁵⁹, S. Dutta⁵⁹,
B. Gomber^{59,mm}, P. Palit⁵⁹, G. Saha⁵⁹, B. Sahu^{59,mm}, S. Sarkar⁵⁹, P. K. Behera⁶⁰, S. C. Behera⁶⁰, S. Chatterjee⁶⁰,
P. Jana⁶⁰, P. Kalbhor⁶⁰, J. R. Komaragiri^{60,nn}, D. Kumar^{60,nn}, M. Mohammad Mobassir Ameen⁶⁰, L. Panwar^{60,nn},
R. Pradhan⁶⁰, P. R. Pujahari⁶⁰, N. R. Saha⁶⁰, A. Sharma⁶⁰, A. K. Sikdar⁶⁰, S. Verma⁶⁰, T. Aziz⁶¹, I. Das⁶¹,
S. Dugad⁶¹, M. Kumar⁶¹, G. B. Mohanty⁶¹, P. Suryadevara⁶¹, A. Bala⁶², S. Banerjee⁶², R. M. Chatterjee⁶²,
M. Guchait⁶², S. Karmakar⁶², S. Kumar⁶², G. Majumder⁶², K. Mazumdar⁶², S. Mukherjee⁶², A. Thachayath⁶²,
S. Bahinipati^{63,oo}, A. K. Das⁶³, C. Kar⁶³, D. Maity^{63,pp}, P. Mal⁶³, T. Mishra⁶³,
V. K. Muraleedharan Nair Bindhu^{63,pp}, K. Naskar^{63,pp}, A. Nayak^{63,pp}, P. Sadangi⁶³, P. Saha⁶³, S. K. Swain⁶³,
S. Varghese^{63,pp}, D. Vats^{63,pp}, A. Alpana⁶⁴, S. Dube⁶⁴, B. Kansal⁶⁴, A. Laha⁶⁴, A. Rastogi⁶⁴, S. Sharma⁶⁴,
H. Bakhshiansohi^{65,qq,rr}, E. Khazaie^{65,rr}, M. Zeinali^{65,ss}, S. Chenarani^{66,tt}, S. M. Etesami⁶⁶, M. Khakzad⁶⁶,
M. Mohammadi Najafabadi⁶⁶, M. Grunewald⁶⁷, M. Abbrescia^{68a,68b}, R. Aly^{68a,68c,uu}, A. Colaleo^{68a},
D. Creanza^{68a,68c}, B. D`Anzi^{68a,68b}, N. De Filippis^{68a,68c}, M. De Palma^{68a,68b}, A. Di Florio^{68a,68c},
W. Elmetenawee^{68a,68b}, L. Fiore^{68a}, G. Iaselli^{68a,68c}, G. Maggi^{68a,68c}, M. Maggi^{68a}, I. Margjeka^{68a,68b},
V. Mastrapasqua^{68a,68b}, S. My^{68a,68b}, S. Nuzzo^{68a,68b}, A. Pellecchia^{68a,68b}, A. Pompili^{68a,68b}, G. Pugliese^{68a,68c},
R. Radogna^{68a}, G. Ramirez-Sanchez^{68a,68c}, D. Ramos^{68a}, A. Ranieri^{68a}, L. Silvestris^{68a}, F. M. Simone^{68a,68b},
Ü. Sözbilir^{68a}, A. Stamerra^{68a}, R. Venditti^{68a}, P. Verwilligen^{68a}, A. Zaza^{68a,68b}, G. Abbiendi^{69a},
C. Battilana^{69a,69b}, D. Bonacorsi^{69a,69b}, L. Borbonovi^{69a}, R. Campanini^{69a,69b}, P. Capiluppi^{69a,69b}, A. Castro^{69a,69b},
F. R. Cavallo^{69a}, M. Cuffiani^{69a,69b}, G. M. Dallavalle^{69a}, T. Diotallevi^{69a,69b}, F. Fabbri^{69a}, A. Fanfani^{69a,69b},
D. Fasanella^{69a,69b}, P. Giacomelli^{69a}, L. Giommi^{69a,69b}, C. Grandi^{69a}, L. Guiducci^{69a,69b}, S. Lo Meo^{69a,vv},
L. Lunerti^{69a,69b}, S. Marcellini^{69a}, G. Masetti^{69a}, F. L. Navarria^{69a,69b}, A. Perrotta^{69a}, F. Primavera^{69a,69b},
A. M. Rossi^{69a,69b}, G. P. Siroli^{69a,69b}, S. Costa^{70a,70b,ww}, A. Di Mattia^{70a}, R. Potenza^{70a,70b}, A. Tricomi^{70a,70b,ww},
C. Tuve^{70a,70b}, G. Barbagli^{71a}, G. Bardelli^{71a,71b}, B. Camaiani^{71a,71b}, A. Cassese^{71a}, R. Ceccarelli^{71a}

V. Ciulli^{71a,71b} C. Civinini^{71a} R. D'Alessandro^{71a,71b} E. Focardi^{71a,71b} G. Latino^{71a,71b} P. Lenzi^{71a,71b}
M. Lizzo^{71a,71b} M. Meschini^{71a} S. Paoletti^{71a} A. Papanastassiou^{71a,71b} G. Sguazzoni^{71a} L. Viliani^{71a}
L. Benussi⁷² S. Bianco⁷² S. Meola^{72,xx} D. Piccolo⁷² P. Chatagnon^{73a} F. Ferro^{73a} E. Robutti^{73a}
S. Tosi^{73a,73b} A. Benaglia^{74a} G. Boldrini^{74a} F. Brivio^{74a} F. Cetorelli^{74a} F. De Guio^{74a,74b} M. E. Dinardo^{74a,74b}
P. Dini^{74a} S. Gennai^{74a} A. Ghezzi^{74a,74b} P. Govoni^{74a,74b} L. Guzzi^{74a} M. T. Lucchini^{74a,74b} M. Malberti^{74a}
S. Malvezzi^{74a} A. Massironi^{74a} D. Menasce^{74a} L. Moroni^{74a} M. Paganoni^{74a,74b} D. Pedrini^{74a} B. S. Pinolini^{74a}
S. Ragazzi^{74a,74b} N. Redaelli^{74a} T. Tabarelli de Fatis^{74a,74b} D. Zuolo^{74a} S. Buontempo^{75a} A. Cagnotta^{75a,75b}
F. Carnevali^{75a,75b} N. Cavallo^{75a,75c} A. De Iorio^{75a,75b} F. Fabozzi^{75a,75c} A. O. M. Iorio^{75a,75b} L. Lista^{75a,75b,yy}
P. Paolucci^{75a,cc} B. Rossi^{75a} C. Sciacca^{75a,75b} R. Ardino^{76a} P. Azzi^{76a} N. Bacchetta^{76a,zz} P. Bortignon^{76a}
A. Bragagnolo^{76a,76b} R. Carlin^{76a,76b} P. Checchia^{76a} T. Dorigo^{76a} F. Fanzago^{76a} U. Gasparini^{76a,76b}
F. Gonella^{76a} G. Grosso^{76a} L. Layer^{76a,aaa} E. Lusiani^{76a} M. Margoni^{76a,76b} A. T. Meneguzzo^{76a,76b}
M. Migliorini^{76a,76b} J. Pazzini^{76a,76b} P. Ronchese^{76a,76b} R. Rossin^{76a,76b} F. Simonetto^{76a,76b} G. Strong^{76a}
M. Tosi^{76a,76b} A. Triossi^{76a,76b} S. Ventura^{76a} H. Yarar^{76a,76b} M. Zanetti^{76a,76b} P. Zotto^{76a,76b} A. Zucchetta^{76a,76b}
G. Zumerle^{76a,76b} S. Abu Zeid^{77a,bbb} C. Aimè^{77a,77b} A. Braghieri^{77a} S. Calzaferri^{77a,77b} D. Fiorina^{77a,77b}
P. Montagna^{77a,77b} V. Re^{77a} C. Riccardi^{77a,77b} P. Salvini^{77a} I. Vai^{77a,77b} P. Vitulo^{77a,77b} S. Ajmal^{78a,78b}
P. Asenov^{78a,ccc} G. M. Bilei^{78a} D. Ciangottini^{78a,78b} L. Fanò^{78a,78b} M. Magherini^{78a,78b} G. Mantovani^{78a,78b}
V. Mariani^{78a,78b} M. Menichelli^{78a} F. Moscatelli^{78a,ccc} A. Piccinelli^{78a,78b} M. Presilla^{78a,78b} A. Rossi^{78a,78b}
A. Santocchia^{78a,78b} D. Spiga^{78a} T. Tedeschi^{78a,78b} P. Azzurri^{79a} G. Bagliesi^{79a} R. Bhattacharya^{79a}
L. Bianchini^{79a,79b} T. Boccali^{79a} E. Bossini^{79a} D. Bruschini^{79a,79c} R. Castaldi^{79a} M. A. Ciocci^{79a,79b}
M. Cipriani^{79a,79b} V. D'Amante^{79a,79d} R. Dell'Orso^{79a} S. Donato^{79a} A. Giassi^{79a} F. Ligabue^{79a,79c}
D. Matos Figueiredo^{79a} A. Messineo^{79a,79b} M. Musich^{79a,79b} F. Palla^{79a} S. Parolia^{79a} A. Rizzi^{79a,79b}
G. Rolandi^{79a,79c} S. Roy Chowdhury^{79a} T. Sarkar^{79a} A. Scribano^{79a} P. Spagnolo^{79a} R. Tenchini^{79a,79b}
G. Tonelli^{79a,79b} N. Turini^{79a,79d} A. Venturi^{79a} P. G. Verdini^{79a} P. Barria^{80a} M. Campana^{80a,80b} F. Cavallari^{80a}
L. Cunqueiro Mendez^{80a,80b} D. Del Re^{80a,80b} E. Di Marco^{80a} M. Diemoz^{80a} F. Errico^{80a,80b} E. Longo^{80a,80b}
P. Meridiani^{80a} J. Mijuskovic^{80a,80b} G. Organtini^{80a,80b} F. Pandolfi^{80a} R. Paramatti^{80a,80b} C. Quaranta^{80a,80b}
S. Rahatlou^{80a,80b} C. Rovelli^{80a} F. Santanastasio^{80a,80b} L. Soffi^{80a} R. Tramontano^{80a,80b} N. Amapane^{81a,81b}
R. Arcidiacono^{81a,81c} S. Argiro^{81a,81b} M. Arneodo^{81a,81c} N. Bartosik^{81a} R. Bellan^{81a,81b} A. Bellora^{81a,81b}
C. Biino^{81a} N. Cartiglia^{81a} M. Costa^{81a,81b} R. Covarelli^{81a,81b} N. Demaria^{81a} L. Finco^{81a} M. Grippo^{81a,81b}
B. Kiani^{81a,81b} F. Legger^{81a} F. Luongo^{81a,81b} C. Mariotti^{81a} S. Maselli^{81a} A. Mecca^{81a,81b} E. Migliore^{81a,81b}
M. Monteno^{81a} R. Mulargia^{81a} M. M. Obertino^{81a,81b} G. Ortona^{81a} L. Pacher^{81a,81b} N. Pastrone^{81a}
M. Pelliccioni^{81a} M. Ruspà^{81a,81c} F. Siviero^{81a,81b} V. Sola^{81a,81b} A. Solano^{81a,81b} D. Soldi^{81a,81b} A. Staiano^{81a}
C. Tarricone^{81a,81b} M. Tornago^{81a,81b} D. Trocino^{81a} G. Umoret^{81a,81b} A. Vagnerini^{81a,81b} E. Vlasov^{81a,81b}
S. Belforte^{82a} V. Candellise^{82a,82b} M. Casarsa^{82a} F. Cossutti^{82a} K. De Leo^{82a,82b} G. Della Ricca^{82a,82b}
S. Dogra⁸³ J. Hong⁸³ C. Huh⁸³ B. Kim⁸³ D. H. Kim⁸³ J. Kim⁸³ H. Lee⁸³ J. Lee⁸³ S. W. Lee⁸³
C. S. Moon⁸³ Y. D. Oh⁸³ S. I. Pak⁸³ M. S. Ryu⁸³ S. Sekmen⁸³ Y. C. Yang⁸³ G. Bak⁸⁴ P. Gwak⁸⁴
H. Kim⁸⁴ D. H. Moon⁸⁴ E. Asilar⁸⁵ D. Kim⁸⁵ T. J. Kim⁸⁵ J. A. Merlin⁸⁵ J. Park⁸⁵ S. Choi⁸⁶ S. Han⁸⁶
B. Hong⁸⁶ K. Lee⁸⁶ K. S. Lee⁸⁶ J. Park⁸⁶ S. K. Park⁸⁶ J. Yoo⁸⁶ J. Goh⁸⁷ H. S. Kim⁸⁸ Y. Kim⁸⁸ S. Lee⁸⁸
J. Almond⁸⁹ J. H. Bhyun⁸⁹ J. Choi⁸⁹ S. Jeon⁸⁹ W. Jun⁸⁹ J. Kim⁸⁹ J. S. Kim⁸⁹ S. Ko⁸⁹ H. Kwon⁸⁹ H. Lee⁸⁹
J. Lee⁸⁹ S. Lee⁸⁹ B. H. Oh⁸⁹ S. B. Oh⁸⁹ H. Seo⁸⁹ U. K. Yang⁸⁹ I. Yoon⁸⁹ W. Jang⁹⁰ D. Y. Kang⁹⁰ Y. Kang⁹⁰
S. Kim⁹⁰ B. Ko⁹⁰ J. S. H. Lee⁹⁰ Y. Lee⁹⁰ I. C. Park⁹⁰ Y. Roh⁹⁰ I. J. Watson⁹⁰ S. Yang⁹⁰ S. Ha⁹¹
H. D. Yoo⁹¹ M. Choi⁹² M. R. Kim⁹² H. Lee⁹² Y. Lee⁹² I. Yu⁹² T. Beyrouthy⁹³ Y. Maghrbi⁹³ K. Dreimanis⁹⁴
A. Gaile⁹⁴ G. Pikurs⁹⁴ A. Potrebko⁹⁴ M. Seidel⁹⁴ V. Veckalns^{94,ddd} N. R. Strautnieks⁹⁵ M. Ambrozas⁹⁶
A. Juodagalvis⁹⁶ A. Rinkevicius⁹⁶ G. Tamulaitis⁹⁶ N. Bin Norjoharuddeen⁹⁷ I. Yusuff^{97,eee} Z. Zolkapli⁹⁷
J. F. Benitez⁹⁸ A. Castaneda Hernandez⁹⁸ H. A. Encinas Acosta⁹⁸ L. G. Gallegos Maríñez⁹⁸ M. León Coello⁹⁸
J. A. Murillo Quijada⁹⁸ A. Sehrawat⁹⁸ L. Valencia Palomo⁹⁸ G. Ayala⁹⁹ H. Castilla-Valdez⁹⁹
E. De La Cruz-Burelo⁹⁹ I. Heredia-De La Cruz^{99,fff} R. Lopez-Fernandez⁹⁹ C. A. Mondragon Herrera⁹⁹
D. A. Perez Navarro⁹⁹ A. Sánchez Hernández⁹⁹ C. Oropeza Barrera¹⁰⁰ M. Ramírez García¹⁰⁰ I. Bautista¹⁰¹
I. Pedraza¹⁰¹ H. A. Salazar Ibarguen¹⁰¹ C. Uribe Estrada¹⁰¹ I. Bujanja¹⁰² N. Raicevic¹⁰² P. H. Butler¹⁰³
A. Ahmad¹⁰⁴ M. I. Asghar¹⁰⁴ A. Awais¹⁰⁴ M. I. M. Awan¹⁰⁴ H. R. Hoorani¹⁰⁴ W. A. Khan¹⁰⁴ V. Avati¹⁰⁵

L. Grzanka¹⁰⁵, M. Malawski¹⁰⁵, H. Bialkowska¹⁰⁶, M. Bluj¹⁰⁶, B. Boimska¹⁰⁶, M. Górski¹⁰⁶, M. Kazana¹⁰⁶,
M. Szeleper¹⁰⁶, P. Zalewski¹⁰⁶, K. Bunkowski¹⁰⁷, K. Doroba¹⁰⁷, A. Kalinowski¹⁰⁷, M. Konecki¹⁰⁷,
J. Krolkowski¹⁰⁷, A. Muhammad¹⁰⁷, M. Araujo¹⁰⁸, D. Bastos¹⁰⁸, C. Beirão Da Cruz E Silva¹⁰⁸, A. Boletti¹⁰⁸,
M. Bozzo¹⁰⁸, P. Faccioli¹⁰⁸, M. Gallinaro¹⁰⁸, J. Hollar¹⁰⁸, N. Leonardo¹⁰⁸, T. Niknejad¹⁰⁸, M. Pisano¹⁰⁸,
J. Seixas¹⁰⁸, J. Varela¹⁰⁸, P. Adzic¹⁰⁹, P. Milenovic¹⁰⁹, M. Dordevic¹¹⁰, J. Milosevic¹¹⁰, V. Rekovic,¹¹⁰
M. Aguilar-Benitez,¹¹¹ J. Alcaraz Maestre,¹¹¹ M. Barrio Luna,¹¹¹ Cristina F. Bedoya,¹¹¹ M. Cepeda,¹¹¹
M. Cerrada,¹¹¹ N. Colino,¹¹¹ B. De La Cruz,¹¹¹ A. Delgado Peris,¹¹¹ D. Fernández Del Val,¹¹¹
J. P. Fernández Ramos,¹¹¹ J. Flix,¹¹¹ M. C. Fouz,¹¹¹ O. Gonzalez Lopez,¹¹¹ S. Goy Lopez,¹¹¹ J. M. Hernandez,¹¹¹
M. I. Josa,¹¹¹ J. León Holgado,¹¹¹ D. Moran,¹¹¹ C. M. Morcillo Perez,¹¹¹ Á. Navarro Tobar,¹¹¹
C. Perez Dengra,¹¹¹ A. Pérez-Calero Yzquierdo,¹¹¹ J. Puerta Pelayo,¹¹¹ I. Redondo,¹¹¹ D. D. Redondo Ferrero,¹¹¹
L. Romero,¹¹¹ S. Sánchez Navas,¹¹¹ L. Urda Gómez,¹¹¹ J. Vazquez Escobar,¹¹¹ C. Willmott,¹¹¹ J. F. de Trocóniz,¹¹²
B. Alvarez Gonzalez,¹¹³ J. Cuevas,¹¹³ J. Fernandez Menendez,¹¹³ S. Folgueras,¹¹³ I. Gonzalez Caballero,¹¹³
J. R. González Fernández,¹¹³ E. Palencia Cortezon,¹¹³ C. Ramón Álvarez,¹¹³ V. Rodríguez Bouza,¹¹³
A. Soto Rodríguez,¹¹³ A. Trapote,¹¹³ C. Vico Villalba,¹¹³ P. Vischia,¹¹³ S. Blanco Fernández,¹¹⁴
J. A. Brochero Cifuentes,¹¹⁴ I. J. Cabrillo,¹¹⁴ A. Calderon,¹¹⁴ J. Duarte Campderros,¹¹⁴ M. Fernandez,¹¹⁴
C. Fernandez Madrazo,¹¹⁴ G. Gomez,¹¹⁴ C. Lasaos García,¹¹⁴ C. Martinez Rivero,¹¹⁴
P. Martinez Ruiz del Arbol,¹¹⁴ F. Matorras,¹¹⁴ P. Matorras Cuevas,¹¹⁴ E. Navarrete Ramos,¹¹⁴ J. Piedra Gomez,¹¹⁴
C. Prieels,¹¹⁴ L. Scodellaro,¹¹⁴ I. Vila,¹¹⁴ J. M. Vizan Garcia,¹¹⁴ M. K. Jayananda,¹¹⁵ B. Kailasapathy,^{115,ggg}
D. U. J. Sonnada,¹¹⁵ D. D. C. Wickramaratna,¹¹⁵ W. G. D. Dharmaratna,¹¹⁶ K. Liyanage,¹¹⁶ N. Perera,¹¹⁶
N. Wickramage,¹¹⁶ D. Abbaneo,¹¹⁷ C. Amendola,¹¹⁷ E. Auffray,¹¹⁷ G. Auzinger,¹¹⁷ J. Baechler,¹¹⁷ D. Barney,¹¹⁷
A. Bermúdez Martínez,¹¹⁷ M. Bianco,¹¹⁷ B. Bilin,¹¹⁷ A. A. Bin Anuar,¹¹⁷ A. Bocci,¹¹⁷ E. Brondolin,¹¹⁷
C. Caillol,¹¹⁷ T. Camporesi,¹¹⁷ G. Cerminara,¹¹⁷ N. Chernyavskaya,¹¹⁷ D. d'Enterria,¹¹⁷ A. Dabrowski,¹¹⁷
A. David,¹¹⁷ A. De Roeck,¹¹⁷ M. M. Defranichis,¹¹⁷ M. Deile,¹¹⁷ M. Dobson,¹¹⁷ F. Fallavollita,^{117,hhh}
L. Forthomme,¹¹⁷ G. Franzoni,¹¹⁷ W. Funk,¹¹⁷ S. Giani,¹¹⁷ D. Gigi,¹¹⁷ K. Gill,¹¹⁷ F. Glege,¹¹⁷ L. Gouskos,¹¹⁷
M. Haranko,¹¹⁷ J. Hegeman,¹¹⁷ V. Innocente,¹¹⁷ T. James,¹¹⁷ P. Janot,¹¹⁷ J. Kieseler,¹¹⁷ N. Kratochwil,¹¹⁷
S. Laurila,¹¹⁷ P. Lecoq,¹¹⁷ E. Leutgeb,¹¹⁷ C. Lourenço,¹¹⁷ B. Maier,¹¹⁷ L. Malgeri,¹¹⁷ M. Mannelli,¹¹⁷
A. C. Marini,¹¹⁷ F. Meijers,¹¹⁷ S. Mersi,¹¹⁷ E. Meschi,¹¹⁷ V. Milosevic,¹¹⁷ F. Moortgat,¹¹⁷ M. Mulders,¹¹⁷
S. Orfanelli,¹¹⁷ F. Pantaleo,¹¹⁷ M. Peruzzi,¹¹⁷ A. Petrilli,¹¹⁷ G. Petrucciani,¹¹⁷ A. Pfeiffer,¹¹⁷ M. Pierini,¹¹⁷
D. Piparo,¹¹⁷ H. Qu,¹¹⁷ D. Rabady,¹¹⁷ G. Reales Gutiérrez,¹¹⁷ M. Rovere,¹¹⁷ H. Sakulin,¹¹⁷ S. Scarfi,¹¹⁷
M. Selvaggi,¹¹⁷ A. Sharma,¹¹⁷ K. Shchelina,¹¹⁷ P. Silva,¹¹⁷ P. Sphicas,^{117,iii} A. G. Stahl Leitner,¹¹⁷ A. Steen,¹¹⁷
S. Summers,¹¹⁷ D. Treille,¹¹⁷ P. Tropea,¹¹⁷ A. Tsiros,¹¹⁷ D. Walter,¹¹⁷ J. Wanczyk,^{117,jjj} K. A. Wozniak,^{117,kkk}
P. Zehetner,¹¹⁷ P. Zejdl,¹¹⁷ W. D. Zeuner,¹¹⁷ T. Bevilacqua,^{118,iii} L. Caminada,^{118,iii} A. Ebrahimi,¹¹⁸ W. Erdmann,¹¹⁸
R. Horisberger,¹¹⁸ Q. Ingram,¹¹⁸ H. C. Kaestli,¹¹⁸ D. Kotlinski,¹¹⁸ C. Lange,¹¹⁸ M. Missiroli,^{118,iii}
L. Noehte,^{118,iii} T. Rohe,¹¹⁸ T. K. Aarrestad,¹¹⁹ K. Androsov,^{119,jjj} M. Backhaus,¹¹⁹ A. Calandri,¹¹⁹
C. Cazzaniga,¹¹⁹ K. Datta,¹¹⁹ A. De Cosa,¹¹⁹ G. Dissertori,¹¹⁹ M. Dittmar,¹¹⁹ M. Donegà,¹¹⁹ F. Eble,¹¹⁹
M. Galli,¹¹⁹ K. Gedia,¹¹⁹ F. Glessgen,¹¹⁹ C. Grab,¹¹⁹ D. Hits,¹¹⁹ W. Lustermaier,¹¹⁹ A.-M. Lyon,¹¹⁹
R. A. Manzoni,¹¹⁹ M. Marchegiani,¹¹⁹ L. Marchese,¹¹⁹ C. Martin Perez,¹¹⁹ A. Mascellani,^{119,jjj}
F. Nessi-Tedaldi,¹¹⁹ F. Pauss,¹¹⁹ V. Perovic,¹¹⁹ S. Pigazzini,¹¹⁹ M. G. Ratti,¹¹⁹ M. Reichmann,¹¹⁹ C. Reissel,¹¹⁹
T. Reitspiess,¹¹⁹ B. Ristic,¹¹⁹ F. Riti,¹¹⁹ D. Ruini,¹¹⁹ D. A. Sanz Becerra,¹¹⁹ R. Seidita,¹¹⁹ J. Steggemann,^{119,jjj}
D. Valsecchi,¹¹⁹ R. Wallny,¹¹⁹ C. AMSLER,^{120,mmm} P. Bärtschi,¹²⁰ C. Botta,¹²⁰ D. Brzhechko,¹²⁰ M. F. Canelli,¹²⁰
K. Cormier,¹²⁰ A. De Wit,¹²⁰ R. Del Burgo,¹²⁰ J. K. Heikkilä,¹²⁰ M. Huwiler,¹²⁰ W. Jin,¹²⁰ A. Jofrehei,¹²⁰
B. Kilminster,¹²⁰ S. Leontsinis,¹²⁰ S. P. Liechti,¹²⁰ A. Macchiolo,¹²⁰ P. Meiring,¹²⁰ V. M. Mikuni,¹²⁰
U. Molinatti,¹²⁰ I. Neutelings,¹²⁰ A. Reimers,¹²⁰ P. Robmann,¹²⁰ S. Sanchez Cruz,¹²⁰ K. Schweiger,¹²⁰
M. Senger,¹²⁰ Y. Takahashi,¹²⁰ C. Adloff,^{121,nnn} C. M. Kuo,¹²¹ W. Lin,¹²¹ P. K. Rout,¹²¹ P. C. Tiwari,^{121,nn}
S. S. Yu,¹²¹ L. Ceard,¹²² Y. Chao,¹²² K. F. Chen,¹²² P. s. Chen,¹²² Z. g. Chen,¹²² W.-S. Hou,¹²² T. h. Hsu,¹²²
Y. w. Kao,¹²² R. Khurana,¹²² G. Kole,¹²² Y. y. Li,¹²² R.-S. Lu,¹²² E. Paganis,¹²² A. Psallidas,¹²² X. f. Su,¹²²
J. Thomas-Wilsker,¹²² H. y. Wu,¹²² E. Yazgan,¹²² C. Asawatangtrakuldee,¹²³ N. Srimanobhas,¹²³
V. Wachirapusanand,¹²³ D. Agyel,¹²⁴ F. Boran,¹²⁴ Z. S. Demiroglu,¹²⁴ F. Dolek,¹²⁴ I. Dumanoglu,^{124,ooo}
E. Eskut,¹²⁴ Y. Guler,^{124,ppp} E. Gurpinar Guler,^{124,ppp} C. Isik,¹²⁴ O. Kara,¹²⁴ A. Kayis Topaksu,¹²⁴ U. Kiminsu,¹²⁴

G. Onengut¹²⁴ K. Ozdemir^{124,qqq} A. Polatoz¹²⁴ B. Tali^{124,rrr} U. G. Tok¹²⁴ S. Turkcapar¹²⁴ E. Uslan¹²⁴
 I. S. Zorbakir¹²⁴ K. Ocalan^{125,sss} M. Yalvac^{125,ttt} B. Akgun¹²⁶ I. O. Atakisi¹²⁶ E. Gülmez¹²⁶ M. Kaya^{126,uuu}
 O. Kaya^{126,vvv} S. Tekten^{126,www} A. Cakir¹²⁷ K. Cankocak^{127,ooo} Y. Komurcu¹²⁷ S. Sen^{127,xxx} O. Aydilek¹²⁸
 S. Cerci^{128,rrr} V. Epshteyn^{128,n} B. Hacisahinoglu¹²⁸ I. Hos^{128,yyy} B. Isildak^{128,zzz} B. Kaynak¹²⁸
 S. Ozkorucuklu¹²⁸ H. Sert¹²⁸ C. Simsek¹²⁸ D. Sunar Cerci^{128,rrr} C. Zorbilmez¹²⁸ A. Boyaryntsev,¹²⁹
 B. Grynyov¹²⁹ L. Levchuk¹³⁰ D. Anthony¹³¹ J. J. Brooke¹³¹ A. Bundock¹³¹ F. Bury¹³¹ E. Clement¹³¹
 D. Cussans¹³¹ H. Flacher¹³¹ M. Glowacki,¹³¹ J. Goldstein,¹³¹ H. F. Heath,¹³¹ L. Kreczko,¹³¹ B. Krikler,¹³¹
 S. Paramesvaran¹³¹ S. Seif El Nasr-Storey,¹³¹ V. J. Smith¹³¹ N. Stylianou^{131,aaaa} K. Walkingshaw Pass,¹³¹
 R. White¹³¹ A. H. Ball,¹³² K. W. Bell¹³² A. Belyaev^{132,bbbb} C. Brew¹³² R. M. Brown¹³² D. J. A. Cockerill¹³²
 C. Cooke¹³² K. V. Ellis,¹³² K. Harder¹³² S. Harper¹³² M.-L. Holmberg^{132,cccc} Sh. Jain¹³² J. Linacre¹³²
 K. Manolopoulos,¹³² D. M. Newbold¹³² E. Olaiya,¹³² D. Petyt¹³² T. Reis¹³² G. Salvi¹³² T. Schuh,¹³²
 C. H. Shepherd-Themistocleous¹³² I. R. Tomalin,¹³² T. Williams¹³² R. Bainbridge¹³³ P. Bloch¹³³ C. E. Brown¹³³
 O. Buchmuller,¹³³ V. Cacchio,¹³³ C. A. Carrillo Montoya¹³³ G. S. Chahal^{133,dddd} D. Colling¹³³ J. S. Dancu,¹³³
 P. Dauncey¹³³ G. Davies¹³³ J. Davies,¹³³ M. Della Negra¹³³ S. Fayer,¹³³ G. Fedi¹³³ G. Hall¹³³
 M. H. Hassanshahi¹³³ A. Howard,¹³³ G. Iles¹³³ M. Knight¹³³ J. Langford¹³³ L. Lyons¹³³ A.-M. Magnan¹³³
 S. Malik,¹³³ A. Martelli¹³³ M. Mieskolainen¹³³ J. Nash^{133,eeee} M. Pesaresi,¹³³ B. C. Radburn-Smith¹³³
 A. Richards,¹³³ A. Rose¹³³ C. Seez¹³³ R. Shukla¹³³ A. Tapper¹³³ K. Uchida¹³³ G. P. Uttley¹³³ L. H. Vage,¹³³
 T. Virdee^{133,cc} M. Vojinovic¹³³ N. Wardle¹³³ D. Winterbottom¹³³ K. Coldham,¹³⁴ J. E. Cole¹³⁴ A. Khan,¹³⁴
 P. Kyberd¹³⁴ I. D. Reid¹³⁴ S. Abdullin¹³⁵ A. Brinkerhoff¹³⁵ B. Caraway¹³⁵ J. Dittmann¹³⁵ K. Hatakeyama¹³⁵
 J. Hiltbrand¹³⁵ A. R. Kanuganti¹³⁵ B. McMaster¹³⁵ M. Saunders¹³⁵ S. Sawant¹³⁵ C. Sutantawibul¹³⁵
 M. Toms^{135,n} J. Wilson¹³⁵ R. Bartek¹³⁶ A. Dominguez¹³⁶ C. Huerta Escamilla,¹³⁶ A. E. Simsek¹³⁶
 R. Uniyal¹³⁶ A. M. Vargas Hernandez¹³⁶ R. Chudasama¹³⁷ S. I. Cooper¹³⁷ S. V. Gleyzer¹³⁷ C. U. Perez¹³⁷
 P. Rumerio^{137,fff} E. Usai¹³⁷ C. West¹³⁷ R. Yi¹³⁷ A. Akpinar¹³⁸ A. Albert¹³⁸ D. Arcaro¹³⁸ C. Cosby¹³⁸
 Z. Demiragli¹³⁸ C. Erice¹³⁸ E. Fontanesi¹³⁸ D. Gastler¹³⁸ J. Rohlf¹³⁸ K. Salyer¹³⁸ D. Sperka¹³⁸
 D. Spitzbart¹³⁸ I. Suarez¹³⁸ A. Tsatsos¹³⁸ S. Yuan¹³⁸ G. Benelli¹³⁹ X. Coubez,^{139,x} D. Cutts¹³⁹ M. Hadley¹³⁹
 U. Heintz¹³⁹ J. M. Hogan^{139,gggg} T. Kwon¹³⁹ G. Landsberg¹³⁹ K. T. Lau¹³⁹ D. Li¹³⁹ J. Luo¹³⁹
 S. Mondal¹³⁹ M. Narain^{139,a} N. Pervan¹³⁹ S. Sagir^{139,hhhh} F. Simpson¹³⁹ W. Y. Wong,¹³⁹ X. Yan¹³⁹
 W. Zhang,¹³⁹ S. Abbott¹⁴⁰ J. Bonilla¹⁴⁰ C. Brainerd¹⁴⁰ R. Breedon¹⁴⁰ M. Calderon De La Barca Sanchez¹⁴⁰
 M. Chertok¹⁴⁰ M. Citron¹⁴⁰ J. Conway¹⁴⁰ P. T. Cox¹⁴⁰ R. Erbacher¹⁴⁰ G. Haza¹⁴⁰ F. Jensen¹⁴⁰
 O. Kukral¹⁴⁰ G. Mocellin¹⁴⁰ M. Mulhearn¹⁴⁰ D. Pellett¹⁴⁰ B. Regnery¹⁴⁰ W. Wei,¹⁴⁰ Y. Yao¹⁴⁰ F. Zhang¹⁴⁰
 M. Bachtis¹⁴¹ R. Cousins¹⁴¹ A. Datta¹⁴¹ J. Hauser¹⁴¹ M. Ignatenko¹⁴¹ M. A. Iqbal¹⁴¹ T. Lam¹⁴¹
 E. Manca¹⁴¹ W. A. Nash¹⁴¹ D. Saltzberg¹⁴¹ B. Stone¹⁴¹ V. Valuev¹⁴¹ R. Clare¹⁴² M. Gordon,¹⁴²
 G. Hanson¹⁴² W. Si¹⁴² S. Wimpenny^{142,a} J. G. Branson,¹⁴³ S. Cittolin¹⁴³ S. Cooperstein¹⁴³ D. Diaz¹⁴³
 J. Duarte¹⁴³ R. Gerosa¹⁴³ L. Giannini¹⁴³ J. Guiang¹⁴³ R. Kansal¹⁴³ V. Krutelyov¹⁴³ R. Lee¹⁴³ J. Letts¹⁴³
 M. Masciovecchio¹⁴³ F. Mokhtar¹⁴³ M. Pieri¹⁴³ M. Quinnan¹⁴³ B. V. Sathia Narayanan¹⁴³ V. Sharma¹⁴³
 M. Tadel¹⁴³ E. Vourliotis¹⁴³ F. Würthwein¹⁴³ Y. Xiang¹⁴³ A. Yagil¹⁴³ L. Brennan,¹⁴⁴ C. Campagnari¹⁴⁴
 G. Collura¹⁴⁴ A. Dorsett¹⁴⁴ J. Incandela¹⁴⁴ M. Kilpatrick¹⁴⁴ J. Kim¹⁴⁴ A. J. Li¹⁴⁴ P. Masterson¹⁴⁴
 H. Mei¹⁴⁴ M. Oshiro¹⁴⁴ J. Richman¹⁴⁴ U. Sarica¹⁴⁴ R. Schmitz¹⁴⁴ F. Setti¹⁴⁴ J. Sheplock¹⁴⁴ D. Stuart¹⁴⁴
 S. Wang¹⁴⁴ A. Bornheim¹⁴⁵ O. Cerri,¹⁴⁵ A. Latorre,¹⁴⁵ J. M. Lawhorn¹⁴⁵ J. Mao¹⁴⁵ H. B. Newman¹⁴⁵
 T. Q. Nguyen¹⁴⁵ M. Spiropulu¹⁴⁵ J. R. Vlimant¹⁴⁵ C. Wang¹⁴⁵ S. Xie¹⁴⁵ R. Y. Zhu¹⁴⁵ J. Alison¹⁴⁶ S. An¹⁴⁶
 M. B. Andrews¹⁴⁶ P. Bryant¹⁴⁶ V. Dutta¹⁴⁶ T. Ferguson¹⁴⁶ A. Harilal¹⁴⁶ C. Liu¹⁴⁶ T. Mudholkar¹⁴⁶
 S. Murthy¹⁴⁶ M. Paulini¹⁴⁶ A. Roberts¹⁴⁶ A. Sanchez¹⁴⁶ W. Terrill¹⁴⁶ J. P. Cumalat¹⁴⁷ W. T. Ford¹⁴⁷
 A. Hassani¹⁴⁷ G. Karathanasis¹⁴⁷ E. MacDonald,¹⁴⁷ N. Manganello¹⁴⁷ F. Marini¹⁴⁷ A. Perloff¹⁴⁷ C. Savard¹⁴⁷
 N. Schonbeck¹⁴⁷ K. Stenson¹⁴⁷ K. A. Ulmer¹⁴⁷ S. R. Wagner¹⁴⁷ N. Zipper¹⁴⁷ J. Alexander¹⁴⁸
 S. Bright-Thonney¹⁴⁸ X. Chen¹⁴⁸ D. J. Cranshaw¹⁴⁸ J. Fan¹⁴⁸ X. Fan¹⁴⁸ D. Gadkari¹⁴⁸ S. Hogan¹⁴⁸
 J. Monroy¹⁴⁸ J. R. Patterson¹⁴⁸ J. Reichert¹⁴⁸ M. Reid¹⁴⁸ A. Ryd¹⁴⁸ J. Thom¹⁴⁸ P. Wittich¹⁴⁸ R. Zou¹⁴⁸
 M. Albrow¹⁴⁹ M. Alyari¹⁴⁹ O. Amram¹⁴⁹ G. Apollinari¹⁴⁹ A. Apresyan¹⁴⁹ L. A. T. Bauerdick¹⁴⁹ D. Berry¹⁴⁹
 J. Berryhill¹⁴⁹ P. C. Bhat¹⁴⁹ K. Burkett¹⁴⁹ J. N. Butler¹⁴⁹ A. Canepa¹⁴⁹ G. B. Cerati¹⁴⁹ H. W. K. Cheung¹⁴⁹
 F. Chlebana¹⁴⁹ G. Cummings¹⁴⁹ J. Dickinson¹⁴⁹ I. Dutta¹⁴⁹ V. D. Elvira¹⁴⁹ Y. Feng¹⁴⁹ J. Freeman¹⁴⁹

A. Gandrakota¹⁴⁹ Z. Gecse¹⁴⁹ L. Gray¹⁴⁹ D. Green¹⁴⁹ S. Grünendahl¹⁴⁹ D. Guerrero¹⁴⁹ O. Gutsche¹⁴⁹
 R. M. Harris¹⁴⁹ R. Heller¹⁴⁹ T. C. Herwig¹⁴⁹ J. Hirschauer¹⁴⁹ L. Horyn¹⁴⁹ B. Jayatilaka¹⁴⁹ S. Jindariani¹⁴⁹
 M. Johnson¹⁴⁹ U. Joshi¹⁴⁹ T. Klijsma¹⁴⁹ B. Klima¹⁴⁹ K. H. M. Kwok¹⁴⁹ S. Lammel¹⁴⁹ D. Lincoln¹⁴⁹
 R. Lipton¹⁴⁹ T. Liu¹⁴⁹ C. Madrid¹⁴⁹ K. Maeshima¹⁴⁹ C. Mantilla¹⁴⁹ D. Mason¹⁴⁹ P. McBride¹⁴⁹
 P. Merkel¹⁴⁹ S. Mrenna¹⁴⁹ S. Nahn¹⁴⁹ J. Ngadiuba¹⁴⁹ D. Noonan¹⁴⁹ V. Papadimitriou¹⁴⁹ N. Pastika¹⁴⁹
 K. Pedro¹⁴⁹ C. Pena^{149,iiii} F. Ravera¹⁴⁹ A. Reinsvold Hall^{149,iiij} L. Ristori¹⁴⁹ E. Sexton-Kennedy¹⁴⁹
 N. Smith¹⁴⁹ A. Soha¹⁴⁹ L. Spiegel¹⁴⁹ S. Stoynev¹⁴⁹ L. Taylor¹⁴⁹ S. Tkaczyk¹⁴⁹ N. V. Tran¹⁴⁹
 L. Uplegger¹⁴⁹ E. W. Vaandering¹⁴⁹ I. Zoi¹⁴⁹ C. Aruta¹⁵⁰ P. Avery¹⁵⁰ D. Bourilkov¹⁵⁰ L. Cadamuro¹⁵⁰
 P. Chang¹⁵⁰ V. Cherepanov¹⁵⁰ R. D. Field¹⁵⁰ E. Koenig¹⁵⁰ M. Kolosova¹⁵⁰ J. Konigsberg¹⁵⁰ A. Korytov¹⁵⁰
 K. H. Lo¹⁵⁰ K. Matchev¹⁵⁰ N. Menendez¹⁵⁰ G. Mitselmakher¹⁵⁰ A. Muthirakalayil Madhu¹⁵⁰ N. Rawal¹⁵⁰
 D. Rosenzweig¹⁵⁰ S. Rosenzweig¹⁵⁰ K. Shi¹⁵⁰ J. Wang¹⁵⁰ T. Adams¹⁵¹ A. Al Kadhim¹⁵¹ A. Askew¹⁵¹
 N. Bower¹⁵¹ R. Habibullah¹⁵¹ V. Hagopian¹⁵¹ R. Hashmi¹⁵¹ R. S. Kim¹⁵¹ S. Kim¹⁵¹ T. Kolberg¹⁵¹
 G. Martinez¹⁵¹ H. Prosper¹⁵¹ P. R. Prova¹⁵¹ O. Viazlo¹⁵¹ M. Wulansatiti¹⁵¹ R. Yohay¹⁵¹ J. Zhang¹⁵¹
 B. Alsufyani¹⁵² M. M. Baarmand¹⁵² S. Butalla¹⁵² T. Elkafrawy^{152,bbb} M. Hohlmann¹⁵² R. Kumar Verma¹⁵²
 M. Rahmani¹⁵² F. Yumiceva¹⁵² M. R. Adams¹⁵³ C. Bennett¹⁵³ R. Cavanaugh¹⁵³ S. Dittmer¹⁵³
 R. Escobar Franco¹⁵³ O. Evdokimov¹⁵³ C. E. Gerber¹⁵³ D. J. Hofman¹⁵³ J. h. Lee¹⁵³ D. S. Lemos¹⁵³
 A. H. Merrit¹⁵³ C. Mills¹⁵³ S. Nanda¹⁵³ G. Oh¹⁵³ B. Ozek¹⁵³ D. Pilipovic¹⁵³ T. Roy¹⁵³ S. Rudrabhatla¹⁵³
 M. B. Tonjes¹⁵³ N. Varelas¹⁵³ X. Wang¹⁵³ Z. Ye¹⁵³ J. Yoo¹⁵³ M. Alhusseini¹⁵⁴ D. Blend¹⁵⁴ K. Dilsiz^{154,kkkk}
 L. Emediato¹⁵⁴ G. Karaman¹⁵⁴ O. K. Köseyan¹⁵⁴ J.-P. Merlo¹⁵⁴ A. Mestvirishvili^{154,liii} J. Nachtman¹⁵⁴
 O. Neogi¹⁵⁴ H. Ogul^{154,mmmm} Y. Onel¹⁵⁴ A. Penzo¹⁵⁴ C. Snyder¹⁵⁴ E. Tiras^{154,nnnn} B. Blumenfeld¹⁵⁵
 L. Corcodilos¹⁵⁵ J. Davis¹⁵⁵ A. V. Griksan¹⁵⁵ L. Kang¹⁵⁵ S. Kyriacou¹⁵⁵ P. Maksimovic¹⁵⁵ M. Roguljic¹⁵⁵
 J. Roskes¹⁵⁵ S. Sekhar¹⁵⁵ M. Swartz¹⁵⁵ T. Á. Vami¹⁵⁵ A. Abreu¹⁵⁶ L. F. Alcerro Alcerro¹⁵⁶ J. Anguiano¹⁵⁶
 P. Baringer¹⁵⁶ A. Bean¹⁵⁶ Z. Flowers¹⁵⁶ D. Grove¹⁵⁶ J. King¹⁵⁶ G. Krintiras¹⁵⁶ M. Lazarovits¹⁵⁶
 C. Le Mahieu¹⁵⁶ C. Lindsey¹⁵⁶ J. Marquez¹⁵⁶ N. Minafra¹⁵⁶ M. Murray¹⁵⁶ M. Nickel¹⁵⁶ M. Pitt¹⁵⁶
 S. Popescu^{156,oooo} C. Rogan¹⁵⁶ C. Royon¹⁵⁶ R. Salvatico¹⁵⁶ S. Sanders¹⁵⁶ C. Smith¹⁵⁶ Q. Wang¹⁵⁶
 G. Wilson¹⁵⁶ B. Allmond¹⁵⁷ A. Ivanov¹⁵⁷ K. Kaadze¹⁵⁷ A. Kalogeropoulos¹⁵⁷ D. Kim¹⁵⁷ Y. Maravin¹⁵⁷
 K. Nam¹⁵⁷ J. Natoli¹⁵⁷ D. Roy¹⁵⁷ G. Sorrentino¹⁵⁷ E. Adams¹⁵⁸ A. Baden¹⁵⁸ O. Baron¹⁵⁸ A. Belloni¹⁵⁸
 A. Bethani¹⁵⁸ Y. m. Chen¹⁵⁸ S. C. Eno¹⁵⁸ N. J. Hadley¹⁵⁸ S. Jabeen¹⁵⁸ R. G. Kellogg¹⁵⁸ T. Koeth¹⁵⁸
 Y. Lai¹⁵⁸ S. Lascio¹⁵⁸ A. C. Mignerey¹⁵⁸ S. Nabili¹⁵⁸ C. Palmer¹⁵⁸ C. Papageorgakis¹⁵⁸ M. M. Paranjpe¹⁵⁸
 L. Wang¹⁵⁸ K. Wong¹⁵⁸ J. Bendavid¹⁵⁹ W. Busza¹⁵⁹ I. A. Cali¹⁵⁹ Y. Chen¹⁵⁹ M. D'Alfonso¹⁵⁹
 J. Eysermans¹⁵⁹ C. Freer¹⁵⁹ G. Gomez-Ceballos¹⁵⁹ M. Goncharov¹⁵⁹ P. Harris¹⁵⁹ D. Hoang¹⁵⁹ D. Kovalskyi¹⁵⁹
 J. Krupa¹⁵⁹ L. Lavezzo¹⁵⁹ Y.-J. Lee¹⁵⁹ K. Long¹⁵⁹ C. Mironov¹⁵⁹ C. Paus¹⁵⁹ D. Rankin¹⁵⁹ C. Roland¹⁵⁹
 G. Roland¹⁵⁹ S. Rothman¹⁵⁹ Z. Shi¹⁵⁹ G. S. F. Stephans¹⁵⁹ J. Wang¹⁵⁹ Z. Wang¹⁵⁹ B. Wyslouch¹⁵⁹
 T. J. Yang¹⁵⁹ B. Crossman¹⁶⁰ B. M. Joshi¹⁶⁰ C. Kapsiak¹⁶⁰ M. Krohn¹⁶⁰ D. Mahon¹⁶⁰ J. Mans¹⁶⁰
 S. Pandey¹⁶⁰ M. Revering¹⁶⁰ R. Rusack¹⁶⁰ R. Saradhy¹⁶⁰ N. Schroeder¹⁶⁰ N. Strobbe¹⁶⁰ M. A. Wadud¹⁶⁰
 L. M. Cremaldi¹⁶¹ K. Bloom¹⁶² M. Bryson¹⁶² D. R. Claes¹⁶² C. Fangmeier¹⁶² F. Golf¹⁶² J. Hossain¹⁶²
 C. Joo¹⁶² I. Kravchenko¹⁶² I. Reed¹⁶² J. E. Siado¹⁶² G. R. Snow^{162,a} W. Tabb¹⁶² A. Wightman¹⁶² F. Yan¹⁶²
 D. Yu¹⁶² A. G. Zecchinelli¹⁶² G. Agarwal¹⁶³ H. Bandyopadhyay¹⁶³ L. Hay¹⁶³ I. Iashvili¹⁶³
 A. Kharchilava¹⁶³ C. McLean¹⁶³ M. Morris¹⁶³ D. Nguyen¹⁶³ J. Pekkanen¹⁶³ S. Rappoccio¹⁶³ H. Rejeb Sfar¹⁶³
 A. Williams¹⁶³ G. Alverson¹⁶⁴ E. Barberis¹⁶⁴ Y. Haddad¹⁶⁴ Y. Han¹⁶⁴ A. Krishna¹⁶⁴ J. Li¹⁶⁴ M. Lu¹⁶⁴
 G. Madigan¹⁶⁴ B. Marzocchi¹⁶⁴ D. M. Morse¹⁶⁴ V. Nguyen¹⁶⁴ T. Orimoto¹⁶⁴ A. Parker¹⁶⁴ L. Skinnari¹⁶⁴
 A. Tishelman-Charny¹⁶⁴ B. Wang¹⁶⁴ D. Wood¹⁶⁴ S. Bhattacharya¹⁶⁵ J. Bueghly¹⁶⁵ Z. Chen¹⁶⁵ K. A. Hahn¹⁶⁵
 Y. Liu¹⁶⁵ Y. Miao¹⁶⁵ D. G. Monk¹⁶⁵ M. H. Schmitt¹⁶⁵ A. Taliervo¹⁶⁵ M. Velasco¹⁶⁵ R. Band¹⁶⁶ R. Bucci¹⁶⁶
 S. Castells¹⁶⁶ M. Cremonesi¹⁶⁶ A. Das¹⁶⁶ R. Goldouzian¹⁶⁶ M. Hildreth¹⁶⁶ K. W. Ho¹⁶⁶
 K. Hurtado Anampa¹⁶⁶ C. Jessop¹⁶⁶ K. Lannon¹⁶⁶ J. Lawrence¹⁶⁶ N. Loukas¹⁶⁶ L. Lutton¹⁶⁶ J. Mariano¹⁶⁶
 N. Marinelli¹⁶⁶ I. Mcalister¹⁶⁶ T. McCauley¹⁶⁶ C. Mcgrady¹⁶⁶ K. Mohrman¹⁶⁶ C. Moore¹⁶⁶ Y. Musienko^{166,n}
 H. Nelson¹⁶⁶ M. Osherson¹⁶⁶ R. Ruchti¹⁶⁶ A. Townsend¹⁶⁶ M. Wayne¹⁶⁶ H. Yockey¹⁶⁶ M. Zarucki¹⁶⁶
 L. Zygala¹⁶⁶ A. Basnet¹⁶⁷ B. Bylsma¹⁶⁷ M. Carrigan¹⁶⁷ L. S. Durkin¹⁶⁷ C. Hill¹⁶⁷ M. Joyce¹⁶⁷
 A. Lesauvage¹⁶⁷ M. Nunez Ornelas¹⁶⁷ K. Wei¹⁶⁷ B. L. Winer¹⁶⁷ B. R. Yates¹⁶⁷ F. M. Addesa¹⁶⁸

H. Bouchamaoui¹⁶⁸, P. Das¹⁶⁸, G. Dezoort¹⁶⁸, P. Elmer¹⁶⁸, A. Frankenthal¹⁶⁸, B. Greenberg¹⁶⁸, N. Haubrich¹⁶⁸, S. Higginbotham¹⁶⁸, G. Kopp¹⁶⁸, S. Kwan¹⁶⁸, D. Lange¹⁶⁸, A. Loeliger¹⁶⁸, D. Marlow¹⁶⁸, I. Ojalvo¹⁶⁸, J. Olsen¹⁶⁸, D. Stickland¹⁶⁸, C. Tully¹⁶⁸, S. Malik¹⁶⁹, A. S. Bakshi¹⁷⁰, V. E. Barnes¹⁷⁰, S. Chandra¹⁷⁰, R. Chawla¹⁷⁰, S. Das¹⁷⁰, A. Gu¹⁷⁰, L. Gutay¹⁷⁰, M. Jones¹⁷⁰, A. W. Jung¹⁷⁰, D. Kondratyev¹⁷⁰, A. M. Koshy¹⁷⁰, M. Liu¹⁷⁰, G. Negro¹⁷⁰, N. Neumeister¹⁷⁰, G. Paspalaki¹⁷⁰, S. Piperov¹⁷⁰, A. Purohit¹⁷⁰, J. F. Schulte¹⁷⁰, M. Stojanovic^{170,r}, J. Thieman¹⁷⁰, A. K. Viridi¹⁷⁰, F. Wang¹⁷⁰, W. Xie¹⁷⁰, J. Dolen¹⁷¹, N. Parashar¹⁷¹, A. Pathak¹⁷¹, D. Acosta¹⁷², A. Baty¹⁷², T. Carnahan¹⁷², S. Dildick¹⁷², K. M. Ecklund¹⁷², P. J. Fernández Manteca¹⁷², S. Freed¹⁷², P. Gardner¹⁷², F. J. M. Geurts¹⁷², A. Kumar¹⁷², W. Li¹⁷², O. Miguel Colin¹⁷², B. P. Padley¹⁷², R. Redjimi¹⁷², J. Rotter¹⁷², E. Yigitbasi¹⁷², Y. Zhang¹⁷², A. Bodek¹⁷³, P. de Barbaro¹⁷³, R. Demina¹⁷³, J. L. Dulemba¹⁷³, C. Fallon¹⁷³, A. Garcia-Bellido¹⁷³, O. Hindrichs¹⁷³, A. Khukhunaishvili¹⁷³, P. Parygin¹⁷³, E. Popova^{173,pppp}, R. Taus¹⁷³, G. P. Van Onsem¹⁷³, K. Goulianos¹⁷⁴, B. Chiarito¹⁷⁵, J. P. Chou¹⁷⁵, Y. Gershtein¹⁷⁵, E. Halkiadakis¹⁷⁵, A. Hart¹⁷⁵, M. Heindl¹⁷⁵, D. Jaroslawski¹⁷⁵, O. Karacheban^{175,aa}, I. Laflotte¹⁷⁵, A. Lath¹⁷⁵, R. Montalvo¹⁷⁵, K. Nash¹⁷⁵, H. Routray¹⁷⁵, S. Salur¹⁷⁵, S. Schnetzer¹⁷⁵, S. Somalwar¹⁷⁵, R. Stone¹⁷⁵, S. A. Thayil¹⁷⁵, S. Thomas¹⁷⁵, J. Vora¹⁷⁵, H. Wang¹⁷⁵, H. Acharya¹⁷⁶, D. Ally¹⁷⁶, A. G. Delannoy¹⁷⁶, S. Fiorendi¹⁷⁶, T. Holmes¹⁷⁶, N. Karunaratna¹⁷⁶, L. Lee¹⁷⁶, E. Nibigira¹⁷⁶, S. Spanier¹⁷⁶, D. Aebi¹⁷⁷, M. Ahmad¹⁷⁷, O. Bouhali^{177,qqqq}, M. Dalchenko¹⁷⁷, R. Eusebi¹⁷⁷, J. Gilmore¹⁷⁷, T. Huang¹⁷⁷, T. Kamon^{177,rrrr}, H. Kim¹⁷⁷, S. Luo¹⁷⁷, S. Malhotra¹⁷⁷, R. Mueller¹⁷⁷, D. Overton¹⁷⁷, D. Rathjens¹⁷⁷, A. Safonov¹⁷⁷, N. Akchurin¹⁷⁸, J. Damgov¹⁷⁸, V. Hegde¹⁷⁸, A. Hussain¹⁷⁸, Y. Kazhykarim¹⁷⁸, K. Lamichhane¹⁷⁸, S. W. Lee¹⁷⁸, A. Mankel¹⁷⁸, T. Mengke¹⁷⁸, S. Muthumuni¹⁷⁸, T. Peltola¹⁷⁸, I. Volobouev¹⁷⁸, A. Whitbeck¹⁷⁸, E. Appelt¹⁷⁹, S. Greene¹⁷⁹, A. Gurrola¹⁷⁹, W. Johns¹⁷⁹, R. Kunnawalkam Elayavalli¹⁷⁹, A. Melo¹⁷⁹, F. Romeo¹⁷⁹, P. Sheldon¹⁷⁹, S. Tuo¹⁷⁹, J. Velkovska¹⁷⁹, J. Viinikainen¹⁷⁹, B. Cardwell¹⁸⁰, B. Cox¹⁸⁰, J. Hakala¹⁸⁰, R. Hirosky¹⁸⁰, A. Ledovsky¹⁸⁰, A. Li¹⁸⁰, C. Neu¹⁸⁰, C. E. Perez Lara¹⁸⁰, P. E. Karchin¹⁸¹, A. Aravind¹⁸², S. Banerjee¹⁸², K. Black¹⁸², T. Bose¹⁸², S. Dasu¹⁸², I. De Bruyn¹⁸², P. Everaerts¹⁸², C. Galloni¹⁸², H. He¹⁸², M. Herndon¹⁸², A. Herve¹⁸², C. K. Koraka¹⁸², A. Lanaro¹⁸², R. Loveless¹⁸², J. Madhusudan Sreekala¹⁸², A. Mallampalli¹⁸², A. Mohammadi¹⁸², S. Mondal¹⁸², G. Parida¹⁸², D. Pinna¹⁸², A. Savin¹⁸², V. Shang¹⁸², V. Sharma¹⁸², W. H. Smith¹⁸², D. Teague¹⁸², H. F. Tsoi¹⁸², W. Vetens¹⁸², A. Warden¹⁸², S. Afanasiev¹⁸³, V. Andreev¹⁸³, Yu. Andreev¹⁸³, T. Aushev¹⁸³, M. Azarkin¹⁸³, A. Babaev¹⁸³, A. Belyaev¹⁸³, V. Blinov^{183,n}, E. Boos¹⁸³, V. Borshch¹⁸³, D. Budkouski¹⁸³, V. Bunichev¹⁸³, V. Chekhovsky¹⁸³, R. Chistov^{183,n}, M. Danilov^{183,n}, A. Dermenev¹⁸³, T. Dimova^{183,n}, D. Druzhkin^{183,ssss}, M. Dubinin^{183,iiiii}, L. Dudko¹⁸³, A. Ershov¹⁸³, G. Gavrilov¹⁸³, V. Gavrilov¹⁸³, S. Gninenko¹⁸³, V. Golovtcov¹⁸³, N. Golubev¹⁸³, I. Golutvin¹⁸³, I. Gorbunov¹⁸³, A. Gribushin¹⁸³, Y. Ivanov¹⁸³, V. Kachanov¹⁸³, L. Kardapoltsev^{183,n}, V. Karjavine¹⁸³, A. Karneyev¹⁸³, V. Kim^{183,n}, M. Kirakosyan¹⁸³, D. Kirpichnikov¹⁸³, M. Kirsanov¹⁸³, V. Klyukhin¹⁸³, O. Kodolova^{183,tttt}, D. Konstantinov¹⁸³, V. Korenkov¹⁸³, A. Kozyrev^{183,n}, N. Krasnikov¹⁸³, A. Lanev¹⁸³, P. Levchenko^{183,uuuu}, N. Lychkovskaya¹⁸³, V. Makarenko¹⁸³, A. Malakhov¹⁸³, V. Matveev^{183,n}, V. Murzin¹⁸³, A. Nikitenko^{183,ttt,vvvv}, S. Obraztsov¹⁸³, V. Oreshkin¹⁸³, V. Palichik¹⁸³, V. Perelygin¹⁸³, M. Perfilov¹⁸³, S. Polikarpov^{183,n}, V. Popov¹⁸³, O. Radchenko^{183,n}, M. Savina¹⁸³, V. Savrin¹⁸³, D. Selivanova¹⁸³, V. Shalaev¹⁸³, S. Shmatov¹⁸³, S. Shulha¹⁸³, Y. Skovpen^{183,n}, S. Slabospitskii¹⁸³, V. Smirnov¹⁸³, A. Snigirev¹⁸³, D. Sosnov¹⁸³, V. Sulimov¹⁸³, E. Tcherniaev¹⁸³, A. Terkulov¹⁸³, O. Teryaev¹⁸³, I. Tlisova¹⁸³, A. Toropin¹⁸³, L. Uvarov¹⁸³, A. Uzunian¹⁸³, A. Vorobyev^{183,a}, N. Voytishin¹⁸³, B. S. Yuldashev^{183,wwww}, A. Zarubin¹⁸³, I. Zhizhin¹⁸³, and A. Zhokin¹⁸³

(CMS Collaboration)

¹Yerevan Physics Institute, Yerevan, Armenia
²Institut für Hochenergiephysik, Vienna, Austria
³Universiteit Antwerpen, Antwerpen, Belgium
⁴Vrije Universiteit Brussel, Brussel, Belgium
⁵Université Libre de Bruxelles, Bruxelles, Belgium
⁶Ghent University, Ghent, Belgium

- ⁷*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*
⁸*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*
⁹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
¹⁰*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*
¹¹*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*
¹²*University of Sofia, Sofia, Bulgaria*
¹³*Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile*
¹⁴*Beihang University, Beijing, China*
¹⁵*Department of Physics, Tsinghua University, Beijing, China*
¹⁶*Institute of High Energy Physics, Beijing, China*
¹⁷*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
¹⁸*Sun Yat-Sen University, Guangzhou, China*
¹⁹*University of Science and Technology of China, Hefei, China*
²⁰*Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China*
²¹*Zhejiang University, Hangzhou, Zhejiang, China*
²²*Universidad de Los Andes, Bogota, Colombia*
²³*Universidad de Antioquia, Medellin, Colombia*
²⁴*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
²⁵*University of Split, Faculty of Science, Split, Croatia*
²⁶*Institute Rudjer Boskovic, Zagreb, Croatia*
²⁷*University of Cyprus, Nicosia, Cyprus*
²⁸*Charles University, Prague, Czech Republic*
²⁹*Escuela Politecnica Nacional, Quito, Ecuador*
³⁰*Universidad San Francisco de Quito, Quito, Ecuador*
³¹*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
³²*Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt*
³³*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
³⁴*Department of Physics, University of Helsinki, Helsinki, Finland*
³⁵*Helsinki Institute of Physics, Helsinki, Finland*
³⁶*Lappeenranta-Lahti University of Technology, Lappeenranta, Finland*
³⁷*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
³⁸*Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France*
³⁹*Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
⁴⁰*Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France*
⁴¹*Georgian Technical University, Tbilisi, Georgia*
⁴²*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
⁴³*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
⁴⁴*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
⁴⁵*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
⁴⁶*University of Hamburg, Hamburg, Germany*
⁴⁷*Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
⁴⁸*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
⁴⁹*National and Kapodistrian University of Athens, Athens, Greece*
⁵⁰*National Technical University of Athens, Athens, Greece*
⁵¹*University of Ioánnina, Ioánnina, Greece*
⁵²*MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary*
⁵³*Wigner Research Centre for Physics, Budapest, Hungary*
⁵⁴*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
⁵⁵*Institute of Physics, University of Debrecen, Debrecen, Hungary*
⁵⁶*Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary*
⁵⁷*Panjab University, Chandigarh, India*
⁵⁸*University of Delhi, Delhi, India*
⁵⁹*Saha Institute of Nuclear Physics, HBNI, Kolkata, India*
⁶⁰*Indian Institute of Technology Madras, Madras, India*
⁶¹*Tata Institute of Fundamental Research-A, Mumbai, India*
⁶²*Tata Institute of Fundamental Research-B, Mumbai, India*
⁶³*National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India*

- ⁶⁴*Indian Institute of Science Education and Research (IISER), Pune, India*
- ⁶⁵*Isfahan University of Technology, Isfahan, Iran*
- ⁶⁶*Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
- ⁶⁷*University College Dublin, Dublin, Ireland*
- ^{68a}*INFN Sezione di Bari, Bari, Italy*
- ^{68b}*Università di Bari, Bari, Italy*
- ^{68c}*Politecnico di Bari, Bari, Italy*
- ^{69a}*INFN Sezione di Bologna, Bologna, Italy*
- ^{69b}*Università di Bologna, Bologna, Italy*
- ^{70a}*INFN Sezione di Catania, Catania, Italy*
- ^{70b}*Università di Catania, Catania, Italy*
- ^{71a}*INFN Sezione di Firenze, Firenze, Italy*
- ^{71b}*Università di Firenze, Firenze, Italy*
- ⁷²*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
- ^{73a}*INFN Sezione di Genova, Genova, Italy*
- ^{73b}*Università di Genova, Genova, Italy*
- ^{74a}*INFN Sezione di Milano-Bicocca, Milano, Italy*
- ^{74b}*Università di Milano-Bicocca, Milano, Italy*
- ^{75a}*INFN Sezione di Napoli, Napoli, Italy*
- ^{75b}*Università di Napoli 'Federico II', Napoli, Italy*
- ^{75c}*Università della Basilicata, Potenza, Italy*
- ^{75d}*Università G. Marconi, Roma, Italy*
- ^{76a}*INFN Sezione di Padova, Padova, Italy*
- ^{76b}*Università di Padova, Padova, Italy*
- ^{76c}*Università di Trento, Trento, Italy*
- ^{77a}*INFN Sezione di Pavia, Pavia, Italy*
- ^{77b}*Università di Pavia, Pavia, Italy*
- ^{78a}*INFN Sezione di Perugia, Perugia, Italy*
- ^{78b}*Università di Perugia, Perugia, Italy*
- ^{79a}*INFN Sezione di Pisa, Pisa, Italy*
- ^{79b}*Università di Pisa, Pisa, Italy*
- ^{79c}*Scuola Normale Superiore di Pisa, Pisa, Italy*
- ^{79d}*Università di Siena, Siena, Italy*
- ^{80a}*INFN Sezione di Roma, Roma, Italy*
- ^{80b}*Sapienza Università di Roma, Roma, Italy*
- ^{81a}*INFN Sezione di Torino, Torino, Italy*
- ^{81b}*Università di Torino, Torino, Italy*
- ^{81c}*Università del Piemonte Orientale, Novara, Italy*
- ^{82a}*INFN Sezione di Trieste, Trieste, Italy*
- ^{82b}*Università di Trieste, Trieste, Italy*
- ⁸³*Kyungpook National University, Daegu, Korea*
- ⁸⁴*Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*
- ⁸⁵*Hanyang University, Seoul, Korea*
- ⁸⁶*Korea University, Seoul, Korea*
- ⁸⁷*Kyung Hee University, Department of Physics, Seoul, Korea*
- ⁸⁸*Sejong University, Seoul, Korea*
- ⁸⁹*Seoul National University, Seoul, Korea*
- ⁹⁰*University of Seoul, Seoul, Korea*
- ⁹¹*Yonsei University, Department of Physics, Seoul, Korea*
- ⁹²*Sungkyunkwan University, Suwon, Korea*
- ⁹³*College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait*
- ⁹⁴*Riga Technical University, Riga, Latvia*
- ⁹⁵*University of Latvia (LU), Riga, Latvia*
- ⁹⁶*Vilnius University, Vilnius, Lithuania*
- ⁹⁷*National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*
- ⁹⁸*Universidad de Sonora (UNISON), Hermosillo, Mexico*
- ⁹⁹*Centro de Investigación y de Estudios Avanzados del IPN, Mexico City, Mexico*
- ¹⁰⁰*Universidad Iberoamericana, Mexico City, Mexico*
- ¹⁰¹*Benemerita Universidad Autónoma de Puebla, Puebla, Mexico*
- ¹⁰²*University of Montenegro, Podgorica, Montenegro*

- ¹⁰³University of Canterbury, Christchurch, New Zealand
¹⁰⁴National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
¹⁰⁵AGH University of Science and Technology Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland
¹⁰⁶National Centre for Nuclear Research, Swierk, Poland
¹⁰⁷Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
¹⁰⁸Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
¹⁰⁹Faculty of Physics, University of Belgrade, Belgrade, Serbia
¹¹⁰VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
¹¹¹Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
¹¹²Universidad Autónoma de Madrid, Madrid, Spain
¹¹³Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain
¹¹⁴Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
¹¹⁵University of Colombo, Colombo, Sri Lanka
¹¹⁶University of Ruhuna, Department of Physics, Matara, Sri Lanka
¹¹⁷CERN, European Organization for Nuclear Research, Geneva, Switzerland
¹¹⁸Paul Scherrer Institut, Villigen, Switzerland
¹¹⁹ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland
¹²⁰Universität Zürich, Zurich, Switzerland
¹²¹National Central University, Chung-Li, Taiwan
¹²²National Taiwan University (NTU), Taipei, Taiwan
¹²³Chulalongkorn University, Faculty of Science, Department of Physics, Bangkok, Thailand
¹²⁴Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey
¹²⁵Middle East Technical University, Physics Department, Ankara, Turkey
¹²⁶Bogazici University, Istanbul, Turkey
¹²⁷Istanbul Technical University, Istanbul, Turkey
¹²⁸Istanbul University, Istanbul, Turkey
¹²⁹Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine
¹³⁰National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine
¹³¹University of Bristol, Bristol, United Kingdom
¹³²Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³³Imperial College, London, United Kingdom
¹³⁴Brunel University, Uxbridge, United Kingdom
¹³⁵Baylor University, Waco, Texas, USA
¹³⁶Catholic University of America, Washington, DC, USA
¹³⁷The University of Alabama, Tuscaloosa, Alabama, USA
¹³⁸Boston University, Boston, Massachusetts, USA
¹³⁹Brown University, Providence, Rhode Island, USA
¹⁴⁰University of California, Davis, Davis, California, USA
¹⁴¹University of California, Los Angeles, California, USA
¹⁴²University of California, Riverside, Riverside, California, USA
¹⁴³University of California, San Diego, La Jolla, California, USA
¹⁴⁴University of California, Santa Barbara - Department of Physics, Santa Barbara, California, USA
¹⁴⁵California Institute of Technology, Pasadena, California, USA
¹⁴⁶Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
¹⁴⁷University of Colorado Boulder, Boulder, Colorado, USA
¹⁴⁸Cornell University, Ithaca, New York, USA
¹⁴⁹Fermi National Accelerator Laboratory, Batavia, Illinois, USA
¹⁵⁰University of Florida, Gainesville, Florida, USA
¹⁵¹Florida State University, Tallahassee, Florida, USA
¹⁵²Florida Institute of Technology, Melbourne, Florida, USA
¹⁵³University of Illinois at Chicago (UIC), Chicago, Illinois, USA
¹⁵⁴The University of Iowa, Iowa City, Iowa, USA
¹⁵⁵Johns Hopkins University, Baltimore, Maryland, USA
¹⁵⁶The University of Kansas, Lawrence, Kansas, USA
¹⁵⁷Kansas State University, Manhattan, Kansas, USA
¹⁵⁸University of Maryland, College Park, Maryland, USA
¹⁵⁹Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
¹⁶⁰University of Minnesota, Minneapolis, Minnesota, USA
¹⁶¹University of Mississippi, Oxford, Mississippi, USA

- ¹⁶²*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
¹⁶³*State University of New York at Buffalo, Buffalo, New York, USA*
¹⁶⁴*Northeastern University, Boston, Massachusetts, USA*
¹⁶⁵*Northwestern University, Evanston, Illinois, USA*
¹⁶⁶*University of Notre Dame, Notre Dame, Indiana, USA*
¹⁶⁷*The Ohio State University, Columbus, Ohio, USA*
¹⁶⁸*Princeton University, Princeton, New Jersey, USA*
¹⁶⁹*University of Puerto Rico, Mayaguez, Puerto Rico, USA*
¹⁷⁰*Purdue University, West Lafayette, Indiana, USA*
¹⁷¹*Purdue University Northwest, Hammond, Indiana, USA*
¹⁷²*Rice University, Houston, Texas, USA*
¹⁷³*University of Rochester, Rochester, New York, USA*
¹⁷⁴*The Rockefeller University, New York, New York, USA*
¹⁷⁵*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
¹⁷⁶*University of Tennessee, Knoxville, Tennessee, USA*
¹⁷⁷*Texas A&M University, College Station, Texas, USA*
¹⁷⁸*Texas Tech University, Lubbock, Texas, USA*
¹⁷⁹*Vanderbilt University, Nashville, Tennessee, USA*
¹⁸⁰*University of Virginia, Charlottesville, Virginia, USA*
¹⁸¹*Wayne State University, Detroit, Michigan, USA*
¹⁸²*University of Wisconsin - Madison, Madison, Wisconsin, USA*
¹⁸³*An institute or international laboratory covered by a cooperation agreement with CERN*

^aDeceased.

^bAlso at Yerevan State University, Yerevan, Armenia.

^cAlso at TU Wien, Vienna, Austria.

^dAlso at Institute of Basic and Applied Sciences, Faculty of Engineering, Arab Academy for Science, Technology and Maritime Transport, Alexandria, Egypt.

^eAlso at Ghent University, Ghent, Belgium.

^fAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^gAlso at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

^hAlso at UFMS, Nova Andradina, Brazil.

ⁱAlso at Nanjing Normal University Department of Physics, Nanjing, China.

^jAlso at The University of Iowa, Iowa City, Iowa, USA.

^kAlso at University of Chinese Academy of Sciences, Beijing, China.

^lAlso at University of Chinese Academy of Sciences, Beijing, China.

^mAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

ⁿAlso at Another institute or international laboratory covered by a cooperation agreement with CERN.

^oAlso at British University in Egypt, Cairo, Egypt.

^pAlso at Suez University, Suez, Egypt.

^qAlso at Birla Institute of Technology, Mesra, Mesra, India.

^rAlso at Purdue University, West Lafayette, Indiana, USA.

^sAlso at Université de Haute Alsace, Mulhouse, France.

^tAlso at Department of Physics, Tsinghua University, Beijing, China.

^uAlso at The University of the State of Amazonas, Manaus, Brazil.

^vAlso at Erzincan Binali Yildirim University, Erzincan, Turkey.

^wAlso at University of Hamburg, Hamburg, Germany.

^xAlso at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.

^yAlso at Isfahan University of Technology, Isfahan, Iran.

^zAlso at Bergische University Wuppertal (BUW), Wuppertal, Germany.

^{aa}Also at Brandenburg University of Technology, Cottbus, Germany.

^{bb}Also at Forschungszentrum Jülich, Juelich, Germany.

^{cc}Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^{dd}Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.

^{ee}Also at Wigner Research Centre for Physics, Budapest, Hungary.

^{ff}Also at Institute of Physics, University of Debrecen, Debrecen, Hungary.

^{gg}Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^{hh}Also at Universitatea Babeş-Bolyai—Facultatea de Fizica, Cluj-Napoca, Romania.

ⁱⁱAlso at Faculty of Informatics, University of Debrecen, Debrecen, Hungary.

^{jj}Also at Punjab Agricultural University, Ludhiana, India.

- ^{kk} Also at UPES—University of Petroleum and Energy Studies, Dehradun, India.
- ^{ll} Also at University of Visva-Bharati, Santiniketan, India.
- ^{mm} Also at University of Hyderabad, Hyderabad, India.
- ⁿⁿ Also at Indian Institute of Science (IISc), Bangalore, India.
- ^{oo} Also at IIT Bhubaneswar, Bhubaneswar, India.
- ^{pp} Also at Institute of Physics, Bhubaneswar, India.
- ^{qq} Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
- ^{rr} Also at Department of Physics, Isfahan University of Technology, Isfahan, Iran.
- ^{ss} Also at Sharif University of Technology, Tehran, Iran.
- ^{tt} Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
- ^{uu} Also at Helwan University, Cairo, Egypt.
- ^{vv} Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
- ^{ww} Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
- ^{xx} Also at Università degli Studi Guglielmo Marconi, Roma, Italy.
- ^{yy} Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy.
- ^{zz} Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
- ^{aaa} Also at Università di Napoli 'Federico II', Napoli, Italy.
- ^{bbb} Also at Ain Shams University, Cairo, Egypt.
- ^{ccc} Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.
- ^{ddd} Also at Riga Technical University, Riga, Latvia.
- ^{eee} Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
- ^{fff} Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
- ^{ggg} Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.
- ^{hhh} Also at INFN Sezione di Pavia, Università di Pavia, Pavia, Italy.
- ⁱⁱⁱ Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{jjj} Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
- ^{kkk} Also at University of Vienna Faculty of Computer Science, Vienna, Austria.
- ^{lll} Also at Universität Zürich, Zurich, Switzerland.
- ^{mmm} Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ⁿⁿⁿ Also at Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
- ^{ooo} Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
- ^{ppp} Also at Konya Technical University, Konya, Turkey.
- ^{qqq} Also at Izmir Bakircay University, Izmir, Turkey.
- ^{rrr} Also at Adiyaman University, Adiyaman, Turkey.
- ^{sss} Also at Necmettin Erbakan University, Konya, Turkey.
- ^{ttt} Also at Bozok Universitetesi Rektörlüğü, Yozgat, Turkey.
- ^{uuu} Also at Marmara University, Istanbul, Turkey.
- ^{vvv} Also at Milli Savunma University, Istanbul, Turkey.
- ^{www} Also at Kafkas University, Kars, Turkey.
- ^{xxx} Also at Hacettepe University, Ankara, Turkey.
- ^{yyy} Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.
- ^{zzz} Also at Yildiz Technical University, Istanbul, Turkey.
- ^{aaaa} Also at Vrije Universiteit Brussel, Brussel, Belgium.
- ^{bbbb} Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{cccc} Also at University of Bristol, Bristol, United Kingdom.
- ^{dddd} Also at IPPP Durham University, Durham, United Kingdom.
- ^{eeee} Also at Monash University, Faculty of Science, Clayton, Australia.
- ^{fff} Also at Università di Torino, Torino, Italy.
- ^{gggg} Also at Bethel University, St. Paul, Minnesota, USA.
- ^{hhhh} Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
- ⁱⁱⁱⁱ Also at California Institute of Technology, Pasadena, California, USA.
- ^{jjjj} Also at United States Naval Academy, Annapolis, Maryland, USA.
- ^{kkkk} Also at Bingol University, Bingol, Turkey.
- ^{llll} Also at Georgian Technical University, Tbilisi, Georgia.
- ^{mmmm} Also at Sinop University, Sinop, Turkey.
- ⁿⁿⁿⁿ Also at Erciyes University, Kayseri, Turkey.
- ^{oooo} Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.
- ^{pppp} Also at University of Rochester, Rochester, New York, USA.

^{qqqq}Also at Texas A&M University at Qatar, Doha, Qatar.

^{rrrr}Also at Kyungpook National University, Daegu, Korea.

^{ssss}Also at Universiteit Antwerpen, Antwerpen, Belgium.

^{tttt}Also at Yerevan Physics Institute, Yerevan, Armenia.

^{uuuu}Also at Northeastern University, Boston, Massachusetts, USA.

^{vvvv}Also at Imperial College, London, United Kingdom.

^{wwww}Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.