



Letter

Search for exclusive Higgs and Z boson decays to $\omega\gamma$ and Higgs boson decays to $K^*\gamma$ with the ATLAS detector

The ATLAS Collaboration *



ARTICLE INFO

Editor: M. Doser

Dataset link: <https://hepdata.cedar.ac.uk>

ABSTRACT

Searches for the exclusive decays of the Higgs boson to an ω meson and a photon or a K^* meson and a photon can probe flavour-conserving and flavour-violating Higgs boson couplings to light quarks, respectively. Searches for these decays, along with the analogous Z boson decay to an ω meson and a photon, are performed with a pp collision data sample corresponding to integrated luminosities of up to 134 fb^{-1} collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector at the CERN Large Hadron Collider. The obtained 95% confidence-level upper limits on the respective branching fractions are $\mathcal{B}(H \rightarrow \omega\gamma) < 5.5 \times 10^{-4}$, $\mathcal{B}(H \rightarrow K^*\gamma) < 2.2 \times 10^{-4}$ and $\mathcal{B}(Z \rightarrow \omega\gamma) < 3.9 \times 10^{-6}$. The limits for $H \rightarrow \omega\gamma$ and $Z \rightarrow \omega\gamma$ are 370 times and 140 times the Standard Model expected values, respectively. The result for $Z \rightarrow \omega\gamma$ corresponds to a two-orders-of-magnitude improvement over the limit obtained by the DELPHI experiment at LEP.

1. Introduction

The discovery of a Higgs boson H with a mass of approximately $m_H = 125 \text{ GeV}$ [1,2] by the ATLAS and CMS collaborations at the Large Hadron Collider (LHC) has led to a variety of measurements to determine its properties, which so far have found no deviations from the Standard Model (SM) [3,4]. In the SM, fermion masses are generated via Yukawa interactions between the Higgs and fermion fields. The Higgs boson couplings to the fermions are subject to substantial modifications in various theories beyond the SM [5]. Theories that modify the couplings of the Higgs boson to quarks include the Minimal Flavour Violation framework [6], the Froggatt-Nielsen mechanism [7], the Higgs-dependent Yukawa couplings model [8], the Randall-Sundrum family of models [9], and the possibility of the Higgs boson being a composite pseudo-Goldstone boson [10]. Measurements of Higgs boson production in association with top-quark pairs [11] and decays of Higgs bosons into pairs of τ -leptons [11–13] or bottom-quarks [14,15] have been performed and were found to be consistent with the SM expectations, providing clarity on third-generation fermion interactions with the Higgs boson. Evidence has been reported for the Higgs boson coupling to the second generation through the $H \rightarrow \mu^+ \mu^-$ decay [16,17], but there is no further experimental evidence of interactions with fermions of the first and second generations. Searches have also been performed for the decay $H \rightarrow c\bar{c}$ by the ATLAS and CMS collaborations [18–21].

Currently, the light (u , d , s) quark couplings to the Higgs boson are loosely constrained by existing data on the total Higgs boson width and combined measurements of Higgs boson production and decays [3,4],

while the large multi-jet background at the LHC inhibits the study of such couplings with inclusive $H \rightarrow q\bar{q}$ decays. Rare decays of the Higgs boson into a meson and a photon have been suggested as a probe of the couplings of the Higgs boson to light quarks. Higgs boson decays into a heavy quarkonium state, J/ψ , $\psi(2S)$ and $Y(nS)$ with $n = 1, 2, 3$, and a photon have been suggested for probing the charm- and bottom-quark couplings to the Higgs boson [22–25]. These have already been searched for by the ATLAS and CMS collaborations [26–30]. Higgs boson decays into a ϕ or ρ meson and a photon are potential probes for the u , d and s quark couplings to the Higgs boson [31–33]. Searches have already been performed for these decays by the ATLAS Collaboration [34,35] and the CMS Collaboration [36]. The current constraints with the corresponding predictions are given in Ref. [37]. The partial widths for these decays are driven by two (interfering) contributions: one known as “direct”, which scales with the Yukawa couplings, and the other known as “indirect”, which mimics $H \rightarrow \gamma\gamma$ but with one photon fragmenting into a quark-antiquark pair, forming the meson. These contributions are shown in Fig. 1. The interference between these two amplitudes is rather strong and typically destructive. In the case of the Y channel, almost complete destructive interference occurs, reversing the expected scaling with quark mass.

This paper describes a search for Higgs boson decays into the exclusive final states $\omega\gamma$ and $K^*\gamma$. These decays can probe the flavour-conserving coupling of the Higgs boson to up and down quarks, and the flavour-violating coupling of the Higgs boson to down and strange quarks, respectively. Two calculations of the expected SM branching fractions for the ω channel are available: $\mathcal{B}(H \rightarrow \omega\gamma) = (1.48 \pm 0.08) \times$

* E-mail address: atlas.publications@cern.ch.




Fig. 1. Feynman diagrams for the (a) direct and (b) indirect contributions to the $H/Z \rightarrow M\gamma$ decays.

10^{-6} [31] and $\mathcal{B}(H \rightarrow \omega\gamma) = (1.6 \pm 0.2) \times 10^{-6}$ [32]. For the $K^*\gamma$ decay, which arises from loop contributions, only the expected branching fraction of $H \rightarrow d\bar{s} + \bar{d}s$ is available, with a value of $\mathcal{B}(H \rightarrow d\bar{s} + \bar{d}s) = 1.19 \times 10^{-11}$ [38]. The branching fraction for $H \rightarrow K^*\gamma$ is expected to be much smaller. This is the first exclusive decay analysis to target flavour-changing interactions of the Higgs boson. Earlier searches for flavour-changing neutral currents via the top-quark decays $t \rightarrow uH$ and $t \rightarrow cH$ were performed by the ATLAS and CMS collaborations [39–42], with no evidence found for these decays.

The decay $\omega \rightarrow \pi^+\pi^-\pi^0$ is used to reconstruct the ω meson, and the decay $K^* \rightarrow K^+\pi^-$ is used to reconstruct the K^* meson. The branching fractions of the respective meson decays are accounted for when calculating the expected signal yields. A search for the analogous decay of the Z boson into a ω meson and a photon is also presented. The channel has been studied theoretically [25,43] as a unique precision test of the SM and the factorisation approach in quantum chromodynamics (QCD), in an environment where the power corrections in terms of the QCD energy scale divided by the mass of the vector boson are small [25]. The large Z boson production cross section at the LHC means that rare Z boson decays can be probed at branching fractions much smaller than for Higgs boson decays into the same final states. The SM branching fraction prediction for the decay considered in this paper is $\mathcal{B}(Z \rightarrow \omega\gamma) = (2.82 \pm 0.40) \times 10^{-8}$ [25]. A previous search was performed at the DELPHI experiment, yielding an upper limit on the branching fraction of $\mathcal{B}(Z \rightarrow \omega\gamma) < 6.5 \times 10^{-4}$ [44].

2. ATLAS detector

The ATLAS detector [45] is a multi-purpose particle physics detector with an approximately forward-backward symmetric cylindrical geometry and near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking detector (ID) covers the pseudorapidity range $|\eta| < 2.5$, and is surrounded by a thin superconducting solenoid providing a 2 T magnetic field. At small radii, a high-granularity silicon pixel detector covers the vertex region and typically provides three measurements per track. A new innermost pixel-detector layer, the insertable B-layer, was added before 13 TeV data-taking began in 2015 and provides an additional measurement at a radius of about 33 mm around a new and thinner beam pipe [46,47]. The pixel detectors are followed by a silicon microstrip tracker, which typically provides four space-point measurements per track. The silicon detectors are complemented by a gas-filled straw-tube transition radiation tracker, which enables

radially extended track reconstruction up to $|\eta| = 2.0$, with typically 35 measurements per track. The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. A high-granularity lead/liquid-argon (LAr) sampling electromagnetic calorimeter covers the region $|\eta| < 3.2$, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy losses upstream. The electromagnetic calorimeter is divided into a barrel section covering $|\eta| < 1.475$ and two endcap sections covering $1.375 < |\eta| < 3.2$. For $|\eta| < 2.5$ it is divided into three layers in depth, which are finely segmented in η and ϕ . A steel/scintillator-tile calorimeter provides hadronic calorimetry in the range $|\eta| < 1.7$, while in the endcap region, $1.5 < |\eta| < 3.2$, a copper/LAr calorimeter is used. The solid-angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules in $3.1 < |\eta| < 4.9$, optimised for electromagnetic and hadronic measurements, respectively. The muon spectrometer surrounds the calorimeters and comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field provided by three air-core superconducting toroids.

A two-level trigger and data acquisition system is used to provide an online selection and record events for offline analysis [48]. The level-1 trigger is implemented in hardware and uses a subset of detector information to reduce the event rate to 100 kHz or less from the maximum LHC collision rate of 40 MHz. It is followed by a software-based high-level trigger which filters events using the full detector information and records events for detailed offline analysis at an average rate of 1 kHz. An extensive software suite [49] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3. Data and Monte Carlo simulation

The searches are performed in two distinct decay modes, $\omega\gamma$ and $K^*\gamma$, using a pp collision data sample collected at a centre-of-mass energy $\sqrt{s} = 13$ TeV. Following the requirement that events must be collected under stable LHC beam conditions and that all relevant detector components are in good operating condition, the total integrated luminosity available is 89.5 and 134 fb^{-1} for the $\omega\gamma$ and $K^*\gamma$ final states, respectively, with an uncertainty of 1.7% [50,51]. The data samples were recorded by a combination of dedicated triggers, which were integrated into the trigger menu at different times. This is reflected in the different integrated luminosities. Namely, the trigger for the $\omega\gamma$ final state recorded data from July 2017 to the end of data taking in 2018, whilst the triggers for the $K^*\gamma$ final state recorded data from May 2016 to the end of data taking in 2018. These require a photon at the level-1 trigger, and a photon and an isolated pair of ID tracks at the high-level trigger. At the high-level trigger, an isolated photon with a transverse momentum $p_T^\gamma > 35 \text{ GeV}$ [48] is required in general, with the exception of data recorded for the $K^*\gamma$ final state in 2017–2018, where the threshold was reduced to $p_T^\gamma > 25 \text{ GeV}$. For the ID tracks a modified version of the τ -lepton trigger algorithms [52] is used. The triggers for the $K^*\gamma$ final state require at least one track to have a p_T greater than 15 GeV, whilst the triggers for the $\omega\gamma$ final state require at least one track to have a p_T greater than 25 GeV. In each case, the track is required to be associated with a topological cluster of calorimeter cells [53] with a transverse energy greater than 25 GeV. Different requirements on the invariant mass of the pair of tracks are applied, depending on the mass of each targeted meson. For $\omega \rightarrow \pi^+\pi^-\pi^0$ an invariant mass of the pair of tracks in the range 279 to 648 MeV is required, under the charged-pion hypothesis. For $K^* \rightarrow K^+\pi^-$ an invariant mass of 790 to 990 MeV, under the $K^\pm\pi^\mp$ hypothesis, is required. The trigger efficiency with respect to the offline selection, as described in Section 4, is approximately 78% for the $K^*\gamma$ final state and 52% for the $\omega\gamma$ final state.

Higgs boson production through the gluon-gluon fusion (ggH) and vector-boson fusion (VBF) processes was modelled up to next-to-leading order (NLO) in α_s using the POWHEG Box v4 Monte Carlo (MC) event generator [54–58]. POWHEG Box v4 was interfaced with the PYTHIA

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

8.244 MC event generator [59,60] to model the parton shower, hadronisation and underlying event, with parameter values set according to the AZNLO tune [61] and using CTEQ6L1 parton distribution functions (PDFs) [62]. Additional contributions from the associated production of a Higgs boson and a W^\pm or Z boson (denoted by WH and ZH , respectively) were modelled by PYTHIA 8.244 with NNPDF2.3LO PDFs [63] and the A14 tune for hadronisation and the underlying event [64]. Higgs boson production through associated production with top quarks ($t\bar{t}H$) was modelled using PYTHIA 8.244, and AMC@NLO to model the parton shower [65], again with the NNPDF2.3LO PDFs and A14 tune. The production rates and kinematic distributions for the SM Higgs boson with $m_H = 125$ GeV are assumed throughout. These were obtained from Ref. [66] and are summarised below. The ggH production rate is normalised such that it reproduces the total cross section predicted by a next-to-next-to-leading-order QCD calculation with NLO electroweak corrections applied [67,68]. The VBF production rate is normalised to an approximate next-to-next-to-leading-order (NNLO) QCD cross section with NLO electroweak corrections applied [69–71]. The WH and ZH production rates are normalised to cross sections calculated at NNLO in QCD with NLO electroweak corrections [72] including the NLO QCD corrections for $gg \rightarrow ZH$. POWHEG Box v4 was also used to model inclusive Z boson production with CT10 PDFs. PYTHIA 8.244 with CTEQ6L1 PDFs and the AZNLO tune was used to simulate the parton showering and hadronisation. The prediction is normalised to the total cross section obtained from the measurement in Ref. [73]. The Higgs and Z boson decays were simulated as a cascade of two- and three-body decays, accounting for angular momentum conservation. The meson invariant mass distributions were simulated by PYTHIA. The branching fraction for the decay $\omega \rightarrow \pi^+ \pi^- \pi^0$ is $(89.2 \pm 0.7)\%$. The decay $K^* \rightarrow K\pi$ has a branching fraction close to 100%, of which two-thirds correspond to decays to a charged kaon and a charged pion [74]. The simulated events were passed through a detailed GEANT4 simulation of the ATLAS detector [75,76] and processed with the same software used to reconstruct the data. Simulated additional pp collisions in the same or neighbouring bunch crossings (pile-up events) are also included and the distribution of these is matched to the conditions observed in the data.

4. Object and event selections

The similarities of the final states in these searches allow common event selections to be used. A pair of oppositely charged reconstructed ID tracks is required for both, with the addition of a neutral pion in the reconstruction of the $\omega\gamma$ final state.

Events with a pp interaction vertex reconstructed from at least two ID tracks with $p_T > 500$ MeV are considered in the analysis. Within an event, the primary vertex is defined as the reconstructed vertex with the largest $\sum p_T^2$ of associated ID tracks.

Photons are reconstructed from clusters of energy in the electromagnetic calorimeter. Reconstructed photon candidates are required to have $p_T^\gamma > 35$ GeV, $|\eta^\gamma| < 2.37$, excluding the barrel/endcap calorimeter transition region $1.37 < |\eta^\gamma| < 1.52$, and to satisfy “tight” photon identification criteria [77]. An isolation requirement is imposed to further suppress contamination from jets. The sum of the transverse momenta of all tracks within $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} = 0.2$ of the photon direction, excluding those associated with the reconstructed photon, is required to be less than 5% of p_T^γ . Moreover, the sum of the transverse momenta of all calorimeter energy deposits within $\Delta R = 0.4$ of the photon direction, excluding those associated with the reconstructed photon, is required to be less than 2.45 GeV + $0.022 \times p_T^\gamma$. To mitigate the effects of multiple pp interactions in the same or neighbouring bunch crossings, only ID tracks consistent with originating from the primary vertex are considered in the photon track-based isolation. For the calorimeter-based isolation the effects of the underlying event and multiple pp interactions are also accounted for on an event-by-event basis using an average underlying-event energy density determined from data [77].

Charged-hadron candidates are reconstructed from ID tracks which are required to have $|\eta| < 2.5$, $p_T > 3$ GeV and to satisfy basic quality criteria, including a requirement on the number of hits in the silicon detectors [78]. For the $\omega\gamma$ analysis, the combination of a pair of charged-hadron candidates with opposite charge and a neutral-pion candidate is denoted by \mathcal{M} , whereas for the $K^*\gamma$ analysis, \mathcal{M} denotes the combination of a pair of charged-hadron candidates with opposite charge. Within a pair, the charged-hadron candidate with the higher p_T , referred to as the leading charged-hadron candidate, is required to have $p_T > 20$ GeV for the $K^*\gamma$ analysis and $p_T > 25$ GeV for the $\omega\gamma$ analysis. The selection of candidates for the charged-particle pair in \mathcal{M} is based on their invariant masses. Charged-hadron pairs satisfying these requirements are assumed to be a $\pi^+ \pi^-$ pair in the $\omega\gamma$ analysis. In the $K^*\gamma$ channel, tracks are assigned a particular mass hypothesis by calculating the invariant mass of the di-track system for both possible assignments (K/π or π/K). The combination which results in an invariant mass closer to m_{K^*} is chosen. Additionally, the p_T of the di-track system must satisfy $p_T > 35$ GeV. For the $\omega\gamma$ channel, charged-hadron pairs with an invariant mass of 279 to 648 MeV are selected as candidates. For the $K^*\gamma$ channel, charged-hadron pairs with an invariant mass of 790 to 990 MeV are selected as candidates. Selected charged-hadron pair candidates are required to satisfy an isolation requirement: the sum of the p_T of the reconstructed ID tracks from the primary vertex that are within $\Delta R = 0.2$ of the leading charged-hadron candidate (excluding from the sum the charged-hadron candidate defining the pair) is required to be less than 10% of the p_T of the charged-hadron pair candidate for the $\omega\gamma$ channel, and less than 20% for the $K^*\gamma$ channel.

Neutral-pion candidates are expected to leave a signature of a pair of overlapping clusters in the electromagnetic calorimeter. In the case of $H \rightarrow \omega\gamma$ decays, the π^0 is expected to be very close in ΔR to the $\pi\pi$ system. Tau particle-flow object (TauPFO) algorithms [79] optimised to search for neutral pions in τ -like decay signatures, using boosted decision trees, are used to reconstruct the neutral pion in the ω decay. The τ -jets are searched for, with no identification requirements, within $\Delta R = 0.1$ of the $\pi^+ \pi^-$ system. The presence of neutral-pion particle-flow objects is then examined within each τ -jet object. The closest particle-flow object consistent with a π^0 is taken to be the π^0 candidate, which is then added to the charged-hadron candidates to form \mathcal{M} for the $\omega\gamma$ channel. An additional mass requirement of 650 to 850 MeV is then imposed on the fully reconstructed ω meson.

The \mathcal{M} candidates are subsequently combined with the reconstructed photons. When multiple combinations are possible, a situation that arises only in a few percent of the events, the combination of the highest- p_T photon and the \mathcal{M} candidate with an invariant mass closest to the respective meson mass is selected. The event is retained for further analysis if the requirement $\Delta\phi(\mathcal{M}, \gamma) > \pi/2$ on the azimuthal angular separation between the meson candidate and the photon is satisfied. This selection defines the “signal region”.

For the $\omega\gamma \rightarrow \pi^+ \pi^- \pi^0 \gamma$ final state, the total signal efficiency (kinematic acceptance, trigger and reconstruction efficiencies) is 2.2% and 0.4% for the Higgs and Z boson decays, respectively. The corresponding efficiency for the $K^*\gamma$ final state in Higgs boson decay is 12.1%.² The difference in efficiency between the Higgs and Z boson decays arises primarily from the softer p_T distributions of the photon and charged-hadron candidates from $Z \rightarrow \omega\gamma$ production. The efficiency difference between the two final states is due to the presence of the neutral pion in the decay of the ω . This arises both from the reconstruction efficiency of the neutral pion itself, and from the softer p_T distributions of the charged hadrons in the decay of the ω compared to the K^* , caused by the neutral pion taking a portion of the decay energy.

The Higgs boson signal $m_{\mathcal{M}\gamma}$ distribution for the $H \rightarrow \omega\gamma$ decay is modelled with a sum of a Crystal Ball distribution and a Gaussian dis-

² This efficiency is estimated with respect to K^* decays to a charged kaon and a charged pion.




Fig. 2. A schematic diagram showing the stages of the background model used for the analyses presented. Variables are drawn using a combination of 1D, 2D and 3D histograms in order to retain the correlations between them. Solid arrows correspond to where variables have been sampled from the previous stage. Dashed arrows correspond to where previous variables have been summed to produce a new variable. Joined cells indicate variables that have been simultaneously sampled from the previous stage.

tribution, while for $H \rightarrow K^*\gamma$ a sum of two Gaussian probability density functions (pdf) with a common mean value is used. For the Z boson signal the $m_{M\gamma}$ distribution is modelled with a double Voigtian pdf (a convolution of relativistic Breit–Wigner and Gaussian pdfs) corrected with a mass-dependent efficiency factor.

Additionally, sideband meson mass datasets are defined for both analyses, where the full set of selection criteria is imposed except for different invariant mass requirements on \mathcal{M} . For the $H \rightarrow \omega\gamma$ decay channel, the requirement is $m_\omega < 650$ MeV or 850 MeV $< m_\omega < 2000$ MeV. For $H \rightarrow K^*\gamma$ the requirement is $m_{K^*} < 790$ MeV or $m_{K^*} > 990$ MeV. These requirements produce datasets that are orthogonal to the signal region, but still provide a useful description of the background processes.

5. Background estimation

For both the $\omega\gamma$ and $K^*\gamma$ final states, the main sources of background in the searches are events involving inclusive $\gamma +$ jet or multi-jet processes, where an \mathcal{M} system is reconstructed from ID tracks originating from a jet. From the selection criteria discussed earlier, the shape of this background exhibits a kinematic turn-on structure in the $m_{M\gamma}$ distribution around 100 GeV, in the region of the Z boson signal, and a smoothly falling background in the region of the Higgs boson signal. These processes are modelled inclusively with a non-parametric data-driven approach using templates to describe the relevant distributions [80]. The background normalisation and shape are simultaneously extracted from a fit to the data. A similar procedure was used in the searches for Higgs and Z boson decays into $\phi\gamma$ and $\rho\gamma$ [34,35] and the searches for Higgs and Z boson decays into $J/\psi\gamma$, $\psi(2S)\gamma$ and $\Upsilon(nS)\gamma$ [26–28].

5.1. Background modelling

The background modelling procedure for each final state uses a sample of approximately 16 000 $\pi^+\pi^-\pi^0\gamma$ and 280 000 $K^+\pi^-\gamma$ candidate events in data. These events pass all the kinematic selection requirements described previously, except that the photon and \mathcal{M} candidates are not required to satisfy the nominal isolation requirements. This

selection defines the “generation region” (GR), which is background-dominated. From these events, pdfs are constructed to describe the distributions of the relevant kinematic and isolation variables and their most important correlations. In this way, in the absence of appropriate simulations, pseudocandidates are generated, from which the background shape in the discriminating variable is derived. This ensemble of pseudocandidates is produced by randomly sampling the distributions of the relevant kinematic and isolation variables, which are estimated from the data in the GR. Each pseudocandidate is described by \mathcal{M} and γ four-momentum vectors and the associated \mathcal{M} and photon isolation variables. The \mathcal{M} four-momentum vector is constructed from sampled η_M , ϕ_M , m_M and p_T^M values. For the γ four-momentum vector, the η_γ and ϕ_γ values are determined from the sampled $\Delta\phi(\mathcal{M}, \gamma)$ and $\Delta\eta(\mathcal{M}, \gamma)$ values, whereas p_T^γ is sampled directly. The most important correlations among these kinematic and isolation variables in background events are retained in the generation of the pseudocandidates. This is achieved through the following sampling scheme, also depicted in Fig. 2, where the steps are performed sequentially, following the magnitude of the observed correlations:

- Initially, values for p_T^M and p_T^γ are drawn from a two-dimensional pdf of (p_T^M, p_T^γ) . The values of η_M and the ϕ angle of the meson are sampled from one-dimensional pdfs of the variables. Finally, a value for the meson mass is sampled from a one-dimensional pdf of m_M .
- The isolation of the meson candidate is sampled from a three-dimensional pdf based on the values of p_T^M and p_T^γ obtained in the previous step. Then, the photon’s relative calorimeter isolation is sampled from a two-dimensional pdf, based on the value of p_T^γ obtained in the previous step.
- From this value of the photon’s relative calorimeter isolation, the values of the pseudorapidity difference between the \mathcal{M} and γ candidates, $\Delta\eta(\mathcal{M}, \gamma)$, and the photon’s relative track isolation are sampled simultaneously from a three-dimensional pdf.
- The value of the azimuthal angular separation, $\Delta\phi(\mathcal{M}, \gamma)$, is sampled from a two-dimensional pdf based on the value of $\Delta\eta(\mathcal{M}, \gamma)$ drawn in the previous step.
- Given these sampled values, and the values sampled previously for $\Delta\eta(\mathcal{M}, \gamma)$ and $\Delta\phi(\mathcal{M}, \gamma)$, the values of η_M and ϕ_γ are then defined.

The nominal selection requirements are imposed on the ensemble, and the surviving pseudocandidates are used to construct templates for the $m_{M\gamma}$ distribution, which are then smoothed using Gaussian kernel density estimation [81]. Signal injection tests were performed to ensure that the background model is not affected by any potential signal contamination.

5.2. Background validation

To validate the background model, the $m_{M\gamma}$ distributions in validation regions, defined by kinematic and isolation requirements looser than the nominal signal requirements, are used to compare the prediction of the background model with the data. Three validation regions are defined, each based on the GR selection and adding one of the following: the meson isolation requirement (VR1), the calorimeter component of the photon isolation requirements (VR2a), or the track component of the photon isolation requirements (VR2b). The $m_{M\gamma}$ distributions in these validation regions are shown in Fig. 3. The background model is found to describe the data well in all regions within uncertainties.

To allow the shape of the background model for the three-body mass to adjust to the observed data, variations around the nominal shape are derived. Three variations are included to allow this adjustment to occur. Firstly, a scale variation of the p_T distribution of either M or γ is used to allow the peak of the three-body mass distribution to shift upwards or downwards in mass. Secondly, a variation is produced via a polynomial distortion of the shape of the $\Delta\phi(M, \gamma)$ distribution, which allows the width of the three-body mass distribution to vary. Finally, a global tilt of the three-body mass distribution is included, which allows the model to account for slopes with respect to the data. The first two variations are simple alterations to the kinematics of the pseudocandidates, resulting in changes to the three-body mass distribution. The corresponding nuisance parameters are assigned a Gaussian constraint in the likelihood. The third variation is directly applied to the three-body mass template and is not constrained by a Gaussian term in the fit. The uncertainty band in Fig. 3 corresponds to the uncertainty envelope derived from these variations, which are set sufficiently large to allow the shape to adapt in the fit to the data.

6. Systematic uncertainties

The photon identification and isolation uncertainties are estimated to be 1.7% for the Higgs and Z boson signals. An uncertainty of 3.0% per M candidate is assigned to the track reconstruction efficiency and accounts for effects associated with the modelling of ID material and also with the track reconstruction algorithms if there is a charged particle near the photon. This uncertainty is derived conservatively by assuming the uncertainty to be fully correlated between the two tracks of the M candidate.

The systematic uncertainty in the expected signal yield arising from the photon component of the trigger efficiency is estimated to be 0.7% [82]. Uncertainties to account for the “ τ ”-component of the trigger turn on are assigned in accord with the studies described in Ref. [83], and are 7.3% (2.1%) for the $H(Z) \rightarrow \omega\gamma$ channels, and 4.1% for the $H \rightarrow K^*\gamma$ channel.

The Higgs boson production cross sections and decay branching fractions, as well as their uncertainties, are taken from Refs. [5,84,85]. The effect of QCD scale uncertainties on the cross section for a 125 GeV H boson [5] amounts to a 5.0% uncertainty. The uncertainties in the production cross section due to uncertainties in the PDFs and the strong coupling constant, α_s , are combined for the separate processes and amount to 2.9%. The shape component of the uncertainties was found to be negligible. The efficiency to reconstruct the neutral pion in the decay using the TauPFO algorithms is approximately 65%. The uncertainty in this reconstruction efficiency, based on Ref. [77], is 5.0%.

Table 1

Numbers of observed and expected background events for the $m_{M\gamma}$ ranges of interest. Each expected background and the corresponding uncertainty of its mean is obtained from a background-only fit to the data; the uncertainty does not take into account statistical fluctuations in each mass range. Expected Z and Higgs boson signal contributions, with their corresponding total systematic uncertainty, are shown for reference branching fractions of 10^{-6} and 10^{-4} , respectively. Entries are marked with a dash when there is no signal of that type in the specified range.

Channel	Mass range [GeV]	Observed (Expected) background	H signal $B = 10^{-4}$	Z signal $B = 10^{-6}$
$H \rightarrow \omega\gamma$	115–135	$686 (730 \pm 17)$	9 ± 1	–
$Z \rightarrow \omega\gamma$	80–100	$388 (386 \pm 16)$	–	18 ± 2
$H \rightarrow K^*\gamma$	120–130	$9526 (9630 \pm 50)$	53 ± 4	–

Table 2

Expected and observed branching fraction limits at the 95% CL for $H/Z \rightarrow \omega\gamma$ and $H \rightarrow K^*\gamma$.

Channel	95% CL upper limit	
	Expected	Observed
$H \rightarrow \omega\gamma [10^{-4}]$	$10.4^{+3.8}_{-2.9}$	5.5
$Z \rightarrow \omega\gamma [10^{-6}]$	$4.7^{+2.0}_{-1.3}$	3.9
$H \rightarrow K^*\gamma [10^{-4}]$	$3.7^{+1.5}_{-1.0}$	2.2

The shape of the background model is allowed to vary around the nominal shape, and the parameters controlling these systematic variations are treated as nuisance parameters in the maximum-likelihood fit used to extract the signal and background yields, as described in Section 5.2.

7. Results

After the full selection is applied, 4264 events are observed in the $H/Z \rightarrow \omega\gamma$ signal region, and 114 707 events are observed in the $H \rightarrow K^*\gamma$ signal region. The data are compared with background and signal predictions using an unbinned maximum-likelihood fit to the $m_{M\gamma}$ distribution. The parameters of interest are the Higgs and Z boson signal normalisations. Systematic uncertainties are modelled using additional nuisance parameters in the fit; in particular, the background normalisation is a free parameter in the model. The fit uses the selected events with $m_{M\gamma} < 300$ GeV. Upper limits are set on the branching fractions for the Higgs and Z boson decays into $M\gamma$ using the CL_s modified frequentist formalism [86] with the profile-likelihood-ratio test statistic and the asymptotic approximations derived in Ref. [87]. For the upper limits on the branching fractions, the SM production cross section is assumed for the Higgs boson, while the ATLAS measurement of the inclusive Z boson cross section is used for the Z boson signal, as discussed in Section 6. Tests of the fit on sideband meson-mass data demonstrate good agreement and modelling of the background processes and serve as further validation of the background modelling.

The expected and observed numbers of background events within regions of $m_{M\gamma}$ around the Higgs and Z boson masses are given in Table 1. The expected numbers of background events are taken from background-only fits. Table 1 also shows the expected number of signal events for branching fractions near the sensitivity of the analyses. Fits to the signal region data are shown in Fig. 4. Signals are shown normalised to branching fraction values of the order of the expected sensitivity. The observed and expected limits are summarised in Table 2.

8. Conclusion

A search for the decays $H/Z \rightarrow \omega\gamma$ and $H \rightarrow K^*\gamma$ has been performed with 13 TeV pp collision data samples collected with the AT-




Fig. 3. Distributions of ((a), (c), (e)) $m_{\pi^+\pi^-\pi^0\gamma}$ and ((b), (d), (f)) $m_K\pi\gamma$ in data compared with the prediction of the background model for the VR1, VR2a and VR2b validation regions. The background model is normalised to the observed number of events within the region shown. The uncertainty band corresponds to the uncertainty envelope derived from variations in the background modelling procedure, described in Section 5. The ratio of the data to the background model is shown below the distributions.




Fig. 4. Background-only fits performed in the signal region for the (a) $\omega\gamma$ and (b) $K^*\gamma$ final states. The branching fraction of each of the signals is set to the observed 95% CL upper limit. The yellow band represents the uncertainty in the fit arising from the constrained background shape systematic uncertainties.

LAS detector at the LHC corresponding to integrated luminosities of 89.5 fb^{-1} and 134 fb^{-1} respectively. The ω and K^* mesons are reconstructed via their dominant decays into $\pi^+\pi^-\pi^0$ and $K^\pm\pi^\mp$ final states, respectively. The background model is derived using a fully data-driven approach and validated in a number of different regions. No significant excess of events above the SM background expectations is observed. The obtained 95% CL upper limits are $B(H \rightarrow \omega\gamma) < 5.5 \times 10^{-4}$ ($370 \times \text{SM}$), $B(Z \rightarrow \omega\gamma) < 3.9 \times 10^{-6}$ ($140 \times \text{SM}$), and $B(H \rightarrow K^*\gamma) < 2.2 \times 10^{-4}$. The result for $Z \rightarrow \omega\gamma$ corresponds to a two-orders-of-magnitude improvement over the previously set limit at DELPHI.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

The data for this manuscript are not available. The values in the plots and tables associated to this article are stored in HEPDATA (<https://hepdata.cedar.ac.uk>).

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland;

MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [88].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] ATLAS Collaboration, A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery, Nature 607 (2022) 52, arXiv:2207.00092 [hep-ex].
- [4] CMS Collaboration, A portrait of the Higgs boson by the CMS experiment ten years after the discovery, Nature 607 (2022) 60, arXiv:2207.00043 [hep-ex].
- [5] LHC Higgs Cross Section Working Group, S. Heinemeyer, C. Mariotti, G. Passarino, Tanaka (Eds.), Handbook of LHC Higgs Cross Sections: 3. Higgs Properties, CERN, Geneva, 2013, CERN-2013-004, arXiv:1307.1347 [hep-ph].
- [6] G. D'Ambrosio, G.F. Giudice, G. Isidori, A. Strumia, Minimal flavor violation: an effective field theory approach, Nucl. Phys. B 645 (2002) 155, arXiv:hep-ph/0207036 [hep-ph].
- [7] C.D. Froggatt, H.B. Nielsen, Hierarchy of quark masses, cabibbo angles and CP violation, Nucl. Phys. B 147 (1979) 277.
- [8] G.F. Giudice, O. Lebedev, Higgs-dependent Yukawa couplings, Phys. Lett. B 665 (2008) 79, arXiv:0804.1753 [hep-ph].

- [9] L. Randall, R. Sundrum, Large mass hierarchy from a small extra dimension, Phys. Rev. Lett. 83 (1999) 3370, arXiv:hep-ph/9905221 [hep-ph].
- [10] M.J. Dugan, H. Georgi, D.B. Kaplan, Anatomy of a composite Higgs model, Nucl. Phys. B 254 (1985) 299.
- [11] ATLAS and CMS Collaborations, Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV , J. High Energy Phys. 08 (2016) 045, arXiv:1606.02266 [hep-ex].
- [12] ATLAS Collaboration, Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector, J. High Energy Phys. 04 (2015) 117, arXiv:1501.04943 [hep-ex].
- [13] CMS Collaboration, Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons, J. High Energy Phys. 05 (2014) 104, arXiv:1401.5041 [hep-ex].
- [14] ATLAS Collaboration, Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector, J. High Energy Phys. 12 (2017) 024, arXiv:1708.03299 [hep-ex].
- [15] CMS Collaboration, Evidence for the Higgs boson decay to a bottom quark-antiquark pair, Phys. Lett. B 780 (2018) 501, arXiv:1709.07497 [hep-ex].
- [16] CMS Collaboration, Evidence for Higgs boson decay to a pair of muons, J. High Energy Phys. 01 (2021) 148, arXiv:2009.04363 [hep-ex].
- [17] ATLAS Collaboration, A search for the dimuon decay of the standard model Higgs boson with the ATLAS detector, Phys. Lett. B 812 (2021) 135980, arXiv:2007.07830 [hep-ex].
- [18] ATLAS Collaboration, Search for the decay of the Higgs boson to charm quarks with the ATLAS experiment, Phys. Rev. Lett. 120 (2018) 211802, arXiv:1802.04329 [hep-ex].
- [19] ATLAS Collaboration, Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector, Eur. Phys. J. C 82 (2022) 717, arXiv:2201.11428 [hep-ex].
- [20] CMS Collaboration, A search for the standard model Higgs boson decaying to charm quarks, J. High Energy Phys. 03 (2020) 131, arXiv:1912.01662 [hep-ex].
- [21] CMS Collaboration, Search for Higgs boson decay to a charm quark-antiquark pair in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$, Phys. Rev. Lett. 131 (2022) 061801, arXiv:2205.05550 [hep-ex].
- [22] M. Doroshenko, V. Kartvelishvili, E. Chikovani, S. Esakiya, Vector quarkonium in decays of heavy Higgs particles, Yad. Fiz. 46 (1987) 864.
- [23] G. Bodwin, F. Petriello, S. Stoynev, M. Velasco, Higgs boson decays to quarkonia and the $H\bar{c}c$ coupling, Phys. Rev. D 88 (2013) 053003, arXiv:1306.5770 [hep-ph].
- [24] G.T. Bodwin, H.S. Chung, J.-H. Ee, J. Lee, F. Petriello, Relativistic corrections to Higgs-boson decays to quarkonia, Phys. Rev. D 90 (2014) 113010, arXiv:1407.6695 [hep-ph].
- [25] Y. Grossman, M. König, M. Neubert, Exclusive radiative decays of W and Z bosons in QCD factorization, J. High Energy Phys. 04 (2015) 101, arXiv:1501.06569 [hep-ph].
- [26] ATLAS Collaboration, Search for Higgs and Z boson decays to $J/\psi\gamma$ and $\Upsilon(nS)$ with the ATLAS detector, Phys. Rev. Lett. 114 (2015) 121801, arXiv:1501.03276 [hep-ex].
- [27] ATLAS Collaboration, Searches for exclusive Higgs and Z boson decays into $J/\psi\gamma$, $\psi(2S)\gamma$, and $\Upsilon(nS)\gamma$ at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, Phys. Lett. B 786 (2018) 134, arXiv:1807.00802 [hep-ex].
- [28] ATLAS Collaboration, Searches for exclusive Higgs and Z boson decays into a vector quarkonium state and a photon using 139 fb^{-1} of ATLAS $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data, Eur. Phys. J. C 83 (2023) 781, arXiv:2208.03122 [hep-ex].
- [29] CMS Collaboration, Search for a Higgs boson decaying into $\gamma'\gamma \rightarrow \ell\ell\gamma$ with low dilepton mass in pp collisions at $\sqrt{s} = 8\text{ TeV}$, Phys. Lett. B 753 (2016) 341, arXiv:1507.03031 [hep-ex].
- [30] CMS Collaboration, Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$, Eur. Phys. J. C 79 (2019) 94, arXiv:1810.10056 [hep-ex].
- [31] M. König, M. Neubert, Exclusive radiative Higgs decays as probes of light-quark Yukawa couplings, J. High Energy Phys. 08 (2015) 012, arXiv:1505.03870 [hep-ph].
- [32] A.L. Kagan, et al., Exclusive window onto Higgs Yukawa couplings, Phys. Rev. Lett. 114 (2015) 101802, arXiv:1406.1722 [hep-ph].
- [33] G. Perez, Y. Soreq, E. Stamou, K. Tobioka, Prospects for measuring the Higgs boson coupling to light quarks, Phys. Rev. D 93 (2016) 013001, arXiv:1505.06689 [hep-ph].
- [34] ATLAS Collaboration, Search for Higgs and Z boson decays to $\varphi\gamma$ with the ATLAS detector, Phys. Rev. Lett. 117 (2016) 111802, arXiv:1607.03400 [hep-ex].
- [35] ATLAS Collaboration, Search for exclusive Higgs and Z boson decays to $\varphi\gamma$ and p_T with the ATLAS detector, J. High Energy Phys. 07 (2018) 127, arXiv:1712.02758 [hep-ex].
- [36] CMS Collaboration, Search for decays of the 125 GeV Higgs boson into a Z boson and a ρ or φ meson, J. High Energy Phys. 11 (2020) 039, arXiv:2007.05122 [hep-ex].
- [37] ATLAS Collaboration, Summary of ATLAS searches for Higgs and Z boson decays to a meson and a photon, ATL-PHYS-PUB-2023-004, <https://cds.cern.ch/record/2851888>, 2023.
- [38] J.I. Aranda, G. González-Estrada, J. Montaño, F. Ramírez-Zavaleta, E.S. Tututi, Revisiting the rare $H \rightarrow q_1 q_2$ decays in the standard model, J. Phys. G 47 (2020) 125001, arXiv:2009.07166 [hep-ph].
- [39] ATLAS Collaboration, Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$, in $\sqrt{s} = 13\text{ TeV}$ pp collisions using the ATLAS detector, J. High Energy Phys. 10 (2017) 129, arXiv:1707.01404 [hep-ex].
- [40] ATLAS Collaboration, Search for flavor-changing neutral currents in top quark decays $t \rightarrow H c$ and $t \rightarrow H u$ in multilepton final states in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, Phys. Rev. D 98 (2018) 032002, arXiv:1805.03483 [hep-ex].
- [41] CMS Collaboration, Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13\text{ TeV}$, J. High Energy Phys. 02 (2021) 169, arXiv:2112.09734 [hep-ex].
- [42] CMS Collaboration, Search for flavor-changing neutral current interactions of the top quark and Higgs boson in final states with two photons in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$, Phys. Rev. Lett. 129 (2022) 032001, arXiv:2111.02219 [hep-ex].
- [43] T.-C. Huang, F. Petriello, Rare exclusive decays of the Z boson revisited, Phys. Rev. D 92 (2015) 014007, arXiv:1411.5924 [hep-ph].
- [44] DELPHI Collaboration, Measurement of the $e^+ e^- \rightarrow \gamma\gamma(\gamma)$ cross section at LEP energies, Phys. Lett. B 327 (1994) 386.
- [45] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [46] ATLAS Collaboration, ATLAS insertable B-layer: technical design report, ATLAS-TDR-19; CERN-LHCC-2010-013, <https://cds.cern.ch/record/1291633>, 2010; Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, <https://cds.cern.ch/record/1451888>, 2012.
- [47] B. Abbott, et al., Production and integration of the ATLAS insertable B-layer, J. Instrum. 13 (2018) T05008, arXiv:1803.00844 [physics.ins-det].
- [48] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [49] ATLAS Collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [50] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [51] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [52] ATLAS Collaboration, The ATLAS tau trigger in run 2, ATLAS-CONF-2017-061, <https://cds.cern.ch/record/2274201>, 2017.
- [53] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC run 1, Eur. Phys. J. C 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [54] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040, arXiv:hep-ph/0409146.
- [55] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, J. High Energy Phys. 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [56] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [57] S. Alioli, P. Nason, C. Oleari, E. Re, NLO Higgs boson production via gluon fusion matched with shower in POWHEG, J. High Energy Phys. 04 (2009) 002, arXiv:0812.0578 [hep-ph].
- [58] P. Nason, C. Oleari, NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG, J. High Energy Phys. 02 (2010) 037, arXiv:0911.5299 [hep-ph].
- [59] T. Sjostrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [60] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [61] ATLAS Collaboration, Measurement of the Z/γ' boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector, J. High Energy Phys. 09 (2014) 145, arXiv:1406.3660 [hep-ex].
- [62] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195 [hep-ph].
- [63] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [64] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [65] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [66] LHC Higgs cross section working group, S. Dittmaier, C. Mariotti, G. Passarino, Tanaka (Eds.), Handbook of LHC Higgs Cross Sections: 2. Differential Distributions, 2012, CERN-2012-002, arXiv:1201.3084 [hep-ph].
- [67] S. Actis, G. Passarino, C. Sturm, S. Uccirati, NLO electroweak corrections to Higgs boson production at hadron colliders, Phys. Lett. B 670 (2008) 12, arXiv:0809.1301 [hep-ph].
- [68] C. Anastasiou, R. Boughezal, F. Petriello, Mixed QCD-electroweak corrections to Higgs boson production in gluon fusion, J. High Energy Phys. 04 (2009) 003, arXiv:0811.3458 [hep-ph].
- [69] M. Ciccolini, A. Denner, S. Dittmaier, Strong and electroweak corrections to the production of a Higgs boson + 2 jets via weak interactions at the large hadron collider, Phys. Rev. Lett. 99 (2007) 161803, arXiv:0707.0381 [hep-ph].

- [70] M. Ciccolini, A. Denner, S. Dittmaier, Electroweak and QCD corrections to Higgs production via vector-boson fusion at the LHC, Phys. Rev. D 77 (2008) 013002, arXiv:0710.4749 [hep-ph].
- [71] P. Bolzoni, F. Maltoni, S.-O. Moch, M. Zaro, Higgs boson production via vector-boson fusion at next-to-next-to-leading order in QCD, Phys. Rev. Lett. 105 (2010) 011801, arXiv:1003.4451 [hep-ph].
- [72] O. Brein, A. Djouadi, R. Harlander, NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders, Phys. Lett. B 579 (2004) 149, arXiv:hep-ph/0307206.
- [73] ATLAS Collaboration, Measurement of W^\pm and Z -boson production cross sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector, Phys. Lett. B 759 (2016) 601, arXiv:1603.09222 [hep-ex].
- [74] Particle Data Group, Review of particle physics, Chin. Phys. C 38 (2014) 090001.
- [75] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [76] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568.
- [77] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC run 2 data collected in 2015 and 2016, Eur. Phys. J. C 79 (2019) 205, arXiv:1810.05087 [hep-ex].
- [78] ATLAS Collaboration, Early inner detector tracking performance in the 2015 data at $\sqrt{s} = 13\text{TeV}$, <https://cds.cern.ch/record/2110140>, 2015.
- [79] ATLAS Collaboration, Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment, Eur. Phys. J. C 76 (2016) 295, arXiv:1512.05955 [hep-ex].
- [80] A. Chisholm, et al., Non-parametric data-driven background modelling using conditional probabilities, J. High Energy Phys. 10 (2022) 001, arXiv:2112.00650 [hep-ex].
- [81] K.S. Cranmer, Kernel estimation in high-energy physics, Comput. Phys. Commun. 136 (2001) 198, arXiv:hep-ex/0011057 [hep-ex].
- [82] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC run 2, Eur. Phys. J. C 80 (2020) 47, arXiv:1909.00761 [hep-ex].
- [83] ATLAS Collaboration, Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^\pm \rightarrow \tau^\pm \rightarrow \pi^\pm \nu_\tau \bar{\nu}_\tau$ events in run 2 data, Eur. Phys. J. C 82 (2021) 223, arXiv:2108.09043 [hep-ex].
- [84] LHC Higgs cross section working group, S. Dittmaier, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs Cross Sections: 1. Inclusive Observables, 2011, arXiv:1101.0593 [hep-ph].
- [85] LHC Higgs cross section working group, S. Dittmaier, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs Cross Sections: 2. Differential Distributions, 2012, CERN-2012-002, arXiv:1201.3084 [hep-ph].
- [86] A.L. Read, Presentation of search results: the CL(s) technique, in: M.R. Whalley, L. Lyons (Eds.), J. Phys. G 28 (2002) 2693.
- [87] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an].
- [88] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2023-001, <https://cds.cern.ch/record/2869272>, 2023.

The ATLAS Collaboration

- G. Aad^{90, ID}, B. Abbott^{120, ID}, K. Abeling^{55, ID}, S.H. Abidi^{29, ID}, A. Aboulhorma^{35e, ID}, H. Abramowicz^{151, ID}, H. Abreu^{150, ID}, Y. Abulaiti^{117, ID}, A.C. Abusleme Hoffman^{137a, ID}, B.S. Acharya^{69a,69b, ID}, C. Adam Bourdarios^{4, ID}, L. Adamczyk^{85a, ID}, L. Adamek^{155, ID}, S.V. Addepalli^{26, ID}, J. Adelman^{115, ID}, A. Adiguzel^{21c, ID}, S. Adorni^{56, ID}, T. Adye^{134, ID}, A.A. Affolder^{136, ID}, Y. Afik^{36, ID}, M.N. Agaras^{13, ID}, J. Agarwala^{73a,73b, ID}, A. Aggarwal^{101, ID}, C. Agheorghiesei^{27c, ID}, J.A. Aguilar-Saavedra^{130f, ID}, A. Ahmad^{36, ID}, F. Ahmadov^{38, ID}, W.S. Ahmed^{104, ID}, S. Ahuja^{96, ID}, X. Ai^{48, ID}, G. Aielli^{76a,76b, ID}, M. Ait Tamlihat^{35e, ID}, B. Aitbenchikh^{35a, ID}, I. Aizenberg^{169, ID}, M. Akbiyik^{101, ID}, T.P.A. Åkesson^{99, ID}, A.V. Akimov^{37, ID}, K. Al Khoury^{41, ID}, G.L. Alberghi^{23b, ID}, J. Albert^{165, ID}, P. Albicocco^{53, ID}, S. Alderweireldt^{52, ID}, M. Alekso^{36, ID}, I.N. Aleksandrov^{38, ID}, C. Alexa^{27b, ID}, T. Alexopoulos^{10, ID}, A. Alfonsi^{114, ID}, F. Alfonsi^{23b, ID}, M. Alhroob^{120, ID}, B. Ali^{132, ID}, S. Ali^{148, ID}, M. Aliev^{37, ID}, G. Alimonti^{71a, ID}, W. Alkakhi^{55, ID}, C. Allaire^{66, ID}, B.M.M. Allbrooke^{146, ID}, C.A. Allendes Flores^{137f, ID}, P.P. Allport^{20, ID}, A. Aloisio^{72a,72b, ID}, F. Alonso^{91, ID}, C. Alpigiani^{138, ID}, M. Alvarez Estevez^{100, ID}, A. Alvarez Fernandez^{101, ID}, M.G. Alviggi^{72a,72b, ID}, M. Aly^{102, ID}, Y. Amaral Coutinho^{82b, ID}, A. Ambler^{104, ID}, C. Amelung^{36, ID}, M. Amerl^{102, ID}, C.G. Ames^{109, ID}, D. Amidei^{106, ID}, S.P. Amor Dos Santos^{130a, ID}, K.R. Amos^{163, ID}, V. Ananiev^{125, ID}, C. Anastopoulos^{139, ID}, T. Andeen^{11, ID}, J.K. Anders^{36, ID}, S.Y. Andrean^{47a,47b, ID}, A. Andreazza^{71a,71b, ID}, S. Angelidakis^{9, ID}, A. Angerami^{41, ID}, A.V. Anisenkov^{37, ID}, A. Annovi^{74a, ID}, C. Antel^{56, ID}, M.T. Anthony^{139, ID}, E. Antipov^{145, ID}, M. Antonelli^{53, ID}, D.J.A. Antrim^{17a, ID}, F. Anulli^{75a, ID}, M. Aoki^{83, ID}, T. Aoki^{153, ID}, J.A. Aparisi Pozo^{163, ID}, M.A. Aparo^{146, ID}, L. Aperio Bella^{48, ID}, C. Appelt^{18, ID}, N. Aranzabal^{36, ID}, V. Araujo Ferraz^{82a, ID}, C. Arcangeletti^{53, ID}, A.T.H. Arce^{51, ID}, E. Arena^{93, ID}, J-F. Arguin^{108, ID}, S. Argyropoulos^{54, ID}, J.-H. Arling^{48, ID}, A.J. Armbruster^{36, ID}, O. Arnaez^{4, ID}, H. Arnold^{114, ID}, Z.P. Arrubarrena Tame^{109, ID}, G. Artoni^{75a,75b, ID}, H. Asada^{111, ID}, K. Asai^{118, ID}, S. Asai^{153, ID}, N.A. Asbah^{61, ID}, J. Assahsah^{35d, ID}, K. Assamagan^{29, ID}, R. Astalos^{28a, ID}, R.J. Atkin^{33a, ID}, M. Atkinson^{162, ID}, N.B. Atlay^{18, ID}, H. Atmani^{62b, ID}, P.A. Atmasiddha^{106, ID}, K. Augsten^{132, ID}, S. Auricchio^{72a,72b, ID}, A.D. Auriol^{20, ID}, V.A. Austrup^{171, ID}, G. Avner^{150, ID}, G. Avolio^{36, ID}, K. Axiotis^{56, ID}, G. Azuelos^{108, ID}, D. Babal^{28a, ID}, H. Bachacou^{135, ID}, K. Bachas^{152, ID}, A. Bachiu^{34, ID}, F. Backman^{47a,47b, ID}, A. Badea^{61, ID}, P. Bagnaia^{75a,75b, ID}, M. Bahmani^{18, ID}, A.J. Bailey^{163, ID}, V.R. Bailey^{162, ID}, J.T. Baines^{134, ID}, C. Bakalis^{10, ID}, O.K. Baker^{172, ID}, E. Bakos^{15, ID}, D. Bakshi Gupta^{8, ID}, R. Balasubramanian^{114, ID}, E.M. Baldin^{37, ID}, P. Balek^{133, ID}, E. Ballabene^{71a,71b, ID}, F. Balli^{135, ID}, L.M. Baltes^{63a, ID}, W.K. Balunas^{32, ID}, J. Balz^{101, ID}, E. Banas^{86, ID}, M. Bandieramonte^{129, ID}, A. Bandyopadhyay^{24, ID}, S. Bansal^{24, ID}, L. Barak^{151, ID}, E.L. Barberio^{105, ID}, D. Barberis^{57b,57a, ID}, M. Barbero^{90, ID}, G. Barbour^{97, ID}, K.N. Barends^{33a, ID}, T. Barillari^{110, ID}, M.-S. Barisits^{36, ID},

- T. Barklow ^{143, ID}, P. Baron ^{122, ID}, D.A. Baron Moreno ^{102, ID}, A. Baroncelli ^{62a, ID}, G. Barone ^{29, ID}, A.J. Barr ^{126, ID}, L. Barranco Navarro ^{47a,47b, ID}, F. Barreiro ^{100, ID}, J. Barreiro Guimarães da Costa ^{14a, ID}, U. Barron ^{151, ID}, M.G. Barros Teixeira ^{130a, ID}, S. Barsov ^{37, ID}, F. Bartels ^{63a, ID}, R. Bartoldus ^{143, ID}, A.E. Barton ^{92, ID}, P. Bartos ^{28a, ID}, A. Basan ^{101, ID}, M. Baselga ^{49, ID}, I. Bashta ^{77a,77b, ID}, A. Bassalat ^{66, ID, b}, M.J. Basso ^{155, ID}, C.R. Basson ^{102, ID}, R.L. Bates ^{59, ID}, S. Batlamous ^{35e}, J.R. Batley ^{32, ID}, B. Batool ^{141, ID}, M. Battaglia ^{136, ID}, D. Battulga ^{18, ID}, M. Bauce ^{75a,75b, ID}, P. Bauer ^{24, ID}, J.B. Beacham ^{51, ID}, T. Beau ^{127, ID}, P.H. Beauchemin ^{158, ID}, F. Becherer ^{54, ID}, P. Bechtle ^{24, ID}, H.P. Beck ^{19, ID, r}, K. Becker ^{167, ID}, A.J. Beddall ^{21d, ID}, V.A. Bednyakov ^{38, ID}, C.P. Bee ^{145, ID}, L.J. Beemster ¹⁵, T.A. Beermann ^{36, ID}, M. Begalli ^{82a, ID}, M. Begel ^{29, ID}, A. Behera ^{145, ID}, J.K. Behr ^{48, ID}, C. Beirao Da Cruz E Silva ^{36, ID}, J.F. Beirer ^{55,36, ID}, F. Beisiegel ^{24, ID}, M. Belfkir ^{159, ID}, G. Bella ^{151, ID}, L. Bellagamba ^{23b, ID}, A. Bellerive ^{34, ID}, P. Bellos ^{20, ID}, K. Beloborodov ^{37, ID}, N.L. Belyaev ^{37, ID}, D. Bencheikoun ^{35a, ID}, F. Bendebba ^{35a, ID}, Y. Benhammou ^{151, ID}, M. Benoit ^{29, ID}, J.R. Bensinger ^{26, ID}, S. Bentvelsen ^{114, ID}, L. Beresford ^{36, ID}, M. Beretta ^{53, ID}, E. Bergeaas Kuutmann ^{161, ID}, N. Berger ^{4, ID}, B. Bergmann ^{132, ID}, J. Beringer ^{17a, ID}, S. Berlendis ^{7, ID}, G. Bernardi ^{5, ID}, C. Bernius ^{143, ID}, F.U. Bernlochner ^{24, ID}, T. Berry ^{96, ID}, P. Berta ^{133, ID}, A. Berthold ^{50, ID}, I.A. Bertram ^{92, ID}, S. Bethke ^{110, ID}, A. Betti ^{75a,75b, ID}, A.J. Bevan ^{95, ID}, M. Bhamjee ^{33c, ID}, S. Bhatta ^{145, ID}, D.S. Bhattacharya ^{166, ID}, P. Bhattacharai ^{26, ID}, V.S. Bhopatkar ^{121, ID}, R. Bi ^{29, al}, R.M. Bianchi ^{129, ID}, O. Biebel ^{109, ID}, R. Bielski ^{123, ID}, M. Biglietti ^{77a, ID}, T.R.V. Billoud ^{132, ID}, M. Bindi ^{55, ID}, A. Bingul ^{21b, ID}, C. Bini ^{75a,75b, ID}, A. Biondini ^{93, ID}, C.J. Birch-sykes ^{102, ID}, G.A. Bird ^{20,134, ID}, M. Birman ^{169, ID}, M. Biros ^{133, ID}, T. Bisanz ^{36, ID}, E. Bisceglie ^{43b,43a, ID}, D. Biswas ^{170, ID}, A. Bitadze ^{102, ID}, K. Bjørke ^{125, ID}, I. Bloch ^{48, ID}, C. Blocker ^{26, ID}, A. Blue ^{59, ID}, U. Blumenschein ^{95, ID}, J. Blumenthal ^{101, ID}, G.J. Bobbink ^{114, ID}, V.S. Bobrovnikov ^{37, ID}, M. Boehler ^{54, ID}, D. Bogavac ^{36, ID}, A.G. Bogdanchikov ^{37, ID}, C. Bohm ^{47a, ID}, V. Boisvert ^{96, ID}, P. Bokan ^{48, ID}, T. Bold ^{85a, ID}, M. Bomben ^{5, ID}, M. Bona ^{95, ID}, M. Boonekamp ^{135, ID}, C.D. Booth ^{96, ID}, A.G. Borbély ^{59, ID}, H.M. Borecka-Bielska ^{108, ID}, L.S. Borgna ^{97, ID}, G. Borissov ^{92, ID}, D. Bortoletto ^{126, ID}, D. Boscherini ^{23b, ID}, M. Bosman ^{13, ID}, J.D. Bossio Sola ^{36, ID}, K. Bouaouda ^{35a, ID}, N. Bouchhar ^{163, ID}, J. Boudreau ^{129, ID}, E.V. Bouhova-Thacker ^{92, ID}, D. Boumediene ^{40, ID}, R. Bouquet ^{5, ID}, A. Boveia ^{119, ID}, J. Boyd ^{36, ID}, D. Boye ^{29, ID}, I.R. Boyko ^{38, ID}, J. Bracinik ^{20, ID}, N. Brahimi ^{62d, ID}, G. Brandt ^{171, ID}, O. Brandt ^{32, ID}, F. Braren ^{48, ID}, B. Brau ^{103, ID}, J.E. Brau ^{123, ID}, K. Brendlinger ^{48, ID}, R. Brener ^{169, ID}, L. Brenner ^{114, ID}, R. Brenner ^{161, ID}, S. Bressler ^{169, ID}, D. Britton ^{59, ID}, D. Britzger ^{110, ID}, I. Brock ^{24, ID}, G. Brooijmans ^{41, ID}, W.K. Brooks ^{137f, ID}, E. Brost ^{29, ID}, L.M. Brown ^{165, ID}, T.L. Bruckler ^{126, ID}, P.A. Bruckman de Renstrom ^{86, ID}, B. Brüers ^{48, ID}, D. Bruncko ^{28b, ID, *}, A. Bruni ^{23b, ID}, G. Bruni ^{23b, ID}, M. Bruschi ^{23b, ID}, N. Bruscino ^{75a,75b, ID}, T. Buanes ^{16, ID}, Q. Buat ^{138, ID}, A.G. Buckley ^{59, ID}, I.A. Budagov ^{38, ID, *}, M.K. Bugge ^{125, ID}, O. Bulekov ^{37, ID}, B.A. Bullard ^{143, ID}, S. Burdin ^{93, ID}, C.D. Burgard ^{49, ID}, A.M. Burger ^{40, ID}, B. Burghgrave ^{8, ID}, J.T.P. Burr ^{32, ID}, C.D. Burton ^{11, ID}, J.C. Burzynski ^{142, ID}, E.L. Busch ^{41, ID}, V. Büscher ^{101, ID}, P.J. Bussey ^{59, ID}, J.M. Butler ^{25, ID}, C.M. Buttar ^{59, ID}, J.M. Butterworth ^{97, ID}, W. Buttlinger ^{134, ID}, C.J. Buxo Vazquez ¹⁰⁷, A.R. Buzykaev ^{37, ID}, G. Cabras ^{23b, ID}, S. Cabrera Urbán ^{163, ID}, D. Caforio ^{58, ID}, H. Cai ^{129, ID}, Y. Cai ^{14a,14d, ID}, V.M.M. Cairo ^{36, ID}, O. Cakir ^{3a, ID}, N. Calace ^{36, ID}, P. Calafiura ^{17a, ID}, G. Calderini ^{127, ID}, P. Calfayan ^{68, ID}, G. Callea ^{59, ID}, L.P. Caloba ^{82b}, D. Calvet ^{40, ID}, S. Calvet ^{40, ID}, T.P. Calvet ^{90, ID}, M. Calvetti ^{74a,74b, ID}, R. Camacho Toro ^{127, ID}, S. Camarda ^{36, ID}, D. Camarero Munoz ^{26, ID}, P. Camarri ^{76a,76b, ID}, M.T. Camerlingo ^{72a,72b, ID}, D. Cameron ^{125, ID}, C. Camincher ^{165, ID}, M. Campanelli ^{97, ID}, A. Camplani ^{42, ID}, V. Canale ^{72a,72b, ID}, A. Canesse ^{104, ID}, M. Cano Bret ^{80, ID}, J. Cantero ^{163, ID}, Y. Cao ^{162, ID}, F. Capocasa ^{26, ID}, M. Capua ^{43b,43a, ID}, A. Carbone ^{71a,71b, ID}, R. Cardarelli ^{76a, ID}, J.C.J. Cardenas ^{8, ID}, F. Cardillo ^{163, ID}, T. Carli ^{36, ID}, G. Carlino ^{72a, ID}, J.I. Carlotto ^{13, ID}, B.T. Carlson ^{129, ID, t}, E.M. Carlson ^{165,156a, ID}, L. Carminati ^{71a,71b, ID}, M. Carnesale ^{75a,75b, ID}, S. Caron ^{113, ID}, E. Carquin ^{137f, ID}, S. Carrá ^{71a,71b, ID}, G. Carrattà ^{23b,23a, ID}, F. Carrio Argos ^{33g, ID}, J.W.S. Carter ^{155, ID}, T.M. Carter ^{52, ID}, M.P. Casado ^{13, ID, j}, A.F. Casha ¹⁵⁵, M. Caspar ^{48, ID},

- E.G. Castiglia 172, ID, F.L. Castillo 63a, ID, L. Castillo Garcia 13, ID, V. Castillo Gimenez 163, ID, N.F. Castro 130a, 130e, ID,
 A. Catinaccio 36, ID, J.R. Catmore 125, ID, V. Cavalieri 29, ID, N. Cavalli 23b, 23a, ID, V. Cavasinni 74a, 74b, ID,
 E. Celebi 21a, ID, F. Celli 126, ID, M.S. Centonze 70a, 70b, ID, K. Cerny 122, ID, A.S. Cerqueira 82a, ID, A. Cerri 146, ID,
 L. Cerrito 76a, 76b, ID, F. Cerutti 17a, ID, A. Cervelli 23b, ID, G. Cesarini 53, ID, S.A. Cetin 21d, ID, Z. Chadi 35a, ID,
 D. Chakraborty 115, ID, M. Chala 130f, ID, J. Chan 170, ID, W.Y. Chan 153, ID, J.D. Chapman 32, ID, B. Chargeishvili 149b, ID,
 D.G. Charlton 20, ID, T.P. Charman 95, ID, M. Chatterjee 19, ID, C. Chauhan 133, ID, S. Chekanov 6, ID,
 S.V. Chekulaev 156a, ID, G.A. Chelkov 38, ID, a, A. Chen 106, ID, B. Chen 151, ID, B. Chen 165, ID, H. Chen 14c, ID,
 H. Chen 29, ID, J. Chen 62c, ID, J. Chen 142, ID, S. Chen 153, ID, S.J. Chen 14c, ID, X. Chen 62c, ID, X. Chen 14b, ID, ah,
 Y. Chen 62a, ID, C.L. Cheng 170, ID, H.C. Cheng 64a, ID, S. Cheong 143, ID, A. Cheplakov 38, ID, E. Cheremushkina 48, ID,
 E. Cherepanova 114, ID, R. Cherkaoui El Moursli 35e, ID, E. Cheu 7, ID, K. Cheung 65, ID, L. Chevalier 135, ID,
 V. Chiarella 53, ID, G. Chiarelli 74a, ID, N. Chiedde 90, ID, G. Chiodini 70a, ID, A.S. Chisholm 20, ID, A. Chitan 27b, ID,
 M. Chitishvili 163, ID, M.V. Chizhov 38, ID, K. Choi 11, ID, A.R. Chomont 75a, 75b, ID, Y. Chou 103, ID, E.Y.S. Chow 114, ID,
 T. Chowdhury 33g, ID, L.D. Christopher 33g, ID, K.L. Chu 64a, M.C. Chu 64a, ID, X. Chu 14a, 14d, ID, J. Chudoba 131, ID,
 J.J. Chwastowski 86, ID, D. Cieri 110, ID, K.M. Ciesla 85a, ID, V. Cindro 94, ID, A. Ciocio 17a, ID, F. Cirotto 72a, 72b, ID,
 Z.H. Citron 169, ID, m, M. Citterio 71a, ID, D.A. Ciubotaru 27b, B.M. Ciungu 155, ID, A. Clark 56, ID, P.J. Clark 52, ID,
 J.M. Clavijo Columbie 48, ID, S.E. Clawson 102, ID, C. Clement 47a, 47b, ID, J. Clercx 48, ID, L. Clissa 23b, 23a, ID,
 Y. Coadou 90, ID, M. Cobal 69a, 69c, ID, A. Coccaro 57b, ID, R.F. Coelho Barrue 130a, ID, R. Coelho Lopes De Sa 103, ID,
 S. Coelli 71a, ID, H. Cohen 151, ID, A.E.C. Coimbra 71a, 71b, ID, B. Cole 41, ID, J. Collot 60, ID, P. Conde Muiño 130a, 130g, ID,
 M.P. Connell 33c, ID, S.H. Connell 33c, ID, I.A. Connally 59, ID, E.I. Conroy 126, ID, F. Conventi 72a, ID, aj, H.G. Cooke 20, ID,
 A.M. Cooper-Sarkar 126, ID, F. Cormier 164, ID, L.D. Corpe 36, ID, M. Corradi 75a, 75b, ID, F. Corriveau 104, ID, z,
 A. Cortes-Gonzalez 18, ID, M.J. Costa 163, ID, F. Costanza 4, ID, D. Costanzo 139, ID, B.M. Cote 119, ID, G. Cowan 96, ID,
 J.W. Cowley 32, ID, K. Cranmer 117, ID, S. Crépé-Renaudin 60, ID, F. Crescioli 127, ID, M. Cristinziani 141, ID,
 M. Cristoforetti 78a, 78b, ID, d, V. Croft 114, ID, G. Crosetti 43b, 43a, ID, A. Cueto 36, ID, T. Cuhadar Donszelmann 160, ID,
 H. Cui 14a, 14d, ID, Z. Cui 7, ID, W.R. Cunningham 59, ID, F. Curcio 43b, 43a, ID, P. Czodrowski 36, ID, M.M. Czurylo 63b, ID,
 M.J. Da Cunha Sargedas De Sousa 62a, ID, J.V. Da Fonseca Pinto 82b, ID, C. Da Via 102, ID, W. Dabrowski 85a, ID,
 T. Dado 49, ID, S. Dahbi 33g, ID, T. Dai 106, ID, C. Dallapiccola 103, ID, M. Dam 42, ID, G. D'amen 29, ID, V. D'Amico 109, ID,
 J. Damp 101, ID, J.R. Dandoy 128, ID, M.F. Daneri 30, ID, M. Danninger 142, ID, V. Dao 36, ID, G. Darbo 57b, ID,
 S. Darmora 6, ID, S.J. Das 29, ID, al, S. D'Auria 71a, 71b, ID, C. David 156b, ID, T. Davidek 133, ID, B. Davis-Purcell 34, ID,
 I. Dawson 95, ID, K. De 8, ID, R. De Asmundis 72a, ID, N. De Biase 48, ID, S. De Castro 23b, 23a, ID, N. De Groot 113, ID,
 P. de Jong 114, ID, H. De la Torre 107, ID, A. De Maria 14c, ID, A. De Salvo 75a, ID, U. De Sanctis 76a, 76b, ID,
 A. De Santo 146, ID, J.B. De Vivie De Regie 60, ID, D.V. Dedovich 38, ID, J. Degens 114, ID, A.M. Deiana 44, ID,
 F. Del Corso 23b, 23a, ID, J. Del Peso 100, ID, F. Del Rio 63a, ID, F. Deliot 135, ID, C.M. Delitzsch 49, ID,
 M. Della Pietra 72a, 72b, ID, D. Della Volpe 56, ID, A. Dell'Acqua 36, ID, L. Dell'Asta 71a, 71b, ID, M. Delmastro 4, ID,
 P.A. Delsart 60, ID, S. Demers 172, ID, M. Demichev 38, ID, S.P. Denisov 37, ID, L. D'Eramo 115, ID, D. Derendarz 86, ID,
 F. Derue 127, ID, P. Dervan 93, ID, K. Desch 24, ID, K. Dette 155, ID, C. Deutsch 24, ID, F.A. Di Bello 57b, 57a, ID,
 A. Di Ciaccio 76a, 76b, ID, L. Di Ciaccio 4, ID, A. Di Domenico 75a, 75b, ID, C. Di Donato 72a, 72b, ID, A. Di Girolamo 36, ID,
 G. Di Gregorio 5, ID, A. Di Luca 78a, 78b, ID, B. Di Micco 77a, 77b, ID, R. Di Nardo 77a, 77b, ID, C. Diaconu 90, ID,
 F.A. Dias 114, ID, T. Dias Do Vale 142, ID, M.A. Diaz 137a, 137b, ID, F.G. Diaz Capriles 24, ID, M. Didenko 163, ID,
 E.B. Diehl 106, ID, L. Diehl 54, ID, S. Díez Cornell 48, ID, C. Diez Pardos 141, ID, C. Dimitriadi 24, 161, ID,
 A. Dimitrieva 17a, ID, J. Dingfelder 24, ID, I-M. Dinu 27b, ID, S.J. Dittmeier 63b, ID, F. Dittus 36, ID, F. Djama 90, ID,
 T. Djoberava 149b, ID, J.I. Djuvsland 16, ID, C. Doglioni 102, 99, ID, J. Dolejsi 133, ID, Z. Dolezal 133, ID, M. Donadelli 82c, ID,
 B. Dong 107, ID, J. Donini 40, ID, A. D'Onofrio 77a, 77b, ID, M. D'Onofrio 93, ID, J. Dopke 134, ID, A. Doria 72a, ID,
 M.T. Dova 91, ID, A.T. Doyle 59, ID, M.A. Draguet 126, ID, E. Drechsler 142, ID, E. Dreyer 169, ID, I. Drivas-koulouris 10, ID,

- A.S. Drobac 158,^{ID}, M. Drozdova 56,^{ID}, D. Du 62a,^{ID}, T.A. du Pree 114,^{ID}, F. Dubinin 37,^{ID}, M. Dubovsky 28a,^{ID},
 E. Duchovni 169,^{ID}, G. Duckeck 109,^{ID}, O.A. Ducu 27b,^{ID}, D. Duda 110,^{ID}, A. Dudarev 36,^{ID}, E.R. Duden 26,^{ID},
 M. D'uffizi 102,^{ID}, L. Duflot 66,^{ID}, M. Dührssen 36,^{ID}, C. Dülsen 171,^{ID}, A.E. Dumitriu 27b,^{ID}, M. Dunford 63a,^{ID},
 S. Dungs 49,^{ID}, K. Dunne 47a,47b,^{ID}, A. Duperrin 90,^{ID}, H. Duran Yildiz 3a,^{ID}, M. Düren 58,^{ID}, A. Durglishvili 149b,^{ID},
 B.L. Dwyer 115,^{ID}, G.I. Dyckes 17a,^{ID}, M. Dyndal 85a,^{ID}, S. Dysch 102,^{ID}, B.S. Dziedzic 86,^{ID}, Z.O. Earnshaw 146,^{ID},
 B. Eckerova 28a,^{ID}, S. Eggebrecht 55,^{ID}, M.G. Eggleston 51, E. Egidio Purcino De Souza 127,^{ID}, L.F. Ehrke 56,^{ID},
 G. Eigen 16,^{ID}, K. Einsweiler 17a,^{ID}, T. Ekelof 161,^{ID}, P.A. Ekman 99,^{ID}, Y. El Ghazali 35b,^{ID}, H. El Jarrari 35e,148,^{ID},
 A. El Moussaouy 35a,^{ID}, V. Ellajosyula 161,^{ID}, M. Ellert 161,^{ID}, F. Ellinghaus 171,^{ID}, A.A. Elliot 95,^{ID}, N. Ellis 36,^{ID},
 J. Elmsheuser 29,^{ID}, M. Elsing 36,^{ID}, D. Emeliyanov 134,^{ID}, Y. Enari 153,^{ID}, I. Ene 17a,^{ID}, S. Epari 13,^{ID},
 J. Erdmann 49,^{ID}, P.A. Erland 86,^{ID}, M. Errenst 171,^{ID}, M. Escalier 66,^{ID}, C. Escobar 163,^{ID}, E. Etzion 151,^{ID},
 G. Evans 130a,^{ID}, H. Evans 68,^{ID}, M.O. Evans 146,^{ID}, A. Ezhilov 37,^{ID}, S. Ezzarqtouni 35a,^{ID}, F. Fabbri 59,^{ID},
 L. Fabbri 23b,23a,^{ID}, G. Facini 97,^{ID}, V. Fadeyev 136,^{ID}, R.M. Fakhrutdinov 37,^{ID}, S. Falciano 75a,^{ID},
 L.F. Falda Ulhoa Coelho 36,^{ID}, P.J. Falke 24,^{ID}, S. Falke 36,^{ID}, J. Faltova 133,^{ID}, Y. Fan 14a,^{ID}, Y. Fang 14a,14d,^{ID},
 M. Fanti 71a,71b,^{ID}, M. Faraj 69a,69b,^{ID}, Z. Farazpay 98,^{ID}, A. Farbin 8,^{ID}, A. Farilla 77a,^{ID}, T. Farooque 107,^{ID},
 S.M. Farrington 52,^{ID}, F. Fassi 35e,^{ID}, D. Fassouliotis 9,^{ID}, M. Faucci Giannelli 76a,76b,^{ID}, W.J. Fawcett 32,^{ID},
 L. Fayard 66,^{ID}, P. Federic 133,^{ID}, P. Federicova 131,^{ID}, O.L. Fedin 37,^{ID}, G. Fedotov 37,^{ID}, M. Feickert 170,^{ID},
 L. Feligioni 90,^{ID}, A. Fell 139,^{ID}, D.E. Fellers 123,^{ID}, C. Feng 62b,^{ID}, M. Feng 14b,^{ID}, Z. Feng 114,^{ID}, M.J. Fenton 160,^{ID},
 A.B. Fenyuk 37, L. Ferencz 48,^{ID}, R.A.M. Ferguson 92,^{ID}, S.I. Fernandez Luengo 137f,^{ID}, J. Ferrando 48,^{ID},
 A. Ferrari 161,^{ID}, P. Ferrari 114,113,^{ID}, R. Ferrari 73a,^{ID}, D. Ferrere 56,^{ID}, C. Ferretti 106,^{ID}, F. Fiedler 101,^{ID},
 A. Filipčič 94,^{ID}, E.K. Filmer 1,^{ID}, F. Filthaut 113,^{ID}, M.C.N. Fiolhais 130a,130c,^{ID}, L. Fiorini 163,^{ID}, F. Fischer 141,^{ID},
 W.C. Fisher 107,^{ID}, T. Fitschen 102,^{ID}, I. Fleck 141,^{ID}, P. Fleischmann 106,^{ID}, T. Flick 171,^{ID}, L. Flores 128,^{ID},
 M. Flores 33d,^{ID}, L.R. Flores Castillo 64a,^{ID}, F.M. Follega 78a,78b,^{ID}, N. Fomin 16,^{ID}, J.H. Foo 155,^{ID}, B.C. Forland 68,
 A. Formica 135,^{ID}, A.C. Forti 102,^{ID}, E. Fortin 90,^{ID}, A.W. Fortman 61,^{ID}, M.G. Foti 17a,^{ID}, L. Fountas 9,^{ID},
 D. Fournier 66,^{ID}, H. Fox 92,^{ID}, P. Francavilla 74a,74b,^{ID}, S. Francescato 61,^{ID}, S. Franchellucci 56,^{ID},
 M. Franchini 23b,23a,^{ID}, S. Franchino 63a,^{ID}, D. Francis 36, L. Franco 113,^{ID}, L. Franconi 19,^{ID}, M. Franklin 61,^{ID},
 G. Frattari 26,^{ID}, A.C. Freegard 95,^{ID}, W.S. Freund 82b,^{ID}, Y.Y. Frid 151,^{ID}, N. Fritzsche 50,^{ID}, A. Froch 54,^{ID},
 D. Froidevaux 36,^{ID}, J.A. Frost 126,^{ID}, Y. Fu 62a,^{ID}, M. Fujimoto 118,^{ID}, E. Fullana Torregrosa 163,^{ID},
 E. Furtado De Simas Filho 82b,^{ID}, J. Fuster 163,^{ID}, A. Gabrielli 23b,23a,^{ID}, A. Gabrielli 155,^{ID}, P. Gadow 48,^{ID},
 G. Gagliardi 57b,57a,^{ID}, L.G. Gagnon 17a,^{ID}, G.E. Gallardo 126,^{ID}, E.J. Gallas 126,^{ID}, B.J. Gallop 134,^{ID},
 R. Gamboa Goni 95,^{ID}, K.K. Gan 119,^{ID}, S. Ganguly 153,^{ID}, J. Gao 62a,^{ID}, Y. Gao 52,^{ID}, F.M. Garay Walls 137a,137b,^{ID},
 B. Garcia 29,^{al}, C. García 163,^{ID}, J.E. García Navarro 163,^{ID}, M. Garcia-Sciveres 17a,^{ID}, R.W. Gardner 39,^{ID},
 D. Garg 80,^{ID}, R.B. Garg 143,^{ID}, C.A. Garner 155, S.J. Gasiorowski 138,^{ID}, P. Gaspar 82b,^{ID}, G. Gaudio 73a,^{ID},
 V. Gautam 13, P. Gauzzi 75a,75b,^{ID}, I.L. Gavrilenco 37,^{ID}, A. Gavrilyuk 37,^{ID}, C. Gay 164,^{ID}, G. Gaycken 48,^{ID},
 E.N. Gazis 10,^{ID}, A.A. Geanta 27b,27e,^{ID}, C.M. Gee 136,^{ID}, C. Gemme 57b,^{ID}, M.H. Genest 60,^{ID}, S. Gentile 75a,75b,^{ID},
 S. George 96,^{ID}, W.F. George 20,^{ID}, T. Geralis 46,^{ID}, L.O. Gerlach 55, P. Gessinger-Befurt 36,^{ID}, M.E. Geyik 171,^{ID},
 M. Ghneimat 141,^{ID}, K. Ghorbanian 95,^{ID}, A. Ghosal 141,^{ID}, A. Ghosh 160,^{ID}, A. Ghosh 7,^{ID}, B. Giacobbe 23b,^{ID},
 S. Giagu 75a,75b,^{ID}, P. Giannetti 74a,^{ID}, A. Giannini 62a,^{ID}, S.M. Gibson 96,^{ID}, M. Gignac 136,^{ID}, D.T. Gil 85b,^{ID},
 A.K. Gilbert 85a,^{ID}, B.J. Gilbert 41,^{ID}, D. Gillberg 34,^{ID}, G. Gilles 114,^{ID}, N.E.K. Gillwald 48,^{ID}, L. Ginabat 127,^{ID},
 D.M. Gingrich 2,^{ID}, M.P. Giordani 69a,69c,^{ID}, P.F. Giraud 135,^{ID}, G. Giugliarelli 69a,69c,^{ID}, D. Giugni 71a,^{ID},
 F. Giuli 36,^{ID}, I. Gkialas 9,^{ID}, L.K. Gladilin 37,^{ID}, C. Glasman 100,^{ID}, G.R. Gledhill 123,^{ID}, M. Glisic 123,
 I. Gnesi 43b,^{ID}, Y. Go 29,^{ID}, M. Goblirsch-Kolb 26,^{ID}, B. Gocke 49,^{ID}, D. Godin 108, B. Gokturk 21a,^{ID},
 S. Goldfarb 105,^{ID}, T. Golling 56,^{ID}, M.G.D. Gololo 33g, D. Golubkov 37,^{ID}, J.P. Gombas 107,^{ID}, A. Gomes 130a,130b,^{ID},
 G. Gomes Da Silva 141,^{ID}, A.J. Gomez Delegido 163,^{ID}, R. Gonçalo 130a,130c,^{ID}, G. Gonella 123,^{ID}, L. Gonella 20,^{ID},

- A. Gongadze ^{38, ID}, F. Gonnella ^{20, ID}, J.L. Gonski ^{41, ID}, R.Y. González Andana ^{52, ID}, S. González de la Hoz ^{163, ID}, S. Gonzalez Fernandez ^{13, ID}, R. Gonzalez Lopez ^{93, ID}, C. Gonzalez Renteria ^{17a, ID}, R. Gonzalez Suarez ^{161, ID}, S. Gonzalez-Sevilla ^{56, ID}, G.R. Goncalvo Rodriguez ^{163, ID}, L. Goossens ^{36, ID}, P.A. Gorbounov ^{37, ID}, B. Gorini ^{36, ID}, E. Gorini ^{70a,70b, ID}, A. Gorišek ^{94, ID}, A.T. Goshaw ^{51, ID}, M.I. Gostkin ^{38, ID}, S. Goswami ^{121, ID}, C.A. Gottardo ^{36, ID}, M. Gouighri ^{35b, ID}, V. Goumarre ^{48, ID}, A.G. Goussiou ^{138, ID}, N. Govender ^{33c, ID}, I. Grabowska-Bold ^{85a, ID}, K. Graham ^{34, ID}, E. Gramstad ^{125, ID}, S. Grancagnolo ^{18, ID}, M. Grandi ^{146, ID}, V. Gratchev ^{37, *, ID}, P.M. Gravila ^{27f, ID}, F.G. Gravili ^{70a,70b, ID}, H.M. Gray ^{17a, ID}, M. Greco ^{70a,70b, ID}, C. Grefe ^{24, ID}, I.M. Gregor ^{48, ID}, P. Grenier ^{143, ID}, C. Grieco ^{13, ID}, A.A. Grillo ^{136, ID}, K. Grimm ^{31, ID, n}, S. Grinstein ^{13, ID, v}, J.-F. Grivaz ^{66, ID}, E. Gross ^{169, ID}, J. Grosse-Knetter ^{55, ID}, C. Grud ¹⁰⁶, J.C. Grundy ^{126, ID}, L. Guan ^{106, ID}, W. Guan ^{29, ID}, C. Gubbels ^{164, ID}, J.G.R. Guerrero Rojas ^{163, ID}, G. Guerrieri ^{69a,69b, ID}, F. Guescini ^{110, ID}, R. Gugel ^{101, ID}, J.A.M. Guhit ^{106, ID}, A. Guida ^{48, ID}, T. Guillemin ^{4, ID}, E. Guilloton ^{167,134, ID}, S. Guindon ^{36, ID}, F. Guo ^{14a,14d, ID}, J. Guo ^{62c, ID}, L. Guo ^{66, ID}, Y. Guo ^{106, ID}, R. Gupta ^{48, ID}, S. Gurbuz ^{24, ID}, S.S. Gurdasani ^{54, ID}, G. Gustavino ^{36, ID}, M. Guth ^{56, ID}, P. Gutierrez ^{120, ID}, L.F. Gutierrez Zagazeta ^{128, ID}, C. Gutschow ^{97, ID}, C. Gwenlan ^{126, ID}, C.B. Gwilliam ^{93, ID}, E.S. Haaland ^{125, ID}, A. Haas ^{117, ID}, M. Habedank ^{48, ID}, C. Haber ^{17a, ID}, H.K. Hadavand ^{8, ID}, A. Hadef ^{101, ID}, S. Hadzic ^{110, ID}, E.H. Haines ^{97, ID}, M. Haleem ^{166, ID}, J. Haley ^{121, ID}, J.J. Hall ^{139, ID}, G.D. Hallewell ^{90, ID}, L. Halser ^{19, ID}, K. Hamano ^{165, ID}, H. Hamdaoui ^{35e, ID}, M. Hamer ^{24, ID}, G.N. Hamity ^{52, ID}, E.J. Hampshire ^{96, ID}, J. Han ^{62b, ID}, K. Han ^{62a, ID}, L. Han ^{14c, ID}, L. Han ^{62a, ID}, S. Han ^{17a, ID}, Y.F. Han ^{155, ID}, K. Hanagaki ^{83, ID}, M. Hance ^{136, ID}, D.A. Hangal ^{41, ID, ae}, H. Hanif ^{142, ID}, M.D. Hank ^{128, ID}, R. Hankache ^{102, ID}, J.B. Hansen ^{42, ID}, J.D. Hansen ^{42, ID}, P.H. Hansen ^{42, ID}, K. Hara ^{157, ID}, D. Harada ^{56, ID}, T. Harenberg ^{171, ID}, S. Harkusha ^{37, ID}, Y.T. Harris ^{126, ID}, N.M. Harrison ^{119, ID}, P.F. Harrison ¹⁶⁷, N.M. Hartman ^{143, ID}, N.M. Hartmann ^{109, ID}, Y. Hasegawa ^{140, ID}, A. Hasib ^{52, ID}, S. Haug ^{19, ID}, R. Hauser ^{107, ID}, M. Havranek ^{132, ID}, C.M. Hawkes ^{20, ID}, R.J. Hawkings ^{36, ID}, S. Hayashida ^{111, ID}, D. Hayden ^{107, ID}, C. Hayes ^{106, ID}, R.L. Hayes ^{114, ID}, C.P. Hays ^{126, ID}, J.M. Hays ^{95, ID}, H.S. Hayward ^{93, ID}, F. He ^{62a, ID}, Y. He ^{154, ID}, Y. He ^{127, ID}, N.B. Heatley ^{95, ID}, V. Hedberg ^{99, ID}, A.L. Heggelund ^{125, ID}, N.D. Hehir ^{95, ID}, C. Heidegger ^{54, ID}, K.K. Heidegger ^{54, ID}, W.D. Heidorn ^{81, ID}, J. Heilman ^{34, ID}, S. Heim ^{48, ID}, T. Heim ^{17a, ID}, J.G. Heinlein ^{128, ID}, J.J. Heinrich ^{123, ID}, L. Heinrich ^{110, ID, ag}, J. Hejbal ^{131, ID}, L. Helary ^{48, ID}, A. Held ^{170, ID}, S. Hellesund ^{16, ID}, C.M. Helling ^{164, ID}, S. Hellman ^{47a,47b, ID}, C. Helsens ^{36, ID}, R.C.W. Henderson ⁹², L. Henkelmann ^{32, ID}, A.M. Henriques Correia ³⁶, H. Herde ^{99, ID}, Y. Hernández Jiménez ^{145, ID}, L.M. Herrmann ^{24, ID}, T. Herrmann ^{50, ID}, G. Herten ^{54, ID}, R. Hertenberger ^{109, ID}, L. Hervas ^{36, ID}, N.P. Hessey ^{156a, ID}, H. Hibi ^{84, ID}, S.J. Hillier ^{20, ID}, F. Hinterkeuser ^{24, ID}, M. Hirose ^{124, ID}, S. Hirose ^{157, ID}, D. Hirschbuehl ^{171, ID}, T.G. Hitchings ^{102, ID}, B. Hiti ^{94, ID}, J. Hobbs ^{145, ID}, R. Hobincu ^{27e, ID}, N. Hod ^{169, ID}, M.C. Hodgkinson ^{139, ID}, B.H. Hodgkinson ^{32, ID}, A. Hoecker ^{36, ID}, J. Hofer ^{48, ID}, T. Holm ^{24, ID}, M. Holzbock ^{110, ID}, L.B.A.H. Hommels ^{32, ID}, B.P. Honan ^{102, ID}, J. Hong ^{62c, ID}, T.M. Hong ^{129, ID}, J.C. Honig ^{54, ID}, B.H. Hooberman ^{162, ID}, W.H. Hopkins ^{6, ID}, Y. Horii ^{111, ID}, S. Hou ^{148, ID}, A.S. Howard ^{94, ID}, J. Howarth ^{59, ID}, J. Hoya ^{6, ID}, M. Hrabovsky ^{122, ID}, A. Hrynevich ^{48, ID}, T. Hrynevich ^{4, ID}, P.J. Hsu ^{65, ID}, S.-C. Hsu ^{138, ID}, Q. Hu ^{41, ID}, Y.F. Hu ^{14a,14d, ID, ak}, D.P. Huang ^{97, ID}, S. Huang ^{64b, ID}, X. Huang ^{14c, ID}, Y. Huang ^{62a, ID}, Y. Huang ^{14a, ID}, Z. Huang ^{102, ID}, Z. Hubacek ^{132, ID}, M. Huebner ^{24, ID}, F. Huegging ^{24, ID}, T.B. Huffman ^{126, ID}, M. Huhtinen ^{36, ID}, S.K. Huiberts ^{16, ID}, R. Hulskens ^{104, ID}, N. Huseynov ^{12, ID, a}, J. Huston ^{107, ID}, J. Huth ^{61, ID}, R. Hyneman ^{143, ID}, G. Iacobucci ^{56, ID}, G. Iakovidis ^{29, ID}, I. Ibragimov ^{141, ID}, L. Iconomidou-Fayard ^{66, ID}, P. Iengo ^{72a,72b, ID}, R. Iguchi ^{153, ID}, T. Iizawa ^{56, ID}, Y. Ikegami ^{83, ID}, A. Ilg ^{19, ID}, N. Ilic ^{155, ID}, H. Imam ^{35a, ID}, T. Ingebretsen Carlson ^{47a,47b, ID}, G. Introzzi ^{73a,73b, ID}, M. Iodice ^{77a, ID}, V. Ippolito ^{75a,75b, ID}, M. Ishino ^{153, ID}, W. Islam ^{170, ID}, C. Issever ^{18,48, ID}, S. Istin ^{21a, ID, an}, H. Ito ^{168, ID}, J.M. Iturbe Ponce ^{64a, ID}, R. Iuppa ^{78a,78b, ID}, A. Ivina ^{169, ID}, J.M. Izen ^{45, ID}, V. Izzo ^{72a, ID}, P. Jacka ^{131,132, ID}, P. Jackson ^{1, ID}, R.M. Jacobs ^{48, ID}, B.P. Jaeger ^{142, ID}, C.S. Jagfeld ^{109, ID}, P. Jain ^{54, ID}, G. Jäkel ^{171, ID}, K. Jakobs ^{54, ID}, T. Jakoubek ^{169, ID}, J. Jamieson ^{59, ID},

- K.W. Janas^{85a, ID}, A.E. Jaspan^{93, ID}, M. Javurkova^{103, ID}, F. Jeanneau^{135, ID}, L. Jeanty^{123, ID}, J. Jejelava^{149a, ID, ac}, P. Jenni^{54, ID, h}, C.E. Jessiman^{34, ID}, S. Jézéquel^{4, ID}, C. Jia^{62b}, J. Jia^{145, ID}, X. Jia^{61, ID}, X. Jia^{14a,14d, ID}, Z. Jia^{14c, ID}, Y. Jiang^{62a}, S. Jiggins^{48, ID}, J. Jimenez Pena^{110, ID}, S. Jin^{14c, ID}, A. Jinaru^{27b, ID}, O. Jinnouchi^{154, ID}, P. Johansson^{139, ID}, K.A. Johns^{7, ID}, J.W. Johnson^{136, ID}, D.M. Jones^{32, ID}, E. Jones^{167, ID}, P. Jones^{32, ID}, R.W.L. Jones^{92, ID}, T.J. Jones^{93, ID}, R. Joshi^{119, ID}, J. Jovicevic^{15, ID}, X. Ju^{17a, ID}, J.J. Junggeburth^{36, ID}, T. Junkermann^{63a, ID}, A. Juste Rozas^{13, ID, v}, S. Kabana^{137e, ID}, A. Kaczmarska^{86, ID}, M. Kado^{110, ID}, H. Kagan^{119, ID}, M. Kagan^{143, ID}, A. Kahn⁴¹, A. Kahn^{128, ID}, C. Kahra^{101, ID}, T. Kaji^{168, ID}, E. Kajomovitz^{150, ID}, N. Kakati^{169, ID}, C.W. Kalderon^{29, ID}, A. Kamenshchikov^{155, ID}, S. Kanayama^{154, ID}, N.J. Kang^{136, ID}, D. Kar^{33g, ID}, K. Karava^{126, ID}, M.J. Kareem^{156b, ID}, E. Karentzos^{54, ID}, I. Karkalias^{152, ID, f}, S.N. Karpov^{38, ID}, Z.M. Karpova^{38, ID}, V. Kartvelishvili^{92, ID}, A.N. Karyukhin^{37, ID}, E. Kasimi^{152, ID, f}, J. Katzy^{48, ID}, S. Kaur^{34, ID}, K. Kawade^{140, ID}, T. Kawamoto^{135, ID}, G. Kawamura⁵⁵, E.F. Kay^{165, ID}, F.I. Kaya^{158, ID}, S. Kazakos^{13, ID}, V.F. Kazanin^{37, ID}, Y. Ke^{145, ID}, J.M. Keaveney^{33a, ID}, R. Keeler^{165, ID}, G.V. Kehris^{61, ID}, J.S. Keller^{34, ID}, A.S. Kelly⁹⁷, D. Kelsey^{146, ID}, J.J. Kempster^{146, ID}, K.E. Kennedy^{41, ID}, P.D. Kennedy^{101, ID}, O. Kepka^{131, ID}, B.P. Kerridge^{167, ID}, S. Kersten^{171, ID}, B.P. Kerševan^{94, ID}, S. Keshri^{66, ID}, L. Keszeghova^{28a, ID}, S. Katabchi Haghight^{155, ID}, M. Khandoga^{127, ID}, A. Khanov^{121, ID}, A.G. Kharlamov^{37, ID}, T. Kharlamova^{37, ID}, E.E. Khoda^{138, ID}, T.J. Khoo^{18, ID}, G. Khoriauli^{166, ID}, J. Khubua^{149b, ID}, Y.A.R. Khwaira^{66, ID}, M. Kiehn^{36, ID}, A. Kilgallon^{123, ID}, D.W. Kim^{47a,47b, ID}, E. Kim^{154, ID}, Y.K. Kim^{39, ID}, N. Kimura^{97, ID}, A. Kirchhoff^{55, ID}, C. Kirfel^{24, ID}, J. Kirk^{134, ID}, A.E. Kiryunin^{110, ID}, T. Kishimoto^{153, ID}, D.P. Kisliuk¹⁵⁵, C. Kitsaki^{10, ID}, O. Kiverny^{24, ID}, M. Klassen^{63a, ID}, C. Klein^{34, ID}, L. Klein^{166, ID}, M.H. Klein^{106, ID}, M. Klein^{93, ID}, S.B. Klein^{56, ID}, U. Klein^{93, ID}, P. Klimek^{36, ID}, A. Klimentov^{29, ID}, F. Klimpel^{110, ID}, T. Klioutchnikova^{36, ID}, P. Kluit^{114, ID}, S. Kluth^{110, ID}, E. Knerner^{79, ID}, T.M. Knight^{155, ID}, A. Knue^{54, ID}, R. Kobayashi^{87, ID}, M. Kocian^{143, ID}, P. Kodyš^{133, ID}, D.M. Koeck^{146, ID}, P.T. Koenig^{24, ID}, T. Koffas^{34, ID}, M. Kolb^{135, ID}, I. Koletsou^{4, ID}, T. Komarek^{122, ID}, K. Köneke^{54, ID}, A.X.Y. Kong^{1, ID}, T. Kono^{118, ID}, N. Konstantinidis^{97, ID}, B. Konya^{99, ID}, R. Kopeliansky^{68, ID}, S. Koperny^{85a, ID}, K. Korcyl^{86, ID}, K. Kordas^{152, ID, f}, G. Koren^{151, ID}, A. Korn^{97, ID}, S. Korn^{55, ID}, I. Korolkov^{13, ID}, N. Korotkova^{37, ID}, B. Kortman^{114, ID}, O. Kortner^{110, ID}, S. Kortner^{110, ID}, W.H. Kostecka^{115, ID}, V.V. Kostyukhin^{141, ID}, A. Kotsokechagia^{135, ID}, A. Kotwal^{51, ID}, A. Koulouris^{36, ID}, A. Kourkoumeli-Charalampidi^{73a,73b, ID}, C. Kourkoumelis^{9, ID}, E. Kourlitis^{6, ID}, O. Kovanda^{146, ID}, R. Kowalewski^{165, ID}, W. Kozanecki^{135, ID}, A.S. Kozhin^{37, ID}, V.A. Kramarenko^{37, ID}, G. Kramberger^{94, ID}, P. Kramer^{101, ID}, M.W. Krasny^{127, ID}, A. Krasznahorkay^{36, ID}, J.A. Kremer^{101, ID}, T. Kresse^{50, ID}, J. Kretzschmar^{93, ID}, K. Kreul^{18, ID}, P. Krieger^{155, ID}, S. Krishnamurthy^{103, ID}, M. Krivos^{133, ID}, K. Krizka^{20, ID}, K. Kroeninger^{49, ID}, H. Kroha^{110, ID}, J. Kroll^{131, ID}, J. Kroll^{128, ID}, K.S. Krowpman^{107, ID}, U. Kruchonak^{38, ID}, H. Krüger^{24, ID}, N. Krumnack⁸¹, M.C. Kruse^{51, ID}, J.A. Krzysiak^{86, ID}, O. Kuchinskaia^{37, ID}, S. Kuday^{3a, ID}, S. Kuehn^{36, ID}, R. Kuesters^{54, ID}, T. Kuhl^{48, ID}, V. Kukhtin^{38, ID}, Y. Kulchitsky^{37, ID, a}, S. Kuleshov^{137d,137b, ID}, M. Kumar^{33g, ID}, N. Kumari^{90, ID}, A. Kupco^{131, ID}, T. Kupfer⁴⁹, A. Kupich^{37, ID}, O. Kuprash^{54, ID}, H. Kurashige^{84, ID}, L.L. Kurchaninov^{156a, ID}, Y.A. Kurochkin^{37, ID}, A. Kurova^{37, ID}, M. Kuze^{154, ID}, A.K. Kvam^{103, ID}, J. Kvita^{122, ID}, T. Kwan^{104, ID}, N.G. Kyriacou^{106, ID}, L.A.O. Laatu^{90, ID}, C. Lacasta^{163, ID}, F. Lacava^{75a,75b, ID}, H. Lacker^{18, ID}, D. Lacour^{127, ID}, N.N. Lad^{97, ID}, E. Ladygin^{38, ID}, B. Laforge^{127, ID}, T. Lagouri^{137e, ID}, S. Lai^{55, ID}, I.K. Lakomiec^{85a, ID}, N. Lalloue^{60, ID}, J.E. Lambert^{120, ID}, S. Lammers^{68, ID}, W. Lampl^{7, ID}, C. Lampoudis^{152, ID, f}, A.N. Lancaster^{115, ID}, E. Lançon^{29, ID}, U. Landgraf^{54, ID}, M.P.J. Landon^{95, ID}, V.S. Lang^{54, ID}, R.J. Langenberg^{103, ID}, A.J. Lankford^{160, ID}, F. Lanni^{36, ID}, K. Lantzsch^{24, ID}, A. Lanza^{73a, ID}, A. Lapertosa^{57b,57a, ID}, J.F. Laporte^{135, ID}, T. Lari^{71a, ID}, F. Lasagni Manghi^{23b, ID}, M. Lassnig^{36, ID}, V. Latonova^{131, ID}, A. Laudrain^{101, ID}, A. Laurier^{150, ID}, S.D. Lawlor^{96, ID}, Z. Lawrence^{102, ID}, M. Lazzaroni^{71a,71b, ID}, B. Le¹⁰², E.M. Le Boulicaut^{51, ID}, B. Leban^{94, ID}, A. Lebedev^{81, ID}, M. LeBlanc^{36, ID}, F. Ledroit-Guillon^{60, ID}, A.C.A. Lee⁹⁷, G.R. Lee^{16, ID}, S.C. Lee^{148, ID}, S. Lee^{47a,47b, ID}, T.F. Lee^{93, ID}, L.L. Leeuw^{33c, ID}, H.P. Lefebvre^{96, ID}, M. Lefebvre^{165, ID},

- C. Leggett 17a,^{ID}, K. Lehmann 142,^{ID}, G. Lehmann Miotto 36,^{ID}, M. Leigh 56,^{ID}, W.A. Leight 103,^{ID}, A. Leisos 152,^{ID,u},
 M.A.L. Leite 82c,^{ID}, C.E. Leitgeb 48,^{ID}, R. Leitner 133,^{ID}, K.J.C. Leney 44,^{ID}, T. Lenz 24,^{ID}, S. Leone 74a,^{ID},
 C. Leonidopoulos 52,^{ID}, A. Leopold 144,^{ID}, C. Leroy 108,^{ID}, R. Les 107,^{ID}, C.G. Lester 32,^{ID}, M. Levchenko 37,^{ID},
 J. Levêque 4,^{ID}, D. Levin 106,^{ID}, L.J. Levinson 169,^{ID}, M.P. Lewicki 86,^{ID}, D.J. Lewis 4,^{ID}, A. Li 5,^{ID}, B. Li 62b,^{ID},
 C. Li 62a,^{ID}, C.-Q. Li 62c,^{ID}, H. Li 62a,^{ID}, H. Li 62b,^{ID}, H. Li 14c,^{ID}, H. Li 62b,^{ID}, J. Li 62c,^{ID}, K. Li 138,^{ID}, L. Li 62c,^{ID},
 M. Li 14a,14d,^{ID}, Q.Y. Li 62a,^{ID}, S. Li 14a,14d,^{ID}, S. Li 62d,62c,^{ID,e}, T. Li 62b,^{ID}, X. Li 104,^{ID}, Z. Li 62b,^{ID}, Z. Li 126,^{ID}, Z. Li 104,^{ID},
 Z. Li 93,^{ID}, Z. Li 14a,14d,^{ID}, Z. Liang 14a,^{ID}, M. Liberatore 48,^{ID}, B. Liberti 76a,^{ID}, K. Lie 64c,^{ID}, J. Lieber Marin 82b,^{ID},
 H. Lien 68,^{ID}, K. Lin 107,^{ID}, R.A. Linck 68,^{ID}, R.E. Lindley 7,^{ID}, J.H. Lindon 2,^{ID}, A. Linss 48,^{ID}, E. Lipeles 128,^{ID},
 A. Lipniacka 16,^{ID}, A. Lister 164,^{ID}, J.D. Little 4,^{ID}, B. Liu 14a,^{ID}, B.X. Liu 142,^{ID}, D. Liu 62d,62c,^{ID}, J.B. Liu 62a,^{ID},
 J.K.K. Liu 32,^{ID}, K. Liu 62d,62c,^{ID}, M. Liu 62a,^{ID}, M.Y. Liu 62a,^{ID}, P. Liu 14a,^{ID}, Q. Liu 62d,138,62c,^{ID}, X. Liu 62a,^{ID},
 Y. Liu 14c,14d,^{ID}, Y.L. Liu 106,^{ID}, Y.W. Liu 62a,^{ID}, J. Llorente Merino 142,^{ID}, S.L. Lloyd 95,^{ID}, E.M. Lobodzinska 48,^{ID},
 P. Loch 7,^{ID}, S. Loffredo 76a,76b,^{ID}, T. Lohse 18,^{ID}, K. Lohwasser 139,^{ID}, E. Loiacono 48,^{ID}, M. Lokajicek 131,^{ID,*},
 J.D. Long 162,^{ID}, I. Longarini 160,^{ID}, L. Longo 70a,70b,^{ID}, R. Longo 162,^{ID}, I. Lopez Paz 67,^{ID}, A. Lopez Solis 48,^{ID},
 J. Lorenz 109,^{ID}, N. Lorenzo Martinez 4,^{ID}, A.M. Lory 109,^{ID}, X. Lou 47a,47b,^{ID}, X. Lou 14a,14d,^{ID}, A. Lounis 66,^{ID},
 J. Love 6,^{ID}, P.A. Love 92,^{ID}, G. Lu 14a,14d,^{ID}, M. Lu 80,^{ID}, S. Lu 128,^{ID}, Y.J. Lu 65,^{ID}, H.J. Lubatti 138,^{ID}, C. Luci 75a,75b,^{ID},
 F.L. Lucio Alves 14c,^{ID}, A. Lucotte 60,^{ID}, F. Luehring 68,^{ID}, I. Luise 145,^{ID}, O. Lukianchuk 66,^{ID}, O. Lundberg 144,^{ID},
 B. Lund-Jensen 144,^{ID}, N.A. Luongo 123,^{ID}, M.S. Lutz 151,^{ID}, D. Lynn 29,^{ID}, H. Lyons 93,^{ID}, R. Lysak 131,^{ID}, E. Lytken 99,^{ID},
 V. Lyubushkin 38,^{ID}, T. Lyubushkina 38,^{ID}, M.M. Lyukova 145,^{ID}, H. Ma 29,^{ID}, L.L. Ma 62b,^{ID}, Y. Ma 97,^{ID},
 D.M. Mac Donell 165,^{ID}, G. Maccarrone 53,^{ID}, J.C. MacDonald 139,^{ID}, R. Madar 40,^{ID}, W.F. Mader 50,^{ID},
 J. Maeda 84,^{ID}, T. Maeno 29,^{ID}, M. Maerker 50,^{ID}, H. Maguire 139,^{ID}, A. Maio 130a,130b,130d,^{ID}, K. Maj 85a,^{ID},
 O. Majersky 48,^{ID}, S. Majewski 123,^{ID}, N. Makovec 66,^{ID}, V. Maksimovic 15,^{ID}, B. Malaescu 127,^{ID}, Pa. Malecki 86,^{ID},
 V.P. Maleev 37,^{ID}, F. Malek 60,^{ID}, D. Malito 43b,43a,^{ID}, U. Mallik 80,^{ID}, C. Malone 32,^{ID}, S. Maltezos 10,^{ID}, S. Malyukov 38,^{ID},
 J. Mamuzic 13,^{ID}, G. Mancini 53,^{ID}, G. Manco 73a,73b,^{ID}, J.P. Mandalia 95,^{ID}, I. Mandić 94,^{ID},
 L. Manhaes de Andrade Filho 82a,^{ID}, I.M. Maniatis 169,^{ID}, J. Manjarres Ramos 90,^{ID,ad}, D.C. Mankad 169,^{ID},
 A. Mann 109,^{ID}, B. Mansoulie 135,^{ID}, S. Manzoni 36,^{ID}, A. Marantis 152,^{ID,u}, G. Marchiori 5,^{ID}, M. Marcisovsky 131,^{ID},
 C. Marcon 71a,71b,^{ID}, M. Marinescu 20,^{ID}, M. Marjanovic 120,^{ID}, E.J. Marshall 92,^{ID}, Z. Marshall 17a,^{ID},
 S. Marti-Garcia 163,^{ID}, T.A. Martin 167,^{ID}, V.J. Martin 52,^{ID}, B. Martin dit Latour 16,^{ID}, L. Martinelli 75a,75b,^{ID},
 M. Martinez 13,^{ID,v}, P. Martinez Agullo 163,^{ID}, V.I. Martinez Outschoorn 103,^{ID}, P. Martinez Suarez 13,^{ID},
 S. Martin-Haugh 134,^{ID}, V.S. Martoiu 27b,^{ID}, A.C. Martyniuk 97,^{ID}, A. Marzin 36,^{ID}, S.R. Maschek 110,^{ID},
 D. Mascione 78a,78b,^{ID}, L. Masetti 101,^{ID}, T. Mashimo 153,^{ID}, J. Masik 102,^{ID}, A.L. Maslennikov 37,^{ID}, L. Massa 23b,^{ID},
 P. Massarotti 72a,72b,^{ID}, P. Mastrandrea 74a,74b,^{ID}, A. Mastroberardino 43b,43a,^{ID}, T. Masubuchi 153,^{ID},
 T. Mathisen 161,^{ID}, N. Matsuzawa 153, J. Maurer 27b,^{ID}, B. Maček 94,^{ID}, D.A. Maximov 37,^{ID}, R. Mazini 148,^{ID},
 I. Maznas 152,^{ID,f}, M. Mazza 107,^{ID}, S.M. Mazza 136,^{ID}, C. Mc Ginn 29,^{ID}, J.P. Mc Gowan 104,^{ID}, S.P. Mc Kee 106,^{ID},
 E.F. McDonald 105,^{ID}, A.E. McDougall 114,^{ID}, J.A. Mcfayden 146,^{ID}, G. Mchedlidze 149b,^{ID}, R.P. Mckenzie 33g,^{ID},
 T.C. Mclachlan 48,^{ID}, D.J. McLaughlin 97,^{ID}, K.D. McLean 165,^{ID}, S.J. McMahon 134,^{ID}, P.C. McNamara 105,^{ID},
 C.M. Mcpartland 93,^{ID}, R.A. McPherson 165,^{ID,z}, T. Megy 40,^{ID}, S. Mehlhase 109,^{ID}, A. Mehta 93,^{ID}, D. Melini 150,^{ID},
 B.R. Mellado Garcia 33g,^{ID}, A.H. Melo 55,^{ID}, F. Meloni 48,^{ID}, A.M. Mendes Jacques Da Costa 102,^{ID}, H.Y. Meng 155,^{ID},
 L. Meng 92,^{ID}, S. Menke 110,^{ID}, M. Mentink 36,^{ID}, E. Meoni 43b,43a,^{ID}, C. Merlassino 126,^{ID}, L. Merola 72a,72b,^{ID},
 C. Meroni 71a,71b,^{ID}, G. Merz 106, O. Meshkov 37,^{ID}, J. Metcalfe 6,^{ID}, A.S. Mete 6,^{ID}, C. Meyer 68,^{ID}, J.-P. Meyer 135,^{ID},
 R.P. Middleton 134,^{ID}, L. Mijović 52,^{ID}, G. Mikenberg 169,^{ID}, M. Mikestikova 131,^{ID}, M. Mikuž 94,^{ID}, H. Mildner 139,^{ID},
 A. Milic 36,^{ID}, C.D. Milke 44,^{ID}, D.W. Miller 39,^{ID}, L.S. Miller 34,^{ID}, A. Milov 169,^{ID}, D.A. Milstead 47a,47b,^{ID}, T. Min 14c,
 A.A. Minaenko 37,^{ID}, I.A. Minashvili 149b,^{ID}, L. Mince 59,^{ID}, A.I. Mincer 117,^{ID}, B. Mindur 85a,^{ID}, M. Mineev 38,^{ID},
 Y. Mino 87,^{ID}, L.M. Mir 13,^{ID}, M. Miralles Lopez 163,^{ID}, M. Mironova 126,^{ID}, M.C. Missio 113,^{ID}, T. Mitani 168,^{ID},

- A. Mitra ^{167, ID}, V.A. Mitsou ^{163, ID}, O. Miu ^{155, ID}, P.S. Miyagawa ^{95, ID}, Y. Miyazaki ⁸⁹, A. Mizukami ^{83, ID},
 T. Mkrtchyan ^{63a, ID}, M. Mlinarevic ^{97, ID}, T. Mlinarevic ^{97, ID}, M. Mlynarikova ^{36, ID}, S. Mobius ^{55, ID},
 K. Mochizuki ^{108, ID}, P. Moder ^{48, ID}, P. Mogg ^{109, ID}, A.F. Mohammed ^{14a,14d, ID}, S. Mohapatra ^{41, ID},
 G. Mokgatitswane ^{33g, ID}, B. Mondal ^{141, ID}, S. Mondal ^{132, ID}, K. Mönig ^{48, ID}, E. Monnier ^{90, ID},
 L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ^{83, ID}, M. Montella ^{119, ID}, F. Monticelli ^{91, ID}, N. Morange ^{66, ID},
 A.L. Moreira De Carvalho ^{130a, ID}, M. Moreno Llácer ^{163, ID}, C. Moreno Martinez ^{56, ID}, P. Morettini ^{57b, ID},
 S. Morgenstern ^{167, ID}, M. Morii ^{61, ID}, M. Morinaga ^{153, ID}, A.K. Morley ^{36, ID}, F. Morodei ^{75a,75b, ID}, L. Morvaj ^{36, ID},
 P. Moschovakos ^{36, ID}, B. Moser ^{36, ID}, M. Mosidze ^{149b}, T. Moskalets ^{54, ID}, P. Moskvitina ^{113, ID}, J. Moss ^{31, ID, o},
 E.J.W. Moyse ^{103, ID}, O. Mtintsilana ^{33g, ID}, S. Muanza ^{90, ID}, J. Mueller ^{129, ID}, D. Muenstermann ^{92, ID},
 R. Müller ^{19, ID}, G.A. Mullier ^{161, ID}, J.J. Mullin ¹²⁸, D.P. Mungo ^{155, ID}, J.L. Munoz Martinez ^{13, ID},
 D. Munoz Perez ^{163, ID}, F.J. Munoz Sanchez ^{102, ID}, M. Murin ^{102, ID}, W.J. Murray ^{167,134, ID}, A. Murrone ^{71a,71b, ID},
 J.M. Muse ^{120, ID}, M. Muškinja ^{17a, ID}, C. Mwewa ^{29, ID}, A.G. Myagkov ^{37, ID, a}, A.J. Myers ^{8, ID}, A.A. Myers ¹²⁹,
 G. Myers ^{68, ID}, M. Myska ^{132, ID}, B.P. Nachman ^{17a, ID}, O. Nackenhorst ^{49, ID}, A. Nag ^{50, ID}, K. Nagai ^{126, ID},
 K. Nagano ^{83, ID}, J.L. Nagle ^{29, ID, al}, E. Nagy ^{90, ID}, A.M. Nairz ^{36, ID}, Y. Nakahama ^{83, ID}, K. Nakamura ^{83, ID},
 H. Nanjo ^{124, ID}, R. Narayan ^{44, ID}, E.A. Narayanan ^{112, ID}, I. Naryshkin ^{37, ID}, M. Naseri ^{34, ID}, C. Nass ^{24, ID},
 G. Navarro ^{22a, ID}, J. Navarro-Gonzalez ^{163, ID}, R. Nayak ^{151, ID}, A. Nayaz ^{18, ID}, P.Y. Nechaeva ^{37, ID},
 F. Nechansky ^{48, ID}, L. Nedic ^{126, ID}, T.J. Neep ^{20, ID}, A. Negri ^{73a,73b, ID}, M. Negrini ^{23b, ID}, C. Nellist ^{114, ID},
 C. Nelson ^{104, ID}, K. Nelson ^{106, ID}, S. Nemecek ^{131, ID}, M. Nessi ^{36, ID, i}, M.S. Neubauer ^{162, ID}, F. Neuhaus ^{101, ID},
 J. Neundorf ^{48, ID}, R. Newhouse ^{164, ID}, P.R. Newman ^{20, ID}, C.W. Ng ^{129, ID}, Y.W.Y. Ng ^{48, ID}, B. Ngair ^{35e, ID},
 H.D.N. Nguyen ^{108, ID}, R.B. Nickerson ^{126, ID}, R. Nicolaïdou ^{135, ID}, J. Nielsen ^{136, ID}, M. Niemeyer ^{55, ID},
 N. Nikiforou ^{36, ID}, V. Nikolaenko ^{37, ID, a}, I. Nikolic-Audit ^{127, ID}, K. Nikolopoulos ^{20, ID}, P. Nilsson ^{29, ID}, I. Ninca ^{48, ID},
 H.R. Nindhito ^{56, ID}, G. Ninio ^{151, ID}, A. Nisati ^{75a, ID}, N. Nishu ^{2, ID}, R. Nisius ^{110, ID}, J-E. Nitschke ^{50, ID},
 E.K. Nkadijeng ^{33g, ID}, S.J. Noacco Rosende ^{91, ID}, T. Nobe ^{153, ID}, D.L. Noel ^{32, ID}, Y. Noguchi ^{87, ID},
 T. Nommensen ^{147, ID}, M.A. Nomura ²⁹, M.B. Norfolk ^{139, ID}, R.R.B. Norisam ^{97, ID}, B.J. Norman ^{34, ID}, J. Novak ^{94, ID},
 T. Novak ^{48, ID}, L. Novotny ^{132, ID}, R. Novotny ^{112, ID}, L. Nozka ^{122, ID}, K. Ntekas ^{160, ID},
 N.M.J. Nunes De Moura Junior ^{82b, ID}, E. Nurse ⁹⁷, J. Ocariz ^{127, ID}, A. Ochi ^{84, ID}, I. Ochoa ^{130a, ID}, S. Oerdekk ^{161, ID},
 J.T. Offermann ^{39, ID}, A. Ogrodnik ^{85a, ID}, A. Oh ^{102, ID}, C.C. Ohm ^{144, ID}, H. Oide ^{83, ID}, R. Oishi ^{153, ID},
 M.L. Ojeda ^{48, ID}, Y. Okazaki ^{87, ID}, M.W. O'Keefe ⁹³, Y. Okumura ^{153, ID}, L.F. Oleiro Seabra ^{130a, ID},
 S.A. Olivares Pino ^{137d, ID}, D. Oliveira Damazio ^{29, ID}, D. Oliveira Goncalves ^{82a, ID}, J.L. Oliver ^{160, ID},
 M.J.R. Olsson ^{160, ID}, A. Olszewski ^{86, ID}, J. Olszowska ^{86, ID, *}, Ö.O. Öncel ^{54, ID}, D.C. O'Neil ^{142, ID}, A.P. O'Neill ^{19, ID},
 A. Onofre ^{130a,130e, ID}, P.U.E. Onyisi ^{11, ID}, M.J. Oreglia ^{39, ID}, G.E. Orellana ^{91, ID}, D. Orestano ^{77a,77b, ID},
 N. Orlando ^{13, ID}, R.S. Orr ^{155, ID}, V. O'Shea ^{59, ID}, R. Ospanov ^{62a, ID}, G. Otero y Garzon ^{30, ID}, H. Otono ^{89, ID},
 P.S. Ott ^{63a, ID}, G.J. Ottino ^{17a, ID}, M. Ouchrif ^{35d, ID}, J. Ouellette ^{29, ID}, F. Ould-Saada ^{125, ID}, M. Owen ^{59, ID},
 R.E. Owen ^{134, ID}, K.Y. Oyulmaz ^{21a, ID}, V.E. Ozcan ^{21a, ID}, N. Ozturk ^{8, ID}, S. Ozturk ^{21d, ID}, H.A. Pacey ^{32, ID},
 A. Pacheco Pages ^{13, ID}, C. Padilla Aranda ^{13, ID}, G. Padovano ^{75a,75b, ID}, S. Pagan Griso ^{17a, ID}, G. Palacino ^{68, ID},
 A. Palazzo ^{70a,70b, ID}, S. Palestini ^{36, ID}, J. Pan ^{172, ID}, T. Pan ^{64a, ID}, D.K. Panchal ^{11, ID}, C.E. Pandini ^{114, ID},
 J.G. Panduro Vazquez ^{96, ID}, H. Pang ^{14b, ID}, P. Pani ^{48, ID}, G. Panizzo ^{69a,69c, ID}, L. Paolozzi ^{56, ID}, C. Papadatos ^{108, ID},
 S. Parajuli ^{44, ID}, A. Paramonov ^{6, ID}, C. Paraskevopoulos ^{10, ID}, D. Paredes Hernandez ^{64b, ID}, T.H. Park ^{155, ID},
 M.A. Parker ^{32, ID}, F. Parodi ^{57b,57a, ID}, E.W. Parrish ^{115, ID}, V.A. Parrish ^{52, ID}, J.A. Parsons ^{41, ID}, U. Parzefall ^{54, ID},
 B. Pascual Dias ^{108, ID}, L. Pascual Dominguez ^{151, ID}, F. Pasquali ^{114, ID}, E. Pasqualucci ^{75a, ID}, S. Passaggio ^{57b, ID},
 F. Pastore ^{96, ID}, P. Pasuwan ^{47a,47b, ID}, P. Patel ^{86, ID}, U.M. Patel ^{51, ID}, J.R. Pater ^{102, ID}, T. Pauly ^{36, ID},
 J. Pearkes ^{143, ID}, M. Pedersen ^{125, ID}, R. Pedro ^{130a, ID}, S.V. Peleganchuk ^{37, ID}, O. Penc ^{36, ID}, E.A. Pender ^{52, ID},
 H. Peng ^{62a, ID}, K.E. Penski ^{109, ID}, M. Penzin ^{37, ID}, B.S. Peralva ^{82d, ID}, A.P. Pereira Peixoto ^{60, ID},

- L. Pereira Sanchez ^{47a,47b, ID}, D.V. Perepelitsa ^{29, ID, al}, E. Perez Codina ^{156a, ID}, M. Perganti ^{10, ID}, L. Perini ^{71a,71b, ID, *},
 H. Pernegger ^{36, ID}, A. Perrevoort ^{113, ID}, O. Perrin ^{40, ID}, K. Peters ^{48, ID}, R.F.Y. Peters ^{102, ID}, B.A. Petersen ^{36, ID},
 T.C. Petersen ^{42, ID}, E. Petit ^{90, ID}, V. Petousis ^{132, ID}, C. Petridou ^{152, ID, f}, A. Petrukhin ^{141, ID}, M. Pettee ^{17a, ID},
 N.E. Pettersson ^{36, ID}, A. Petukhov ^{37, ID}, K. Petukhova ^{133, ID}, A. Peyaud ^{135, ID}, R. Pezao ^{137f, ID}, L. Pezzotti ^{36, ID},
 G. Pezzullo ^{172, ID}, T.M. Pham ^{170, ID}, T. Pham ^{105, ID}, P.W. Phillips ^{134, ID}, M.W. Phipps ^{162, ID}, G. Piacquadio ^{145, ID},
 E. Pianori ^{17a, ID}, F. Piazza ^{71a,71b, ID}, R. Piegaia ^{30, ID}, D. Pietreanu ^{27b, ID}, A.D. Pilkington ^{102, ID},
 M. Pinamonti ^{69a,69c, ID}, J.L. Pinfold ^{2, ID}, B.C. Pinheiro Pereira ^{130a, ID}, C. Pitman Donaldson ⁹⁷, D.A. Pizzi ^{34, ID},
 L. Pizzimento ^{76a,76b, ID}, A. Pizzini ^{114, ID}, M.-A. Pleier ^{29, ID}, V. Plesanovs ⁵⁴, V. Pleskot ^{133, ID}, E. Plotnikova ³⁸,
 G. Poddar ^{4, ID}, R. Poettgen ^{99, ID}, L. Poggioli ^{127, ID}, D. Pohl ^{24, ID}, I. Pokharel ^{55, ID}, S. Polacek ^{133, ID},
 G. Polesello ^{73a, ID}, A. Poley ^{142,156a, ID}, R. Polifka ^{132, ID}, A. Polini ^{23b, ID}, C.S. Pollard ^{167, ID}, Z.B. Pollock ^{119, ID},
 V. Polychronakos ^{29, ID}, E. Pompa Pacchi ^{75a,75b, ID}, D. Ponomarenko ^{113, ID}, L. Pontecorvo ^{36, ID}, S. Popa ^{27a, ID},
 G.A. Popeneiciu ^{27d, ID}, D.M. Portillo Quintero ^{156a, ID}, S. Pospisil ^{132, ID}, P. Postolache ^{27c, ID}, K. Potamianos ^{126, ID},
 P.A. Potepa ^{85a, ID}, I.N. Potrap ^{38, ID}, C.J. Potter ^{32, ID}, H. Potti ^{1, ID}, T. Poulsen ^{48, ID}, J. Poveda ^{163, ID},
 M.E. Pozo Astigarraga ^{36, ID}, A. Prades Ibanez ^{163, ID}, M.M. Prapa ^{46, ID}, J. Pretel ^{54, ID}, D. Price ^{102, ID},
 M. Primavera ^{70a, ID}, M.A. Principe Martin ^{100, ID}, R. Privara ^{122, ID}, M.L. Proffitt ^{138, ID}, N. Proklova ^{128, ID},
 K. Prokofiev ^{64c, ID}, G. Proto ^{76a,76b, ID}, S. Protopopescu ^{29, ID}, J. Proudfoot ^{6, ID}, M. Przybycien ^{85a, ID},
 W.W. Przygoda ^{85b, ID}, J.E. Puddefoot ^{139, ID}, D. Pudzha ^{37, ID}, D. Pyatiizbyantseva ^{37, ID}, J. Qian ^{106, ID},
 D. Qichen ^{102, ID}, Y. Qin ^{102, ID}, T. Qiu ^{52, ID}, A. Quadt ^{55, ID}, M. Queitsch-Maitland ^{102, ID}, G. Quetant ^{56, ID},
 G. Rabanal Bolanos ^{61, ID}, D. Rafanoharana ^{54, ID}, F. Ragusa ^{71a,71b, ID}, J.L. Rainbolt ^{39, ID}, J.A. Raine ^{56, ID},
 S. Rajagopalan ^{29, ID}, E. Ramakoti ^{37, ID}, K. Ran ^{48,14d, ID}, N.P. Rapheeha ^{33g, ID}, V. Raskina ^{127, ID}, D.F. Rassloff ^{63a, ID},
 S. Rave ^{101, ID}, B. Ravina ^{55, ID}, I. Ravinovich ^{169, ID}, M. Raymond ^{36, ID}, A.L. Read ^{125, ID}, N.P. Readioff ^{139, ID},
 D.M. Rebuzzi ^{73a,73b, ID}, G. Redlinger ^{29, ID}, K. Reeves ^{45, ID}, J.A. Reidelsturz ^{171, ID}, D. Reikher ^{151, ID}, A. Rej ^{141, ID},
 C. Rembser ^{36, ID}, A. Renardi ^{48, ID}, M. Renda ^{27b, ID}, M.B. Rendel ¹¹⁰, F. Renner ^{48, ID}, A.G. Rennie ^{59, ID},
 S. Resconi ^{71a, ID}, M. Ressegotti ^{57b,57a, ID}, E.D. Ressegueie ^{17a, ID}, S. Rettie ^{36, ID}, J.G. Reyes Rivera ^{107, ID},
 B. Reynolds ¹¹⁹, E. Reynolds ^{17a, ID}, M. Rezaei Estabragh ^{171, ID}, O.L. Rezanova ^{37, ID}, P. Reznicek ^{133, ID},
 N. Ribaric ^{92, ID}, E. Ricci ^{78a,78b, ID}, R. Richter ^{110, ID}, S. Richter ^{47a,47b, ID}, E. Richter-Was ^{85b, ID}, M. Ridel ^{127, ID},
 S. Ridouani ^{35d, ID}, P. Rieck ^{117, ID}, P. Riedler ^{36, ID}, M. Rijssenbeek ^{145, ID}, A. Rimoldi ^{73a,73b, ID}, M. Rimoldi ^{48, ID},
 L. Rinaldi ^{23b,23a, ID}, T.T. Rinn ^{29, ID}, M.P. Rinnagel ^{109, ID}, G. Ripellino ^{161, ID}, I. Riu ^{13, ID}, P. Rivadeneira ^{48, ID},
 J.C. Rivera Vergara ^{165, ID}, F. Rizatdinova ^{121, ID}, E. Rizvi ^{95, ID}, C. Rizzi ^{56, ID}, B.A. Roberts ^{167, ID}, B.R. Roberts ^{17a, ID},
 S.H. Robertson ^{104, ID}, M. Robin ^{48, ID}, D. Robinson ^{32, ID}, C.M. Robles Gajardo ^{137f}, M. Robles Manzano ^{101, ID},
 A. Robson ^{59, ID}, A. Rocchi ^{76a,76b, ID}, C. Roda ^{74a,74b, ID}, S. Rodriguez Bosca ^{63a, ID}, Y. Rodriguez Garcia ^{22a, ID},
 A. Rodriguez Rodriguez ^{54, ID}, A.M. Rodríguez Vera ^{156b, ID}, S. Roe ³⁶, J.T. Roemer ^{160, ID}, A.R. Roepe-Gier ^{136, ID},
 J. Roggel ^{171, ID}, O. Røhne ^{125, ID}, R.A. Rojas ^{103, ID}, B. Roland ^{54, ID}, C.P.A. Roland ^{68, ID}, J. Roloff ^{29, ID},
 A. Romaniou ^{37, ID}, E. Romano ^{73a,73b, ID}, M. Romano ^{23b, ID}, A.C. Romero Hernandez ^{162, ID}, N. Rompotis ^{93, ID},
 L. Roos ^{127, ID}, S. Rosati ^{75a, ID}, B.J. Rosser ^{39, ID}, E. Rossi ^{4, ID}, E. Rossi ^{72a,72b, ID}, L.P. Rossi ^{57b, ID}, L. Rossini ^{48, ID},
 R. Rosten ^{119, ID}, M. Rotaru ^{27b, ID}, B. Rottler ^{54, ID}, C. Rougier ^{90, ID, ad}, D. Rousseau ^{66, ID}, D. Rousso ^{32, ID},
 G. Rovelli ^{73a,73b, ID}, A. Roy ^{162, ID}, S. Roy-Garand ^{155, ID}, A. Rozanov ^{90, ID}, Y. Rozen ^{150, ID}, X. Ruan ^{33g, ID},
 A. Rubio Jimenez ^{163, ID}, A.J. Ruby ^{93, ID}, V.H. Ruelas Rivera ^{18, ID}, T.A. Ruggeri ^{1, ID}, F. Rühr ^{54, ID},
 A. Ruiz-Martinez ^{163, ID}, A. Rummler ^{36, ID}, Z. Rurikova ^{54, ID}, N.A. Rusakovich ^{38, ID}, H.L. Russell ^{165, ID},
 J.P. Rutherford ^{7, ID}, K. Rybacki ⁹², M. Rybar ^{133, ID}, E.B. Rye ^{125, ID}, A. Ryzhov ^{37, ID}, J.A. Sabater Iglesias ^{56, ID},
 P. Sabatini ^{163, ID}, L. Sabetta ^{75a,75b, ID}, H.F-W. Sadrozinski ^{136, ID}, F. Safai Tehrani ^{75a, ID},
 B. Safarzadeh Samani ^{146, ID}, M. Safdari ^{143, ID}, S. Saha ^{104, ID}, M. Sahin soy ^{110, ID}, M. Saimpert ^{135, ID}, M. Saito ^{153, ID},
 T. Saito ^{153, ID}, D. Salamani ^{36, ID}, A. Salnikov ^{143, ID}, J. Salt ^{163, ID}, A. Salvador Salas ^{13, ID}, D. Salvatore ^{43b,43a, ID},

- F. Salvatore ^{146, ID}, A. Salzburger ^{36, ID}, D. Sammel ^{54, ID}, D. Sampsonidis ^{152, ID, f}, D. Sampsonidou ^{62d, 62c, ID},
 J. Sánchez ^{163, ID}, A. Sanchez Pineda ^{4, ID}, V. Sanchez Sebastian ^{163, ID}, H. Sandaker ^{125, ID}, C.O. Sander ^{48, ID},
 J.A. Sandesara ^{103, ID}, M. Sandhoff ^{171, ID}, C. Sandoval ^{22b, ID}, D.P.C. Sankey ^{134, ID}, T. Sano ^{87, ID}, A. Sansoni ^{53, ID},
 L. Santi ^{75a, 75b, ID}, C. Santoni ^{40, ID}, H. Santos ^{130a, 130b, ID}, S.N. Santpur ^{17a, ID}, A. Santra ^{169, ID}, K.A. Saoucha ^{139, ID},
 J.G. Saraiva ^{130a, 130d, ID}, J. Sardain ^{7, ID}, O. Sasaki ^{83, ID}, K. Sato ^{157, ID}, C. Sauer ^{63b}, F. Sauerburger ^{54, ID},
 E. Sauvan ^{4, ID}, P. Savard ^{155, ID, ai}, R. Sawada ^{153, ID}, C. Sawyer ^{134, ID}, L. Sawyer ^{98, ID}, I. Sayago Galvan ¹⁶³,
 C. Sbarra ^{23b, ID}, A. Sbrizzi ^{23b, 23a, ID}, T. Scanlon ^{97, ID}, J. Schaarschmidt ^{138, ID}, P. Schacht ^{110, ID}, D. Schaefer ^{39, ID},
 U. Schäfer ^{101, ID}, A.C. Schaffer ^{66, 44, ID}, D. Schaile ^{109, ID}, R.D. Schamberger ^{145, ID}, E. Schanet ^{109, ID}, C. Scharf ^{18, ID},
 M.M. Schefer ^{19, ID}, V.A. Schegelsky ^{37, ID}, D. Scheirich ^{133, ID}, F. Schenck ^{18, ID}, M. Schernau ^{160, ID}, C. Scheulen ^{55, ID},
 C. Schiavi ^{57b, 57a, ID}, Z.M. Schillaci ^{26, ID}, E.J. Schioppa ^{70a, 70b, ID}, M. Schioppa ^{43b, 43a, ID}, B. Schlag ^{101, ID},
 K.E. Schleicher ^{54, ID}, S. Schlenker ^{36, ID}, J. Schmeing ^{171, ID}, M.A. Schmidt ^{171, ID}, K. Schmieden ^{101, ID},
 C. Schmitt ^{101, ID}, S. Schmitt ^{48, ID}, L. Schoeffel ^{135, ID}, A. Schoening ^{63b, ID}, P.G. Scholer ^{54, ID}, E. Schopf ^{126, ID},
 M. Schott ^{101, ID}, J. Schovancova ^{36, ID}, S. Schramm ^{56, ID}, F. Schroeder ^{171, ID}, H-C. Schultz-Coulon ^{63a, ID},
 M. Schumacher ^{54, ID}, B.A. Schumm ^{136, ID}, Ph. Schune ^{135, ID}, H.R. Schwartz ^{136, ID}, A. Schwartzman ^{143, ID},
 T.A. Schwarz ^{106, ID}, Ph. Schwemling ^{135, ID}, R. Schwienhorst ^{107, ID}, A. Sciandra ^{136, ID}, G. Sciolla ^{26, ID}, F. Scuri ^{74a, ID},
 F. Scutti ¹⁰⁵, C.D. Sebastiani ^{93, ID}, K. Sedlaczek ^{49, ID}, P. Seema ^{18, ID}, S.C. Seidel ^{112, ID}, A. Seiden ^{136, ID},
 B.D. Seidlitz ^{41, ID}, C. Seitz ^{48, ID}, J.M. Seixas ^{82b, ID}, G. Sekhniaidze ^{72a, ID}, S.J. Sekula ^{44, ID}, L. Selem ^{4, ID},
 N. Semprini-Cesari ^{23b, 23a, ID}, S. Sen ^{51, ID}, D. Sengupta ^{56, ID}, V. Senthilkumar ^{163, ID}, L. Serin ^{66, ID}, L. Serkin ^{69a, 69b, ID},
 M. Sessa ^{77a, 77b, ID}, H. Severini ^{120, ID}, F. Sforza ^{57b, 57a, ID}, A. Sfyrla ^{56, ID}, E. Shabalina ^{55, ID}, R. Shaheen ^{144, ID},
 J.D. Shahinian ^{128, ID}, D. Shaked Renous ^{169, ID}, L.Y. Shan ^{14a, ID}, M. Shapiro ^{17a, ID}, A. Sharma ^{36, ID},
 A.S. Sharma ^{164, ID}, P. Sharma ^{80, ID}, S. Sharma ^{48, ID}, P.B. Shatalov ^{37, ID}, K. Shaw ^{146, ID}, S.M. Shaw ^{102, ID},
 Q. Shen ^{62c, 5, ID}, P. Sherwood ^{97, ID}, L. Shi ^{97, ID}, C.O. Shimmin ^{172, ID}, Y. Shimogama ^{168, ID}, J.D. Shinner ^{96, ID},
 I.P.J. Shipsey ^{126, ID}, S. Shirabe ^{60, ID}, M. Shiyakova ^{38, ID, x}, J. Shlomi ^{169, ID}, M.J. Shochet ^{39, ID}, J. Shojaii ^{105, ID},
 D.R. Shope ^{125, ID}, S. Shrestha ^{119, ID, am}, E.M. Shrif ^{33g, ID}, M.J. Shroff ^{165, ID}, P. Sicho ^{131, ID}, A.M. Sickles ^{162, ID},
 E. Sideras Haddad ^{33g, ID}, A. Sidoti ^{23b, ID}, F. Siegert ^{50, ID}, Dj. Sijacki ^{15, ID}, R. Sikora ^{85a, ID}, F. Sili ^{91, ID},
 J.M. Silva ^{20, ID}, M.V. Silva Oliveira ^{36, ID}, S.B. Silverstein ^{47a, ID}, S. Simion ⁶⁶, R. Simoniello ^{36, ID}, E.L. Simpson ^{59, ID},
 H. Simpson ^{146, ID}, L.R. Simpson ^{106, ID}, N.D. Simpson ⁹⁹, S. Simsek ^{21d, ID}, S. Sindhu ^{55, ID}, P. Sinervo ^{155, ID},
 S. Singh ^{142, ID}, S. Singh ^{155, ID}, S. Sinha ^{48, ID}, S. Sinha ^{33g, ID}, M. Sioli ^{23b, 23a, ID}, I. Siral ^{36, ID}, S.Yu. Sivoklokov ^{37, ID, *,},
 J. Sjölin ^{47a, 47b, ID}, A. Skaf ^{55, ID}, E. Skorda ^{99, ID}, P. Skubic ^{120, ID}, M. Slawinska ^{86, ID}, V. Smakhtin ¹⁶⁹,
 B.H. Smart ^{134, ID}, J. Smiesko ^{36, ID}, S.Yu. Smirnov ^{37, ID}, Y. Smirnov ^{37, ID}, L.N. Smirnova ^{37, ID, a}, O. Smirnova ^{99, ID},
 A.C. Smith ^{41, ID}, E.A. Smith ^{39, ID}, H.A. Smith ^{126, ID}, J.L. Smith ^{93, ID}, R. Smith ¹⁴³, M. Smizanska ^{92, ID},
 K. Smolek ^{132, ID}, A. Smykiewicz ^{86, ID}, A.A. Snesarev ^{37, ID}, H.L. Snoek ^{114, ID}, S. Snyder ^{29, ID}, R. Sobie ^{165, ID, z},
 A. Soffer ^{151, ID}, C.A. Solans Sanchez ^{36, ID}, E.Yu. Soldatov ^{37, ID}, U. Soldevila ^{163, ID}, A.A. Solodkov ^{37, ID},
 S. Solomon ^{54, ID}, A. Soloshenko ^{38, ID}, K. Solovieva ^{54, ID}, O.V. Solovyanov ^{40, ID}, V. Solovyev ^{37, ID}, P. Sommer ^{36, ID},
 A. Sonay ^{13, ID}, W.Y. Song ^{156b, ID}, J.M. Sonneveld ^{114, ID}, A. Sopczak ^{132, ID}, A.L. Sopio ^{97, ID}, F. Sopkova ^{28b, ID},
 V. Sothilingam ^{63a}, S. Sottocornola ^{68, ID}, R. Soualah ^{116b, ID}, Z. Soumaimi ^{35e, ID}, D. South ^{48, ID}, S. Spagnolo ^{70a, 70b, ID},
 M. Spalla ^{110, ID}, D. Sperlich ^{54, ID}, G. Spigo ^{36, ID}, M. Spina ^{146, ID}, S. Spinali ^{92, ID}, D.P. Spiteri ^{59, ID}, M. Spousta ^{133, ID},
 E.J. Staats ^{34, ID}, A. Stabile ^{71a, 71b, ID}, R. Stamen ^{63a, ID}, M. Stamenkovic ^{114, ID}, A. Stampeki ^{20, ID}, M. Standke ^{24, ID},
 E. Stanecka ^{86, ID}, M.V. Stange ^{50, ID}, B. Stanislaus ^{17a, ID}, M.M. Stanitzki ^{48, ID}, M. Stankaityte ^{126, ID}, B. Stapf ^{48, ID},
 E.A. Starchenko ^{37, ID}, G.H. Stark ^{136, ID}, J. Stark ^{90, ID, ad}, D.M. Starko ^{156b}, P. Staroba ^{131, ID}, P. Starovoitov ^{63a, ID},
 S. Stärz ^{104, ID}, R. Staszewski ^{86, ID}, G. Stavropoulos ^{46, ID}, J. Steentoft ^{161, ID}, P. Steinberg ^{29, ID}, B. Stelzer ^{142, 156a, ID},
 H.J. Stelzer ^{129, ID}, O. Stelzer-Chilton ^{156a, ID}, H. Stenzel ^{58, ID}, T.J. Stevenson ^{146, ID}, G.A. Stewart ^{36, ID},
 J.R. Stewart ^{121, ID}, M.C. Stockton ^{36, ID}, G. Stoica ^{27b, ID}, M. Stolarski ^{130a, ID}, S. Stonjek ^{110, ID}, A. Straessner ^{50, ID},

- J. Strandberg ^{144, ID}, S. Strandberg ^{47a,47b, ID}, M. Strauss ^{120, ID}, T. Strebler ^{90, ID}, P. Strizenec ^{28b, ID}, R. Ströhmer ^{166, ID}, D.M. Strom ^{123, ID}, L.R. Strom ^{48, ID}, R. Stroynowski ^{44, ID}, A. Strubig ^{47a,47b, ID}, S.A. Stucci ^{29, ID}, B. Stugu ^{16, ID}, J. Stupak ^{120, ID}, N.A. Styles ^{48, ID}, D. Su ^{143, ID}, S. Su ^{62a, ID}, W. Su ^{62d,138,62c, ID}, X. Su ^{62a,66, ID}, K. Sugizaki ^{153, ID}, V.V. Sulin ^{37, ID}, M.J. Sullivan ^{93, ID}, D.M.S. Sultan ^{78a,78b, ID}, L. Sultanaliyeva ^{37, ID}, S. Sultansoy ^{3b, ID}, T. Sumida ^{87, ID}, S. Sun ^{106, ID}, S. Sun ^{170, ID}, O. Sunneborn Gudnadottir ^{161, ID}, M.R. Sutton ^{146, ID}, M. Svatos ^{131, ID}, M. Swiatlowski ^{156a, ID}, T. Swirski ^{166, ID}, I. Sykora ^{28a, ID}, M. Sykora ^{133, ID}, T. Sykora ^{133, ID}, D. Ta ^{101, ID}, K. Tackmann ^{48, ID, w}, A. Taffard ^{160, ID}, R. Tafirout ^{156a, ID}, J.S. Tafoya Vargas ^{66, ID}, R.H.M. Taibah ^{127, ID}, R. Takashima ^{88, ID}, E.P. Takeva ^{52, ID}, Y. Takubo ^{83, ID}, M. Talby ^{90, ID}, A.A. Talyshев ^{37, ID}, K.C. Tam ^{64b, ID}, N.M. Tamir ¹⁵¹, A. Tanaka ^{153, ID}, J. Tanaka ^{153, ID}, R. Tanaka ^{66, ID}, M. Tanasini ^{57b,57a, ID}, J. Tang ^{62c}, Z. Tao ^{164, ID}, S. Tapia Araya ^{137f, ID}, S. Tapprogge ^{101, ID}, A. Tarek Abouelfadl Mohamed ^{107, ID}, S. Tarem ^{150, ID}, K. Tariq ^{62b, ID}, G. Tarna ^{90,27b, ID}, G.F. Tartarelli ^{71a, ID}, P. Tas ^{133, ID}, M. Tasevsky ^{131, ID}, E. Tassi ^{43b,43a, ID}, A.C. Tate ^{162, ID}, G. Tateno ^{153, ID}, Y. Tayalati ^{35e, ID, y}, G.N. Taylor ^{105, ID}, W. Taylor ^{156b, ID}, H. Teagle ⁹³, A.S. Tee ^{170, ID}, R. Teixeira De Lima ^{143, ID}, P. Teixeira-Dias ^{96, ID}, J.J. Teoh ^{155, ID}, K. Terashi ^{153, ID}, J. Terron ^{100, ID}, S. Terzo ^{13, ID}, M. Testa ^{53, ID}, R.J. Teuscher ^{155, ID, z}, A. Thaler ^{79, ID}, O. Theiner ^{56, ID}, N. Themistokleous ^{52, ID}, T. Theveneaux-Pelzer ^{90, ID}, O. Thielmann ^{171, ID}, D.W. Thomas ⁹⁶, J.P. Thomas ^{20, ID}, E.A. Thompson ^{17a, ID}, P.D. Thompson ^{20, ID}, E. Thomson ^{128, ID}, E.J. Thorpe ^{95, ID}, Y. Tian ^{55, ID}, V. Tikhomirov ^{37, ID, a}, Yu.A. Tikhonov ^{37, ID}, S. Timoshenko ³⁷, E.X.L. Ting ^{1, ID}, P. Tipton ^{172, ID}, S.H. Tlou ^{33g, ID}, A. Tnourji ^{40, ID}, K. Todome ^{23b,23a, ID}, S. Todorova-Nova ^{133, ID}, S. Todt ⁵⁰, M. Togawa ^{83, ID}, J. Tojo ^{89, ID}, S. Tokár ^{28a, ID}, K. Tokushuku ^{83, ID}, O. Toldaiev ^{68, ID}, R. Tombs ^{32, ID}, M. Tomoto ^{83,111, ID}, L. Tompkins ^{143, ID, q}, K.W. Topolnicki ^{85b, ID}, P. Tornambe ^{103, ID}, E. Torrence ^{123, ID}, H. Torres ^{50, ID}, E. Torró Pastor ^{163, ID}, M. Toscani ^{30, ID}, C. Tosciri ^{39, ID}, M. Tost ^{11, ID}, D.R. Tovey ^{139, ID}, A. Traeet ¹⁶, I.S. Trandafir ^{27b, ID}, T. Trefzger ^{166, ID}, A. Tricoli ^{29, ID}, I.M. Trigger ^{156a, ID}, S. Trincaz-Duvoud ^{127, ID}, D.A. Trischuk ^{26, ID}, B. Trocmé ^{60, ID}, C. Troncon ^{71a, ID}, L. Truong ^{33c, ID}, M. Trzebinski ^{80, ID}, A. Trzupek ^{86, ID}, F. Tsai ^{145, ID}, M. Tsai ^{106, ID}, A. Tsiamis ^{152, ID, f}, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{156a, ID}, A. Tsirigotis ^{152, ID, u}, V. Tsiskaridze ^{145, ID}, E.G. Tskhadadze ^{149a, ID}, M. Tsopoulou ^{152, ID, f}, Y. Tsujikawa ^{87, ID}, I.I. Tsukerman ^{37, ID}, V. Tsulaia ^{17a, ID}, S. Tsuno ^{83, ID}, O. Tsur ¹⁵⁰, D. Tsybychev ^{145, ID}, Y. Tu ^{64b, ID}, A. Tudorache ^{27b, ID}, V. Tudorache ^{27b, ID}, A.N. Tuna ^{30, ID}, S. Turchikhin ^{38, ID}, I. Turk Cakir ^{3a, ID}, R. Turra ^{71a, ID}, T. Turtuvshin ^{38, ID, aa}, P.M. Tuts ^{41, ID}, S. Tzamarias ^{152, ID, f}, P. Tzanis ^{10, ID}, E. Tzovara ^{101, ID}, K. Uchida ¹⁵³, F. Ukegawa ^{157, ID}, P.A. Ulloa Poblete ^{137c, ID}, E.N. Umaka ^{29, ID}, G. Unal ^{36, ID}, M. Unal ^{11, ID}, A. Undrus ^{29, ID}, G. Unel ^{160, ID}, J. Urban ^{28b, ID}, P. Urquijo ^{105, ID}, G. Usai ^{8, ID}, R. Ushioda ^{154, ID}, M. Usman ^{108, ID}, Z. Uysal ^{21b, ID}, L. Vacavant ^{90, ID}, V. Vacek ^{132, ID}, B. Vachon ^{104, ID}, K.O.H. Vadla ^{125, ID}, T. Vafeiadis ^{36, ID}, A. Vaitkus ^{97, ID}, C. Valderanis ^{109, ID}, E. Valdes Santurio ^{47a,47b, ID}, M. Valente ^{156a, ID}, S. Valentineti ^{23b,23a, ID}, A. Valero ^{163, ID}, A. Vallier ^{90, ID, ad}, J.A. Valls Ferrer ^{163, ID}, D.R. Van Arneman ^{114, ID}, T.R. Van Daalen ^{138, ID}, P. Van Gemmeren ^{6, ID}, M. Van Rijnbach ^{125,36, ID}, S. Van Stroud ^{97, ID}, I. Van Vulpen ^{114, ID}, M. Vanadia ^{76a,76b, ID}, W. Vandelli ^{36, ID}, M. Vandembroucke ^{135, ID}, E.R. Vandewall ^{121, ID}, D. Vannicola ^{151, ID}, L. Vannoli ^{57b,57a, ID}, R. Vari ^{75a, ID}, E.W. Varnes ^{7, ID}, C. Varni ^{17a, ID}, T. Varol ^{148, ID}, D. Varouchas ^{66, ID}, L. Varriale ^{163, ID}, K.E. Varvell ^{147, ID}, M.E. Vasile ^{27b, ID}, L. Vaslin ⁴⁰, G.A. Vasquez ^{165, ID}, F. Vazeille ^{40, ID}, T. Vazquez Schroeder ^{36, ID}, J. Veatch ^{31, ID}, V. Vecchio ^{102, ID}, M.J. Veen ^{103, ID}, I. Velisek ^{126, ID}, L.M. Veloce ^{155, ID}, F. Veloso ^{130a,130c, ID}, S. Veneziano ^{75a, ID}, A. Ventura ^{70a,70b, ID}, A. Verbytskyi ^{110, ID}, M. Verducci ^{74a,74b, ID}, C. Vergis ^{24, ID}, M. Verissimo De Araujo ^{82b, ID}, W. Verkerke ^{114, ID}, J.C. Vermeulen ^{114, ID}, C. Vernieri ^{143, ID}, P.J. Verschuuren ^{96, ID}, M. Vessella ^{103, ID}, M.C. Vetterli ^{142, ID, ai}, A. Vgenopoulos ^{152, ID, f}, N. Viaux Maira ^{137f, ID}, T. Vickey ^{139, ID}, O.E. Vickey Boeriu ^{139, ID}, G.H.A. Viehhauser ^{126, ID}, L. Vigani ^{63b, ID}, M. Villa ^{23b,23a, ID}, M. Villaplana Perez ^{163, ID}, E.M. Villhauer ⁵², E. Vilucchi ^{53, ID}, M.G. Vincter ^{34, ID}, G.S. Virdee ^{20, ID}, A. Vishwakarma ^{52, ID}, C. Vittori ^{36, ID}, I. Vivarelli ^{146, ID}, V. Vladimirov ¹⁶⁷, E. Voevodina ^{110, ID}, F. Vogel ^{109, ID}, P. Vokac ^{132, ID}, J. Von Ahnen ^{48, ID},

- E. Von Toerne ^{24, ID}, B. Vormwald ^{36, ID}, V. Vorobel ^{133, ID}, K. Vorobev ^{37, ID}, M. Vos ^{163, ID}, K. Voss ^{141, ID},
 J.H. Vossebeld ^{93, ID}, M. Vozak ^{114, ID}, L. Vozdecky ^{95, ID}, N. Vranjes ^{15, ID}, M. Vranjes Milosavljevic ^{15, ID},
 M. Vreeswijk ^{114, ID}, R. Vuillermet ^{36, ID}, O. Vujinovic ^{101, ID}, I. Vukotic ^{39, ID}, S. Wada ^{157, ID}, C. Wagner ¹⁰³,
 J.M. Wagner ^{17a, ID}, W. Wagner ^{171, ID}, S. Wahdan ^{171, ID}, H. Wahlberg ^{91, ID}, R. Wakasa ^{157, ID}, M. Wakida ^{111, ID},
 J. Walder ^{134, ID}, R. Walker ^{109, ID}, W. Walkowiak ^{141, ID}, A.M. Wang ^{61, ID}, A.Z. Wang ^{170, ID}, C. Wang ^{101, ID},
 C. Wang ^{62c, ID}, H. Wang ^{17a, ID}, J. Wang ^{64a, ID}, R.-J. Wang ^{101, ID}, R. Wang ^{61, ID}, R. Wang ^{6, ID}, S.M. Wang ^{148, ID},
 S. Wang ^{62b, ID}, T. Wang ^{62a, ID}, W.T. Wang ^{80, ID}, X. Wang ^{14c, ID}, X. Wang ^{162, ID}, X. Wang ^{62c, ID}, Y. Wang ^{62d, ID},
 Y. Wang ^{14c, ID}, Z. Wang ^{106, ID}, Z. Wang ^{62d,51,62c, ID}, Z. Wang ^{106, ID}, A. Warburton ^{104, ID}, R.J. Ward ^{20, ID},
 N. Warrack ^{59, ID}, A.T. Watson ^{20, ID}, H. Watson ^{59, ID}, M.F. Watson ^{20, ID}, G. Watts ^{138, ID}, B.M. Waugh ^{97, ID},
 C. Weber ^{29, ID}, H.A. Weber ^{18, ID}, M.S. Weber ^{19, ID}, S.M. Weber ^{63a, ID}, C. Wei ^{62a, ID}, Y. Wei ^{126, ID},
 A.R. Weidberg ^{126, ID}, E.J. Weik ^{117, ID}, J. Weingarten ^{49, ID}, M. Weirich ^{101, ID}, C. Weiser ^{54, ID}, C.J. Wells ^{48, ID},
 T. Wenaus ^{29, ID}, B. Wendland ^{49, ID}, T. Wengler ^{36, ID}, N.S. Wenke ¹¹⁰, N. Wermes ^{24, ID}, M. Wessels ^{63a, ID},
 K. Whalen ^{123, ID}, A.M. Wharton ^{92, ID}, A.S. White ^{61, ID}, A. White ^{8, ID}, M.J. White ^{1, ID}, D. Whiteson ^{160, ID},
 L. Wickremasinghe ^{124, ID}, W. Wiedenmann ^{170, ID}, C. Wiel ^{50, ID}, M. Wielers ^{134, ID}, C. Wiglesworth ^{42, ID},
 L.A.M. Wiik-Fuchs ^{54, ID}, D.J. Wilbern ¹²⁰, H.G. Wilkens ^{36, ID}, D.M. Williams ^{41, ID}, H.H. Williams ¹²⁸,
 S. Williams ^{32, ID}, S. Willocq ^{103, ID}, B.J. Wilson ^{102, ID}, P.J. Windischhofer ^{39, ID}, F. Winklmeier ^{123, ID},
 B.T. Winter ^{54, ID}, J.K. Winter ^{102, ID}, M. Wittgen ¹⁴³, M. Wobisch ^{98, ID}, R. Wölker ^{126, ID}, J. Wollrath ¹⁶⁰,
 M.W. Wolter ^{86, ID}, H. Wolters ^{130a,130c, ID}, V.W.S. Wong ^{164, ID}, A.F. Wongel ^{48, ID}, S.D. Worm ^{48, ID}, B.K. Wosiek ^{86, ID},
 K.W. Woźniak ^{86, ID}, K. Wraight ^{59, ID}, J. Wu ^{14a,14d, ID}, M. Wu ^{64a, ID}, M. Wu ^{113, ID}, S.L. Wu ^{170, ID}, X. Wu ^{56, ID},
 Y. Wu ^{62a, ID}, Z. Wu ^{135,62a, ID}, J. Wuerzinger ^{110, ID}, T.R. Wyatt ^{102, ID}, B.M. Wynne ^{52, ID}, S. Xella ^{42, ID}, L. Xia ^{14c, ID},
 M. Xia ^{14b, ID}, J. Xiang ^{64c, ID}, X. Xiao ^{106, ID}, M. Xie ^{62a, ID}, X. Xie ^{62a, ID}, S. Xin ^{14a,14d, ID}, J. Xiong ^{17a, ID}, I. Xiotidis ¹⁴⁶,
 D. Xu ^{14a, ID}, H. Xu ^{62a}, H. Xu ^{62a, ID}, L. Xu ^{62a, ID}, R. Xu ^{128, ID}, T. Xu ^{106, ID}, Y. Xu ^{14b, ID}, Z. Xu ^{62b, ID}, Z. Xu ^{14a, ID},
 B. Yabsley ^{147, ID}, S. Yacoob ^{33a, ID}, N. Yamaguchi ^{89, ID}, Y. Yamaguchi ^{154, ID}, H. Yamauchi ^{157, ID}, T. Yamazaki ^{17a, ID},
 Y. Yamazaki ^{84, ID}, J. Yan ^{62c}, S. Yan ^{126, ID}, Z. Yan ^{25, ID}, H.J. Yang ^{62c,62d, ID}, H.T. Yang ^{62a, ID}, S. Yang ^{62a, ID},
 T. Yang ^{64c, ID}, X. Yang ^{62a, ID}, X. Yang ^{14a, ID}, Y. Yang ^{44, ID}, Y. Yang ^{62a}, Z. Yang ^{62a,106, ID}, W-M. Yao ^{17a, ID},
 Y.C. Yap ^{48, ID}, H. Ye ^{14c, ID}, H. Ye ^{55, ID}, J. Ye ^{44, ID}, S. Ye ^{29, ID}, X. Ye ^{62a, ID}, Y. Yeh ^{97, ID}, I. Yeletskikh ^{38, ID},
 B.K. Yeo ^{17a, ID}, M.R. Yexley ^{92, ID}, P. Yin ^{41, ID}, K. Yorita ^{168, ID}, S. Younas ^{27b, ID}, C.J.S. Young ^{54, ID}, C. Young ^{143, ID},
 Y. Yu ^{62a, ID}, M. Yuan ^{106, ID}, R. Yuan ^{62b, ID}, L. Yue ^{97, ID}, M. Zaazoua ^{35e, ID}, B. Zabinski ^{86, ID}, E. Zaid ⁵²,
 T. Zakareishvili ^{149b, ID}, N. Zakharchuk ^{34, ID}, S. Zambito ^{56, ID}, J.A. Zamora Saa ^{137d,137b, ID}, J. Zang ^{153, ID},
 D. Zanzi ^{54, ID}, O. Zaplatilek ^{132, ID}, C. Zeitnitz ^{171, ID}, H. Zeng ^{14a, ID}, J.C. Zeng ^{162, ID}, D.T. Zenger Jr ^{26, ID},
 O. Zenin ^{37, ID}, T. Ženiš ^{28a, ID}, S. Zenz ^{95, ID}, S. Zerradi ^{35a, ID}, D. Zerwas ^{66, ID}, M. Zhai ^{14a,14d, ID}, B. Zhang ^{14c, ID},
 D.F. Zhang ^{139, ID}, J. Zhang ^{62b, ID}, J. Zhang ^{6, ID}, K. Zhang ^{14a,14d, ID}, L. Zhang ^{14c, ID}, P. Zhang ^{14a,14d}, R. Zhang ^{170, ID},
 S. Zhang ^{106, ID}, T. Zhang ^{153, ID}, X. Zhang ^{62c, ID}, X. Zhang ^{62b, ID}, Y. Zhang ^{62c,5, ID}, Z. Zhang ^{17a, ID}, Z. Zhang ^{66, ID},
 H. Zhao ^{138, ID}, P. Zhao ^{51, ID}, T. Zhao ^{62b, ID}, Y. Zhao ^{136, ID}, Z. Zhao ^{62a, ID}, A. Zhemchugov ^{38, ID}, X. Zheng ^{62a, ID},
 Z. Zheng ^{143, ID}, D. Zhong ^{162, ID}, B. Zhou ¹⁰⁶, C. Zhou ^{170, ID}, H. Zhou ^{7, ID}, N. Zhou ^{62c, ID}, Y. Zhou ⁷, C.G. Zhu ^{62b, ID},
 H.L. Zhu ^{62a, ID}, J. Zhu ^{106, ID}, Y. Zhu ^{62c, ID}, Y. Zhu ^{62a, ID}, X. Zhuang ^{14a, ID}, K. Zhukov ^{37, ID}, V. Zhulanov ^{37, ID},
 N.I. Zimine ^{38, ID}, J. Zinsser ^{63b, ID}, M. Ziolkowski ^{141, ID}, L. Živković ^{15, ID}, A. Zoccoli ^{23b,23a, ID}, K. Zoch ^{56, ID},
 T.G. Zorbas ^{139, ID}, O. Zormpa ^{46, ID}, W. Zou ^{41, ID}, L. Zwalski ^{36, ID}

¹ Department of Physics, University of Adelaide, Adelaide; Australia² Department of Physics, University of Alberta, Edmonton AB; Canada³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

- ¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece
¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America
¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain
¹⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing;
^(d) University of Chinese Academy of Science (UCAS), Beijing; China
¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia
¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway
¹⁷ ^(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America
¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany
¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland
²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
²¹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul;
^(d) İstinye University, Sarıyer, İstanbul; Türkiye
²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
²³ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy
²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
²⁵ Department of Physics, Boston University, Boston MA; United States of America
²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IPIBA), Buenos Aires; Argentina
³¹ California State University, CA; United States of America
³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;
^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, KwaDlangezwa;
^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat;
^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guérir; Morocco
³⁶ CERN, Geneva; Switzerland
³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden
⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
⁵¹ Department of Physics, Duke University, Durham NC; United States of America
⁵² SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
⁵⁹ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China
⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
⁶⁷ Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain
⁶⁸ Department of Physics, Indiana University, Bloomington IN; United States of America
⁶⁹ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
⁷⁰ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
⁷¹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
⁷² ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
⁷³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
⁷⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
⁷⁵ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
⁷⁶ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
⁷⁷ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy

- ⁷⁸ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
⁷⁹ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
⁸⁰ University of Iowa, Iowa City IA; United States of America
⁸¹ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
⁸² ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
⁸³ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
⁸⁴ Graduate School of Science, Kobe University, Kobe; Japan
⁸⁵ ^(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
⁸⁶ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
⁸⁷ Faculty of Science, Kyoto University, Kyoto; Japan
⁸⁸ Kyoto University of Education, Kyoto; Japan
⁸⁹ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
⁹⁰ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
⁹¹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
⁹² Physics Department, Lancaster University, Lancaster; United Kingdom
⁹³ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
⁹⁴ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
⁹⁵ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
⁹⁶ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
⁹⁷ Department of Physics and Astronomy, University College London, London; United Kingdom
⁹⁸ Louisiana Tech University, Ruston LA; United States of America
⁹⁹ Fysiska institutionen, Lunds universitet, Lund; Sweden
¹⁰⁰ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
¹⁰¹ Institut für Physik, Universität Mainz, Mainz; Germany
¹⁰² School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
¹⁰³ Department of Physics, University of Massachusetts, Amherst MA; United States of America
¹⁰⁴ Department of Physics, McGill University, Montreal QC; Canada
¹⁰⁵ School of Physics, University of Melbourne, Victoria; Australia
¹⁰⁶ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
¹⁰⁷ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
¹⁰⁸ Group of Particle Physics, University of Montreal, Montreal QC; Canada
¹⁰⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
¹¹⁰ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
¹¹¹ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
¹¹² Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
¹¹³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
¹¹⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
¹¹⁵ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
¹¹⁶ ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) University of Sharjah, Sharjah; United Arab Emirates
¹¹⁷ Department of Physics, New York University, New York NY; United States of America
¹¹⁸ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
¹¹⁹ Ohio State University, Columbus OH; United States of America
¹²⁰ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
¹²¹ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
¹²² Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
¹²³ Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
¹²⁴ Graduate School of Science, Osaka University, Osaka; Japan
¹²⁵ Department of Physics, University of Oslo, Oslo; Norway
¹²⁶ Department of Physics, Oxford University, Oxford; United Kingdom
¹²⁷ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
¹²⁸ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
¹²⁹ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
¹³⁰ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
¹³¹ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
¹³² Czech Technical University in Prague, Prague; Czech Republic
¹³³ Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
¹³⁴ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
¹³⁵ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
¹³⁶ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
¹³⁷ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
¹³⁸ Department of Physics, University of Washington, Seattle WA; United States of America
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano; Japan
¹⁴¹ Department Physik, Universität Siegen, Siegen; Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby BC; Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford CA; United States of America
¹⁴⁴ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
¹⁴⁵ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
¹⁴⁶ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
¹⁴⁷ School of Physics, University of Sydney, Sydney; Australia
¹⁴⁸ Institute of Physics, Academia Sinica, Taipei; Taiwan
¹⁴⁹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
¹⁵⁰ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
¹⁵¹ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel

- ¹⁵² Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
¹⁵³ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
¹⁵⁴ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
¹⁵⁵ Department of Physics, University of Toronto, Toronto ON; Canada
¹⁵⁶ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
¹⁵⁷ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
¹⁵⁸ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
¹⁵⁹ United Arab Emirates University, Al Ain; United Arab Emirates
¹⁶⁰ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
¹⁶¹ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
¹⁶² Department of Physics, University of Illinois, Urbana IL; United States of America
¹⁶³ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain
¹⁶⁴ Department of Physics, University of British Columbia, Vancouver BC; Canada
¹⁶⁵ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
¹⁶⁶ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
¹⁶⁷ Department of Physics, University of Warwick, Coventry; United Kingdom
¹⁶⁸ Waseda University, Tokyo; Japan
¹⁶⁹ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
¹⁷⁰ Department of Physics, University of Wisconsin, Madison WI; United States of America
¹⁷¹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
¹⁷² Department of Physics, Yale University, New Haven CT; United States of America

- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
^b Also at An-Najah National University, Nablus; Palestine.
^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
^d Also at Bruno Kessler Foundation, Trento; Italy.
^e Also at Center for High Energy Physics, Peking University; China.
^f Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
^g Also at Centro Studi e Ricerche Enrico Fermi; Italy.
^h Also at CERN, Geneva; Switzerland.
ⁱ Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
^k Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
^l Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
ⁿ Also at Department of Physics, California State University, East Bay; United States of America.
^o Also at Department of Physics, California State University, Sacramento; United States of America.
^p Also at Department of Physics, King's College London, London; United Kingdom.
^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.
^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
^s Also at Department of Physics, University of Thessaly; Greece.
^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
^u Also at Hellenic Open University, Patras; Greece.
^v Also at Institut Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
^y Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
^z Also at Institute of Particle Physics (IPP); Canada.
^{aa} Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
^{ab} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
^{ac} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
^{ad} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
^{ae} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
^{af} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
^{ag} Also at Technical University of Munich, Munich; Germany.
^{ah} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
^{ai} Also at TRIUMF, Vancouver BC; Canada.
^{aj} Also at Università di Napoli Parthenope, Napoli; Italy.
^{ak} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
^{al} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
^{am} Also at Washington College, Maryland; United States of America.
^{an} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
^{*} Deceased.