EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)





Search for diphoton resonances in the 66 to 110 GeV mass range using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

A search is performed for light, spin-0 bosons decaying into two photons in the 66 to 110 GeV mass range, using $140\,\mathrm{fb^{-1}}$ of proton-proton collisions at $\sqrt{s}=13\,\mathrm{TeV}$ produced by the Large Hadron Collider and collected by the ATLAS detector. Multivariate analysis techniques are used to define event categories that improve the sensitivity to new resonances beyond the Standard Model. A model-independent search for a generic spin-0 particle and a model-dependent search for an additional low-mass Higgs boson are performed in the diphoton invariant mass spectrum. No significant excess is observed in either search. Mass-dependent upper limits at the 95% confidence level are set in the model-independent scenario on the fiducial cross-section times branching ratio into two photons in the range of 8 fb to 53 fb. Similarly, in the model-dependent scenario upper limits are set on the total cross-section times branching ratio into two photons as a function of the Higgs boson mass in the range of 19 fb to 102 fb.

1 Introduction

This paper presents a search for an additional light, spin-0 boson with an invariant mass ranging from 66 to 110 GeV decaying into two photons, a signature that can arise in many theories of beyond the Standard Model (SM) physics. These include two-Higgs-doublet models (2HDMs) [1, 2] and next-to-2HDMs (N2HDMs) [3], next-to-minimal supersymmetric models (NMSSM) [4], and models of supersymmetry that introduce pseudo-Nambu-Goldstone bosons (R-axions) through symmetry breaking [5]. The introduction of an additional spin-0 boson can also be used to explain features observed in other experimental measurements. For example, the excess of GeV-scale gamma rays from the galactic centre can be explained if the additional spin-0 boson is a Higgs boson that acts as a scalar partner of dark matter [6]. Alternatively, if the additional spin-0 boson is an axion, even a weak coupling with the Higgs sector allows electroweak baryogenesis to explain the observed baryon asymmetry of the universe [7].

This analysis uses the full LHC proton-proton (pp) collision data sample at a centre-of-mass-energy of 13 TeV collected by the ATLAS detector (see Section 2) during the years 2015–2018, corresponding to an integrated luminosity of $140 \, \text{fb}^{-1}$ at a centre-of-mass energy of 13 TeV. Both a model-independent search for a spin-0 particle (X) and a model-dependent search for an additional low-mass Higgs boson $(H, \text{ assuming the production-mode cross-section times branching ratio into two photons as predicted by the SM at a given mass <math>m_H$) are performed. In both cases, the assumption of a narrow-width resonance (NWA) is made and interference effects between the signal and background processes are neglected. An additional search for larger-width signals is also performed in the model-independent search and considers ratios of decay widths Γ_X to the mass m_X of the spin-0 particle up to 2.5%. Additional signal widths are not considered for the model-dependent analysis due to the narrow decay width of SM-like Higgs bosons in the mass range considered here [8].

Events that contain at least two photons (see Section 3) are analysed for evidence of resonances in the diphoton invariant mass distribution. The diphoton final state provides a clean experimental signature due to the excellent invariant mass resolution of the ATLAS detector. In addition to the kinematic requirements, identification and isolation selections are applied to photons to reduce the impact of jet backgrounds and to ensure a high signal sensitivity (see Section 4). The event selection, described in Section 5, uses photon transverse energy $E_{\rm T}^{\, 1}$ selections that depend on the diphoton invariant mass $m_{\gamma\gamma}$ to suppress sculpting of the invariant mass distribution by the trigger selection. A gradient boosted decision tree (BDT) is additionally used for photon–electron discrimination.

Multiple event categories (see Section 6) are defined to maximise signal sensitivity. The model-independent search for a spin-0 boson, X, splits the data into three categories based on whether the photons interact with nuclei in the detector that cause them to convert into a pair of electrons or not. Alternatively, the model-dependent search for an additional low-mass Higgs boson, H, employs a BDT to define three additional categories within each of the three photon-conversion categories, resulting in a total of nine categories. This additional categorisation is only used for the model-dependent result due to the SM-like production-mode cross-sections assumed for the signal sample used to train the BDT.

ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln\tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2}\ln\left(\frac{E+p_zc}{E-p_zc}\right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

The resonant $m_{\gamma\gamma}$ signal distribution is modelled using analytic functions whose parameters are determined using Monte Carlo (MC) simulation, as described in Section 7. There are two main components of the background: 1) the non-resonant $\gamma\gamma$, γ j, and jj processes that are henceforth referred to as the *continuum background*, where "j" refers to a jet misidentified as a photon, and 2) the resonant Drell-Yan (DY) dielectron processes (mainly $Z \rightarrow ee$ events) in which both the electrons are misidentified as photons. The $m_{\gamma\gamma}$ distributions of both the background components are described by analytic functions determined from MC simulation and data-driven background estimations, further described in Section 8. The uncertainty in the continuum background due to limited data and MC simulated events is reduced using a Gaussian Process regression [9]. The DY background affects prompt photons that convert to two electrons (converted photons) much more than those that do not (unconverted photons), hence a significant gain is obtained by splitting the analysis into separate conversion categories.

The final background $m_{\gamma\gamma}$ shape parameters, background yield, and potential signal yield are obtained from a fit to the diphoton invariant mass distribution in data. The $m_{\gamma\gamma}$ region 62 to 120 GeV is chosen to minimise the systematic uncertainty in the background model. A search for hypothetical signal peaks in the range of 66 to 110 GeV is performed, which ensures that there is enough data to constrain the background model both above and below the signal peak. The resulting p-value scans are presented in Section 9. Since no significant excess is observed, limits are set on the cross-section times branching ratio within a fiducial volume defined at particle-level in the model-independent search for X and on the cross-section times branching ratio in the model-dependent search for H.

A previous search by the ATLAS Collaboration, using $20.3 \, \text{fb}^{-1}$ of data at 8 TeV [10], found no significant excesses. Previous searches by the CMS Collaboration, using $19.7 \, \text{fb}^{-1}$ of data at 8 TeV combined with $35.9 \, \text{fb}^{-1}$ of data at 13 TeV [11], and later with $132.2 \, \text{fb}^{-1}$ of data at 13 TeV [12], observed a maximal excess with a local (global) significance relative to the SM prediction of $2.8 \, \sigma$ ($1.3 \, \sigma$) at $95.3 \, \text{GeV}$ and $2.9 \, \sigma$ ($1.3 \, \sigma$) at $95.4 \, \text{GeV}$, respectively.

2 ATLAS detector

The ATLAS experiment [13] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle. It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity within the region $|\eta| < 3.2$. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta|$ < 1.7). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. The muon spectrometer includes a system of precision tracking chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. The luminosity is measured mainly by the LUCID-2 [14] detector, which is located close to the beampipe. A two-level trigger system is used to select events [15]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [16] is used in data simulation, in the

reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The ATLAS detector was used to collect $\sqrt{s} = 13$ TeV pp collisions from the 2015–2018 LHC running periods, corresponding to an integrated luminosity of (139.5 ± 1.2) fb⁻¹ [17] after data-quality requirements [18]. The uncertainty in the integrated luminosity is obtained using the LUCID-2 detector [14] for the primary luminosity measurements, complemented by measurements using the inner detector and calorimeters. The data were recorded using diphoton triggers that required two EM clusters with transverse energies E_T above a certain threshold and satisfying identification criteria based on variables describing the shape of the EM showers in the calorimeter (hereafter called *shower shapes*) [19]. In the 2015 and the first portion of 2016 data taking, the E_T threshold was 20 GeV, while in the remainder of 2016 data taking $E_T > 22$ GeV was required. During 2017 and 2018 data taking, the E_T threshold was reverted to 20 GeV, however an additional requirement on the sum of transverse energy around the photon candidate was applied [20].

Simulated event samples are used to study signal and background processes, and to determine the analytic functions used to model both. The search itself is performed by using the data to determine the parameters of the analytic functions (see Section 8). Interference effects between the resonant signal and all background processes are expected to be small for the signal widths considered here [21] and are neglected.

Background events containing two photons with associated jets were simulated with the Sherpa 2.2.4 [22, 23] event generator. Matrix elements were calculated with up to three partons at next-to-leading order (NLO) in quantum chromodynamics (QCD) [24], and merged with the Sherpa parton shower [25] according to the ME+PS@NLO prescription [26]. The CT10 parton distribution function (PDF) set [27] was used in conjunction with dedicated parton shower tuning developed by the Sherpa authors. Events containing Z bosons decaying into electron pairs were generated at NLO in QCD using Powheg Box v2 [28, 29] interfaced to the Pythia 8.186 [30] parton shower model and the CT10 PDF set was used. The AZNLO set of tuned parameters for the underlying event [31] was used, with the CTEQ6L1 PDF set [32]. Additional events containing Z bosons were also simulated with the Sherpa 2.2.1 event generator, for comparison with Powheg Box v2.

To better study electrons reconstructed as photons, single-electron and single-photon MC event samples were simulated with a pile-up profile corresponding to the Run 2 data sample. These single-particle samples were generated with transverse energy distributions covering the range from 5 GeV to 3 TeV.

The signal samples assume a SM Higgs boson at different mass values, and were generated at NLO in QCD using Powheg Box v2 interfaced to the Pythia 8.186 parton shower model using the AZNLO set of tuned parameters, for the gluon–gluon fusion (ggF) and vector-boson fusion (VBF) production modes. Samples were also simulated with the Pythia 8.186 event generator using the A14 set of tuned parameters [33], assuming the production of a Higgs boson in association with a W boson (WH), Z boson (ZH) or top-quark pair (ttH). Simulated samples were produced for fixed values of the mass of the assumed resonance, spanning the range 60 to 120 GeV. Generally, the model-independent search for X uses the ggF sample as the nominal signal model with an uncertainty calculated by taking the envelope created by the other production modes, while the model-dependent search for a low-mass H combines all production modes for a given mass point assuming SM-like cross-sections. All assume a narrow-width resonance of

4 MeV that is negligible compared with the experimental resolution, which ranges from 0.9 to 2.2 GeV (see Section 7).

The effects of additional pp interactions in the same or neighboring bunch crossings (pile-up) were modeled by overlaying soft QCD processes simulated with PYTHIA 8.186 using the A2 set of tuned parameters [34] and the MSTW2008LO PDF set [35]. The simulated events are weighted to reproduce the distribution of average number of individual pp interactions per bunch crossing and the distribution of the primary vertex z-position observed in data (pile-up reweighting). All generated events were propagated through a detailed simulation of the ATLAS detector [36] based on Geant4 [37]. The fast detector simulation used for background events containing two photons used a parameterisation of the performance of the calorimeters [38].

4 Event reconstruction

The event reconstruction is similar to the one described in Ref. [39]. Photon candidates are reconstructed from topological clusters of energy deposited in the EM calorimeter (calorimeter clusters), and from charged-particle tracks and conversion vertices reconstructed in the ID. Photon clusters without any corresponding track in the ID are considered unconverted. Two opposite-charge tracks that form a vertex consistent with a massless particle and that both match to calorimeter clusters are considered converted photons; single-track vertices—essentially those without hits in the innermost ID layers—that match to a calorimeter cluster are also considered as converted photons [40]. Photon conversion fractions vary from 20% to 65%, depending on η [40]. Photons and electrons are required to fulfil identification criteria based on the shower shapes in the EM calorimeter [40]. Residual differences between the average values of the shower shape variables between data and simulation are corrected by shifting the distributions in the simulation. The photon identification efficiency is determined as a function of E_T and $|\eta|$ and the efficiency increases with E_T from 70% at 20 GeV to 90% at 50 GeV [19].

Photons are required to be in the high-precision EM calorimeter within the pseudorapidity interval $|\eta| < 2.37$, excluding the transition region 1.37 $< |\eta| < 1.52$ between the barrel and end-cap calorimeters. Corrections to the energy of photon clusters is based on a multivariate regression algorithm optimised on simulated samples and scale factors derived extracted from data samples [41]. The two candidates with the highest transverse energies, both satisfying $E_T > 22$ GeV, are retained. This transverse energy requirement is slightly higher than the trigger threshold, for most of the data-taking periods, to mitigate the trigger efficiency turn-on effect. A subsequent requirement on the ratio of photon E_T to the diphoton mass (see Section 5) further raises the energy of selected photons. Primary vertices are reconstructed using at least two good-quality tracks with $p_T > 500 \,\text{MeV}$ [42]. The photon candidates are used to select the diphoton vertex using a neural-network algorithm based on charged-particle tracks and primary vertex information, as well as the direction of the two photons measured in the calorimeters and ID [43]. Once the diphoton vertex is selected, the direction of the two photon candidates is re-computed relative to this updated primary vertex. This recomputation improves the $E_{\rm T}$ measurement of each photon candidate through its dependence on the photon candidate's direction in η . The updated energy measurement improves the diphoton invariant mass resolution by about 8% for inclusive Higgs boson production relative to the default primary vertex selection [42].

Electron candidates—used for studying the DY background process—are reconstructed by matching tracks in the inner detector with clusters of energy deposits in the EM calorimeter formed with the same algorithm as in the photon reconstruction [40]. The tracks are required to be consistent with the diphoton vertex

using their longitudinal (z_0) and transverse (d_0) impact parameters. Electrons must also satisfy the same E_T and η selection criteria as photons.


To improve the rejection of jets misidentified as photons, the candidates are required to be isolated using both the calorimeter and tracking detector information. The calorimeter-based isolation variable $E_{\rm T}^{\rm iso}$ is defined as the scalar sum of the $E_{\rm T}$ over positive-energy topological clusters [44] within a radius $\Delta R = 0.2$ around the photon candidate, excluding the photon energy and correcting for pile-up and underlying-event contributions [45–47]. For both the candidates this variable is required to be below $0.065 \times E_{\rm T}$, where $E_{\rm T}$ is the transverse energy of the photon. The track-based isolation variable $p_{\rm T}^{\rm iso}$ is based on charged-particle tracks, and is defined as the scalar sum of the transverse momenta $p_{\rm T}$ over tracks within a radius $\Delta R = 0.2$ around the photon candidate. Only tracks with $p_{\rm T} > 1$ GeV that are consistent with originating from the diphoton production vertex and that are not associated with a photon conversion vertex are used. For both the candidates this variable is required to be below $0.05 \times E_{\rm T}$. Small differences between the average value of $E_{\rm T}^{\rm iso}$ between data and simulation are corrected in the simulation. The photon isolation efficiency—i.e., the fraction of photons fulfilling the identification requirement that also satisfy the isolation requirement—is determined using simulated samples and increases with $m_{\gamma\gamma}$ from 80% at 62 GeV to 90% at 120 GeV.

5 Event selection

Only events containing at least one primary vertex candidate are considered. The two selected photon candidates are used to define the diphoton invariant mass, $m_{\gamma\gamma}$, and only events in the mass range 62 to 120 GeV are included in the analysis. At low invariant masses, the diphoton invariant mass spectrum is distorted due to the kinematic turn-on effects from the trigger selection of two photons with $E_T > 22$ GeV. Increasing the E_T requirement on the photons shifts this turn-on effect away from $m_{\gamma\gamma} \approx 60$ GeV towards higher masses. Instead, an E_T cut relative to the diphoton invariant mass, $E_T/m_{\gamma\gamma}$, is used. Each photon is required to satisfy $E_T/m_{\gamma\gamma} > 22/58 \approx 0.38$, which results in a background shape that starts to fall exponentially near $m_{\gamma\gamma} = 58$ GeV. This particular value is chosen to maximise the signal efficiency while allowing the mass range 62 to 120 GeV to be described more easily using analytic functions (see Section 8).

Following these selections, two significant background components are identified: $\gamma\gamma$, γ j and jj continuum backgrounds coming from QCD production, and ee pairs coming from DY production. Here, the γ j component includes events where either the leading or sub-leading object is a jet misidentified as a photon, and the jj component includes events where both the objects are jets misidentified as photons. The contributions of events containing SM Higgs bosons or W and Z bosons produced in association with a photon are estimated by using MC simulated event samples and are found to be negligible.

To further reduce the number of background *ee* events, in particular the events where a topological cluster is ambiguously reconstructed as both an electron and a photon [40], a boosted decision tree (BDT) is developed using LightGBM [48]. Photon candidates from single-photon MC samples are considered as signal in the training, while photon candidates from the single-electron MC samples are considered as background when training the BDT. The model is trained using kinematic information related to the converted photon and detailed tracking information related to the electron and conversion of the photon candidate. The full list of variables considered for this classifier are chosen to avoid introducing shapes in the background distribution that are difficult to model with analytic functions (see Section 8). The output of this classifier (henceforth referred to as the *ambiguity BDT*) is a score on the interval [0,1], where scores closer to 0 indicate an electron-like object and a score nearer to 1 indicate a photon-like object.






Figure 1: (a) Distribution of electron–photon ambiguity BDT scores constructed by taking the minimum score of the two photon candidates in simulated ggF $m_X = 100$ GeV signal events (solid line), $Z/\gamma^* \rightarrow ee$ events (dashed line), and the continuum $\gamma\gamma$ background events (dotted line). The distributions are scaled independently for illustrative purposes. (b) Efficiency versus minimum requirement on the ambiguity BDT score, shown for the same samples. Only events in which both photon candidates are converted are shown.

Unconverted and non-ambiguous photons are assigned a score of 1 and are not further classified. The score of the ambiguity BDT is then evaluated for each of the two photon candidates. In Figure 1, the minimum score between the two candidates and the selection efficiency for the signal and background processes are shown, both as a function of ambiguity BDT score in events with two converted photon candidates and thus most likely to suffer from *ee* backgrounds. Requiring both the ambiguity BDT scores to be above 0.2 results in a signal selection efficiency above 93% and a reduction of *ee* backgrounds between 65% to 90%, where the largest reduction is obtained for events with two converted photons.

6 Event categorisation

As the *ee* backgrounds predominantly impact events where both photons convert to a pair of electrons, including distinct conversion categories results in a significant increase in sensitivity to new physics. Three conversion categories are considered, those where: 1) both photons remain unconverted (UU), 2) either one of the two photons convert (UC), or 3) both photons convert (CC).

For the model-dependent result, in addition to the conversion categories, events are separated between the continuum background and low-mass Higgs boson processes by another BDT, henceforth referred to as the *category BDT*. The training of this BDT is performed using the adaptive boosting (AdaBoost) algorithm [49], with a boosting parameter of 0.5, designed with the TMVA toolkit [50]. SM-like assumptions on the production-mode cross-sections are used for the model-dependent result. Eight input variables are considered and are given here ranked in order of variable importance in the training: the cosine of the difference in azimuthal angle between the two photons, the ratio $E_T/m_{\gamma\gamma}$ of each photon, the η of the each photon, the minimum of the two ambiguity BDT scores, and the ambiguity BDT scores of each of the two photons. Photon candidates from simulated samples with $m_H = 60$, 80, 100, and 120 GeV—where the different masses and production modes are weighted assuming the SM-like cross-sections for a Higgs boson at the specified m_H —are considered as signal (S) and simulated diphoton events are considered as




Figure 2: Distributions of the category BDT scores for the merged SM-like Higgs boson considering all production modes (ggF, VBF, ttH, WH, ZH), the diphoton ($\gamma\gamma$) and reducible backgrounds (γ j, jj) continuum, and the simulated $Z \rightarrow ee$ background prediction. The reducible background components are derived from dedicated data control regions where the photon identification and isolation requirements are inverted. The merged signal contains signals generated for $m_H = 60$, 80, 100, and 120 GeV and each MC sample is weighted according to the SM-like Higgs boson cross-section. Photons from all three conversion categories are used in the BDT training. The merged signal and backgrounds are separately normalised to unity. The vertical lines and arrows at category BDT scores of -0.2 and 0 define the categorisation used in this analysis. Events with category BDT scores below -0.2 are in BDT 1, events with category BDT scores between -0.2 and 0 are in BDT 2, and events with category BDT scores above 0 are in BDT 3.

background (B) when training this BDT. For simplicity, the photon candidates from all three conversion categories are used in the BDT training. The resulting category BDT score is shown in Figure 2, for signal and background processes. The category BDT score is used to define three sub-categories within each of the three conversion categories, labelled as 1 to 3 in increasing order of expected signal compared to background. The nine categories are defined based on the combined conversion and BDT category as UU1, UU2, UU3, UC1, UC2, UC3, CC1, CC2, and CC3. The number of categories and the corresponding boundaries are optimised based on the expected signal-to-background significance, quantified by S/\sqrt{B} , while requiring that there are a sufficient number of simulated events for determining the background model. Each sub-category is required to contain at least 20% of the total number of diphoton background events in a given photon conversion category. The optimal boundaries are found to be at category BDT scores of -0.2 and 0 and are the same for all three photon conversion categories. A list of each category and its requirements can be found in Table 1.

The category BDT classification is found not to cause significant distortions of the diphoton invariant mass distribution for any category. The expected signal and background yields for a signal with $m_H = 90 \,\text{GeV}$ are given in Table 2.

7 Signal model

The $m_{\gamma\gamma}$ distribution of the signal, assumed to have a narrow decay width relative to the mass resolution, is modelled using a double-sided Crystal Ball (DSCB) function, composed of a Gaussian core with

Table 1: The selection requirements and names of each category in the model-independent and model-dependent analyses.

Category	Selection Requirement			
Model-Independent categories				
UU	2 unconverted photons			
UC	1 converted photon and 1 unconverted photon			
CC	2 converted photons			
Model-De	pendent categories			
UU1	UU and category BDT score < -0.2			
UU3	UU and category BDT score [-0.2,0)			
UU3	UU and category BDT score >= 0			
UC1	UC and category BDT score < −0.2			
UC2	UC and category BDT score [0.2,0)			
UC3	UC and category BDT score >= 0			
CC1	CC and category BDT score < -0.2			
CC3	CC and category BDT score [-0.2,0)			
CC3	CC and category BDT score >= 0			

Table 2: The expected number of signal events, fractions of each Higgs boson production mode, and the number of background events per GeV at $m_{\gamma\gamma}=90$ GeV for each BDT category, and for all three photon conversion categories together. The per GeV binning corresponds to approximately 1σ of the mass resolution at $m_{\gamma\gamma}=90$ GeV. The background events are extracted from the background-only fit to the data and the "Total" category includes the number of Drell-Yan events (DY) that are also shown separately. The BDT categories are defined as follows: events with category BDT scores below -0.2 are in BDT category 1, events with category BDT scores between -0.2 and 0 are in BDT category 2, and events with category BDT scores above 0 are in BDT category 3.

	SM-l	SM-like Higgs boson ($m_H = 90 \text{GeV}$)						Background	
BDT Category	Total	ggF	VBF	WH	ZH	tŧH	Total	DY	
		[%]	[%]	[%]	[%]	[%]	$[GeV^{-1}]$	$[GeV^{-1}]$	
1	741	97.1	1.2	1.0	0.6	0.1	18877	2179	
2	942	93.4	2.9	2.1	1.2	0.4	14014	713	
3	1187	72.4	13.5	6.7	4.0	3.4	6522	294	
Total	2870	85.7	6.8	3.7	2.2	1.6	39413	3186	

power-law tails [51, 52]. Each parameter is determined in a fit to the fixed-mass simulated samples, and is parameterised as a linear function of the resonance mass separately for each conversion category. For the model-independent search for a spin-0 scalar X only the ggF production mode is considered; for the model-dependent search for a low-mass H all production modes for a given mass value are combined assuming SM-like cross-sections [53]. The width of the Gaussian core, which is entirely determined by detector resolution, ranges from 0.9 to 2.2 GeV depending on the resonance mass and analysis category. Good agreement between the signal model fit and the simulated $m_{\gamma\gamma}$ distribution is found, with reduced chi-square values generally between 0.9 and 1.4. Examples fits are illustrated in Figure 3 for the UU3 and CC1 categories.

In addition to the narrow width signals considered above, a search for signals with larger widths is also performed in the model-independent analysis. The large width signal distributions for specific values of the mass and width are derived by convolving the detector resolution with the predicted line shape defined in the MC simulation of the ggF process. The detector resolution is modelled using the DSCB function described above and the signal line shapes are comprised of a Breit-Wigner (BW) function of width Γ_X combined with a mass-dependent gluon–gluon luminosity functional form. The large width signal hypotheses considered in this analysis cover the range $0\% \le \Gamma_X/m_X \le 2.5\%$. To ensure that sufficient side bands are available for the largest width signals, only signal masses in the range 75 to 105 GeV are considered for the large-width analysis.




Figure 3: Simulated diphoton invariant mass distribution of a narrow-width signal particle *H* of mass 80 GeV (points) in the (a) UU3 and (b) CC1 categories, overlaid with the DSCB function resulting from the signal model parameterisation (line). The error bars on the simulated data points indicate the statistical uncertainties. An arbitrary normalisation is used for illustration purposes.

8 Background estimate

The two main components of the background, the continuum and the resonant DY, are estimated separately in each category. In both cases, a data-driven approach is used to describe the normalisation and shape of their $m_{\gamma\gamma}$ distributions. The continuum background is fitted on data, with the normalisation and function parameters free. For the DY background, both the shape and normalisation are fitted, but the corresponding parameters are constrained using information from $Z \to ee$ decays, as described below.

The continuum background is predominately composed of events from $\gamma\gamma$ but also γ j and jj production processes. To evaluate its composition, the two-dimensional side bands method described in Ref. [54] is used to simultaneously extract the fraction of $\gamma\gamma$, γ , and jj events (including fake photons coming from DY electrons). The inputs to this method are the signal efficiencies of the identification and isolation requirements, as well as the number of events in sixteen categories, defined by whether each candidate passes or fails the photon identification and isolation criteria (four categories for each photon). The signal leakage in the background control regions—those that fail the photon identification or isolation requirements—is evaluated with simulation. A system of equations predicting the number of events in each category is solved with a χ^2 minimisation process, extracting the background decomposition estimate shown in Table 3. The diphoton purity increases with the invariant mass $m_{\gamma\gamma}$ and varies from 60% to 70% across the mass range 62 to 120 GeV with an uncertainty of 1% to 5% depending on the category. The uncertainties in this purity measurement arise from: statistical uncertainty in the data and simulated MC samples; the alternate definitions of the identification criteria that define the control regions; the dependence of the signal leakage evaluation in the control regions on the event generator; the modelling of the isolation variable and shower-shape distributions; and possible correlations between the isolation variables and the inverted identification criteria [54].

The continuum background $m_{\gamma\gamma}$ distribution in each category is described by an analytic function whose form is determined using the method described in Ref. [55]. The bias related to the choice of analytic function is estimated as the fitted spurious signal [43] yield extracted using a signal-plus-background fit to a background-only template. The background-only template is built using simulated samples for the $\gamma\gamma$ component and a data control sample for the γ j and jj components, mixed according to the fractions determined by the 2x2D side band method presented above. To minimise the effects of statistical fluctuations in the background-only template due to finite MC simulation statistics, the templates are smoothed with a Gaussian Process regression [9]. This analysis uses a similar methodology to that used in Ref. [56], with an update to use the Gibbs kernel [57] to allow for an adaptive length scale hyperparameter. The following functions are considered: Bernstein polynomials [58] of order five to seven, and exponentials of second, third and fourth order polynomials. A function is only considered for modelling the background in a given analysis category if the maximal spurious signal from a fit to the background template is found to be less than 50% of the statistical uncertainty in the fitted signal yield (from the background distributions normalised to the same statistics as the data) over the mass range 66 to 110 GeV. In the cases where two or more functions satisfy this requirement, the function with the fewest degrees of freedom is chosen to model the continuum background in that analysis category. For most categories considered in this analysis, the result is an exponential of a third- or fourth-order polynomial. The exception is the UC category in the model independent analysis, which is modelled using a Bernstein polynomial of order six. The corresponding modelling uncertainty is derived by fitting the local maxima of the absolute spurious signal as a function of diphoton mass with an exponential of a second-order polynomial in each category.

The DY background is modelled using a DSCB function, with parameters determined by fitting a data-driven $m_{\gamma\gamma}$ template. At first order, this template is derived using an m_{ee} distribution from $Z \to ee$ events in

Table 3: The number of data events ($N_{\rm data}$), the expected fraction of $\gamma\gamma$, γj , jj events determined with the two dimensional side band method, and the fraction of Drell-Yan events in each category. The uncertainties in the fractions of $\gamma\gamma$, γj , jj arise from the statistical uncertainty varying the identification requirements. The BDT categories are defined as follows: events with category BDT scores below -0.2 are in BDT Category 1, events with category BDT scores between -0.2 and 0 are in BDT Category 2, and events with category BDT scores above 0 are in BDT Category 3.

Category		UU	UC	CC
	$N_{ m data}$	1356130	1104590	243984
Model Indopendent	$f_{\gamma\gamma}$ [%]	74.4 ± 1.3	69.2±3.3	61.6±3.7
Model Independent	$f_{\gamma j}$ [%]	19.9 ± 1.2	23.7 ± 1.9	28.1 ± 2.2
	f _{jj} [%]	5.3 ± 0.5	6.0 ± 0.7	7.3 ± 1.7
	$f_{\mathrm{DY}} [\%]$	0.46 ± 0.03	1.1 ± 0.1	3.1 ± 0.4
	$N_{ m data}$	592403	494228	112603
BDT Category 1	$f_{\gamma\gamma}$ [%]	71.5 ± 2.0	67.0 ± 3.4	57.3 ± 3.8
DD1 Category 1	$f_{\gamma j}$ [%]	20.9 ± 1.5	24.1 ± 2.0	29.9 ± 3.1
	$f_{ m jj}$ [%]	6.8 ± 0.6	7.2 ± 0.9	8.2 ± 0.9
	$f_{\mathrm{DY}} [\%]$	0.7 ± 0.1	1.7 ± 0.2	4.7 ± 0.6
	$N_{ m data}$	508548	401646	86275
BDT Category 2	$f_{\gamma\gamma}$ [%]	74.7 ± 1.4	69.7±4.1	64.5 ± 3.8
DD1 Category 2	$f_{\gamma j}$ [%]	20.2 ± 1.3	24.1 ± 2.7	26.7 ± 2.6
	f _{jj} [%]	4.8 ± 0.5	5.5 ± 0.6	7.0 ± 1.2
	$f_{\mathrm{DY}} [\%]$	0.29 ± 0.02	0.69 ± 0.01	1.8 ± 0.2
	$N_{ m data}$	255179	208716	45106
PDT Cotogogy 2	$f_{\gamma\gamma}$ [%]	80.4 ± 1.0	73.5 ± 2.8	66.6±5.1
BDT Category 3	$f_{\gamma j}$ [%]	16.7 ± 1.2	21.9 ± 1.8	26.2±3.3
	$f_{\rm jj}$ [%]	2.7 ± 0.3	4.0 ± 0.9	5.5 ± 1.4
	$f_{\mathrm{DY}} [\%]$	0.19±0.02	0.56 ± 0.06	1.7±0.2

data. Electrons are required to pass the same $E_{\rm T}$ and η requirements as photons, as well as identification requirements based on shower shape variables; no isolation requirement is applied. Because electrons misidentified as photons generally lose a large amount of energy due to bremsstrahlung, a Smirnov transformation [59] derived from simulation is used to correct the m_{ee} template shape to the $m_{\gamma\gamma}$ shape expected from electrons faking a photon. The normalisation of the resulting $m_{\gamma\gamma}$ template is computed from $e \to \gamma$ fake rates obtained from the same data used to derive the template, as described in Ref. [10], and is shown in Table 3. Since electrons reconstructed as unconverted photons are more affected by bremsstrahlung than those reconstructed as converted photons, the UU events are more shifted to lower invariant masses than CC events. Variations arising from limited MC sample sizes, variations of the Z-boson mass window and background subtraction used when deriving fake rates, and results using different MC event generators are considered as uncertainties.

9 Results

For the model-independent result, the measurement of the signal production cross-section times branching ratio, $\sigma_{\rm fid} \times \mathcal{B}$, is performed in a fiducial region. The fiducial region, which closely matches the selection requirements of the reconstructed photons, is constructed in order to reduce the dependence of the measurement on the chosen theoretical model. The fiducial region is defined at particle level as: two photons with $E_{\rm T} > 22\,{\rm GeV}$, $|\eta| < 2.37$ excluding $1.37 < |\eta| < 1.52$, passing the isolation requirement $E_{\rm T}^{\rm iso} < 0.065\,E_{\rm T} + 1\,{\rm GeV}$, and passing $E_{\rm T}/m_{\gamma\gamma} > 22/58$. Here, $E_{\rm T}^{\rm iso}$ is defined as the magnitude of the vector sum of $p_{\rm T}$ for all particles with a lifetime longer than 10 ps (except neutrinos and muons) within a radius of $\Delta R = 0.2$ around the photon. This isolation requirement is chosen to reproduce the detector-level selection. The particle-level fiducial cross-section includes a signal efficiency correction factor C_X through:

$$\sigma_{\text{fid}} \times \mathcal{B} = \frac{N_{\text{S}}}{C_X \mathcal{L}}, \text{ with } C_X = \frac{N_{\text{MC}}^{\text{det}}}{N_{\text{MC}}^{\text{fid}}},$$
 (1)

where N_S is the fitted number of signal events in data, \mathcal{L} is the integrated luminosity, $N_{\mathrm{MC}}^{\mathrm{det}}$ is the number of simulated signal events passing the detector-level selection criteria, and $N_{\mathrm{MC}}^{\mathrm{fid}}$ is the number of simulated signal events passing the particle-level selection. Since a generic spin-0 scalar X is targeted, only the ggF production mode is used for the nominal correction factor, and the C_X factor values range from 0.46 to 0.69 as a function of m_X . The envelope of the C_X values from the five production modes is taken as an uncertainty. This model dependence uncertainty is determined using simulated samples of X with several production modes: ggF, VBF, VH, and ttH.

Several experimental uncertainties directly impact the signal yields and signal shape and are accounted for in the fit using nuisance parameters constrained by Gaussian penalty terms in the likelihood function. The largest effect on the signal yield in the model-dependent analysis comes from the uncertainty in the pile-up reweighting procedure. This uncertainty is estimated by changing the nominal rescaling factor and evaluating the change in the signal efficiency. Uncertainties in the signal yield arising from uncertainties in the luminosity determination, the trigger efficiency, and photon identification and isolation efficiencies are also considered. Uncertainties in the signal mass scale and resolution are assessed by propagating the photon energy calibration uncertainties onto the MC signal samples and constructing a new signal template. These shifted signal templates are then refit using the signal model parameterisation given in Section 7 and the deviations from the central mass and resolution values are taken as an uncertainty. These uncertainties in the signal mass scale (resolution) are in the range $\pm 0.3\%$ to $\pm 0.5\%$ ($\pm 3\%$ to $\pm 10\%$), with the larger

uncertainties occurring at higher values of $m_{\gamma\gamma}$. A systematic uncertainty is derived from the variation of the detector material description in the simulation, resulting in migrations across conversion categories. An uncertainty is also assessed on the electron-photon ambiguity BDT efficiency that accounts for differences in performance between data and the MC simulation selection efficiency in a control region outside of the mass range considered in this analysis. The variations on the DY background result in uncertainties in the peak position, the peak width, and the normalisation which are derived separately for each conversion category. The magnitude of these uncertainty components is shown in Table 4.

For the model-dependent result, the total signal production cross-section times branching ratio, $\sigma_H \times \mathcal{B}$, is computed as:

$$\sigma_{\rm H} \times \mathcal{B} = \frac{N_{\rm S}}{A_H C_H \mathcal{L}},\tag{2}$$

where N_S is the number of signal events fit in data, C_H is the signal efficiency factor for a SM-like Higgs boson, and A_H is an acceptance factor defined as the probability of a generated event to be selected in the fiducial volume at the particle level. The A_H and C_H factors are parameterised using the weighted average of the different Higgs boson production modes assuming the SM-like cross-section for each production mode. The acceptance times correction factor varies from 0.13 to 0.2 depending on the mass of the SM-like Higgs boson m_H . Since the model-dependent result assumes SM-like production-mode cross-sections when constructing C_H , the uncertainty from taking the envelope of the production modes—as done when deriving C_X in the model-independent results—is not relevant. After accounting for the differences between the analyses, the model-dependent result provides an approximately 30% to 60% stronger limit than the model-independent result.

The expected fraction of signal events for the model-independent (model-dependent) analysis in each of the three conversion (nine) categories is parameterised as a function of m_X (m_H). The migration of signal events between different BDT categories in the model-dependent analysis is found to be negligible.

The number of signal and background events is measured with an extended maximum-likelihood simultaneous binned fit to the $m_{\gamma\gamma}$ spectra. This fit is performed in the three conversion categories for the model-independent analysis and in nine categories (three BDT categories for each conversion category) in the model-dependent analysis. Scans over different m_X and m_H hypotheses are performed in 0.1 GeV steps over the mass range 66 to 110 GeV.

The signal-plus-background model has the form:

$$N_{\rm S} \cdot f_{\rm S}(m_{\gamma\gamma}) + N_{\rm SS} \cdot f_{\rm S}(m_{\gamma\gamma}) + N_{\rm B} \cdot f_{\rm B}(m_{\gamma\gamma}) + N_{\rm DY} \cdot f_{\rm DY}(m_{\gamma\gamma}), \tag{3}$$

where f_S is the signal model described in Section 7, N_S (N_B) is the fitted number of signal (continuum background) events, N_{SS} is the number of spurious signal events, f_B (f_{DY}) is the continuum (Drell-Yan) background model described in Section 8, and N_{DY} is the number of DY background events. The systematic uncertainties are included in the likelihood via nuisance parameters, and constrained by Gaussian or log-normal penalty terms.

A background-only fit of the data is shown in Figure 4 for the three model-independent conversion categories and in Figure 5 for the three model-dependent BDT 3 categories. The parameters of the background model in each category are determined during a simultaneous fit to all categories. A goodness-of-fit test is performed in each category and returns a probability between 5% and 89% depending on the category. As expected, the DY contribution is most prominent in the CC categories (see Table 3).




Figure 4: Background-only fit to the data (black markers) as a function of the diphoton invariant mass $m_{\gamma\gamma}$ for the model-independent conversion categories: (a) UU, (b) UC, and (c) CC. The solid lines show the sum of the Drell-Yan and the continuum background components and the dashed lines show only the continuum background components. The difference between the data and the total background component divided by the statistical uncertainty of the data, σ_{data} , is shown at the bottom panel separately for each category. The green (yellow) bands denote the total uncertainty in the background model at one (two) standard deviation.




Figure 5: Background-only fit to the data (black markers) as a function of the diphoton invariant mass $m_{\gamma\gamma}$ for each of the model-dependent BDT 3 categories: (a) UU3, (b) UC3, and (c) CC3. The solid lines show the sum of the Drell-Yan and the continuum background components and the dashed lines show only the continuum background components. The difference between the data and the total background component divided by the uncertainty, with σ_{data} denoting only the statistical error of the data, is shown at the bottom panel separately for each category. The green (yellow) bands denote the total uncertainty in the background model at one (two) standard deviation.

Table 4: Summary of the systematic uncertainties considered in this analysis. In general, the values correspond to the uncertainties associated to the fit nuisance parameters. The DY uncertainty is the percent error on the nominal peak position, peak width, and normalisation. The spurious signal uncertainty is expressed as a number of events and relative to the expected statistical uncertainty (δS) of a fitted signal. The "Remarks" column indicates specific information about the systematic uncertainty, including whether or not the uncertainty varies as a function of resonance mass or analysis category.

Source	Uncertainty [%]	Remarks
Signal yield		
Luminosity	±0.83	
Electron-photon ambiguity BDT efficiency	±0.7	
Trigger efficiency	$\pm 1.0 - 1.5$	m_X -dependent
Photon identification efficiency	$\pm 1.8 - 3.0$	m_X -dependent
Photon isolation efficiency	$\pm 1.6 - 2.4$	m_X -dependent
Photon energy scale	$\pm 0.1 - 0.3$	m_X -dependent
Photon energy resolution	$\pm 0.1 - 0.15$	m_X -dependent
Pile-up	$\pm 1.6 - 5.0$	m_X -dependent
Production mode	$\pm 4.3 - 29$	m_X -dependent (model-independent only)
Signal modelling		
Photon energy scale	$\pm 0.3 - 0.5$	m_X - and category–dependent
Photon energy resolution	$\pm 3 - 10$	m_X - and category-dependent
Migration between categories		
Material	-2.0/+1.0/+4.1	category-dependent
DY background modelling		
Peak position	$\pm 0.1 - 0.2$	category-dependent
Peak width	$\pm 1.9 - 3.5$	category-dependent
Normalisation	$\pm 7.1 - 13$	category-dependent
Continuum background (model-dependent)		
Spurious signal, NWA	9-171 events, $(10%-50%)$	m_X - and category-dependent
Continuum background (model-independent)		•
Spurious signal, NWA	37 - 310 events, $(20% - 50%)$	m_X - and category-dependent
Spurious signal, $\Gamma_X/m_X = 1.0\%$	65 - 539 events, $(20% - 50%)$	m_X - and category-dependent
Spurious signal, $\Gamma_X/m_X = 2.5\%$	92 - 879 events, $(20% - 50%)$	m_X - and category-dependent

The compatibility of the observed diphoton mass spectra with the background-only hypothesis, for a given resonance mass, is determined with a local p-value based on the profile-likelihood-ratio-test statistic [60] as detailed in Ref. [52]. The observed and expected 95% confidence level (CL) exclusion limits on the production cross-section times branching ratio are evaluated using a modified frequentist approach CL_s [61] with the asymptotic approximation to the test-statistic distribution [60].

The result of the model-independent p-value scan is shown in Figure 6(a). No significant excess with respect to the background-only hypothesis is observed. The largest localised deviation for the model-independent search is observed for a mass of 71.8 GeV, corresponding to a local significance of 2.2σ .

For the narrow-width model-independent result, an upper limit at the 95% CL is set on $\sigma_{fid} \times \mathcal{B}$ from 8 fb to 53 fb, as shown in Figure 6(b).

The model-independent analysis considers additional larger width signal hypotheses, and the *p*-value scan is expanded to include signal hypotheses with $\Gamma_{\rm X}/m_{\rm X}$ in the range 0% to 2.5%. The result of this *p*-value




Figure 6: (a) Compatibility of the data, in the model-independent search, in terms of local p-value (solid line), with the background-only hypothesis as a function of the assumed NWA signal mass m_X . The dotted-dashed lines correspond to the standard deviation quantification σ . (b) 95% CL upper limits on the fiducial cross-section times branching ratio $\mathcal{B}(X \to \gamma \gamma)$ as a function of NWA m_X , where the solid (dashed) line corresponds to the observed (expected) limit and the green (yellow) band corresponds to one (two) standard deviation from the expectation.

scan is shown in Figure 7. Due to the truncated range in m_X , the most significant excess occurs at 85.2 GeV for the narrow-width model hypothesis and corresponds to a local significance of 1.7σ . In the absence of a significant excess, upper limits are set set on $\sigma_{fid} \times \mathcal{B}$ as a function of Γ_X/m_X and are illustrated in Figure 8.

The result of the model-dependent p-value scan is shown in Figure 9(a) and the largest deviation is observed for a mass of 95.4 GeV, corresponding to a local significance of 1.7 σ . An upper limit at the 95% CL is set on $\sigma_{\rm H} \times \mathcal{B}$ from 19 fb to 100 fb for the model-dependent result, as shown in Figure 9(b). The limited number of pp collisions recorded is the dominant uncertainty impacting this result. The model-dependent




Figure 7: Compatibility of the data with the background-only hypothesis, using the local p_0 quantified in units of standard deviations, σ , as a function of the assumed signal mass m_X and of the relative width Γ_X/m_X for the model-independent search.




Figure 8: (a) Expected and (b) observed limits on the fiducial cross-section times branching ratio $\mathcal{B}(X \to \gamma \gamma)$ computed using the asymptotic approximation as a function of the assumed signal mass m_X and relative width Γ_X/m_X for the model-independent scalar resonance search.

result can be compared to a similar result from the CMS Collaboration, which sets an observed upper limit ranging from 15 fb to 73 fb in the mass range 70 to 110 GeV [12]. The largest deviation observed by CMS is for a mass of 95.4 GeV, corresponding to a local significance of 2.9σ .

Despite using the same pp collision events, the results between the model-dependent and model-independent searches in this analysis are expected to show differences due to the model assumptions and additional categories used in the model-dependent analysis. An example that illustrates these differences is the mild excess of events that appears around $m_H = 77$ GeV in the model-dependent analysis. This mild excess is localised in two high-significance categories, UU3 and UC3, which contain about 20% of all UU and UC events. In the low-significance categories that comprise the bulk of the UU and UC events, a deficit of events is observed, which matches that observed in the model-independent analysis.




Figure 9: (a) Compatibility of the data with the background-only hypothesis as quantified by the local p-value (solid line) as a function of the assumed signal mass m_H , for the model-dependent search. The dotted-dashed lines correspond to the standard deviation quantification σ . (b) 95% CL upper limits on the total cross-section times branching ratio $\mathcal{B}(H \to \gamma \gamma)$ as a function of m_H , where the solid (dashed) line corresponds to the observed (expected) limit and the green (yellow) band corresponds to one (two) standard deviation from the expectation.

10 Conclusion

Searches for new narrow-width resonances, either a generic spin-0 particle or an additional low-mass Higgs boson, are performed in the diphoton invariant mass spectra ranging from 66 GeV to 110 GeV, using $140\,\mathrm{fb}^{-1}$ of pp collision data collected at $\sqrt{s}=13\,\mathrm{TeV}$ with the ATLAS detector at the Large Hadron Collider. The dominant uncertainties arise from the limited number of pp collisions collected and the spurious signal uncertainty due to the choice of analytic functions to model the continuum background. Both a model-independent search for a spin-0 particle (X) and a model-dependent search for an additional low-mass Higgs boson (H, assuming the SM production-mode times branching ratio to two photons cross-sections) are performed. No significant excess above the SM background expectation is observed, and 95% CL upper limits on the cross-section times branching ratio are set for each search. In the model-independent analysis, the observed 95% CL upper limits on the fiducial cross-section times branching ratio for a generic spin-0 signal are in the range 8 fb to 53 fb for new resonances with masses $66 < m_X < 110\,\mathrm{GeV}$. For the model-dependent analysis, the observed upper limits on the production cross-section times branching ratio to two photons for a SM-like Higgs boson range from 19 fb to 102 fb in the same mass range.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [62].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT

Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN PJAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230812, FONDECYT 1230987); China: National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC -101002463); European Union: European Research Council (ERC - 948254), Horizon 2020 Framework Programme (MUCCA - CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU), Marie Sklodowska-Curie Actions (EU H2020 MSC IF GRANT NO 101033496); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022), Investissements d'Avenir Idex (ANR-11-LABX-0012), Investissements d'Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-1); Italy: Istituto Nazionale di Fisica Nucleare (FELLINI G.A. n. 754496, ICSC, NextGenerationEU); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: BBVA Foundation (LEO22-1-603), Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), La Caixa Banking Foundation (LCF/BQ/PI20/11760025), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEGENT/2019/023, CIDEGENT/2019/027); Sweden: Swedish Research Council (VR 2018-00482, VR 2022-03845, VR 2022-04683, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2017.0100, KAW 2018.0157, KAW 2018.0458, KAW 2019.0447); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] A. Celis, V. Ilisie and A. Pich, *LHC constraints on two-Higgs doublet models*, JHEP **07** (2013) 053, arXiv: 1302.4022 [hep-ph].
- [2] P. J. Fox and N. Weiner, *Light Signals from a lighter Higgs*, JHEP **08** (2018) 025, arXiv: 1710.07649 [hep-ph].
- [3] T. Biekötter, M. Chakraborti and S. Heinemeyer, *A 96 GeV Higgs boson in the N2HDM*, Eur. Phys. J. C **80** (2020) 2, arXiv: 1903.11661 [hep-ph].
- [4] M. Maniatis, *The Next-to-Minimal Supersymmetric extension of the Standard Model reviewed*, Int. J. Mod. Phys. A **25** (2010) 3505, arXiv: **0906.0777** [hep-ph].

- [5] B. Bellazzini, A. Mariotti, D. Redigolo, F. Sala and J. Serra, *R-Axion at Colliders*, Phys. Rev. Lett. **119** (2017) 141804, arXiv: 1702.02152 [hep-ph].
- [6] J. M. Cline and T. Toma,

 Pseudo-Goldstone dark matter confronts cosmic ray and collider anomalies,

 Phys. Rev. D 100 (2019) 035023, arXiv: 1906.02175 [hep-ph].
- [7] K. S. Jeong, T. H. Jung and C. S. Shin, *Axionic Electroweak Baryogenesis*, Phys. Lett. B **790** (2019) 326, arXiv: 1806.02591 [hep-ph].
- [8] D. de Florian et al., *Handbook of LHC Higgs Cross Sections: 3. Higgs Properties*, (2013), arXiv: 1307.1347 [hep-ph].
- [9] C. E. Rasmussen and C. K. I. Williams, *Gaussian Processes for Machine Learning*, MIT Press, 2006, ISBN: 978-0-262-18253-9.
- [10] ATLAS Collaboration, Search for Scalar Diphoton Resonances in the Mass Range 65–600 GeV with the ATLAS Detector in pp Collision Data at $\sqrt{s} = 8$ TeV, Phys. Rev. Lett. **113** (2014) 171801, arXiv: 1407.6583 [hep-ex].
- [11] CMS Collaboration, Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton–proton collisions at $\sqrt{s} = 8$ and 13 TeV, Phys. Lett. B **793** (2019) 320, arXiv: 1811.08459 [hep-ex].
- [12] CMS Collaboration, Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, (2024), arXiv: 2405.18149 [hep-ex].
- [13] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, JINST **3** (2008) S08003.
- [14] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, JINST **13** (2018) P07017.
- [15] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, Eur. Phys. J. C **77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [16] ATLAS Collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, (2024), arXiv: 2404.06335 [hep-ex].
- [17] ATLAS Collaboration,

 Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC,

 Eur. Phys. J. C 83 (2023) 982, arXiv: 2212.09379 [hep-ex].
- [18] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, JINST **15** (2020) P04003, arXiv: 1911.04632 [physics.ins-det].
- [19] ATLAS Collaboration, *Electron and photon efficiencies in LHC Run 2 with the ATLAS experiment*, JHEP **05** (2024) 162, arXiv: 2308.13362 [hep-ex].
- [20] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run* 2, Eur. Phys. J. C **80** (2020) 47, arXiv: 1909.00761 [hep-ex].
- [21] ATLAS Collaboration, Estimate of the m_H shift due to interference between signal and background processes in the $H \to \gamma \gamma$ channel, for the $\sqrt{s} = 8$ TeV dataset recorded by ATLAS, ATL-PHYS-PUB-2016-009, 2016, URL: https://cds.cern.ch/record/2146386.
- [22] T. Gleisberg et al., Event generation with SHERPA 1.1, JHEP **02** (2009) 007, arXiv: **0811.4622** [hep-ph].

- [23] E. Bothmann et al., Event generation with Sherpa 2.2, SciPost Phys. 7 (2019) 034, arXiv: 1905.09127 [hep-ph].
- [24] F. Siegert, *A practical guide to event generation for prompt photon production with Sherpa*, J. Phys. G **44** (2017) 044007, arXiv: 1611.07226 [hep-ph].
- [25] S. Schumann and F. Krauss,

 A parton shower algorithm based on Catani–Seymour dipole factorisation, JHEP **03** (2008) 038, arXiv: 0709.1027 [hep-ph].
- [26] S. Höche, F. Krauss, M. Schönherr and F. Siegert, QCD matrix elements + parton showers. The NLO case, JHEP **04** (2013) 027, arXiv: 1207.5030 [hep-ph].
- [27] H.-L. Lai et al., *New parton distributions for collider physics*, Phys. Rev. D **82** (2010) 074024, arXiv: 1007.2241 [hep-ph].
- [28] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, JHEP **06** (2010) 043, arXiv: 1002.2581 [hep-ph].
- [29] S. Alioli, P. Nason, C. Oleari and E. Re, *NLO vector-boson production matched with shower in POWHEG*, JHEP **07** (2008) 060, arXiv: **0805.4802** [hep-ph].
- [30] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, arXiv: **0710.3820** [hep-ph].
- [31] ATLAS Collaboration, *Measurement of the Z/\gamma^* boson transverse momentum distribution in pp collisions at \sqrt{s} = 7 TeV with the ATLAS detector, JHEP 09 (2014) 145, arXiv: 1406.3660 [hep-ex].*
- [32] J. Pumplin et al.,

 New Generation of Parton Distributions with Uncertainties from Global QCD Analysis,

 JHEP 07 (2002) 012, arXiv: hep-ph/0201195.
- [33] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, url: https://cds.cern.ch/record/1966419.
- [34] ATLAS Collaboration, *Summary of ATLAS Pythia 8 tunes*, ATL-PHYS-PUB-2012-003, 2012, url: https://cds.cern.ch/record/1474107.
- [35] A. D. Martin, W. J. Stirling, R. S. Thorne and G. Watt, *Parton distributions for the LHC*, Eur. Phys. J. C **63** (2009) 189, arXiv: 0901.0002 [hep-ph].
- [36] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, Eur. Phys. J. C **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [37] S. Agostinelli et al., Geant 4 a simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250.
- [38] ATLAS Collaboration,

 The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim,

 ATL-PHYS-PUB-2010-013, 2010, url: https://cds.cern.ch/record/1300517.
- [39] ATLAS Collaboration, *Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at* $\sqrt{s} = 13$ *TeV with the ATLAS detector*, JHEP **08** (2022) 027, arXiv: 2202.00487 [hep-ex].

- [40] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, JINST 14 (2019) P12006, arXiv: 1908.00005 [hep-ex].
- [41] ATLAS Collaboration,

 Electron and photon energy calibration with the ATLAS detector using LHC Run 2 data,

 JINST 19 (2023) P02009, arXiv: 2309.05471 [hep-ex].
- [42] ATLAS Collaboration, Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-026, 2015, URL: https://cds.cern.ch/record/2037717.
- [43] ATLAS Collaboration, Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D **90** (2014) 112015, arXiv: 1408.7084 [hep-ex].
- [44] ATLAS Collaboration,

 Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1,

 Eur. Phys. J. C 77 (2017) 490, arXiv: 1603.02934 [hep-ex].
- [45] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D **83** (2011) 052005, arXiv: 1012.4389 [hep-ex].
- [46] M. Cacciari, G. P. Salam and G. Soyez, *The Catchment Area of Jets*, JHEP **04** (2008) 005, arXiv: **0802.1188** [hep-ph].
- [47] M. Cacciari, G. P. Salam and S. Sapeta, *On the characterisation of the underlying event*, JHEP **04** (2010) 065, arXiv: **0912.4926** [hep-ph].
- [48] G. Ke et al., LightGBM: a highly efficient gradient boosting decision tree, NIPS '17 (2017) 3149.
- [49] Y. Freund and R. E. Schapire,
 A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting,
 J. Comput. Syst. Sci. 55 (1997) 119.
- [50] A. Hoecker et al., *TMVA Toolkit for Multivariate Data Analysis*, 2009, arXiv: physics/0703039 [physics.data-an].
- [51] M. Oreglia, A Study of the Reactions $\psi' \to \gamma \gamma \psi$, PhD thesis: SLAC, 1980, URL: http://www.slac.stanford.edu/pubs/slacreports/slac-r-236.html.
- [52] ATLAS Collaboration, Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector, JHEP **09** (2016) 001, arXiv: 1606.03833 [hep-ex].
- [53] D. de Florian et al., Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector, (2017), arXiv: 1610.07922 [hep-ph].
- [54] ATLAS Collaboration, *Measurement of isolated-photon pair production in pp collisions at* $\sqrt{s} = 7$ TeV with the ATLAS detector, JHEP **01** (2013) 086, arXiv: 1211.1913 [hep-ex].
- [55] ATLAS Collaboration, Measurements of Higgs boson properties in the diphoton decay channel with $36 \, fb^{-1}$ of pp collision data at $\sqrt{s} = 13 \, \text{TeV}$ with the ATLAS detector, Phys. Rev. D **98** (2018) 052005, arXiv: 1802.04146 [hep-ex].

- [56] ATLAS Collaboration, Search for boosted diphoton resonances in the 10 to 70 GeV mass range using $138 fb^{-1}$ of 13 TeV pp collisions with the ATLAS detector, JHEP **07** (2023) 155, arXiv: 2211.04172 [hep-ex].
- [57] M. N. Gibbs, *Bayesian Gaussian Processes for Regression and Classification*, PhD thesis: PhD thesis, University of Cambridge, 1997.
- [58] S. Bernstein, *Démonstration du Théorème de Weierstrass fondée sur le calcul des Probabilités*, Comm. Soc. Math. Kharkov **13** (1912) 1.
- [59] L. Devroye, Sample-based non-uniform random variate generation, WSC '86 (1986) 260.
- [60] G. Cowan, K. Cranmer, E. Gross and O. Vitells,

 Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554,

 arXiv: 1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [61] A. L. Read, Presentation of search results: the CL_S technique, J. Phys. G 28 (2002) 2693.
- [62] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, url: https://cds.cern.ch/record/2869272.

The ATLAS Collaboration

```
G. Aad ^{\bullet} 102, B. Abbott ^{\bullet} 120, K. Abeling ^{\bullet} 55, N.J. Abicht ^{\bullet} 9, S.H. Abidi ^{\bullet} 9, A. Aboulhorma ^{\bullet} 35e,
H. Abramowicz <sup>151</sup>, H. Abreu <sup>150</sup>, Y. Abulaiti <sup>117</sup>, B.S. Acharya <sup>69a,69b,m</sup>, C. Adam Bourdarios <sup>4</sup>,
L. Adamczyk 686a, S.V. Addepalli 626, M.J. Addison 6101, J. Adelman 6115, A. Adiguzel 621c,
T. Adye 134, A.A. Affolder 136, Y. Afik 39, M.N. Agaras 13, J. Agarwala 73a,73b, A. Aggarwal 100,
C. Agheorghiesei ©<sup>27c</sup>, A. Ahmad ©<sup>36</sup>, F. Ahmadov ©<sup>38,z</sup>, W.S. Ahmed ©<sup>104</sup>, S. Ahuja ©<sup>95</sup>, X. Ai ©<sup>62e</sup>,
G. Aielli 676a,76b, A. Aikot 6163, M. Ait Tamlihat 635e, B. Aitbenchikh 635a, I. Aizenberg 6169,
M. Akbiyik ^{100}, T.P.A. Åkesson ^{109}, A.V. Akimov ^{1037}, D. Akiyama ^{168}, N.N. Akolkar ^{1024},
S. Aktas (D<sup>21a</sup>, K. Al Khoury (D<sup>41</sup>, G.L. Alberghi (D<sup>23b</sup>, J. Albert (D<sup>165</sup>, P. Albicocco (D<sup>53</sup>, G.L. Albouy (D<sup>60</sup>),
S. Alderweireldt <sup>652</sup>, Z.L. Alegria <sup>6121</sup>, M. Aleksa <sup>636</sup>, I.N. Aleksandrov <sup>638</sup>, C. Alexa <sup>627b</sup>,
T. Alexopoulos (D10), F. Alfonsi (D23b), M. Algren (D56), M. Alhroob (D120), B. Ali (D132), H.M.J. Ali (D91),
S. Ali 6148, S.W. Alibocus 692, M. Aliev 633c, G. Alimonti 671a, W. Alkakhi 655, C. Allaire 666,
B.M.M. Allbrooke <sup>146</sup>, J.F. Allen <sup>52</sup>, C.A. Allendes Flores <sup>137f</sup>, P.P. Allport <sup>20</sup>, A. Aloisio <sup>72a,72b</sup>,
F. Alonso 690, C. Alpigiani 6138, M. Alvarez Estevez 699, A. Alvarez Fernandez 6100,
M. Alves Cardoso 656, M.G. Alviggi 672a,72b, M. Aly 6101, Y. Amaral Coutinho 83b, A. Ambler 6104,
C. Amelung<sup>36</sup>, M. Amerl <sup>101</sup>, C.G. Ames <sup>109</sup>, D. Amidei <sup>106</sup>, S.P. Amor Dos Santos <sup>130</sup>a,
K.R. Amos © 163, V. Ananiev © 125, C. Anastopoulos © 139, T. Andeen © 11, J.K. Anders © 36,
S.Y. Andrean (D<sup>47a,47b</sup>, A. Andreazza (D<sup>71a,71b</sup>, S. Angelidakis (D<sup>9</sup>, A. Angerami (D<sup>41,ac</sup>,
A.V. Anisenkov (D37), A. Annovi (D74a), C. Antel (D56), M.T. Anthony (D139), E. Antipov (D145),
M. Antonelli (D<sup>53</sup>, F. Anulli (D<sup>75a</sup>, M. Aoki (D<sup>84</sup>, T. Aoki (D<sup>153</sup>, J.A. Aparisi Pozo (D<sup>163</sup>, M.A. Aparo (D<sup>146</sup>,
L. Aperio Bella 648, C. Appelt 618, A. Apyan 626, N. Aranzabal 636, S.J. Arbiol Val 687,
C. Arcangeletti <sup>53</sup>, A.T.H. Arce <sup>51</sup>, E. Arena <sup>92</sup>, J-F. Arguin <sup>108</sup>, S. Argyropoulos <sup>54</sup>,
J.-H. Arling <sup>648</sup>, O. Arnaez <sup>64</sup>, H. Arnold <sup>6114</sup>, G. Artoni <sup>675a,75b</sup>, H. Asada <sup>6111</sup>, K. Asai <sup>6118</sup>,
S. Asai 10153, N.A. Asbah 1061, K. Assamagan 1029, R. Astalos 1028a, S. Atashi 10159, R.J. Atkin 1033a,
M. Atkinson<sup>162</sup>, H. Atmani<sup>35f</sup>, P.A. Atmasiddha <sup>128</sup>, K. Augsten <sup>132</sup>, S. Auricchio <sup>72a,72b</sup>,
A.D. Auriol 620, V.A. Austrup 6101, G. Avolio 636, K. Axiotis 656, G. Azuelos 6108, D. Babal 6286,
H. Bachacou 135, K. Bachas 152,q, A. Bachiu 34, F. Backman 47a,47b, A. Badea 61, T.M. Baer 106,
P. Bagnaia 675a,75b, M. Bahmani 618, D. Bahner 654, A.J. Bailey 6163, V.R. Bailey 6162,
J.T. Baines <sup>134</sup>, L. Baines <sup>94</sup>, O.K. Baker <sup>172</sup>, E. Bakos <sup>15</sup>, D. Bakshi Gupta <sup>8</sup>,
V. Balakrishnan (D120), R. Balasubramanian (D114), E.M. Baldin (D37), P. Balek (D86a), E. Ballabene (D23b,23a),
F. Balli 135, L.M. Baltes 163a, W.K. Balunas 132, J. Balz 100, E. Banas 187, M. Bandieramonte 129,
A. Bandyopadhyay (D<sup>24</sup>, S. Bansal (D<sup>24</sup>, L. Barak (D<sup>151</sup>, M. Barakat (D<sup>48</sup>, E.L. Barberio (D<sup>105</sup>),
D. Barberis 657b,57a, M. Barbero 6102, M.Z. Barel 6114, K.N. Barends 633a, T. Barillari 6110,
M-S. Barisits <sup>1036</sup>, T. Barklow <sup>143</sup>, P. Baron <sup>122</sup>, D.A. Baron Moreno <sup>101</sup>, A. Baroncelli <sup>1062</sup>a,
G. Barone <sup>©29</sup>, A.J. Barr <sup>©126</sup>, J.D. Barr <sup>©96</sup>, L. Barranco Navarro <sup>©47a,47b</sup>, F. Barreiro <sup>©99</sup>,
J. Barreiro Guimarães da Costa 14a, U. Barron 151, M.G. Barros Teixeira 130a, S. Barsov 157,
F. Bartels ^{63a}, R. Bartoldus ^{143}, A.E. Barton ^{199}, P. Bartos ^{28a}, A. Basan ^{100}, M. Baselga ^{49},
A. Bassalat 666, M.J. Basso 6156a, C.R. Basson 6101, R.L. Bates 659, S. Batlamous 35e, J.R. Batley 632,
B. Batool 1141, M. Battaglia 1136, D. Battulga 118, M. Bauce 175a,75b, M. Bauer 136, P. Bauer 124,
L.T. Bazzano Hurrell (50, J.B. Beacham (51, T. Beau (5127, J.Y. Beaucamp (590, P.H. Beauchemin (5158,
P. Bechtle (1024), H.P. Beck (1019,p), K. Becker (10167), A.J. Beddall (1082), V.A. Bednyakov (1038), C.P. Bee (10145),
L.J. Beemster 15, T.A. Beermann 56, M. Begalli 83d, M. Begel 52, A. Behera 145, J.K. Behr 548,
J.F. Beirer <sup>©36</sup>, F. Beisiegel <sup>©24</sup>, M. Belfkir <sup>©116b</sup>, G. Bella <sup>©151</sup>, L. Bellagamba <sup>©23b</sup>, A. Bellerive <sup>©34</sup>,
P. Bellos (D<sup>20</sup>, K. Beloborodov (D<sup>37</sup>, D. Benchekroun (D<sup>35a</sup>, F. Bendebba (D<sup>35a</sup>, Y. Benhammou (D<sup>151</sup>),
M. Benoit <sup>©29</sup>, S. Bentvelsen <sup>©114</sup>, L. Beresford <sup>©48</sup>, M. Beretta <sup>©53</sup>, E. Bergeaas Kuutmann <sup>©161</sup>,
```

```
N. Berger <sup>64</sup>, B. Bergmann <sup>6132</sup>, J. Beringer <sup>617a</sup>, G. Bernardi <sup>65</sup>, C. Bernius <sup>6143</sup>,
F.U. Bernlochner ©24, F. Bernon ©36,102, A. Berrocal Guardia ©13, T. Berry ©95, P. Berta ©133,
A. Berthold 650, I.A. Bertram 691, S. Bethke 6110, A. Betti 675a,75b, A.J. Bevan 694, N.K. Bhalla 654,
M. Bhamjee 0^{33}c, S. Bhatta 0^{145}, D.S. Bhattacharya 0^{166}, P. Bhattarai 0^{143}, K.D. Bhide 0^{54},
V.S. Bhopatkar (D<sup>121</sup>, R.M. Bianchi (D<sup>129</sup>, G. Bianco (D<sup>23b,23a</sup>, O. Biebel (D<sup>109</sup>, R. Bielski (D<sup>123</sup>,
M. Biglietti \bigcirc^{77a}, M. Bindi \bigcirc^{55}, A. Bingul \bigcirc^{21b}, C. Bini \bigcirc^{75a,75b}, A. Biondini \bigcirc^{92}, C.J. Birch-sykes \bigcirc^{101},
G.A. Bird (32,134), M. Birman (169), M. Biros (133), S. Biryukov (146), T. Bisanz (149), E. Bisceglie (143b,43a),
J.P. Biswal 134, D. Biswas 141, A. Bitadze 101, K. Bjørke 125, I. Bloch 48, A. Blue 59,
U. Blumenschein <sup>1094</sup>, J. Blumenthal <sup>1000</sup>, G.J. Bobbink <sup>114</sup>, V.S. Bobrovnikov <sup>1037</sup>, M. Boehler <sup>1054</sup>,
B. Boehm 166, D. Bogavac 1636, A.G. Bogdanchikov 1637, C. Bohm 1647a, V. Boisvert 1695, P. Bokan 1636,
T. Bold 686a, M. Bomben 5, M. Bona 94, M. Boonekamp 135, C.D. Booth 95, A.G. Borbély 59,
I.S. Bordulev (1037), H.M. Borecka-Bielska (10108), G. Borissov (1091), D. Bortoletto (10126), D. Boscherini (1023b),
M. Bosman (D13, J.D. Bossio Sola (D36, K. Bouaouda (D35a, N. Bouchhar (D163, J. Boudreau (D129,
E.V. Bouhova-Thacker <sup>191</sup>, D. Boumediene <sup>140</sup>, R. Bouquet <sup>165</sup>, A. Boveia <sup>119</sup>, J. Boyd <sup>36</sup>,
D. Boye \bigcirc^{29}, I.R. Boyko \bigcirc^{38}, J. Bracinik \bigcirc^{20}, N. Brahimi \bigcirc^{62d}, G. Brandt \bigcirc^{171}, O. Brandt \bigcirc^{32},
F. Braren (b48), B. Brau (b103), J.E. Brau (b123), R. Brener (b169), L. Brenner (b114), R. Brenner (b161),
S. Bressler 169, D. Britton 59, D. Britzger 110, I. Brock 24, G. Brooijmans 41, W.K. Brooks 137f,
E. Brost 629, L.M. Brown 6165, L.E. Bruce 661, T.L. Bruckler 6126, P.A. Bruckman de Renstrom 687,
B. Brüers <sup>648</sup>, A. Bruni <sup>623b</sup>, G. Bruni <sup>623b</sup>, M. Bruschi <sup>623b</sup>, N. Bruscino <sup>675a,75b</sup>, T. Buanes <sup>616</sup>,
Q. Buat (138), D. Buchin (110), A.G. Buckley (159), O. Bulekov (137), B.A. Bullard (143), S. Burdin (1992),
C.D. Burgard <sup>1049</sup>, A.M. Burger <sup>1040</sup>, B. Burghgrave <sup>108</sup>, O. Burlayenko <sup>1054</sup>, J.T.P. Burr <sup>1032</sup>,
C.D. Burton <sup>1</sup>1, J.C. Burzynski <sup>1</sup>42, E.L. Busch <sup>4</sup>1, V. Büscher <sup>1</sup>00, P.J. Bussey <sup>5</sup>9,
J.M. Butler (D<sup>25</sup>, C.M. Buttar (D<sup>59</sup>, J.M. Butterworth (D<sup>96</sup>, W. Buttinger (D<sup>134</sup>, C.J. Buxo Vazquez (D<sup>107</sup>,
A.R. Buzykaev <sup>037</sup>, S. Cabrera Urbán <sup>0163</sup>, L. Cadamuro <sup>066</sup>, D. Caforio <sup>058</sup>, H. Cai <sup>0129</sup>,
Y. Cai 614a,14e, Y. Cai 614c, V.M.M. Cairo 636, O. Cakir 63a, N. Calace 636, P. Calafiura 617a.
G. Calderini ©127, P. Calfayan ©68, G. Callea ©59, L.P. Caloba<sup>83b</sup>, D. Calvet ©40, S. Calvet ©40,
M. Calvetti ©<sup>74a,74b</sup>, R. Camacho Toro ©<sup>127</sup>, S. Camarda ©<sup>36</sup>, D. Camarero Munoz ©<sup>26</sup>,
P. Camarri (D<sup>76a,76b</sup>, M.T. Camerlingo (D<sup>72a,72b</sup>, D. Cameron (D<sup>36</sup>, C. Camincher (D<sup>165</sup>, M. Campanelli (D<sup>96</sup>),
A. Camplani (D<sup>42</sup>, V. Canale (D<sup>72a,72b</sup>, A. Canesse (D<sup>104</sup>, J. Cantero (D<sup>163</sup>, Y. Cao (D<sup>162</sup>, F. Capocasa (D<sup>26</sup>,
M. Capua ^{\circ} A. Carbone ^{\circ} R. Cardarelli ^{\circ} A. Cardenas ^{\circ} F. Cardillo ^{\circ} A. Cardillo ^{\circ} Cardillo ^{\circ} A. Cardillo A.
G. Carducci <sup>6</sup> <sup>43b,43a</sup>, T. Carli <sup>6</sup> <sup>36</sup>, G. Carlino <sup>6</sup> <sup>72a</sup>, J.I. Carlotto <sup>6</sup> <sup>13</sup>, B.T. Carlson <sup>6</sup> <sup>129,r</sup>,
E.M. Carlson (165,156a), L. Carminati (171a,71b), A. Carnelli (175a,75b), M. Carnesale (175a,75b), S. Caron (171a,71b),
E. Carquin 6137f, S. Carrá 671a, G. Carratta 623b,23a, J.W.S. Carter 6155, T.M. Carter 652,
M.P. Casado (D13,i), M. Caspar (D48), F.L. Castillo (D4), L. Castillo Garcia (D13), V. Castillo Gimenez (D163),
N.F. Castro (D130a,130e), A. Catinaccio (D36), J.R. Catmore (D125), T. Cavaliere (D4), V. Cavaliere (D29),
N. Cavalli (D<sup>23b,23a</sup>, V. Cavasinni (D<sup>74a,74b</sup>, Y.C. Cekmecelioglu (D<sup>48</sup>, E. Celebi (D<sup>21a</sup>, F. Celli (D<sup>126</sup>,
M.S. Centonze (D<sup>70a,70b</sup>, V. Cepaitis (D<sup>56</sup>, K. Cerny (D<sup>122</sup>, A.S. Cerqueira (D<sup>83a</sup>, A. Cerri (D<sup>146</sup>, L. Cerrito (D<sup>76a,76b</sup>, F. Cerutti (D<sup>17a</sup>, B. Cervato (D<sup>141</sup>, A. Cervelli (D<sup>23b</sup>, G. Cesarini (D<sup>53</sup>, S.A. Cetin (D<sup>82</sup>,
D. Chakraborty (115), J. Chan (17a), W.Y. Chan (153), J.D. Chapman (132), E. Chapon (135),
B. Chargeishvili (19149b), D.G. Charlton (1920), M. Chatterjee (1919), C. Chauhan (19133), Y. Che (1914c),
S. Chekanov 6, S.V. Chekulaev 6, S.A. Chelkov 838,a, A. Chen 6, B. Chen 6, B. Chen 6, B. Chen 6, B. Chen 6, Ch
H. Chen 14c, H. Chen 1529, J. Chen 162c, J. Chen 1514, M. Chen 1515, S. Chen 1515, S.J. Chen 1514c,
X. Chen 62c,135, X. Chen 14b,af, Y. Chen 62a, C.L. Cheng 170, H.C. Cheng 64a, S. Cheong 143,
A. Cheplakov (D<sup>38</sup>, E. Cheremushkina (D<sup>48</sup>, E. Cherepanova (D<sup>114</sup>, R. Cherkaoui El Moursli (D<sup>35e</sup>,
E. Cheu 67, K. Cheung 665, L. Chevalier 6135, V. Chiarella 653, G. Chiarelli 674a, N. Chiedde 6102,
G. Chiodini 6, A.S. Chisholm 6, A. Chitan 6, M. Chitishvili 6, M.V. Chizhov 6, M. Chitishvili 6, M.V. Chizhov 6,
K. Choi 11, A.R. Chomont 75a,75b, Y. Chou 138, E.Y.S. Chow 113, T. Chowdhury 33g,
```

```
K.L. Chu 169, M.C. Chu 64a, X. Chu 14a,14e, J. Chudoba 131, J.J. Chwastowski 87, D. Cieri 110,
K.M. Ciesla 686a, V. Cindro 693, A. Ciocio 617a, F. Cirotto 672a,72b, Z.H. Citron 6169,k, M. Citterio 671a,
D.A. Ciubotaru<sup>27b</sup>, A. Clark <sup>656</sup>, P.J. Clark <sup>652</sup>, C. Clarry <sup>6155</sup>, J.M. Clavijo Columbie <sup>648</sup>,
S.E. Clawson (D<sup>48</sup>, C. Clement (D<sup>47</sup>a,47b), J. Clercx (D<sup>48</sup>, Y. Coadou (D<sup>102</sup>, M. Cobal (D<sup>69</sup>a,69c),
A. Coccaro <sup>57b</sup>, R.F. Coelho Barrue <sup>130a</sup>, R. Coelho Lopes De Sa <sup>103</sup>, S. Coelli <sup>71a</sup>, B. Cole <sup>41</sup>,
J. Collot 60, P. Conde Muiño 6130a,130g, M.P. Connell 633c, S.H. Connell 633c, I.A. Connelly 59,
E.I. Conroy 126, F. Conventi 72a,ah, H.G. Cooke 20, A.M. Cooper-Sarkar 126,
A. Cordeiro Oudot Choi 127, L.D. Corpe 40, M. Corradi 75a,75b, F. Corriveau 104,x,
A. Cortes-Gonzalez 18, M.J. Costa 163, F. Costanza 4, D. Costanzo 139, B.M. Cote 119,
G. Cowan 695, K. Cranmer 6170, D. Cremonini 623b,23a, S. Crépé-Renaudin 660, F. Crescioli 6127,
M. Cristinziani 141, M. Cristoforetti 78a,78b, V. Croft 114, J.E. Crosby 121, G. Crosetti 43b,43a,
A. Cueto <sup>159</sup>, T. Cuhadar Donszelmann <sup>159</sup>, H. Cui <sup>14a,14e</sup>, Z. Cui <sup>7</sup>, W.R. Cunningham <sup>59</sup>,
F. Curcio (D43b,43a), P. Czodrowski (D36), M.M. Czurylo (D63b), M.J. Da Cunha Sargedas De Sousa (D57b,57a),
J.V. Da Fonseca Pinto (1083b), C. Da Via (10101), W. Dabrowski (1086a), T. Dado (1049), S. Dahbi (1033g),
T. Dai 6006, D. Dal Santo 6019, C. Dallapiccola 60103, M. Dam 6042, G. D'amen 6029, V. D'Amico 60109,
J. Damp 6100, J.R. Dandoy 634, M. Danninger 6142, V. Dao 636, G. Darbo 6576, S. Darmora 66,
S.J. Das (D<sup>29</sup>,aj), S. D'Auria (D<sup>71a,71b</sup>, C. David (D<sup>33a</sup>, T. Davidek (D<sup>133</sup>, B. Davis-Purcell (D<sup>34</sup>, I. Dawson (D<sup>94</sup>),
H.A. Day-hall \mathbb{D}^{132}, K. De \mathbb{D}^{8}, R. De Asmundis \mathbb{D}^{72a}, N. De Biase \mathbb{D}^{48}, S. De Castro \mathbb{D}^{23b,23a},
N. De Groot ©113, P. de Jong ©114, H. De la Torre ©115, A. De Maria ©14c, A. De Salvo ©75a,
U. De Sanctis 676a,76b, F. De Santis 670a,70b, A. De Santo 6146, J.B. De Vivie De Regie 600,
D.V. Dedovich<sup>38</sup>, J. Degens <sup>114</sup>, A.M. Deiana <sup>44</sup>, F. Del Corso <sup>23b,23a</sup>, J. Del Peso <sup>99</sup>,
F. Del Rio 63a, L. Delagrange 127, F. Deliot 135, C.M. Delitzsch 49, M. Della Pietra 72a,72b,
D. Della Volpe 656, A. Dell'Acqua 636, L. Dell'Asta 671a,71b, M. Delmastro 64, P.A. Delsart 660,
S. Demers \bigcirc^{172}, M. Demichev \bigcirc^{38}, S.P. Denisov \bigcirc^{37}, L. D'Eramo \bigcirc^{40}, D. Derendarz \bigcirc^{87}, F. Derue \bigcirc^{127},
P. Dervan (5)2, K. Desch (5)24, C. Deutsch (5)24, F.A. Di Bello (5)7b,57a, A. Di Ciaccio (5)76a,76b.
L. Di Ciaccio <sup>1</sup>0<sup>4</sup>, A. Di Domenico <sup>1</sup>75a,75b, C. Di Donato <sup>1</sup>72a,72b, A. Di Girolamo <sup>36</sup>.
G. Di Gregorio (1)36, A. Di Luca (1)78a,78b, B. Di Micco (1)77a,77b, R. Di Nardo (1)77a,77b,
M. Diamantopoulou <sup>634</sup>, F.A. Dias <sup>6114</sup>, T. Dias Do Vale <sup>6142</sup>, M.A. Diaz <sup>6137a,137b</sup>,
F.G. Diaz Capriles <sup>©24</sup>, M. Didenko <sup>©163</sup>, E.B. Diehl <sup>©106</sup>, L. Diehl <sup>©54</sup>, S. Díez Cornell <sup>©48</sup>,
C. Diez Pardos 141, C. Dimitriadi 161,24, A. Dimitrievska 17a, J. Dingfelder 24, I-M. Dinu 17b,
S.J. Dittmeier 63b, F. Dittus 36, F. Djama 1010, T. Djobava 1149b, C. Doglioni 1010,98,
A. Dohnalova 628a, J. Dolejsi 6133, Z. Dolezal 6133, K.M. Dona 639, M. Donadelli 683c, B. Dong 6107,
J. Donini (D<sup>40</sup>, A. D'Onofrio (D<sup>72a,72b</sup>, M. D'Onofrio (D<sup>92</sup>, J. Dopke (D<sup>134</sup>, A. Doria (D<sup>72a</sup>,
N. Dos Santos Fernandes (130a), P. Dougan (101), M.T. Dova (1900), A.T. Doyle (159), M.A. Draguet (126),
E. Dreyer <sup>169</sup>, I. Drivas-koulouris <sup>10</sup>, M. Drnevich <sup>117</sup>, M. Drozdova <sup>56</sup>, D. Du <sup>62a</sup>,
T.A. du Pree 114, F. Dubinin 37, M. Dubovsky 28a, E. Duchovni 169, G. Duckeck 109,
O.A. Ducu (5276), D. Duda (552), A. Dudarev (536), E.R. Duden (526), M. D'uffizi (5101), L. Duflot (566),
M. Dührssen \mathbb{D}^{36}, A.E. Dumitriu \mathbb{D}^{27b}, M. Dunford \mathbb{D}^{63a}, S. Dungs \mathbb{D}^{49}, K. Dunne \mathbb{D}^{47a,47b},
A. Duperrin <sup>10102</sup>, H. Duran Yildiz <sup>103a</sup>, M. Düren <sup>1058</sup>, A. Durglishvili <sup>10149b</sup>, B.L. Dwyer <sup>10115</sup>,
G.I. Dyckes © 17a, M. Dyndal © 86a, B.S. Dziedzic © 87, Z.O. Earnshaw © 146, G.H. Eberwein © 126,
B. Eckerova <sup>©28a</sup>, S. Eggebrecht <sup>©55</sup>, E. Egidio Purcino De Souza <sup>©127</sup>, L.F. Ehrke <sup>©56</sup>, G. Eigen <sup>©16</sup>,
K. Einsweiler 17a, T. Ekelof 161, P.A. Ekman 98, S. El Farkh 35b, Y. El Ghazali 35b,
H. El Jarrari <sup>©36</sup>, A. El Moussaouy <sup>©108</sup>, V. Ellajosyula <sup>©161</sup>, M. Ellert <sup>©161</sup>, F. Ellinghaus <sup>©171</sup>,
N. Ellis 636, J. Elmsheuser 629, M. Elsing 636, D. Emeliyanov 6134, Y. Enari 6153, I. Ene 617a,
S. Epari 1013, P.A. Erland 1087, M. Errenst 10171, M. Escalier 1066, C. Escobar 10163, E. Etzion 10151,
G. Evans (D130a), H. Evans (D68), L.S. Evans (D95), M.O. Evans (D146), A. Ezhilov (D37), S. Ezzarqtouni (D35a),
F. Fabbri 659, L. Fabbri 623b,23a, G. Facini 696, V. Fadeyev 6136, R.M. Fakhrutdinov 637,
```

```
D. Fakoudis 6, S. Falciano 75a, L.F. Falda Ulhoa Coelho 6, P.J. Falke 6, J. Faltova 6, J. Faltova 6, J. Faltova 6, Fakoudis 6, P.J. Falke 7, J. Faltova 6, J
C. Fan 6162, Y. Fan 614a, Y. Fang 614a, 14e, M. Fanti 671a, 71b, M. Faraj 669a, 69b, Z. Farazpay 697,
A. Farbin <sup>68</sup>, A. Farilla <sup>677a</sup>, T. Farooque <sup>6107</sup>, S.M. Farrington <sup>652</sup>, F. Fassi <sup>635e</sup>, D. Fassouliotis <sup>69</sup>,
M. Faucci Giannelli (1)<sup>76a,76b</sup>, W.J. Fawcett (1)<sup>32</sup>, L. Fayard (1)<sup>66</sup>, P. Federic (1)<sup>133</sup>, P. Federicova (1)<sup>131</sup>,
O.L. Fedin <sup>1037</sup>, a, G. Fedotov <sup>137</sup>, M. Feickert <sup>170</sup>, L. Feligioni <sup>101</sup>, D.E. Fellers <sup>123</sup>, C. Feng <sup>162b</sup>,
M. Feng <sup>14b</sup>, Z. Feng <sup>114</sup>, M.J. Fenton <sup>159</sup>, A.B. Fenyuk<sup>37</sup>, L. Ferencz <sup>48</sup>, R.A.M. Ferguson <sup>91</sup>,
S.I. Fernandez Luengo (137f), P. Fernandez Martinez (13, M.J.V. Fernoux (102, J. Ferrando (1991)),
A. Ferrari (1016), P. Ferrari (114,113), R. Ferrari (1073a), D. Ferrere (1056), C. Ferretti (1010), F. Fiedler (1010),
P. Fiedler (D<sup>132</sup>, A. Filipčič (D<sup>93</sup>, E.K. Filmer (D<sup>1</sup>, F. Filthaut (D<sup>113</sup>, M.C.N. Fiolhais (D<sup>130a,130c,c</sup>,
L. Fiorini 6163, W.C. Fisher 6107, T. Fitschen 6101, P.M. Fitzhugh 135, I. Fleck 6141, P. Fleischmann 6106,
T. Flick 171, M. Flores 133d,ad, L.R. Flores Castillo 164a, L. Flores Sanz De Acedo 156,
F.M. Follega (D<sup>78a,78b</sup>, N. Fomin (D<sup>16</sup>, J.H. Foo (D<sup>155</sup>, A. Formica (D<sup>135</sup>, A.C. Forti (D<sup>101</sup>, E. Fortin (D<sup>36</sup>,
A.W. Fortman 1017a, M.G. Foti 1017a, L. Fountas 109, j, D. Fournier 1066, H. Fox 1091, P. Francavilla 1074a, 74b,
S. Francescato 661, S. Franchellucci 56, M. Franchini 523b,23a, S. Franchino 56a, D. Francis 6,
L. Franco (113), V. Franco Lima (136), L. Franconi (148), M. Franklin (161), G. Frattari (126),
A.C. Freegard 694, W.S. Freund 683b, Y.Y. Frid 6151, J. Friend 659, N. Fritzsche 650, A. Froch 554,
D. Froidevaux 636, J.A. Frost 6126, Y. Fu 662a, S. Fuenzalida Garrido 6137f, M. Fujimoto 6102,
K.Y. Fung 664a, E. Furtado De Simas Filho 683b, M. Furukawa 6153, J. Fuster 6163, A. Gabrielli 623b,23a,
A. Gabrielli 6155, P. Gadow 636, G. Gagliardi 575, L.G. Gagnon 17a, E.J. Gallas 6126,
B.J. Gallop 6134, K.K. Gan 6119, S. Ganguly 6153, Y. Gao 652, F.M. Garay Walls 6137a,137b, B. Garcia<sup>29</sup>.
C. García 6163, A. Garcia Alonso 6114, A.G. Garcia Caffaro 6172, J.E. García Navarro 6163,
M. Garcia-Sciveres <sup>17a</sup>, G.L. Gardner <sup>128</sup>, R.W. Gardner <sup>39</sup>, N. Garelli <sup>158</sup>, D. Garg <sup>80</sup>,
R.B. Garg (143,n), J.M. Gargan<sup>52</sup>, C.A. Garner<sup>155</sup>, C.M. Garvey (133a), P. Gaspar (18b), V.K. Gassmann<sup>158</sup>,
G. Gaudio 673a, V. Gautam<sup>13</sup>, P. Gauzzi 675a,75b, I.L. Gavrilenko 637, A. Gavrilyuk 637, C. Gay 6164,
G. Gaycken (D48), E.N. Gazis (D10), A.A. Geanta (D27b), C.M. Gee (D136), A. Gekow (119), C. Gemme (D57b),
M.H. Genest 60, S. Gentile 75a,75b, A.D. Gentry 112, S. George 95, W.F. George 20, T. Geralis 46,
P. Gessinger-Befurt 636, M.E. Geyik 6171, M. Ghani 6167, M. Ghneimat 6141, K. Ghorbanian 694,
A. Ghosal ©<sup>141</sup>, A. Ghosh ©<sup>159</sup>, A. Ghosh ©<sup>7</sup>, B. Giacobbe ©<sup>23b</sup>, S. Giagu ©<sup>75a,75b</sup>, T. Giani ©<sup>114</sup>, P. Giannetti ©<sup>74a</sup>, A. Giannini ©<sup>62a</sup>, S.M. Gibson ©<sup>95</sup>, M. Gignac ©<sup>136</sup>, D.T. Gil ©<sup>86b</sup>, A.K. Gilbert ©<sup>86a</sup>,
B.J. Gilbert (D41, D. Gillberg (D34, G. Gilles (D114, L. Ginabat (D127, D.M. Gingrich (D2, ag,
M.P. Giordani 669a,69c, P.F. Giraud 6135, G. Giugliarelli 669a,69c, D. Giugni 671a, F. Giuli 636,
I. Gkialas <sup>199</sup>, L.K. Gladilin <sup>1937</sup>, C. Glasman <sup>1999</sup>, G.R. Gledhill <sup>123</sup>, G. Glemža <sup>1948</sup>, M. Glisic <sup>123</sup>,
I. Gnesi (D43b,f), Y. Go (D29), M. Goblirsch-Kolb (D36), B. Gocke (D49), D. Godin (108), B. Gokturk (D21a),
S. Goldfarb 105, T. Golling 56, M.G.D. Gololo 53g, D. Golubkov 57, J.P. Gombas 107,
A. Gomes ©130a,130b, G. Gomes Da Silva ©141, A.J. Gomez Delegido ©163, R. Gonçalo ©130a,130c,
G. Gonella © 123, L. Gonella © 20, A. Gongadze © 149c, F. Gonnella © 20, J.L. Gonski © 41,
R.Y. González Andana <sup>©52</sup>, S. González de la Hoz <sup>©163</sup>, R. Gonzalez Lopez <sup>©92</sup>,
C. Gonzalez Renteria 17a, M.V. Gonzalez Rodrigues 48, R. Gonzalez Suarez 161,
S. Gonzalez-Sevilla <sup>656</sup>, G.R. Gonzalvo Rodriguez <sup>6163</sup>, L. Goossens <sup>636</sup>, B. Gorini <sup>636</sup>,
E. Gorini (10,70a,70b), A. Gorišek (10,93), T.C. Gosart (10,128), A.T. Goshaw (10,51), M.I. Gostkin (10,38),
S. Goswami <sup>121</sup>, C.A. Gottardo <sup>36</sup>, S.A. Gotz <sup>109</sup>, M. Gouighri <sup>35b</sup>, V. Goumarre <sup>48</sup>,
A.G. Goussiou 138, N. Govender 33c, I. Grabowska-Bold 86a, K. Graham 34, E. Gramstad 125,
S. Grancagnolo <sup>670a,70b</sup>, M. Grandi <sup>6146</sup>, C.M. Grant<sup>1,135</sup>, P.M. Gravila <sup>627f</sup>, F.G. Gravili <sup>670a,70b</sup>,
H.M. Gray 617a, M. Greco 670a,70b, C. Grefe 624, I.M. Gregor 648, P. Grenier 6143, S.G. Grewe 110,
C. Grieco (13, A.A. Grillo (136, K. Grimm (131, S. Grinstein (131, J.-F. Grivaz (166, E. Gross (169,
J. Grosse-Knetter <sup>55</sup>, C. Grud <sup>106</sup>, J.C. Grundy <sup>126</sup>, L. Guan <sup>106</sup>, W. Guan <sup>29</sup>, C. Gubbels <sup>164</sup>,
J.G.R. Guerrero Rojas (10) 163, G. Guerrieri (10) 69a,69c, F. Guescini (10) 110, R. Gugel (10) J.A.M. Guhit (10) 106,
```

```
A. Guida 18, E. Guilloton 167,134, S. Guindon 18, F. Guo 14a,14e, J. Guo 162c, L. Guo 1648,
Y. Guo 106, R. Gupta 148, R. Gupta 129, S. Gurbuz 124, S.S. Gurdasani 154, G. Gustavino 156,
M. Guth 656, P. Gutierrez 6120, L.F. Gutierrez Zagazeta 6128, M. Gutsche 650, C. Gutschow 696,
C. Gwenlan (D<sup>126</sup>, C.B. Gwilliam (D<sup>92</sup>, E.S. Haaland (D<sup>125</sup>, A. Haas (D<sup>117</sup>, M. Habedank (D<sup>48</sup>),
C. Haber • 17a, H.K. Hadavand • A. Hadef • So, S. Hadzic • 110, A.I. Hagan • J.J. Hahn • 141,
E.H. Haines (1996), M. Haleem (1916), J. Haley (1912), J.J. Hall (1913), G.D. Hallewell (1910), L. Halser (1914),
K. Hamano (165), M. Hamer (124), G.N. Hamity (152), E.J. Hampshire (195), J. Han (162b), K. Han (162a),
L. Han 614c, L. Han 662a, S. Han 617a, Y.F. Han 6155, K. Hanagaki 684, M. Hance 6136,
D.A. Hangal (D<sup>41</sup>, H. Hanif (D<sup>142</sup>, M.D. Hank (D<sup>128</sup>, J.B. Hansen (D<sup>42</sup>, P.H. Hansen (D<sup>42</sup>, K. Hara (D<sup>157</sup>).
D. Harada 656, T. Harenberg 6171, S. Harkusha 637, M.L. Harris 6103, Y.T. Harris 6126, J. Harrison 613,
N.M. Harrison <sup>119</sup>, P.F. Harrison N.M. Hartman <sup>110</sup>, N.M. Hartmann <sup>100</sup>, Y. Hasegawa <sup>10140</sup>,
R. Hauser 10<sup>107</sup>, C.M. Hawkes 10<sup>20</sup>, R.J. Hawkings 10<sup>36</sup>, Y. Hayashi 10<sup>153</sup>, S. Hayashida 10<sup>111</sup>,
D. Hayden 10, C. Hayes 10, R.L. Hayes 11, C.P. Hays 12, J.M. Hays 15, J.M. Hays 15, Hayward 15, J.M. Hays 15, J.M. Hays 15, J.M. Hayward 15, J
F. He (D<sup>62a</sup>, M. He (D<sup>14a,14e</sup>, Y. He (D<sup>154</sup>, Y. He (D<sup>48</sup>, N.B. Heatley (D<sup>94</sup>, V. Hedberg (D<sup>98</sup>),
A.L. Heggelund <sup>125</sup>, N.D. Hehir <sup>94,*</sup>, C. Heidegger <sup>54</sup>, K.K. Heidegger <sup>54</sup>, W.D. Heidorn <sup>81</sup>,
J. Heilman 634, S. Heim 648, T. Heim 617a, J.G. Heinlein 6128, J.J. Heinrich 6123, L. Heinrich 6110,ae,
J. Hejbal 131, L. Helary 148, A. Held 170, S. Hellesund 161, C.M. Helling 164, S. Hellman 1647a, 47b,
R.C.W. Henderson<sup>91</sup>, L. Henkelmann <sup>1032</sup>, A.M. Henriques Correia<sup>36</sup>, H. Herde <sup>1098</sup>,
Y. Hernández Jiménez 1145, L.M. Herrmann 24, T. Herrmann 50, G. Herten 54, R. Hertenberger 109,
L. Hervas <sup>©36</sup>, M.E. Hesping <sup>©100</sup>, N.P. Hessey <sup>©156a</sup>, H. Hibi <sup>©85</sup>, E. Hill <sup>©155</sup>, S.J. Hillier <sup>©20</sup>,
J.R. Hinds 10<sup>107</sup>, F. Hinterkeuser 10<sup>24</sup>, M. Hirose 10<sup>124</sup>, S. Hirose 10<sup>157</sup>, D. Hirschbuehl 10<sup>171</sup>,
T.G. Hitchings (101), B. Hiti (1093), J. Hobbs (1145), R. Hobincu (1027e), N. Hod (10169), M.C. Hodgkinson (10139),
B.H. Hodkinson (D<sup>32</sup>, A. Hoecker (D<sup>36</sup>, D.D. Hofer (D<sup>106</sup>, J. Hofer (D<sup>48</sup>, T. Holm (D<sup>24</sup>, M. Holzbock (D<sup>110</sup>),
L.B.A.H. Hommels (D<sup>32</sup>, B.P. Honan (D<sup>101</sup>, J. Hong (D<sup>62c</sup>, T.M. Hong (D<sup>129</sup>, B.H. Hooberman (D<sup>162</sup>,
W.H. Hopkins <sup>6</sup>, Y. Horii <sup>111</sup>, S. Hou <sup>148</sup>, A.S. Howard <sup>93</sup>, J. Howarth <sup>59</sup>, J. Hoya <sup>6</sup>,
M. Hrabovsky 122, A. Hrynevich 48, T. Hryn'ova 4, P.J. Hsu 65, S.-C. Hsu 138, Q. Hu 62a,
Y.F. Hu 14a,14e, S. Huang 15a, X. Huang 15a, X. Huang 15a, X. Huang 15a, Y. Huang 15a, Y. Huang 15a,
Z. Huang 10101, Z. Hubacek 10132, M. Huebner 1024, F. Huegging 1024, T.B. Huffman 10126, C.A. Hugli 1048,
M. Huhtinen 636, S.K. Huiberts 616, R. Hulsken 6104, N. Huseynov 612, J. Huston 6107, J. Huth 611,
R. Hyneman 10143, G. Iacobucci 1056, G. Iakovidis 1029, I. Ibragimov 10141, L. Iconomidou-Fayard 1066,
J.P. Iddon 636, P. Iengo 672a,72b, R. Iguchi 6153, T. Iizawa 6126, Y. Ikegami 684, N. Ilic 6155,
H. Imam <sup>©35a</sup>, M. Ince Lezki <sup>©56</sup>, T. Ingebretsen Carlson <sup>©47a,47b</sup>, G. Introzzi <sup>©73a,73b</sup>, M. Iodice <sup>©77a</sup>,
V. Ippolito (575a,75b), R.K. Irwin (592), M. Ishino (5153), W. Islam (5170), C. Issever (518,48), S. Istin (521a,al),
H. Ito 6168, J.M. Iturbe Ponce 64a, R. Iuppa 678a,78b, A. Ivina 6169, J.M. Izen 645, V. Izzo 672a,
P. Jacka (131,132), P. Jackson (142), R.P. Jaeger (142), C.S. Jagfeld (149), G. Jain (156a), P. Jain (154),
K. Jakobs <sup>654</sup>, T. Jakoubek <sup>6169</sup>, J. Jamieson <sup>659</sup>, K.W. Janas <sup>686a</sup>, M. Javurkova <sup>6103</sup>, L. Jeanty <sup>6123</sup>,
J. Jejelava (D<sup>149</sup>a,aa), P. Jenni (D<sup>54</sup>,g), C.E. Jessiman (D<sup>34</sup>, S. Jézéquel (D<sup>4</sup>), C. Jia (D<sup>62</sup>b), J. Jia (D<sup>61</sup>), X. Jia (D<sup>61</sup>),
X. Jia 14a,14e, Z. Jia 14c, S. Jiggins 148, J. Jimenez Pena 13, S. Jin 14c, A. Jinaru 157b,
O. Jinnouchi 154, P. Johansson 139, K.A. Johns 7, J.W. Johnson 136, D.M. Jones 32, E. Jones 48,
P. Jones (D32, R.W.L. Jones (D91, T.J. Jones (D92, H.L. Joos (D55,36, R. Joshi (D119, J. Jovicevic (D15,
X. Ju 17a, J.J. Junggeburth 17a, T. Junkermann 16a, A. Juste Rozas 15a, M.K. Juzek 18a,
S. Kabana (D<sup>137e</sup>, A. Kaczmarska (D<sup>87</sup>, M. Kado (D<sup>110</sup>, H. Kagan (D<sup>119</sup>, M. Kagan (D<sup>143</sup>, A. Kahn<sup>41</sup>,
A. Kahn 6128, C. Kahra 6100, T. Kaji 6153, E. Kajomovitz 6150, N. Kakati 6169, I. Kalaitzidou 6154,
C.W. Kalderon <sup>©29</sup>, A. Kamenshchikov <sup>©155</sup>, N.J. Kang <sup>©136</sup>, D. Kar <sup>©33g</sup>, K. Karava <sup>©126</sup>,
M.J. Kareem <sup>156b</sup>, E. Karentzos <sup>54</sup>, I. Karkanias <sup>152</sup>, O. Karkout <sup>114</sup>, S.N. Karpov <sup>38</sup>,
Z.M. Karpova (D<sup>38</sup>, V. Kartvelishvili (D<sup>91</sup>, A.N. Karyukhin (D<sup>37</sup>, E. Kasimi (D<sup>152</sup>, J. Katzy (D<sup>48</sup>,
S. Kaur (10<sup>34</sup>, K. Kawade (10<sup>140</sup>, M.P. Kawale (10<sup>120</sup>, C. Kawamoto (10<sup>88</sup>, T. Kawamoto (10<sup>62a</sup>, E.F. Kay (10<sup>36</sup>),
```

```
F.I. Kaya (158), S. Kazakos (107), V.F. Kazanin (137), Y. Ke (145), J.M. Keaveney (133a), R. Keeler (155),
G.V. Kehris <sup>©61</sup>, J.S. Keller <sup>©34</sup>, A.S. Kelly <sup>96</sup>, J.J. Kempster <sup>©146</sup>, K.E. Kennedy <sup>©41</sup>,
P.D. Kennedy (D100), O. Kepka (D131), B.P. Kerridge (D167), S. Kersten (D171), B.P. Kerševan (D93),
S. Keshri ^{\bigcirc 66}, L. Keszeghova ^{\bigcirc 28a}, S. Ketabchi Haghighat ^{\bigcirc 155}, R.A. Khan ^{\bigcirc 129}, A. Khanov ^{\bigcirc 121},
A.G. Kharlamov (^{\circ})<sup>37</sup>, T. Kharlamova (^{\circ})<sup>37</sup>, E.E. Khoda (^{\circ})<sup>138</sup>, M. Kholodenko (^{\circ})<sup>37</sup>, T.J. Khoo (^{\circ})<sup>18</sup>,
G. Khoriauli 6166, J. Khubua 6149b,*, Y.A.R. Khwaira 666, A. Kilgallon 6123, D.W. Kim 647a,47b,
Y.K. Kim <sup>©39</sup>, N. Kimura <sup>©96</sup>, M.K. Kingston <sup>©55</sup>, A. Kirchhoff <sup>©55</sup>, C. Kirfel <sup>©24</sup>, F. Kirfel <sup>©24</sup>,
J. Kirk 134, A.E. Kiryunin 110, C. Kitsaki 1010, O. Kivernyk 124, M. Klassen 163a, C. Klein 154,
L. Klein 6166, M.H. Klein 6144, M. Klein 6192, S.B. Klein 6156, U. Klein 6192, P. Klimek 6136,
A. Klimentov <sup>©29</sup>, T. Klioutchnikova <sup>©36</sup>, P. Kluit <sup>©114</sup>, S. Kluth <sup>©110</sup>, E. Kneringer <sup>©79</sup>,
T.M. Knight (155), A. Knue (149), R. Kobayashi (188), D. Kobylianskii (169), S.F. Koch (1814),
M. Kocian © 143, P. Kodyš © 133, D.M. Koeck © 123, P.T. Koenig © 24, T. Koffas © 34, O. Kolay © 50,
I. Koletsou <sup>64</sup>, T. Komarek <sup>6122</sup>, K. Köneke <sup>654</sup>, A.X.Y. Kong <sup>61</sup>, T. Kono <sup>6118</sup>, N. Konstantinidis <sup>696</sup>,
P. Kontaxakis <sup>656</sup>, B. Konya <sup>698</sup>, R. Kopeliansky <sup>668</sup>, S. Koperny <sup>686a</sup>, K. Korcyl <sup>687</sup>, K. Kordas <sup>6152,e</sup>,
A. Korn (5)6, S. Korn (5)5, I. Korolkov (5)13, N. Korotkova (5)37, B. Kortman (5)14, O. Kortner (5)110,
S. Kortner 110, W.H. Kostecka 1115, V.V. Kostyukhin 1141, A. Kotsokechagia 115, A. Kotwal 151,
A. Koulouris <sup>636</sup>, A. Kourkoumeli-Charalampidi <sup>673a,73b</sup>, C. Kourkoumelis <sup>69</sup>, E. Kourlitis <sup>6110,ae</sup>,
O. Kovanda 16146, R. Kowalewski 1615, W. Kozanecki 16135, A.S. Kozhin 1637, V.A. Kramarenko 1637,
G. Kramberger (1093), P. Kramer (1010), M.W. Krasny (127), A. Krasznahorkay (136), J.W. Kraus (1171),
J.A. Kremer <sup>648</sup>, T. Kresse <sup>50</sup>, J. Kretzschmar <sup>692</sup>, K. Kreul <sup>18</sup>, P. Krieger <sup>155</sup>,
S. Krishnamurthy \bigcirc^{103}, M. Krivos \bigcirc^{133}, K. Krizka \bigcirc^{20}, K. Kroeninger \bigcirc^{49}, H. Kroha \bigcirc^{110}, J. Kroll \bigcirc^{131},
J. Kroll <sup>128</sup>, K.S. Krowpman <sup>107</sup>, U. Kruchonak <sup>38</sup>, H. Krüger <sup>24</sup>, N. Krumnack M.C. Kruse <sup>51</sup>,
O. Kuchinskaia 637, S. Kuday 63a, S. Kuehn 636, R. Kuesters 654, T. Kuhl 648, V. Kukhtin 638,
Y. Kulchitsky <sup>137,a</sup>, S. Kuleshov <sup>137d,137b</sup>, M. Kumar <sup>33g</sup>, N. Kumari <sup>48</sup>, P. Kumari <sup>156b</sup>,
A. Kupco (D<sup>131</sup>, T. Kupfer<sup>49</sup>, A. Kupich (D<sup>37</sup>, O. Kuprash (D<sup>54</sup>, H. Kurashige (D<sup>85</sup>, L.L. Kurchaninov (D<sup>156a</sup>,
O. Kurdysh 666, Y.A. Kurochkin 37, A. Kurova 37, M. Kuze 154, A.K. Kvam 1013, J. Kvita 122,
T. Kwan 10104, N.G. Kyriacou 10106, L.A.O. Laatu 10102, C. Lacasta 10163, F. Lacava 1075a,75b,
H. Lacker 18, D. Lacour 127, N.N. Lad 196, E. Ladygin 138, B. Laforge 127, T. Lagouri 127b,
F.Z. Lahbabi (D<sup>35a</sup>, S. Lai (D<sup>55</sup>, I.K. Lakomiec (D<sup>86a</sup>, N. Lalloue (D<sup>60</sup>, J.E. Lambert (D<sup>165</sup>, S. Lammers (D<sup>68</sup>),
W. Lampl <sup>107</sup>, C. Lampoudis <sup>152</sup>, A.N. Lancaster <sup>115</sup>, E. Lançon <sup>29</sup>, U. Landgraf <sup>54</sup>,
M.P.J. Landon <sup>694</sup>, V.S. Lang <sup>54</sup>, R.J. Langenberg <sup>6103</sup>, O.K.B. Langrekken <sup>6125</sup>, A.J. Lankford <sup>6159</sup>,
F. Lanni (5)36, K. Lantzsch (5)24, A. Lanza (5)73a, A. Lapertosa (5)57b,57a, J.F. Laporte (5)135, T. Lari (5)71a,
F. Lasagni Manghi (D<sup>23b</sup>, M. Lassnig (D<sup>36</sup>, V. Latonova (D<sup>131</sup>, A. Laudrain (D<sup>100</sup>, A. Laurier (D<sup>150</sup>),
S.D. Lawlor (139), Z. Lawrence (1011), R. Lazaridou (167), M. Lazzaroni (1714,716), B. Le (1011),
E.M. Le Boulicaut <sup>1051</sup>, B. Leban <sup>1093</sup>, A. Lebedev <sup>1081</sup>, M. LeBlanc <sup>1010</sup>, F. Ledroit-Guillon <sup>1060</sup>,
A.C.A. Lee<sup>96</sup>, S.C. Lee <sup>148</sup>, S. Lee <sup>47a,47b</sup>, T.F. Lee <sup>99</sup>, L.L. Leeuw <sup>33c</sup>, H.P. Lefebvre <sup>95</sup>,
M. Lefebvre <sup>165</sup>, C. Leggett <sup>17a</sup>, G. Lehmann Miotto <sup>36</sup>, M. Leigh <sup>56</sup>, W.A. Leight <sup>103</sup>,
W. Leinonen ©113, A. Leisos ©152,8, M.A.L. Leite ©83c, C.E. Leitgeb ©18, R. Leitner ©133,
K.J.C. Leney 644, T. Lenz 624, S. Leone 674a, C. Leonidopoulos 552, A. Leopold 6144, C. Leroy 6108,
R. Les © 107, C.G. Lester © 32, M. Levchenko © 37, J. Levêque © 4, D. Levin © 106, L.J. Levinson © 169,
G. Levrini (D<sup>23b,23a</sup>, M.P. Lewicki (D<sup>87</sup>, D.J. Lewis (D<sup>4</sup>, A. Li (D<sup>5</sup>, B. Li (D<sup>62b</sup>, C. Li<sup>62a</sup>, C-Q. Li (D<sup>110</sup>),
H. Li ^{62a}, H. Li ^{62b}, J. Li ^{62c}, K. Li ^{63a}, L. Li ^{62c}, M. Li ^{614a,14e}, Q.Y. Li ^{62a}, S. Li ^{614a,14e}, S. Li ^{62d}, T. Li ^{65}, X. Li ^{6104}, Z. Li ^
Z. Li 6 14a, 14e, S. Liang 14a, 14e, Z. Liang 14a, M. Liberatore 135, B. Liberti 76a, K. Lie 64c,
J. Lieber Marin <sup>683b</sup>, H. Lien <sup>688</sup>, K. Lin <sup>6107</sup>, R.E. Lindley <sup>67</sup>, J.H. Lindon <sup>62</sup>, E. Lipeles <sup>6128</sup>,
A. Lipniacka 616, A. Lister 6164, J.D. Little 64, B. Liu 614a, B.X. Liu 6142, D. Liu 662d,62c,
J.B. Liu 62a, J.K.K. Liu 632, K. Liu 662d,62c, M. Liu 662a, M.Y. Liu 662a, P. Liu 614a,
```

```
O. Liu 62d,138,62c, X. Liu 62a, X. Liu 62b, Y. Liu 614d,14e, Y.L. Liu 62b, Y.W. Liu 62a,
J. Llorente Merino (142, S.L. Lloyd (194, E.M. Lobodzinska (148, P. Loch (197, T. Lohse (1918,
K. Lohwasser <sup>139</sup>, E. Loiacono <sup>48</sup>, M. Lokajicek <sup>131,*</sup>, J.D. Lomas <sup>20</sup>, J.D. Long <sup>162</sup>,
I. Longarini <sup>159</sup>, L. Longo <sup>70a,70b</sup>, R. Longo <sup>162</sup>, I. Lopez Paz <sup>67</sup>, A. Lopez Solis <sup>48</sup>,
N. Lorenzo Martinez (b4, A.M. Lory (b109), G. Löschcke Centeno (b146), O. Loseva (b37), X. Lou (b47a,47b),
X. Lou 14a,14e, A. Lounis 66, J. Love 6, P.A. Love 91, G. Lu 14a,14e, M. Lu 80, S. Lu 128,
Y.J. Lu 665, H.J. Lubatti 6138, C. Luci 675a,75b, F.L. Lucio Alves 614c, A. Lucotte 660, F. Luchring 68,
I. Luise 1145, O. Lukianchuk 1666, O. Lundberg 1144, B. Lund-Jensen 1144, N.A. Luongo 166,
M.S. Lutz (36, A.B. Lux (52, D. Lynn (52, H. Lyons), R. Lysak (513, E. Lytken (59, R. Lysak)), E. Lytken (59, R. Lysak), E
V. Lyubushkin 638, T. Lyubushkina 38, M.M. Lyukova 145, H. Ma 29, K. Ma 62a, L.L. Ma 66b,
W. Ma 62a, Y. Ma 6121, D.M. Mac Donell 6165, G. Maccarrone 653, J.C. MacDonald 6100,
P.C. Machado De Abreu Farias (1836), R. Madar (1940), W.F. Mader (1950), T. Madula (1964), J. Maeda (1985),
T. Maeno (D<sup>29</sup>), H. Maguire (D<sup>139</sup>), V. Maiboroda (D<sup>135</sup>), A. Maio (D<sup>130a,130b,130d</sup>), K. Maj (D<sup>86a</sup>),
O. Majersky <sup>648</sup>, S. Majewski <sup>6123</sup>, N. Makovec <sup>666</sup>, V. Maksimovic <sup>615</sup>, B. Malaescu <sup>6127</sup>,
Pa. Malecki (10,87), V.P. Maleev (10,37), F. Malek (10,60,0), M. Mali (10,93), D. Malito (10,95), U. Mallik (10,80),
S. Maltezos<sup>10</sup>, S. Malyukov<sup>38</sup>, J. Mamuzic <sup>13</sup>, G. Mancini <sup>53</sup>, M.N. Mancini <sup>26</sup>, G. Manco <sup>73a,73b</sup>,
J.P. Mandalia <sup>1094</sup>, I. Mandić <sup>1093</sup>, L. Manhaes de Andrade Filho <sup>1083a</sup>, I.M. Maniatis <sup>10169</sup>,
J. Manjarres Ramos (D102,ab), D.C. Mankad (D169), A. Mann (D109), S. Manzoni (D36), L. Mao (D62c),
X. Mapekula (D<sup>33c</sup>, A. Marantis (D<sup>152,s</sup>, G. Marchiori (D<sup>5</sup>, M. Marcisovsky (D<sup>131</sup>, C. Marcon (D<sup>71a</sup>,
M. Marinescu (D<sup>20</sup>, S. Marium (D<sup>48</sup>, M. Marjanovic (D<sup>120</sup>, E.J. Marshall (D<sup>91</sup>, Z. Marshall (D<sup>17a</sup>,
S. Marti-Garcia 6163, T.A. Martin 6167, V.J. Martin 652, B. Martin dit Latour 616, L. Martinelli 675a,75b,
M. Martinez © 13,t, P. Martinez Agullo © 163, V.I. Martinez Outschoorn © 103, P. Martinez Suarez © 13,
S. Martin-Haugh 134, V.S. Martoiu 27b, A.C. Martyniuk 96, A. Marzin 36, D. Mascione 78a,78b,
L. Masetti 100, T. Mashimo 153, J. Masik 101, A.L. Maslennikov 103, P. Massarotti 1072a,72b,
P. Mastrandrea (D<sup>74a,74b</sup>), A. Mastroberardino (D<sup>43b,43a</sup>), T. Masubuchi (D<sup>153</sup>), T. Mathisen (D<sup>161</sup>),
J. Matousek 133, N. Matsuzawa 153, J. Maurer 27b, B. Maček 93, D.A. Maximov 37, R. Mazini 148,
I. Maznas 6 152, M. Mazza 6 107, S.M. Mazza 6 136, E. Mazzeo 7 1a,71b, C. Mc Ginn 29,
J.P. Mc Gowan 10104, S.P. Mc Kee 10106, C.C. McCracken 10164, E.F. McDonald 10105,
A.E. McDougall (1)14, J.A. Mcfayden (1)146, R.P. McGovern (1)128, G. Mchedlidze (1)149b,
R.P. Mckenzie <sup>©33g</sup>, T.C. Mclachlan <sup>©48</sup>, D.J. Mclaughlin <sup>©96</sup>, S.J. McMahon <sup>©134</sup>,
C.M. Mcpartland <sup>692</sup>, R.A. McPherson <sup>6165,x</sup>, S. Mehlhase <sup>6109</sup>, A. Mehta <sup>692</sup>, D. Melini <sup>6163</sup>,
B.R. Mellado Garcia 633g, A.H. Melo 655, F. Meloni 648, A.M. Mendes Jacques Da Costa 6101,
H.Y. Meng (155), L. Meng (159), S. Menke (110), M. Mentink (153), E. Meoni (143b,43a), G. Mercado (151),
C. Merlassino (69a,69c), L. Merola (672a,72b), C. Meroni (671a,71b), J. Metcalfe (66), A.S. Mete (66),
C. Meyer 68, J-P. Meyer 6135, R.P. Middleton 6134, L. Mijović 652, G. Mikenberg 6169,
M. Mikestikova <sup>131</sup>, M. Mikuž <sup>93</sup>, H. Mildner <sup>100</sup>, A. Milic <sup>34</sup>, C.D. Milke <sup>44</sup>, D.W. Miller <sup>39</sup>,
E.H. Miller (143), L.S. Miller (134), A. Milov (159), D.A. Milstead (174,476), T. Min (14c), A.A. Minaenko (1537),
I.A. Minashvili (149b), L. Mince (159), A.I. Mincer (117), B. Mindur (186a), M. Mineev (187), Y. Mino (188),
L.M. Mir 13, M. Miralles Lopez 59, M. Mironova 17a, A. Mishima 153, M.C. Missio 113,
A. Mitra 10167, V.A. Mitsou 10163, Y. Mitsumori 10111, O. Miu 10155, P.S. Miyagawa 1094,
T. Mkrtchyan 663a, M. Mlinarevic 696, T. Mlinarevic 696, M. Mlynarikova 636, S. Mobius 619,
P. Mogg <sup>109</sup>, M.H. Mohamed Farook <sup>112</sup>, A.F. Mohammed <sup>14a,14e</sup>, S. Mohapatra <sup>14a</sup>,
G. Mokgatitswane <sup>©33g</sup>, L. Moleri <sup>©169</sup>, B. Mondal <sup>©141</sup>, S. Mondal <sup>©132</sup>, K. Mönig <sup>©48</sup>,
E. Monnier 102, L. Monsonis Romero 63, J. Montejo Berlingen 13, M. Montella 119,
F. Montereali (1077a,77b), F. Monticelli (1090), S. Monzani (1069a,69c), N. Morange (1066),
A.L. Moreira De Carvalho (130a), M. Moreno Llácer (163a), C. Moreno Martinez (156a), P. Morettini (157b),
S. Morgenstern 636, M. Morii 661, M. Morinaga 6153, A.K. Morley 636, F. Morodei 675a,75b,
```

```
L. Morvaj 636, P. Moschovakos 636, B. Moser 636, M. Mosidze 6149b, T. Moskalets 654,
P. Moskvitina (D<sup>113</sup>, J. Moss (D<sup>31,1</sup>, E.J.W. Moyse (D<sup>103</sup>, O. Mtintsilana (D<sup>33g</sup>, S. Muanza (D<sup>102</sup>,
J. Mueller 129, D. Muenstermann 191, R. Müller 1919, G.A. Mullier 1161, A.J. Mullin 128, J.J. Mullin 128,
D.P. Mungo (D155), D. Munoz Perez (D163), F.J. Munoz Sanchez (D101), M. Murin (D101), W.J. Murray (D167,134),
A. Murrone (10,71a,71b), M. Muškinja (10,17a), C. Mwewa (10,29), A.G. Myagkov (10,37a), A.J. Myers (10,8),
G. Myers (b68, M. Myska (b132, B.P. Nachman (b17a, O. Nackenhorst (b49, K. Nagai (b126, K. Nagano (b84,
J.L. Nagle (D<sup>29</sup>,aj, E. Nagy (D<sup>102</sup>, A.M. Nairz (D<sup>36</sup>, Y. Nakahama (D<sup>84</sup>, K. Nakamura (D<sup>84</sup>, K. Nakkalil (D<sup>5</sup>),
H. Nanjo 124, R. Narayan 44, E.A. Narayanan 112, I. Naryshkin 37, M. Naseri 34, S. Nasri 1166,
C. Nass ©<sup>24</sup>, G. Navarro ©<sup>22a</sup>, J. Navarro-Gonzalez ©<sup>163</sup>, R. Nayak ©<sup>151</sup>, A. Nayaz ©<sup>18</sup>,
P.Y. Nechaeva (D<sup>37</sup>, F. Nechansky (D<sup>48</sup>, L. Nedic (D<sup>126</sup>, T.J. Neep (D<sup>20</sup>, A. Negri (D<sup>73a,73b</sup>, M. Negrini (D<sup>23b</sup>,
C. Nellist (114, C. Nelson (104, K. Nelson (106, S. Nemecek (1013), M. Nessi (1036,h, M.S. Neubauer (1016),
F. Neuhaus 6100, J. Neundorf 648, R. Newhouse 6164, P.R. Newman 620, C.W. Ng 6129, Y.W.Y. Ng 648,
B. Ngair 6116a, H.D.N. Nguyen 6108, R.B. Nickerson 6126, R. Nicolaidou 6135, J. Nielsen 6136,
M. Niemeyer 655, J. Niermann 655,36, N. Nikiforou 636, V. Nikolaenko 637,a, I. Nikolic-Audit 6127,
K. Nikolopoulos (D<sup>20</sup>, P. Nilsson (D<sup>29</sup>, I. Ninca (D<sup>48</sup>, H.R. Nindhito (D<sup>56</sup>, G. Ninio (D<sup>151</sup>, A. Nisati (D<sup>75a</sup>,
N. Nishu \bigcirc^2, R. Nisius \bigcirc^{110}, J-E. Nitschke \bigcirc^{50}, E.K. Nkadimeng \bigcirc^{33g}, T. Nobe \bigcirc^{153}, D.L. Noel \bigcirc^{32},
T. Nommensen 1147, M.B. Norfolk 139, R.R.B. Norisam 196, B.J. Norman 134, M. Noury 153a,
J. Novak (1093), T. Novak (1048), L. Novotny (10132), R. Novotny (10112), L. Nozka (10122), K. Ntekas (10159),
N.M.J. Nunes De Moura Junior <sup>683b</sup>, E. Nurse<sup>96</sup>, J. Ocariz <sup>6127</sup>, A. Ochi <sup>685</sup>, I. Ochoa <sup>6130a</sup>,
S. Oerdek <sup>6</sup>48,u</sup>, J.T. Offermann <sup>39</sup>, A. Ogrodnik <sup>6</sup>133, A. Oh <sup>6</sup>101, C.C. Ohm <sup>6</sup>144, H. Oide <sup>6</sup>84,
R. Oishi 6153, M.L. Ojeda 648, Y. Okumura 6153, L.F. Oleiro Seabra 6130a, S.A. Olivares Pino 6137d,
D. Oliveira Damazio (D<sup>29</sup>, D. Oliveira Goncalves (D<sup>83a</sup>, J.L. Oliver (D<sup>159</sup>, Ö.O. Öncel (D<sup>54</sup>,
A.P. O'Neill 19, A. Onofre 130a,130e, P.U.E. Onyisi 11, M.J. Oreglia 139, G.E. Orellana 190,
D. Orestano (D77a,77b), N. Orlando (D13, R.S. Orr (D155), V. O'Shea (D59), L.M. Osojnak (D128),
R. Ospanov 662a, G. Otero y Garzon 630, H. Otono 689, P.S. Ott 663a, G.J. Ottino 617a, M. Ouchrif 635d,
F. Ould-Saada 125, M. Owen 59, R.E. Owen 134, K.Y. Oyulmaz 121a, V.E. Ozcan 121a, F. Ozturk 87,
N. Ozturk <sup>68</sup>, S. Ozturk <sup>682</sup>, H.A. Pacey <sup>6126</sup>, A. Pacheco Pages <sup>613</sup>, C. Padilla Aranda <sup>613</sup>,
G. Padovano 675a,75b, S. Pagan Griso 617a, G. Palacino 668, A. Palazzo 670a,70b, J. Pan 6172, T. Pan 64a,
D.K. Panchal <sup>11</sup>, C.E. Pandini <sup>114</sup>, J.G. Panduro Vazquez <sup>95</sup>, H.D. Pandya <sup>14</sup>, H. Pang <sup>14b</sup>,
P. Pani 648, G. Panizzo 669a,69c, L. Paolozzi 656, C. Papadatos 6108, S. Parajuli 6162, A. Paramonov 66,
C. Paraskevopoulos <sup>©</sup><sup>53</sup>, D. Paredes Hernandez <sup>©</sup><sup>64b</sup>, K.R. Park <sup>©</sup><sup>41</sup>, T.H. Park <sup>©</sup><sup>155</sup>, M.A. Parker <sup>©</sup><sup>32</sup>,
F. Parodi ©57b,57a, E.W. Parrish ©115, V.A. Parrish ©52, J.A. Parsons ©41, U. Parzefall ©54,
B. Pascual Dias 108, L. Pascual Dominguez 151, E. Pasqualucci 157a, S. Passaggio 157b, F. Pastore 1595,
P. Pasuwan (D47a,47b), P. Patel (D87), U.M. Patel (D51), J.R. Pater (D101), T. Pauly (D36), J. Pearkes (D143),
M. Pedersen 125, R. Pedro 130a, S.V. Peleganchuk 37, O. Penc 36, E.A. Pender 52,
K.E. Penski 10109, M. Penzin 1037, B.S. Peralva 1083d, A.P. Pereira Peixoto 1060, L. Pereira Sanchez 1047a,47b,
D.V. Perepelitsa (D<sup>29</sup>,aj), E. Perez Codina (D<sup>156a</sup>, M. Perganti (D<sup>10</sup>), H. Pernegger (D<sup>36</sup>), O. Perrin (D<sup>40</sup>),
K. Peters \bigcirc^{48}, R.F.Y. Peters \bigcirc^{101}, B.A. Petersen \bigcirc^{36}, T.C. Petersen \bigcirc^{42}, E. Petit \bigcirc^{102}, V. Petousis \bigcirc^{132},
C. Petridou (D152,e), A. Petrukhin (D141), M. Pettee (D17a), N.E. Pettersson (D36), A. Petukhov (D37),
K. Petukhova (D<sup>133</sup>, R. Pezoa (D<sup>137f</sup>, L. Pezzotti (D<sup>36</sup>, G. Pezzullo (D<sup>172</sup>, T.M. Pham (D<sup>170</sup>, T. Pham (D<sup>105</sup>),
P.W. Phillips 134, G. Piacquadio 145, E. Pianori 17a, F. Piazza 123, R. Piegaia 30,
D. Pietreanu (D<sup>27b</sup>, A.D. Pilkington (D<sup>101</sup>, M. Pinamonti (D<sup>69a,69c</sup>, J.L. Pinfold (D<sup>2</sup>),
B.C. Pinheiro Pereira 130a, A.E. Pinto Pinoargote 100,135, L. Pintucci 69a,69c, K.M. Piper 146,
A. Pirttikoski <sup>656</sup>, D.A. Pizzi <sup>634</sup>, L. Pizzimento <sup>64b</sup>, A. Pizzini <sup>6114</sup>, M.-A. Pleier <sup>629</sup>, V. Plesanovs <sup>54</sup>,
V. Pleskot 133, E. Plotnikova, G. Poddar 4, R. Poettgen 98, L. Poggioli 127, I. Pokharel 55,
S. Polacek (D133), G. Polesello (D73a), A. Poley (D142,156a), R. Polifka (D132), A. Polini (D23b), C.S. Pollard (D167),
Z.B. Pollock (D119), V. Polychronakos (D29), E. Pompa Pacchi (D75a,75b), D. Ponomarenko (D113),
```

```
L. Pontecorvo 636, S. Popa 627a, G.A. Popeneciu 627d, A. Poreba 636, D.M. Portillo Quintero 6156a,
S. Pospisil 132, M.A. Postill 139, P. Postolache 27c, K. Potamianos 167, P.A. Potepa 86a,
I.N. Potrap (D<sup>38</sup>, C.J. Potter (D<sup>32</sup>, H. Potti (D<sup>1</sup>, T. Poulsen (D<sup>48</sup>, J. Poveda (D<sup>163</sup>, M.E. Pozo Astigarraga (D<sup>36</sup>,
A. Prades Ibanez <sup>163</sup>, J. Pretel <sup>54</sup>, D. Price <sup>101</sup>, M. Primavera <sup>570</sup>, M.A. Principe Martin <sup>599</sup>,
R. Privara 122, T. Procter 59, M.L. Proffitt 138, N. Proklova 128, K. Prokofiev 64c, G. Proto 110,
S. Protopopescu (D<sup>29</sup>, J. Proudfoot (D<sup>6</sup>, M. Przybycien (D<sup>86a</sup>, W.W. Przygoda (D<sup>86b</sup>, A. Psallidas (D<sup>46</sup>),
J.E. Puddefoot 139, D. Pudzha 137, D. Pyatiizbyantseva 137, J. Qian 10106, D. Qichen 10101, Y. Qin 10101,
T. Qiu <sup>1052</sup>, A. Quadt <sup>1055</sup>, M. Queitsch-Maitland <sup>1010</sup>, G. Quetant <sup>1056</sup>, R.P. Quinn <sup>10164</sup>,
G. Rabanal Bolanos (D61, D. Rafanoharana (D54, F. Ragusa (D71a,71b), J.L. Rainbolt (D39, J.A. Raine (D56),
S. Rajagopalan <sup>©29</sup>, E. Ramakoti <sup>©37</sup>, I.A. Ramirez-Berend <sup>©34</sup>, K. Ran <sup>©48,14e</sup>, N.P. Rapheeha <sup>©33g</sup>,
H. Rasheed 627b, V. Raskina 6127, D.F. Rassloff 63a, A. Rastogi 617a, S. Rave 6100, B. Ravina 55,
I. Ravinovich 6169, M. Raymond 636, A.L. Read 6125, N.P. Readioff 6139, D.M. Rebuzzi 73a,73b,
G. Redlinger \bigcirc^{29}, A.S. Reed \bigcirc^{110}, K. Reeves \bigcirc^{26}, J.A. Reidelsturz \bigcirc^{171}, D. Reikher \bigcirc^{151}, A. Rej \bigcirc^{49},
C. Rembser (D<sup>36</sup>, A. Renardi (D<sup>48</sup>, M. Renda (D<sup>27b</sup>, M.B. Rendel 110, F. Renner (D<sup>48</sup>, A.G. Rennie (D<sup>159</sup>),
A.L. Rescia <sup>©48</sup>, S. Resconi <sup>©71a</sup>, M. Ressegotti <sup>©57b,57a</sup>, S. Rettie <sup>©36</sup>, J.G. Reyes Rivera <sup>©107</sup>,
E. Reynolds © 17a, O.L. Rezanova © 37, P. Reznicek © 133, N. Ribaric © 91, E. Ricci © 78a,78b,
R. Richter 110, S. Richter 47a,47b, E. Richter-Was 88b, M. Ridel 127, S. Ridouani 35d, P. Rieck 117,
P. Riedler (1036), E.M. Riefel (1047a,47b), J.O. Rieger (10114), M. Rijssenbeek (10145), A. Rimoldi (1073a,73b),
M. Rimoldi (10<sup>36</sup>, L. Rinaldi (10<sup>23b,23a</sup>, T.T. Rinn (10<sup>29</sup>, M.P. Rinnagel (10<sup>109</sup>, G. Ripellino (10<sup>161</sup>, I. Riu (10<sup>13</sup>),
P. Rivadeneira <sup>648</sup>, J.C. Rivera Vergara <sup>6165</sup>, F. Rizatdinova <sup>6121</sup>, E. Rizvi <sup>694</sup>, B.A. Roberts <sup>6167</sup>,
B.R. Roberts 17a, S.H. Robertson 104,x, D. Robinson 32, C.M. Robles Gajardo 37f,
M. Robles Manzano 100, A. Robson 59, A. Rocchi 76a,76b, C. Roda 74a,74b, S. Rodriguez Bosca 63a,
Y. Rodriguez Garcia (D<sup>22a</sup>), A. Rodriguez Rodriguez (D<sup>54</sup>), A.M. Rodríguez Vera (D<sup>156b</sup>), S. Roe<sup>36</sup>,
J.T. Roemer <sup>159</sup>, A.R. Roepe-Gier <sup>136</sup>, J. Roggel <sup>171</sup>, O. Røhne <sup>125</sup>, R.A. Rojas <sup>103</sup>,
C.P.A. Roland (127, J. Roloff (129, A. Romaniouk (137, E. Romano (173a,73b), M. Romano (123b),
A.C. Romero Hernandez 162, N. Rompotis 192, L. Roos 127, S. Rosati 175a, B.J. Rosser 139,
E. Rossi (D<sup>126</sup>, E. Rossi (D<sup>72a,72b</sup>, L.P. Rossi (D<sup>57b</sup>, L. Rossini (D<sup>54</sup>, R. Rosten (D<sup>119</sup>, M. Rotaru (D<sup>27b</sup>,
B. Rottler <sup>654</sup>, C. Rougier <sup>6102</sup>, ab, D. Rousseau <sup>666</sup>, D. Rousso <sup>632</sup>, A. Roy <sup>6162</sup>, S. Roy-Garand <sup>6155</sup>,
A. Rozanov 10102, Z.M.A. Rozario 1059, Y. Rozen 10150, X. Ruan 1033g, A. Rubio Jimenez 10163,
A.J. Ruby <sup>©92</sup>, V.H. Ruelas Rivera <sup>©18</sup>, T.A. Ruggeri <sup>©1</sup>, A. Ruggiero <sup>©126</sup>, A. Ruiz-Martinez <sup>©163</sup>,
A. Rummler <sup>©</sup> <sup>36</sup>, Z. Rurikova <sup>©</sup> <sup>54</sup>, N.A. Rusakovich <sup>©</sup> <sup>38</sup>, H.L. Russell <sup>©</sup> <sup>165</sup>, G. Russo <sup>©</sup> <sup>75a,75b</sup>,
J.P. Rutherfoord \bigcirc^7, S. Rutherford Colmenares \bigcirc^{32}, K. Rybacki<sup>91</sup>, M. Rybar \bigcirc^{133}, E.B. Rye \bigcirc^{125},
A. Ryzhov 📴 44, J.A. Sabater Iglesias 📵 56, P. Sabatini 📵 163, H.F-W. Sadrozinski 📵 136,
F. Safai Tehrani <sup>1075a</sup>, B. Safarzadeh Samani <sup>10134</sup>, M. Safdari <sup>10143</sup>, S. Saha <sup>10165</sup>, M. Sahinsoy <sup>1010</sup>,
A. Saibel 163, M. Saimpert 153, M. Saito 153, T. Saito 153, D. Salamani 153, A. Salnikov 1543,
J. Salt <sup>163</sup>, A. Salvador Salas <sup>151</sup>, D. Salvatore <sup>143b,43a</sup>, F. Salvatore <sup>146</sup>, A. Salzburger <sup>36</sup>,
D. Sammel <sup>154</sup>, D. Sampsonidis <sup>152</sup>, D. Sampsonidou <sup>123</sup>, J. Sánchez <sup>163</sup>, A. Sanchez Pineda <sup>14</sup>,
V. Sanchez Sebastian (163), H. Sandaker (125), C.O. Sander (148), J.A. Sandesara (1010), M. Sandhoff (171),
C. Sandoval (D<sup>22b</sup>, D.P.C. Sankey (D<sup>134</sup>, T. Sano (D<sup>88</sup>, A. Sansoni (D<sup>53</sup>, L. Santi (D<sup>75a,75b</sup>, C. Santoni (D<sup>40</sup>),
H. Santos (130a,130b), A. Santra (169), K.A. Saoucha (160), J.G. Saraiva (130a,130d), J. Sardain (170),
O. Sasaki <sup>684</sup>, K. Sato <sup>6157</sup>, C. Sauer<sup>63b</sup>, F. Sauerburger <sup>654</sup>, E. Sauvan <sup>64</sup>, P. Savard <sup>6155</sup>, ag
R. Sawada 6153, C. Sawyer 6134, L. Sawyer 6197, I. Sayago Galvan 163, C. Sbarra 6123b, A. Sbrizzi 6123b,23a,
T. Scanlon 696, J. Schaarschmidt 6138, U. Schäfer 6100, A.C. Schaffer 666,44, D. Schaile 6109,
R.D. Schamberger <sup>145</sup>, C. Scharf <sup>18</sup>, M.M. Schefer <sup>19</sup>, V.A. Schegelsky <sup>37</sup>, D. Scheirich <sup>133</sup>,
F. Schenck <sup>18</sup>, M. Schernau <sup>159</sup>, C. Scheulen <sup>55</sup>, C. Schiavi <sup>57b,57a</sup>, E.J. Schioppa <sup>70a,70b</sup>,
M. Schioppa (D<sup>43b,43a</sup>, B. Schlag (D<sup>143,n</sup>, K.E. Schleicher (D<sup>54</sup>, S. Schlenker (D<sup>36</sup>, J. Schmeing (D<sup>171</sup>),
M.A. Schmidt \bigcirc^{171}, K. Schmieden \bigcirc^{100}, C. Schmitt \bigcirc^{100}, N. Schmitt \bigcirc^{100}, S. Schmitt \bigcirc^{48},
```

```
L. Schoeffel <sup>135</sup>, A. Schoening <sup>63b</sup>, P.G. Scholer <sup>54</sup>, E. Schopf <sup>126</sup>, M. Schott <sup>100</sup>,
J. Schovancova 636, S. Schramm 656, F. Schroeder 6171, T. Schroer 56, H-C. Schultz-Coulon 63a,
M. Schumacher <sup>154</sup>, B.A. Schumm <sup>136</sup>, Ph. Schune <sup>135</sup>, A.J. Schuy <sup>138</sup>, H.R. Schwartz <sup>136</sup>,
A. Schwartzman (D<sup>143</sup>, T.A. Schwarz (D<sup>106</sup>, Ph. Schwemling (D<sup>135</sup>, R. Schwienhorst (D<sup>107</sup>, A. Sciandra (D<sup>136</sup>,
G. Sciolla 626, F. Scuri 674a, C.D. Sebastiani 692, K. Sedlaczek 6115, P. Seema 618, S.C. Seidel 6112,
A. Seiden <sup>136</sup>, B.D. Seidlitz <sup>41</sup>, C. Seitz <sup>48</sup>, J.M. Seixas <sup>83b</sup>, G. Sekhniaidze <sup>72a</sup>, L. Selem <sup>60</sup>,
N. Semprini-Cesari (D<sup>23b,23a</sup>, D. Sengupta (D<sup>56</sup>, V. Senthilkumar (D<sup>163</sup>, L. Serin (D<sup>66</sup>, L. Serkin (D<sup>69a,69b</sup>),
M. Sessa © 76a,76b, H. Severini © 120, F. Sforza © 57b,57a, A. Sfyrla © 56, E. Shabalina © 55, R. Shaheen © 144,
J.D. Shahinian (D) 128, D. Shaked Renous (D) 169, L.Y. Shan (D) 14a, M. Shapiro (D) 17a, A. Sharma (D) 36, A.S. Sharma (D) 164, P. Sharma (D) 80, S. Sharma (D) 48, P.B. Shatalov (D) 37, K. Shaw (D) 161, S.M. Shaw (D) 101,
A. Shcherbakova <sup>©37</sup>, Q. Shen <sup>©62c,5</sup>, D.J. Sheppard <sup>©142</sup>, P. Sherwood <sup>©96</sup>, L. Shi <sup>©96</sup>, X. Shi <sup>©14a</sup>,
C.O. Shimmin \bigcirc^{172}, J.D. Shinner \bigcirc^{95}, I.P.J. Shipsey \bigcirc^{126}, S. Shirabe \bigcirc^{89}, M. Shiyakova \bigcirc^{38,v},
J. Shlomi (169, M.J. Shochet (1939, J. Shojaii (19105, D.R. Shope (19125, B. Shrestha (19120, S. Shrestha (1914), ak,
E.M. Shrif 633g, M.J. Shroff 6165, P. Sicho 6131, A.M. Sickles 6162, E. Sideras Haddad 633g,
A. Sidoti ©<sup>23b</sup>, F. Siegert ©<sup>50</sup>, Dj. Sijacki ©<sup>15</sup>, F. Sili ©<sup>90</sup>, J.M. Silva ©<sup>20</sup>, M.V. Silva Oliveira ©<sup>29</sup>,
S.B. Silverstein (D47a), S. Simion (66), R. Simoniello (D36), E.L. Simpson (D59), H. Simpson (D146),
L.R. Simpson (106), N.D. Simpson 8, S. Simsek (182), S. Sindhu (155), P. Sinervo (155), S. Singh (155),
S. Sinha <sup>648</sup>, S. Sinha <sup>6101</sup>, M. Sioli <sup>623b,23a</sup>, I. Siral <sup>636</sup>, E. Sitnikova <sup>648</sup>, S.Yu. Sivoklokov <sup>637,*</sup>,
J. Sjölin (169, A. Skaf (155), E. Skorda (150), P. Skubic (150), M. Slawinska (169), V. Smakhtin (169),
B.H. Smart © 134, S.Yu. Smirnov © 37, Y. Smirnov © 37, L.N. Smirnova © 37,a, O. Smirnova © 98,
A.C. Smith 641, E.A. Smith 639, H.A. Smith 6126, J.L. Smith 692, R. Smith 143, M. Smizanska 691,
K. Smolek (132), A.A. Snesarev (137), S.R. Snider (155), H.L. Snoek (144), S. Snyder (129), R. Sobie (165), X.
A. Soffer 151, C.A. Solans Sanchez 536, E.Yu. Soldatov 537, U. Soldevila 5163, A.A. Solodkov 537,
S. Solomon \mathbb{D}^{26}, A. Soloshenko \mathbb{D}^{38}, K. Solovieva \mathbb{D}^{54}, O.V. Solovyanov \mathbb{D}^{40}, V. Solovyev \mathbb{D}^{37},
P. Sommer 636, A. Sonay 613, W.Y. Song 6156b, A. Sopczak 6132, A.L. Sopio 696, F. Sopkova 628b,
J.D. Sorenson (D112, I.R. Sotarriva Alvarez (D154, V. Sothilingam<sup>63a</sup>, O.J. Soto Sandoval (D137c,137b),
S. Sottocornola 68, R. Soualah 6160, Z. Soumaimi 635e, D. South 648, N. Soybelman 6169,
S. Spagnolo 670a,70b, M. Spalla 6110, D. Sperlich 54, G. Spigo 536, S. Spinali 91, D.P. Spiteri 59,
M. Spousta 6133, E.J. Staats 634, R. Stamen 663a, A. Stampekis 620, M. Standke 624, E. Stanecka 687,
M.V. Stange <sup>©50</sup>, B. Stanislaus <sup>©17a</sup>, M.M. Stanitzki <sup>©48</sup>, B. Stapf <sup>©48</sup>, E.A. Starchenko <sup>©37</sup>,
G.H. Stark 136, J. Stark 1012, ab, P. Staroba 131, P. Starovoitov 163a, S. Stärz 1014, R. Staszewski 187,
G. Stavropoulos <sup>646</sup>, J. Steentoft <sup>6161</sup>, P. Steinberg <sup>629</sup>, B. Stelzer <sup>6142,156a</sup>, H.J. Stelzer <sup>6129</sup>,
O. Stelzer-Chilton <sup>156a</sup>, H. Stenzel <sup>58</sup>, T.J. Stevenson <sup>146</sup>, G.A. Stewart <sup>36</sup>, J.R. Stewart <sup>121</sup>,
M.C. Stockton <sup>©36</sup>, G. Stoicea <sup>©27b</sup>, M. Stolarski <sup>©130a</sup>, S. Stonjek <sup>©110</sup>, A. Straessner <sup>©50</sup>,
J. Strandberg 144, S. Strandberg 47a,47b, M. Stratmann 171, M. Strauss 120, T. Strebler 102,
P. Strizenec (D<sup>28b</sup>, R. Ströhmer (D<sup>166</sup>, D.M. Strom (D<sup>123</sup>, R. Stroynowski (D<sup>44</sup>, A. Strubig (D<sup>47a,47b</sup>,
S.A. Stucci ©<sup>29</sup>, B. Stugu ©<sup>16</sup>, J. Stupak ©<sup>120</sup>, N.A. Styles ©<sup>48</sup>, D. Su ©<sup>143</sup>, S. Su ©<sup>62a</sup>, W. Su ©<sup>62d</sup>,
X. Su 62a,66, K. Sugizaki 6153, V.V. Sulin 637, M.J. Sullivan 692, D.M.S. Sultan 678a,78b,
L. Sultanaliyeva (D37, S. Sultansoy (D3b, T. Sumida (D88, S. Sun (D106, S. Sun (D170),
O. Sunneborn Gudnadottir (D<sup>161</sup>, N. Sur (D<sup>102</sup>, M.R. Sutton (D<sup>146</sup>, H. Suzuki (D<sup>157</sup>, M. Svatos (D<sup>131</sup>),
M. Swiatlowski (156a, T. Swirski (166, I. Sykora (128a, M. Sykora (133a, T. Sykora (133a, D. Ta (1010)),
K. Tackmann <sup>1548,u</sup>, A. Taffard <sup>159</sup>, R. Tafirout <sup>156a</sup>, J.S. Tafoya Vargas <sup>166</sup>, E.P. Takeva <sup>152</sup>,
Y. Takubo (1084), M. Talby (1012), A.A. Talyshev (1037), K.C. Tam (1064b), N.M. Tamir (151), A. Tanaka (10153),
J. Tanaka (D<sup>153</sup>, R. Tanaka (D<sup>66</sup>, M. Tanasini (D<sup>57b,57a</sup>, Z. Tao (D<sup>164</sup>, S. Tapia Araya (D<sup>137f</sup>),
S. Tapprogge 100, A. Tarek Abouelfadl Mohamed 107, S. Tarem 150, K. Tariq 14a, G. Tarna 102,27b,
G.F. Tartarelli (10<sup>71a</sup>, P. Tas (10<sup>133</sup>, M. Tasevsky (10<sup>131</sup>, E. Tassi (10<sup>43b,43a</sup>, A.C. Tate (10<sup>162</sup>, G. Tateno (10<sup>153</sup>,
Y. Tayalati 635e,w, G.N. Taylor 6105, W. Taylor 6156b, A.S. Tee 6170, R. Teixeira De Lima 6143,
```

```
P. Teixeira-Dias <sup>195</sup>, J.J. Teoh <sup>155</sup>, K. Terashi <sup>153</sup>, J. Terron <sup>199</sup>, S. Terzo <sup>13</sup>, M. Testa <sup>153</sup>,
R.J. Teuscher 155,x, A. Thaler 79, O. Theiner 56, N. Themistokleous 52, T. Theveneaux-Pelzer 1012,
O. Thielmann (b171, D.W. Thomas 95, J.P. Thomas (b20, E.A. Thompson (b17a, P.D. Thompson (b20,
E. Thomson 6 128, Y. Tian 55, V. Tikhomirov 57, A. Tikhomirov 57, S. Timoshenko 77,
D. Timoshyn (b133), E.X.L. Ting (b1), P. Tipton (b172), S.H. Tlou (b33g), A. Tnourji (b40), K. Todome (b154),
S. Todorova-Nova <sup>133</sup>, S. Todt<sup>50</sup>, M. Togawa <sup>84</sup>, J. Tojo <sup>89</sup>, S. Tokár <sup>28a</sup>, K. Tokushuku <sup>84</sup>,
O. Toldaiev 68, R. Tombs 32, M. Tomoto 84,111, L. Tompkins 143,n, K.W. Topolnicki 86b,
E. Torrence (D<sup>123</sup>, H. Torres (D<sup>102</sup>, ab), E. Torró Pastor (D<sup>163</sup>, M. Toscani (D<sup>30</sup>, C. Tosciri (D<sup>39</sup>, M. Tost (D<sup>11</sup>),
D.R. Tovey 139, A. Traeet, I.S. Trandafir 27b, T. Trefzger 166, A. Tricoli 29, I.M. Trigger 156a,
S. Trincaz-Duvoid 6127, D.A. Trischuk 626, B. Trocmé 660, C. Troncon 671a, L. Truong 633c,
M. Trzebinski 687, A. Trzupek 687, F. Tsai 6145, M. Tsai 6106, A. Tsiamis 6152,e, P.V. Tsiareshka 37,
S. Tsigaridas (D<sup>156a</sup>, A. Tsirigotis (D<sup>152,s</sup>, V. Tsiskaridze (D<sup>155</sup>, E.G. Tskhadadze (D<sup>149a</sup>,
M. Tsopoulou (D<sup>152,e</sup>, Y. Tsujikawa (D<sup>88</sup>, I.I. Tsukerman (D<sup>37</sup>, V. Tsulaia (D<sup>17a</sup>, S. Tsuno (D<sup>84</sup>, K. Tsuri (D<sup>118</sup>,
D. Tsybychev 145, Y. Tu 64b, A. Tudorache 27b, V. Tudorache 27b, A.N. Tuna 61,
S. Turchikhin <sup>©57b,57a</sup>, I. Turk Cakir <sup>©3a</sup>, R. Turra <sup>©71a</sup>, T. Turtuvshin <sup>©38,y</sup>, P.M. Tuts <sup>©41</sup>,
S. Tzamarias <sup>152,e</sup>, P. Tzanis <sup>10</sup>, E. Tzovara <sup>100</sup>, F. Ukegawa <sup>157</sup>, P.A. Ulloa Poblete <sup>137c,137b</sup>,
E.N. Umaka <sup>©29</sup>, G. Unal <sup>©36</sup>, M. Unal <sup>©11</sup>, A. Undrus <sup>©29</sup>, G. Unel <sup>©159</sup>, J. Urban <sup>©28b</sup>,
P. Urquijo 105, P. Urrejola 137a, G. Usai 8, R. Ushioda 154, M. Usman 108, Z. Uysal 8,
V. Vacek 132, B. Vachon 104, K.O.H. Vadla 125, T. Vafeiadis 136, A. Vaitkus 1096, C. Valderanis 10109,
E. Valdes Santurio (D47a,47b), M. Valente (D156a), S. Valentinetti (D23b,23a), A. Valero (D163),
E. Valiente Moreno (163, A. Vallier (102,ab), J.A. Valls Ferrer (163, D.R. Van Arneman (114),
T.R. Van Daalen 138, A. Van Der Graaf 49, P. Van Gemmeren 66, M. Van Rijnbach 125,36,
S. Van Stroud 696, I. Van Vulpen 614, M. Vanadia 676a,76b, W. Vandelli 636, E.R. Vandewall 6121,
D. Vannicola 6151, L. Vannoli 57b,57a, R. Vari 75a, E.W. Varnes 7, C. Varni 17b, T. Varol 148,
D. Varouchas 66, L. Varriale 6163, K.E. Varvell 6147, M.E. Vasile 627b, L. Vaslin84, G.A. Vasquez 6165,
A. Vasyukov (D<sup>38</sup>, F. Vazeille (D<sup>40</sup>, T. Vazquez Schroeder (D<sup>36</sup>, J. Veatch (D<sup>31</sup>, V. Vecchio (D<sup>101</sup>),
M.J. Veen (103), I. Veliscek (126), L.M. Veloce (155), F. Veloso (130a,130c), S. Veneziano (175a),
A. Ventura (^{\circ}70a,70b, S. Ventura Gonzalez (^{\circ}135, A. Verbytskyi (^{\circ}110, M. Verducci (^{\circ}74a,74b, C. Vergis (^{\circ}24,
M. Verissimo De Araujo (D83b), W. Verkerke (D114), J.C. Vermeulen (D114), C. Vernieri (D143),
M. Vessella 6103, M.C. Vetterli 142,ag, A. Vgenopoulos 152,e, N. Viaux Maira 137f, T. Vickey 139,
O.E. Vickey Boeriu (139), G.H.A. Viehhauser (126), L. Vigani (163b), M. Villa (123b), 23a,
M. Villaplana Perez 163, E.M. Villhauer 2, E. Vilucchi 153, M.G. Vincter 154, G.S. Virdee 150,
A. Vishwakarma <sup>©</sup><sup>52</sup>, A. Visibile<sup>114</sup>, C. Vittori <sup>©</sup><sup>36</sup>, I. Vivarelli <sup>©</sup><sup>146</sup>, E. Voevodina <sup>©</sup><sup>110</sup>, F. Vogel <sup>©</sup><sup>109</sup>,
J.C. Voigt \bigcirc^{50}, P. Vokac \bigcirc^{132}, Yu. Volkotrub \bigcirc^{86a}, J. Von Ahnen \bigcirc^{48}, E. Von Toerne \bigcirc^{24},
B. Vormwald 636, V. Vorobel 133, K. Vorobev 637, M. Vos 6163, K. Voss 6141, J.H. Vossebeld 692,
M. Vozak <sup>114</sup>, L. Vozdecky <sup>94</sup>, N. Vranjes <sup>15</sup>, M. Vranjes Milosavljevic <sup>15</sup>, M. Vreeswijk <sup>114</sup>,
N.K. Vu (62d,62c), R. Vuillermet (536), O. Vujinovic (5100), I. Vukotic (539), S. Wada (5157), C. Wagner (103),
J.M. Wagner 171, W. Wagner 171, S. Wahdan 171, H. Wahlberg 190, M. Wakida 111, J. Walder 1134,
R. Walker 10109, W. Walkowiak 10141, A. Wall 10128, T. Wamorkar 106, A.Z. Wang 10136, C. Wang 10100,
C. Wang 11, H. Wang 17a, J. Wang 164c, R.-J. Wang 100, R. Wang 161, R. Wang 166,
S.M. Wang 6148, S. Wang 62b, T. Wang 62a, W.T. Wang 680, W. Wang 614a, X. Wang 614c,
X. Wang 6162, X. Wang 62c, Y. Wang 62d, Y. Wang 614c, Z. Wang 6106, Z. Wang 662d,51,62c,
Z. Wang <sup>106</sup>, A. Warburton <sup>104</sup>, R.J. Ward <sup>1020</sup>, N. Warrack <sup>1059</sup>, S. Waterhouse <sup>1095</sup>, A.T. Watson <sup>1020</sup>,
H. Watson (D<sup>59</sup>, M.F. Watson (D<sup>20</sup>, E. Watton (D<sup>59</sup>,134, G. Watts (D<sup>138</sup>, B.M. Waugh (D<sup>96</sup>, C. Weber (D<sup>29</sup>),
H.A. Weber 18, M.S. Weber 19, S.M. Weber 63a, C. Wei 62a, Y. Wei 126, A.R. Weidberg 126,
E.J. Weik 117, J. Weingarten 49, M. Weirich 100, C. Weiser 54, C.J. Wells 54, T. Wenaus 29,
B. Wendland \mathbb{D}^{49}, T. Wengler \mathbb{D}^{36}, N.S. Wenke<sup>110</sup>, N. Wermes \mathbb{D}^{24}, M. Wessels \mathbb{D}^{63a}, A.M. Wharton \mathbb{D}^{91},
```

```
A.S. White 661, A. White 88, M.J. White 61, D. Whiteson 6159, L. Wickremasinghe 6124,
W. Wiedenmann <sup>170</sup>, M. Wielers <sup>134</sup>, C. Wiglesworth <sup>42</sup>, D.J. Wilbern H.G. Wilkens <sup>36</sup>,
D.M. Williams <sup>128</sup>, H.H. Williams <sup>128</sup>, S. Williams <sup>32</sup>, S. Willocq <sup>103</sup>, B.J. Wilson <sup>101</sup>,
P.J. Windischhofer <sup>139</sup>, F.I. Winkel <sup>30</sup>, F. Winklmeier <sup>123</sup>, B.T. Winter <sup>54</sup>, J.K. Winter <sup>101</sup>,
M. Wittgen<sup>143</sup>, M. Wobisch <sup>1097</sup>, Z. Wolffs <sup>114</sup>, J. Wollrath <sup>159</sup>, M.W. Wolter <sup>187</sup>, H. Wolters <sup>130a,130c</sup>,
A.F. Wongel <sup>1048</sup>, E.L. Woodward <sup>1041</sup>, S.D. Worm <sup>1048</sup>, B.K. Wosiek <sup>1087</sup>, K.W. Woźniak <sup>1087</sup>,
S. Wozniewski <sup>655</sup>, K. Wraight <sup>59</sup>, C. Wu <sup>620</sup>, J. Wu <sup>614a,14e</sup>, M. Wu <sup>64a</sup>, M. Wu <sup>6113</sup>, S.L. Wu <sup>6170</sup>,
X. Wu 656, Y. Wu 662a, Z. Wu 6135, J. Wuerzinger 6110,ae, T.R. Wyatt 6101, B.M. Wynne 652,
S. Xella (D42, L. Xia (D14c, M. Xia (D14b, J. Xiang (D64c, M. Xie (D62a, X. Xie (D62a, S. Xin (D14a, 14e),
A. Xiong 6123, J. Xiong 617a, D. Xu 614a, H. Xu 662a, L. Xu 662a, R. Xu 6128, T. Xu 6106, Y. Xu 614b,
Z. Xu 14c, B. Yabsley 147, S. Yacoob 33a, Y. Yamaguchi 154, E. Yamashita 153,
H. Yamauchi 157, T. Yamazaki 17a, Y. Yamazaki 185, J. Yan 12c, S. Yan 15c, Z. Yan 15c, Z. Yan 15c, Z. Yan 15c, X. 
H.J. Yang 62c,62d, H.T. Yang 62a, S. Yang 62a, T. Yang 64c, X. Yang 636, X. Yang 614a, Y. Yang 644,
Y. Yang <sup>62a</sup>, Z. Yang <sup>62a</sup>, W-M. Yao <sup>17a</sup>, Y.C. Yap <sup>48</sup>, H. Ye <sup>14c</sup>, H. Ye <sup>55</sup>, J. Ye <sup>14a</sup>, S. Ye <sup>29</sup>,
X. Ye 62a, Y. Yeh 696, I. Yeletskikh 638, B.K. Yeo 617b, M.R. Yexley 696, P. Yin 641, K. Yorita 6168,
S. Younas © 27b, C.J.S. Young © 36, C. Young © 143, C. Yu © 14a, 14e, ai, Y. Yu © 62a, M. Yuan © 106,
R. Yuan 662b, L. Yue 696, M. Zaazoua 662a, B. Zabinski 687, E. Zaid 52, Z.K. Zak 687,
T. Zakareishvili 6163, N. Zakharchuk 634, S. Zambito 656, J.A. Zamora Saa 6137d,137b, J. Zang 6153,
D. Zanzi 654, O. Zaplatilek 6132, C. Zeitnitz 6171, H. Zeng 614a, J.C. Zeng 6162, D.T. Zenger Jr 626,
O. Zenin 637, T. Ženiš 628a, S. Zenz 694, S. Zerradi 635a, D. Zerwas 666, M. Zhai 614a,14e,
D.F. Zhang 139, J. Zhang 62b, J. Zhang 66, K. Zhang 14a,14e, L. Zhang 14c, P. Zhang 14a,14e,
R. Zhang 10<sup>170</sup>, S. Zhang 10<sup>106</sup>, S. Zhang 10<sup>44</sup>, T. Zhang 10<sup>153</sup>, X. Zhang 10<sup>62c</sup>, X. Zhang 10<sup>62b</sup>,
Y. Zhang 662c,5, Y. Zhang 696, Y. Zhang 614c, Z. Zhang 617a, Z. Zhang 666, H. Zhao 6138, T. Zhao 662b,
Y. Zhao (D<sup>136</sup>, Z. Zhao (D<sup>62a</sup>, A. Zhemchugov (D<sup>38</sup>, J. Zheng (D<sup>14c</sup>, K. Zheng (D<sup>162</sup>, X. Zheng (D<sup>62a</sup>,
Z. Zheng (b)143, D. Zhong (b)162, B. Zhou (b)106, H. Zhou (b)7, N. Zhou (b)62c, Y. Zhou (b)14c, Y. Zhou<sup>7</sup>,
C.G. Zhu 662b, J. Zhu 6106, Y. Zhu 662c, Y. Zhu 662a, X. Zhuang 614a, K. Zhukov 637, V. Zhulanov 637,
N.I. Zimine <sup>©38</sup>, J. Zinsser <sup>©63b</sup>, M. Ziolkowski <sup>©141</sup>, L. Živković <sup>©15</sup>, A. Zoccoli <sup>©23b,23a</sup>, K. Zoch <sup>©61</sup>,
T.G. Zorbas (D<sup>139</sup>, O. Zormpa (D<sup>46</sup>, W. Zou (D<sup>41</sup>, L. Zwalinski (D<sup>36</sup>).
```

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

^{3(a)}Department of Physics, Ankara University, Ankara; ^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

 $^{^{14(}a)}$ Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; $^{(b)}$ Physics Department, Tsinghua University, Beijing; $^{(c)}$ Department of Physics, Nanjing University, Nanjing; $^{(d)}$ School of Science, Shenzhen Campus of Sun Yat-sen University; $^{(e)}$ University of Chinese Academy of Science (UCAS),

Beijing; China.

Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

^{17(a)} Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²¹(*a*) Department of Physics, Bogazici University, Istanbul; (*b*) Department of Physics Engineering, Gaziantep University, Gaziantep; (*c*) Department of Physics, Istanbul University, Istanbul; Türkiye.

^{22(a)}Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño,

 $^{^{23(}a)}$ Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; $^{(b)}$ INFN Sezione di Bologna; Italy.

²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.

²⁵Department of Physics, Boston University, Boston MA; United States of America.

²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.

 $^{^{27(}a)}$ Transilvania University of Brasov, Brasov; $^{(b)}$ Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; $^{(c)}$ Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; $^{(d)}$ National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; $^{(e)}$ National University of Science and Technology Politechnica, Bucharest; $^{(f)}$ West University in Timisoara, Timisoara; $^{(g)}$ Faculty of Physics, University of Bucharest, Bucharest; Romania. $^{28(a)}$ Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; $^{(b)}$ Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.

²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.

³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.

³¹California State University, CA; United States of America.

³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.

³³(a) Department of Physics, University of Cape Town, Cape Town; (b) iThemba Labs, Western Cape; (c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (d) National Institute of Physics, University of the Philippines Diliman (Philippines); (e) University of South Africa, Department of Physics, Pretoria; (f) University of Zululand, KwaDlangezwa; (g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.

34 Department of Physics, Carleton University, Ottawa ON; Canada.

^{35(a)} Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) LPMR, Faculté des Sciences, Université Mohammed Premier, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat; (f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.

³⁶CERN, Geneva; Switzerland.

³⁷Affiliated with an institute covered by a cooperation agreement with CERN.

³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.

³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.

⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.

- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ^{43(a)}Dipartimento di Fisica, Università della Calabria, Rende; ^(b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ^{47(a)}Department of Physics, Stockholm University; ^(b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^{57(a)}Dipartimento di Fisica, Università di Genova, Genova; ^(b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ^{62(a)}Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d)Tsung-Dao Lee Institute, Shanghai; ^(e)School of Physics and Microelectronics, Zhengzhou University; China.
- ⁶³(*a*) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (*b*) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ^{64(a)}Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b)Department of Physics, University of Hong Kong, Hong Kong; ^(c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- $^{70(a)}$ INFN Sezione di Lecce; $^{(b)}$ Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ^{72(a)}INFN Sezione di Napoli; ^(b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ^{73(a)}INFN Sezione di Pavia; ^(b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ^{74(a)}INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁵(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁶(a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata,

- Roma; Italy.
- $^{77(a)}$ INFN Sezione di Roma Tre; $^{(b)}$ Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁸(a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ^{83(a)} Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁶(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan.
- ⁹⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹¹Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹²Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹³Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁴School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁵Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁶Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁷Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁸Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁹Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰⁰Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰¹School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰²CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰³Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁴Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁵School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁶Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁷Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁸Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹¹Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹²Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹³Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

- ¹¹⁴Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁵Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁶(a)</sup>New York University Abu Dhabi, Abu Dhabi; ^(b)United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹¹⁷Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁸Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁹Ohio State University, Columbus OH; United States of America.
- ¹²⁰Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²¹Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²²Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²³Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁴Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁵Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁶Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁷LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁸Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁹Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³⁰(a)</sup>Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³¹Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³²Czech Technical University in Prague, Prague; Czech Republic.
- ¹³³Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁴Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁵IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁶Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- 137(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁸Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁹Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁰Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴¹Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴²Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴³SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁴Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁵Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of

America.

- ¹⁴⁶Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁷School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁸Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁹(*a*) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (*b*) High Energy Physics Institute, Tbilisi State University, Tbilisi; (*c*) University of Georgia, Tbilisi; Georgia.
- ¹⁵⁰Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵¹Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵²Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵³International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁴Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁵Department of Physics, University of Toronto, Toronto ON; Canada.
- $^{156(a)}$ TRIUMF, Vancouver BC; $^{(b)}$ Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁷Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁸Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁰University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶¹Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶²Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶³Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia; Spain.
- ¹⁶⁴Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁵Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁶Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁷Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁸Waseda University, Tokyo; Japan.
- ¹⁶⁹Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷⁰Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷¹Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷²Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^g Also at CERN, Geneva; Switzerland.
- h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

- ¹ Also at Department of Physics, California State University, Sacramento; United States of America.
- ^m Also at Department of Physics, King's College London, London; United Kingdom.
- ⁿ Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^o Also at Department of Physics, Stellenbosch University; South Africa.
- ^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^q Also at Department of Physics, University of Thessaly; Greece.
- ^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^s Also at Hellenic Open University, Patras; Greece.
- ^t Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- $^{\nu}$ Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^w Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ^x Also at Institute of Particle Physics (IPP); Canada.
- ^y Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- aa Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ab Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ac Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ad Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ae Also at Technical University of Munich, Munich; Germany.
- af Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ag Also at TRIUMF, Vancouver BC; Canada.
- ^{ah} Also at Università di Napoli Parthenope, Napoli; Italy.
- ai Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- aj Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ak Also at Washington College, Chestertown, MD; United States of America.
- al Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased