



Calibration of a soft secondary vertex tagger using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

Several processes studied by the ATLAS experiment at the Large Hadron Collider produce low-momentum b -flavored hadrons in the final state. This paper describes the calibration of a dedicated tagging algorithm that identifies b -flavored hadrons outside of hadronic jets by reconstructing the soft secondary vertices originating from their decays. The calibration is based on a proton–proton collision dataset at a center-of-mass energy of 13 TeV corresponding to an integrated luminosity of 140 fb^{-1} . Scale factors used to correct the algorithm’s performance in simulated events are extracted for the b -tagging efficiency and the mistag rate of the algorithm using a data sample enriched in $t\bar{t}$ events. Several orthogonal measurement regions are defined, binned as a function of the multiplicities of soft secondary vertices and jets containing a b -flavored hadron in the event. The mistag rate scale factors are estimated separately for events with low and high average number of interactions per bunch crossing. The results, which are derived from events with low missing transverse momentum, are successfully validated in a phase space characterized by high missing transverse momentum and therefore are applicable to new physics searches carried out in either phase space regimes.

1 Introduction

The accurate reconstruction and identification of particles traversing the ATLAS detector is a fundamental aspect of the experiment's successful physics program. This includes the identification of jets that contain a b -flavored hadron (B -hadron in the following), referred to as b -jets, which is crucial for enabling precise measurements and discoveries of processes involving heavy particles that decay into b -quarks. The distinctive decay patterns and long lifetimes of B -hadrons, as well as the fragmentation properties of b -quarks, provide a powerful handle for distinguishing b -jets from jets originating from lighter quarks or gluons. The ATLAS Collaboration has developed various algorithms to identify b -jets, referred to as b -tagging algorithms [1–3], which are essential for analyzing the data recorded at the Large Hadron Collider (LHC).

The use of jets as a starting point for b -tagging imposes constraints on the energy of both the B -hadron and the surrounding hadronic activity. Standard b -tagging techniques in ATLAS are applicable to jets with transverse momenta (p_T) of at least 20 GeV. However, many scenarios beyond the Standard Model (SM) predict final states with B -hadrons at lower p_T , such that their identification would greatly improve the associated analysis sensitivity.

One class of processes that could give rise to low- p_T B -hadrons is the production of the supersymmetric (SUSY) partners of third generation quarks (top and bottom squarks). In particular, compressed SUSY scenarios [4–9], where either the top or the bottom squark is nearly mass-degenerate with the lightest SUSY particle, are favored in scenarios of electroweak baryogenesis. The low p_T of the squark decay products makes such scenarios difficult to separate from background. The p_T spectrum of the final state particles in such events may peak as low as 4 GeV depending on the mass compression.

Other examples of searches for physics beyond the SM that may benefit from low- p_T B -hadron identification are searches for exotic decays of the Higgs boson [10] into new light pseudoscalar particles. Such processes can involve the production of up to six b -quarks in the final state [11]. Depending on the relative mass difference between the new pseudoscalar states and the Higgs boson, the p_T spectrum of the lowest- p_T b -quarks can peak as low as 10 GeV. The ability to identify such low- p_T b -quarks is crucial for the analysis performance in discriminating the signal from the SM background.

The ATLAS Collaboration has developed algorithms tagging low- p_T B -hadrons arising in compressed bottom squark [12] and top squark [13] searches, with b -quarks in the final state. The CMS Collaboration has also successfully implemented similar techniques in the context of compressed-SUSY scenarios [14]. This paper focuses on the calibration of the Track-Cluster-based Low- p_T Vertex Tagger (TC-LVT). This algorithm is based on the reconstruction of secondary vertices outside of jets identified by traditional clustering algorithms and targets the reconstruction of B -hadrons with p_T between 5 and 20 GeV.

A data sample containing predominantly top-antitop-quark ($t\bar{t}$) events is selected, where both top quarks decay into a W boson and a b -quark, followed by a subsequent decay of each W boson into either an electron or a muon and a neutrino.

This paper is organized as follows. In Section 2 the ATLAS detector is described. The data and simulated samples used in the calibration are described in Section 3. Section 4 summarizes the reconstruction of tracks, electrons, muons and jets, followed by a description of the TC-LVT algorithm in Section 5. Section 6 describes the event selection and calibration method, systematic uncertainties and results. The conclusions are given in Section 7.

2 The ATLAS detector

The ATLAS detector [15] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit generally being in the insertable B-layer (IBL) installed before Run 2 [16, 17]. It is followed by the Semiconductor Tracker (SCT), which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, cover the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

The luminosity is measured mainly by the LUCID-2 [18] detector that records Cherenkov light produced in the quartz windows of photomultipliers located close to the beam pipe.

Events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [19]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces in order to record complete events to disk at about 1 kHz.

A software suite [20] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

3 Data and simulated event samples

The results presented in this paper are based on data collected by the ATLAS experiment between 2015 and 2018 during Run 2 of the LHC. The dataset corresponds to an integrated luminosity of 140 fb^{-1} [18, 21] of pp collisions at a center-of-mass energy of 13 TeV. Events were selected at trigger level based on the presence of at least one electron [22] or muon [23]. These single-lepton triggers were configured with p_T thresholds ranging from 20 to 26 GeV, depending on the lepton flavor and data-taking period. Every detector subsystem must have been in operation during data collection. Moreover, stringent data quality criteria were applied to ensure the reliability of the data [24].

Simulated samples of SM processes are based on Monte Carlo (MC) techniques, and the main contributing samples are described in the following. All simulated samples are processed through the ATLAS simulation infrastructure [25] including a detailed model of the ATLAS detector based on GEANT4 [26].

The effect of multiple interactions in the same and neighboring bunch crossings (pileup) are modeled by overlaying the simulated hard-scattering event with inelastic pp events generated with PYTHIA 8.186 [27] using the NNPDF2.3LO [28] set of parton distribution functions (PDF) and the A3 set of tuned parameters [29]. The MC events are weighted to reproduce the distribution of the average number of interactions per bunch crossing (μ) observed in the data, where the μ value in data is rescaled by a factor of 1.03 ± 0.04 to improve agreement between data and simulation in the visible inelastic proton–proton cross-section [30]. A further correction to the distribution is derived in the sample selected by this analysis such that the μ distribution in simulated events matches the one in data for the calibration measurement.

The analysis presented in this paper is designed to select $t\bar{t}$ events where each of the top quarks decays leptonically, hence the modeling of this SM process is particularly important. A suite of MC samples with different accuracy in the matrix element (ME) and different models for the parton shower (PS) are used for the $t\bar{t}$ process. The baseline $t\bar{t}$ simulated sample was produced using the POWHEGBox [31] v2 generator with a ME at next-to-leading order (NLO) in quantum chromodynamics (QCD) in the five flavor scheme (5FS), and interfaced to PYTHIA 8.230 [32] with the A14 set of tuned parameters [33] to model PS, hadronization, and the underlying event. The PDF sets NNPDF3.0NNLO and NNPDF2.3LO [28, 34] were used in the ME-PS matching, respectively. The h_{damp} parameter, which controls the matching in POWHEG and effectively regulates the high- p_T radiation against which the $t\bar{t}$ system recoils, was set to $1.5 m_t$ [35]. The functional form of the renormalization and factorization scales was set to the default scale ($\sqrt{m_t^2 + p_{T,t}^2}$).

Alternative $t\bar{t}$ simulation samples were generated using POWHEGBox v2 interfaced to HERWIG7.04 [36] with the H7-UE-MMHT set of tuned parameters. Uncertainties related to initial- and final-state radiation (ISR, FSR) are estimated by reweighting the baseline $t\bar{t}$ events such that initial (final) parton shower radiation [35] is increased or reduced and by using an alternative POWHEGBox v2 + PYTHIA 8.230 sample with h_{damp} set to $3m_t$ and the parameter variation group VAR3 (described in Ref. [35]) increased, leading to increased ISR.

Samples with $t\bar{t} + b\bar{b}$ MEs were produced at NLO QCD accuracy with the POWHEG Box RES [37] generator and OPENLOOPS [38–40], using a pre-release of the implementation of this process in POWHEG Box RES provided by the authors [41], with the NNPDF3.0NLO nf4 [34] PDF set. It was interfaced with PYTHIA 8.240 [32], using the A14 set of tuned parameters [33] and the NNPDF2.3LO PDF set. The four-flavor scheme was used with the b -quark mass set to 4.95 GeV. The factorization scale was set to $0.5 \times \sum_{i=t,\bar{t},b,\bar{b},j} m_{T,i}$, the renormalization scale was set to $\sqrt[4]{m_{T,t} \cdot m_{T,\bar{t}} \cdot m_{T,b} \cdot m_{T,\bar{b}}}$, and the h_{damp}

parameter was set to $0.5 \times \sum_{i=t,\bar{t},b,\bar{b}} m_{T,i}$. Events containing two B -hadrons produced in the decay of the two top quarks and either one or two additional B -hadrons with $p_T > 5$ GeV and matched to a particle jet are vetoed in the nominal $t\bar{t}$ sample and taken from the $t\bar{t} + b\bar{b}$ sample. Events with an additional c -flavored hadron with $p_T > 5$ GeV and matched to a particle jet undergo the same procedure.

Additional processes entering the analysis selection arise from the production of a single top quark, either through the associated production with a W boson (tW) or in t -channel and s -channel production. These contributions were modeled by the POWHEGBOX v2 [42–44] generator with ME at NLO. For t -channel production, events were generated in the four flavor scheme with the NNPDF3.0NLO nf4 PDF set, and the functional form of the renormalization and factorization scale was set to $\sqrt{m_b^2 + p_{T,b}^2}$ following the recommendation of Ref. [42]. For s -channel and tW production, events were generated in the five flavor scheme with the NNPDF3.0NLO PDF set, and the functional form of the renormalization and factorization scale was set to the default scale, which is equal to the top-quark mass. For tW production, the diagram removal scheme [45] was employed to treat the interference with $t\bar{t}$ production [35]. To evaluate the impact of the PS and hadronization model, the same events produced for the nominal POWHEGBOX+PYTHIA8 samples were used, but they were showered with HERWIG7.04. To assess the uncertainty due to the choice of the matching scheme, the nominal samples are compared with samples generated with the MADGRAPH5_AMC@NLO v2.6.2 [46] generator at NLO in QCD, in the four flavor scheme for t -channel production, and the five flavor scheme for s -channel and tW production. For t -channel production (respectively s -channel, tW production), the NNPDF3.0NLO PDF set is used.

To evaluate the effect of employing the diagram subtraction scheme instead of the diagram removal scheme [44, 45] for tW events, alternative samples were produced, where the diagram subtraction scheme was used. All single-top-quark samples were showered with PYTHIA 8.230, unless otherwise stated for studies assessing systematic uncertainties.

Additional small contributions are expected from Z +jets processes, which were modeled with the SHERPA 2.2.1 [47] generator providing NLO MEs for up to two partons in addition to the Z boson and leading-order (LO) MEs for up to four partons calculated with the Comix [48] and OPENLOOPS libraries. These samples were matched with the SHERPA parton shower [49] using the MEPS@NLO prescription [50–53]. The NNPDF3.0NNLO set of PDFs [34] was used.

Several rare processes such as $t\bar{t}V$ (where V is either a W or Z boson), $t\bar{t}H$, four-top-quark production and VV are considered as well, however, they have a negligible contribution in the phase space considered.

The EVTGEN 1.6.0 program [54] was employed to simulate the decay of b - and c -flavored hadrons in all samples except those generated using SHERPA, for which the default configuration recommended by the SHERPA authors was used.

4 Object reconstruction

Tracks are reconstructed from hits inside the inner tracking detector [55, 56]. In addition to acceptance criteria of $|\eta| < 2.5$ and $p_T > 500$ MeV, the tracks must satisfy a set of quality criteria defined by the *Loose* working point in Ref [55]. Tracks should have at least seven hits in the silicon detectors with no more than one detector module shared with other tracks, no more than one missing hit in the pixel detector, and no more than two missing hits in the SCT detector. Events are required to contain at least one vertex with two or more associated tracks, and the vertex with the highest p_T^2 sum of the associated tracks is taken

as the primary vertex (PV) [57]. Transverse and longitudinal impact parameters, d_0 and z_0 , are used to identify tracks that originate at a certain displacement from the PV (e.g. B -hadron decay products). The transverse impact parameter, d_0 , is the point of closest approach to the measured beam line position; and z_0 , required to satisfy $|z_0 \sin \theta| < 3$ mm, is the difference between the longitudinal position of the track along the beam line at the point where d_0 is measured and the longitudinal position of the primary vertex [58]. The latter requirement reduces the contamination from pileup, secondary and fake tracks. The collection of tracks satisfying the criteria stated above is used as input to the TC-LVT tagger for the reconstruction of soft secondary vertex (SSV) candidates. The complete set of requirements for tracks used for standard high- p_T b -tagging algorithms are described in Ref. [3].

Electron candidates are reconstructed from energy deposits (clusters) in the electromagnetic calorimeter associated with reconstructed tracks in the inner detector [59]. Candidates that satisfy $p_T > 10$ GeV and $|\eta| < 2.47$ are selected, excluding the calorimeter transition region $1.37 < |\eta| < 1.52$. Electrons must satisfy the *Tight* likelihood-based identification criterion and are required to satisfy the criteria of the *PLVLoose* working point of the ‘Prompt Lepton Tagger’ [60], a multivariate isolation discriminant used to reject non-prompt leptons from heavy-flavor decays. They are further required to have $|z_0 \sin \theta| < 0.5$ mm and $|d_0/\sigma(d_0)| < 5$, where the longitudinal and transverse impact parameters d_0 and z_0 are computed relative to the primary vertex and $\sigma(d_0)$ is the resolution of the track transverse impact parameter d_0 . It is computed using an iterative Gaussian fit performed on the core of the impact parameter distribution [61].

Muon candidates are reconstructed from track segments in the various layers of the muon spectrometer, and matched with tracks from the inner detector [62]. The final muon candidates are refitted using the complete track information from both detector systems, and required to satisfy $p_T > 10$ GeV and $|\eta| < 2.5$. Muons are required to satisfy the *Medium* quality requirements and to satisfy the isolation criteria of the *PLVLoose* working point of the Prompt Lepton Tagger. The absolute value of the muon d_0 significance must be less than 3, and the value of $|z_0 \sin \theta|$ must be less than 0.5 mm.

Jets are reconstructed by clustering particle-flow objects [63] with the anti- k_t algorithm [64, 65] with a radius parameter of $R = 0.4$ and a four-momentum recombination scheme. The jet energy is corrected to the particle level by the application of a jet energy scale calibration derived from pp collision data and simulation at $\sqrt{s} = 13$ TeV [66]. Baseline jets are required to have $p_T > 20$ GeV and $|\eta| < 2.5$. They are also required to satisfy a *Tight* pileup rejection criterion based on the jet vertex tagger (JVT) score [67]: for jet $p_T \in [20, 60]$ GeV and $|\eta| < 2.4$, the JVT score must be higher than 0.5.

The identification of b -jets with $p_T > 20$ GeV is done using the DL1r algorithm [3], a high-level tagger based on a deep neural network (NN). The NN is trained on simulated $t\bar{t}$ and Z' events and uses the results of specialized low-level taggers, based on track impact parameters, secondary vertices and decay topologies, to obtain the probability for each jet to be a b -, c - or light-jet. In this measurement the 85% working point is used, corresponding to an 85% efficiency to correctly tag a b -jet in simulated $t\bar{t}$ events.

To avoid double counting of the objects used in the analysis, special care is taken to remove any potential overlap. This procedure is based on two object distances defined by $\Delta R_y = \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$, where y is the rapidity and ϕ the azimuthal angle of each object. The removal is carried out systematically starting with electrons, where the closest jet within $\Delta R_y = 0.2$ of a selected electron is removed. If the nearest jet surviving that selection is within $\Delta R_y = 0.4$ of the electron, the electron is discarded. Muons are removed if they are separated from the nearest jet by $\Delta R_y < 0.4$, which reduces the background from heavy-flavor decays inside jets. However, the muon is kept and the jet removed instead, if fewer than three tracks are associated with the jet. This criterion avoids inefficiency for the selection of high-energy muons undergoing significant energy loss in the calorimeter.

The missing transverse momentum, with magnitude E_T^{miss} , is defined as the negative vector sum of the transverse momenta of all selected and calibrated electrons, muons and jets in the event, with an extra term added to account for energy in the event that is not associated with any of these objects [68].

5 Soft secondary vertex algorithm definition and performance

5.1 TC-LVT algorithm description

The TC-LVT algorithm is based on vertexing techniques first developed in the context of standard b -tagging, which are retuned and applied outside hadronic jets. It aims to identify B -hadrons outside hadronic jets by reconstructing displaced secondary vertices. The key ingredients of the algorithm are seed tracks, cluster tracks (which are inputs to track clusters in the following) and reconstructed vertices as defined by the selection criteria summarized in Table 1. These criteria define the *Loose* working point and were optimized to maximize the efficiency of the algorithm.

As a first step a set of *seed tracks* is extracted. The seed tracks are characterized by a high transverse momentum of $p_T > 1.5$ GeV and $|d_0/\sigma(d_0)| > 0.5$. Tracks that are also matched to a track-jet [69] with $p_T > 20$ GeV are not considered. The list of seed tracks is ordered in decreasing p_T . Clusters of tracks are built around these seed tracks by adding additional high-displacement tracks ($|d_0/\sigma(d_0)| > 1.5$) within an angular distance to the seed track of $\Delta R_{\text{seed}}^{\text{track}} < 0.75$ and within a track-to-track distance of closest approach $d_{\text{seed}}^{\text{track}} < 0.25$ mm. Once tracks are associated with a cluster, they are not considered further for other clusters.

The next step of the algorithm is the vertexing process, which is accomplished using the Single Secondary Vertex Finding (SSVF) algorithm [70]. For clarity, in the following the main features of this algorithm are described and the reader is referred to Ref. [70] for details. For each identified cluster, the SSVF algorithm is executed on all tracks within $\Delta R = 0.4$ from the vector sum of the momenta of all tracks associated with the cluster. First, all the possible pairs of tracks originating from nearby points are combined into two-track vertices. Further requirements are applied to the two-track vertices to reduce the number of fake vertices and material interactions. For example, the tracks associated with the vertex must not have any hits in detector layers at a radius smaller than that of the vertex itself. Two-track vertices located in regions of the detector with large amounts of material are eliminated according to the procedure described in Ref. [70]. Two-track vertices with invariant masses consistent with K_S^0 and Λ^0 decays are identified, and the corresponding tracks are removed if the impact parameter of the reconstructed pair is consistent with the primary vertex. Similarly, two-track vertices with invariant masses below 40 MeV under the e^+e^- hypothesis are excluded to reject photon conversions. Finally, all tracks contributing to the cleaned set of two-track vertices are combined into one list of selected tracks. This track list is supplied to the vertex fitter.

The vertex fitter runs iteratively on all the tracks in the list, trying to fit one secondary vertex from all these tracks. In each iteration the track with the largest $\chi^2(\text{track, vertex})$ of the track-vertex association is removed and the vertex fit is repeated until an acceptable vertex $\chi^2(\text{vertex})$ is found. The mass m_{vtx} of the vertex is defined as the invariant mass of the four-vector sum of the constituent tracks and required to be above 600 MeV and below 6 GeV. The higher threshold is chosen to reject random track crossings while maximizing efficiency for true B -hadron vertices. The lower threshold is optimized to reject the

most common light-flavored long-lived hadrons. For similar reasons, the p_T^{vtx} of the reconstructed vertex is defined as the p_T of the four-vector sum of the constituent tracks, and required to be above 3 GeV.

Table 1: Selection criteria applied to the objects in the vertex reconstruction of the TC-LVT algorithm.

Seed track	Cluster tracks	Vertex
$ d_0/\sigma(d_0) > 0.5$ $p_T > 1.5 \text{ GeV}$	$ d_0/\sigma(d_0) > 1.5$ $\Delta R_{\text{seed}}^{\text{track}} < 0.75$ $d_{\text{seed}}^{\text{track}} < 0.25 \text{ mm}$	$600 \text{ MeV} < m_{\text{vtx}} < 6 \text{ GeV}$ $p_T^{\text{vtx}} > 3 \text{ GeV}$

As a last step, if two vertices are found they are merged if their angular distance $\Delta R < 0.3$. This occurs rarely but helps the treatment of secondary or tertiary decays in the same hadron decay chain. The four-vectors of the merged vertices are added and the resulting vertex retains the parameter values, e.g. L_{xy} (the displacement in the transverse plane of the secondary vertex relative to the primary vertex) or L_{3d} (the significance of the 3D distance relative to the primary vertex), of the merged vertex with smallest L_{xy} .

Objects identified with the TC-LVT algorithm, henceforth referred to as soft secondary vertices or SSVs, are removed if they are within $\Delta R < 0.2$ of a reconstructed lepton or within $\Delta R < 0.6$ of a reconstructed jet.


5.2 TC-LVT algorithm performance

The performance of the TC-LVT algorithm is investigated using the full set of samples described in Section 3 and applying the event selection described in Section 6.1. The parameters used in this study are:


- ε_{SSV} : probability that a true SSV is identified by the TC-LVT tagger, and
- n_f : expected average number of fake SSVs per event.

The *Loose* working point of the TC-LVT algorithm (see Table 1) is used, which is designed to maximize the efficiency of the algorithm while achieving the lowest possible fake rate. The classification of true and fake SSVs is done based on a cone-matching requirement between the reconstructed SSV and a simulated B -hadron in acceptance. A B -hadron is considered to be in acceptance if it meets the criteria of $p_T > 2 \text{ GeV}$, $|\eta| < 2.8$, and $\Delta R_{\text{min}}(B, \text{jet}) > 0.3$, where the latter ensures that the B -hadron is located outside of any reconstructed jet. These acceptance requirements are driven by the ATLAS tracking detector geometry and the typical jet distance parameters used in the jet reconstruction. SSVs fulfilling $\Delta R(B, \text{SSV}) < 0.3$ are considered true SSVs, and their event multiplicity is indicated by \mathcal{N}_{SSV} . Unmatched SSVs are considered fake SSVs. SSVs matched to a c -flavored hadron in acceptance are also categorized as true SSVs, as long as the c -flavored hadron is separated from any B -hadron in acceptance by $\Delta R > 0.3$. Events of this kind represent a minor contribution in the total calibration sample.


Figure 1(a) shows the TC-LVT efficiency to reconstruct true SSVs as a function of the generator-level ('truth') hadron p_T . The efficiency first increases as a function of B -hadron p_T as the displacement of secondary vertices also increases. The turnover at about 15 GeV is due to the fact that a B -hadron of such p_T is more likely to be reconstructed as a jet instead. Figure 1(b) shows the TC-LVT efficiency to reconstruct a true SSV as a function of the average number of interactions per bunch crossing (μ). While



(a)



(b)



(c)

Figure 1: TC-LVT efficiency to reconstruct true SSVs as a function of (a) truth hadron p_T and (b) average number of interactions per bunch crossing, μ . (c) Average number of fake SSVs per event, n_f , as a function of μ . A B -hadron is considered to be in acceptance if it meets the criteria of $p_T > 2$ GeV, $|\eta| < 2.8$, and $\Delta R_{\min}(B, \text{jet}) > 0.3$, where the latter ensures that the B -hadron is located outside of any reconstructed jet. SSVs matched to a c -flavored hadron in acceptance are also categorized as true SSVs, as long as the c -flavored hadrons is separated from any B -hadron in acceptance by $\Delta R > 0.3$. The performance is evaluated on all SM processes. Events are selected in a phase space enriched with di-leptonic $t\bar{t}$ events (see Section 6.1 for details).

the TC-LVT efficiency is rather independent of μ , Figure 1(c) shows that the average number of fake SSVs per event (n_f) is increasing with μ . This trend is expected from the fact that most of the fake SSVs originate from random track crossings. The fake rate calibration is therefore carried out in two distinct μ regions.

6 Calibration of the soft secondary vertex tagger

6.1 Measurement strategy

To account for the difference of the TC-LVT performance in data with respect to the MC simulation, correction scale factors (SFs) are estimated by performing the calibration procedure following the strategy described in this section. The calibration is carried out in a sample enriched in $t\bar{t}$ events, which overall is characterized by low to medium E_T^{miss} . Three SFs are extracted, as parameters of interest (POIs), with a

simultaneous likelihood fit in multiple event categories (fit regions) enriched in true and fake SSVs. These are the efficiency scale factor (SF_{eff})² and two fake-rate scale factors ($SF_{\text{fake}}^{\mu_L}$, $SF_{\text{fake}}^{\mu_H}$). To account for track density effects on the fake rate (Figure 1(c)), two separate SF_{fake} parameters are determined from low and high pileup data (μ_L , μ_H), respectively. The applicability of these correction factors to simulated events with high E_T^{miss} , where many SUSY searches are carried out, is validated in dedicated regions.

Events are selected based on the expected topology of the $t\bar{t}$ process, where both top quarks decay leptonically. The events are required to contain exactly two leptons (ℓ , either electrons or muons) of different flavor and opposite charge, where the leading p_T lepton is required to have $p_T > 27$ GeV and the sub-leading lepton $p_T > 10$ GeV. The invariant mass of the two leptons $m_{\ell\ell}$ must be > 50 GeV. Additionally, events are required to have at least one b -tagged jet with a $p_T > 20$ GeV.

Events are further categorized based on the number of reconstructed b -jets, N_b . Di-leptonic $t\bar{t}$ events typically contain two true B -hadrons in the event, given that the branching ratio of top quarks decaying to a W boson and a b -quark is nearly 100%. Separating $t\bar{t}$ events with either exactly one or two reconstructed b -jets, for brevity referred to as $1b$ and $2b$, provide regions that are enhanced in true and fake SSVs, respectively. While $t\bar{t}$ events dominate the $2b$ region with about 96% purity, the $1b$ region has a contribution from single-top-quark processes of about 10%. However, the influence of non- $t\bar{t}$ processes in the calibration sample is negligible.

In the $1b$ region, one b -quark gives rise to a b -jet that is identified as such by the DL1r algorithm, while the second b -quark, unless missed by the b -tagging algorithm, does not give rise to a b -jet. Instead, it leads to a B -hadron that is reconstructed as a SSV. In the $2b$ region, the two b -quarks originating from the top-quark decay are already reconstructed as b -jets. The region is therefore depleted in non-reconstructed B -hadrons and most reconstructed SSVs in that region are fakes (except for events arising from $t\bar{t}$ + heavy flavor (HF)).

Events are further categorized by reconstructed SSV multiplicity, as well as into low pileup events by requiring $\mu_L \in [0, 30)$ and high pileup events by requiring $\mu_H \in [30, 80]$, such that each region has a similar number of events. The average μ value of the events selected in the low pileup region is 22, while the average μ value in the high pileup region is 42. Events with $\mu > 80$ represent a negligible fraction of the total number of events and are excluded from the fit regions. The region requiring two b -jets and two SSVs exhibits a yield that is too low, and is therefore excluded from the fit. Only events with $E_T^{\text{miss}} < 150$ GeV are retained for the calibration measurement regions.

For each calibration region with zero or one SSV, a validation region is defined satisfying the same event selection criteria except for the E_T^{miss} requirement, which is reversed: $E_T^{\text{miss}} \geq 150$ GeV. A validation region with two SSVs is not defined since the event yield is too low. These regions validate the scale factors in an independent sample and also aim to show that the calibration results can be used in the more extreme phase space typical of many SUSY searches as well. Events with zero SSVs are used to constrain the overall $t\bar{t}$ normalization and provide a better control over systematic uncertainties associated with the modeling of the process. Among these, the $2b$ regions show the strongest constraining power due to their higher purity in $t\bar{t}$ events. Two independent normalization factors ($\mu_{t\bar{t}}$ and $\mu_{t\bar{t}}^{\text{high-}E_T^{\text{miss}}}$) are employed for the calibration regions and the high- E_T^{miss} validation regions to account for an imperfect modeling of the $t\bar{t}$ process. The ‘OSSV $2b$, high- E_T^{miss} ’ region is the only high- E_T^{miss} region used in the fit. It is inclusive in pileup and it constrains only the $\mu_{t\bar{t}}^{\text{high-}E_T^{\text{miss}}}$ parameter. Hence it provides no constraints on the calibration POIs. A summary of all the regions used in the calibration measurement is given in Table 2.

² It was verified that fitting two separate efficiency scale factors from the low and high pileup data would yield compatible results.

Table 2: Summary of all the selections used for the calibration measurement and its validation. The requirement on SSV multiplicity (\mathcal{N}_{SSV}), b -jet multiplicity (\mathcal{N}_b), average number of interactions per bunch crossing (μ) and E_T^{miss} are indicated in the table. The last column indicates which parameters of the fit are constrained or validated by each selection.

Region label	\mathcal{N}_{SSV}	\mathcal{N}_b	μ	E_T^{miss}	Purpose
0SSV 2b, μ_L	0	2	[0, 30]	< 150	constrain $\mu_{t\bar{t}}$
0SSV 2b, μ_H	0	2	[30, 80]	< 150	constrain $\mu_{t\bar{t}}$
0SSV 2b, high- E_T^{miss}	0	2	-	≥ 150	constrain $\mu_{t\bar{t}}^{\text{high-}E_T^{\text{miss}}}$
1SSV 1b, μ_L	1	1	[0, 30]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_L}$
1SSV 1b, μ_H	1	1	[30, 80]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_H}$
1SSV 1b, μ_L , high- E_T^{miss}	1	1	[0, 30]	≥ 150	validate $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_L}$
1SSV 1b, μ_H , high- E_T^{miss}	1	1	[30, 80]	≥ 150	validate $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_H}$
1SSV 2b, μ_L	1	2	[0, 30]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_L}$
1SSV 2b, μ_H	1	2	[30, 80]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_H}$
1SSV 2b, μ_L , high- E_T^{miss}	1	2	[0, 30]	≥ 150	validate $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_L}$
1SSV 2b, μ_H , high- E_T^{miss}	1	2	[30, 80]	≥ 150	validate $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_H}$
2SSV 1b, μ_L	2	1	[0, 30]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_L}$
2SSV 1b, μ_H	2	1	[30, 80]	< 150	constrain $\text{SF}_{\text{eff}}, \text{SF}_{\text{fake}}^{\mu_H}$

In each fit region, simulated events are split according to the number of true SSVs and the number of non-reconstructed B -hadrons in acceptance, i.e. B -hadrons not matched to a SSV reconstructed by the TC-LVT and therefore represent *missed* SSVs. Each simulated event acquires a weight composed of a tagging efficiency correction (\mathcal{P}^{eff}), a tagging inefficiency correction ($\mathcal{P}^{\text{ineff}}$) and a fake global event correction ($\mathcal{P}^{\text{fake}}$). These corrections are a function of the number of true and missed SSVs, $\mathcal{N}_{\text{true}}$ and $\mathcal{N}_{\text{miss}}$ respectively, the efficiency in simulation, ε_{SSV} , the expected number of fake SSVs per event from simulation n_f and the SF POIs as stated in Eq. (1):

$$\begin{aligned}
w(\mathcal{N}_{\text{true}}, \mathcal{N}_{\text{miss}}, \mathcal{N}_{SSV}) &= \mathcal{P}^{\text{eff}} \times \mathcal{P}^{\text{ineff}} \times \mathcal{P}^{\text{fake}} \\
&= \prod_1^{\mathcal{N}_{\text{true}}} \text{SF}_{\text{eff}} \times \prod_1^{\mathcal{N}_{\text{miss}}} \frac{1 - \text{SF}_{\text{eff}} \cdot \varepsilon_{SSV}(\mathcal{N}_b)}{1 - \varepsilon_{SSV}(\mathcal{N}_b)} \times \prod_{\mu=\mu_L, \mu_H} \frac{\text{Poiss}(\mathcal{N}_{SSV} - \mathcal{N}_{\text{true}} | \text{SF}_{\text{fake}}(\mu) \cdot n_f(\mu, \mathcal{N}_b))}{\text{Poiss}(\mathcal{N}_{SSV} - \mathcal{N}_{\text{true}} | n_f(\mu, \mathcal{N}_b))}. \quad (1)
\end{aligned}$$

The SF POIs are common for the 1b and the 2b selections and inclusive in B -hadron p_T . The last term of the equation describes the SF correction to the fake rate as a ratio of conditional Poisson probabilities. This is calculated, globally per event, as the conditional Poisson probability of observing the number of fake reconstructed SSVs in the event ($\mathcal{N}_{SSV} - \mathcal{N}_{\text{true}}$) given the average number of fakes SSVs predicted by the simulation ($n_f(\mu, \mathcal{N}_b)$), where \mathcal{N}_b is the number of reconstructed b -jets. In the numerator of this term, n_f is corrected by SF_{fake} , which is one of the free parameters of interest in the fit. Products over $\mathcal{N}_{\text{true}}$ and $\mathcal{N}_{\text{miss}}$ are truncated at four, i.e. consider only events with up to four B -hadrons in acceptance.

Table 3: Input values to weight calculation of Eq. (1) obtained from simulated events. Relative statistical uncertainties amount to less than 1% in all cases.

Parameter	$\mathcal{N}_b = 1$	$\mathcal{N}_b = 2$
ε_{SSV}	0.0173	0.0116
$n_f(\mu_{\text{L}})$	0.0105	0.0078
$n_f(\mu_{\text{H}})$	0.0149	0.0125

Events with higher B -hadron multiplicities are negligible. The parameters ε_{SSV} and n_f are estimated in simulated $t\bar{t}$ events as a function of \mathcal{N}_b (and in two bins of μ for n_f) and provided as an input to the weight calculation. The values used are shown in Table 3. The performance difference between the $1b$ and the $2b$ selections is due to differences between the SSV momentum distribution in the two regions. These parameters were also estimated by using HERWIG as alternative parton shower modeling generator. It was found that n_f does not depend on the shower generator choice. The efficiency, ε_{SSV} , is also very similar between the two parton shower generators for B -hadron p_{T} smaller than 10 GeV, while it is about 15% smaller for the alternative shower simulation for larger B -hadron p_{T} . This difference is also considered in the systematic uncertainties of the measurement (Section 6.2).

6.2 Systematic uncertainties

Various sources of uncertainties related to the underlying theoretical models for simulated processes as well as detector effects are considered in the measurement of the scale factors and summarized in this section. The systematic uncertainties are introduced to the likelihood function in the form of Gaussian-constrained Nuisance Parameters (NPs) θ_i and fitted simultaneously with the POIs, as introduced in the previous section.

Systematic uncertainties related to the track selection efficiency are determined through dedicated simulated samples where the amount of tracker material and the physical models were altered in the GEANT4 implementation of the detector. Residual alignment uncertainties between data and simulation on the track parameters, including the transverse (d_0) and longitudinal (z_0) impact parameters and the track sagitta, as well as uncertainties on the impact parameter resolution are considered. These effects, along with systematic variations of the number of fake tracks, are applied to the tracks used in the TC-LVT reconstruction algorithm, which is re-executed for each source of uncertainty such that the number of true and fake SSV in each event is re-evaluated.

A variation in the pileup reweighting of simulated events is included to cover the uncertainty on the ratio of the predicted inelastic cross-section in simulations compared to the one measured in data.

Uncertainties related to the energy scale (JES) and resolution [66] of hadronic jets are derived by combining information from test-beam data, LHC collision data and simulation. Uncertainties related to the jet energy resolution have negligible impact on the measurement. Among the sources of uncertainty contributing to the JES, the most important uncertainties for this measurements are those related to the modeling of the pileup, flavor composition of the jet calibration sample, and the different response for each jet flavor (see Ref. [66] for details). In addition, uncertainties related to the differences between data and simulation of the performance of the JVT algorithm [67] are accounted for.

Dedicated measurements are carried out to assess the performance of the DL1r b -tagging algorithm on b -jets [2] and the mistagging performance for c -jets [71] and light-jets [72]. These measurements derive corrections from data control samples, which are applied to account for differences between data and simulation in the efficiency and mistag rate of the b -tagging algorithm. The corrections used in this analysis are derived in pseudo-continuous bins of the tagger discriminant distribution [2]. A large number of uncertainties are considered. A principal component analysis is performed on these uncertainties, and the resulting uncertainties are taken as uncorrelated components for the measurement described here. An uncertainty in the relative fraction of quark versus gluon jets of 50% is also applied to all simulated samples.

The combined 2015–2018 integrated luminosity, which is obtained using the LUCID-2 detector for the primary measurement and complemented by measurements using the inner detector and calorimeters, has an uncertainty of 0.83% [21].

The reconstruction, identification, and isolation efficiencies of electrons and muons, as well as the efficiency of the trigger used to record the events, differ slightly between data and simulation. These differences are compensated for by dedicated SFs, which are measured using tag-and-probe techniques on $Z \rightarrow \ell^+ \ell^-$ experimental and simulated samples [59, 62]. The SFs, with uncertainties, are applied as corrections to the simulated event weights. Additional sources of uncertainty arise from the corrections used to adjust the lepton momentum scale and resolution, which are also propagated to the simulated samples. All lepton-related uncertainties have an impact on the measurement smaller than 0.5%.

Uncertainties related to the modeling of the $t\bar{t}$ process include effects associated with missing higher order corrections in the perturbative expansion of the partonic cross-section and the PDF uncertainties. The first point is addressed by varying the renormalization (μ_r) and factorization (μ_f) scales, while the latter is evaluated following the PDF4LHC recommendations [73]. The α_s uncertainty is derived using the same PDF set but with two different α_s values. The uncertainties from the PDF and α_s variations are added in quadrature.

For the uncertainties due to parton shower and hadronization and due to the NLO matching, the nominal POWHEGBOX+PYTHIA8 $t\bar{t}$ (5FS) sample is compared with the POWHEGBOX+HERWIG7 $t\bar{t}$ (5FS) sample. To evaluate the effect of the amount of initial and final state radiation (ISR and FSR) on the measurement, the settings of the nominal POWHEGBOX+PYTHIA8 $t\bar{t}$ (5FS) sample are varied. The uncertainty due to ISR is estimated by simultaneously changing μ_r and μ_f in the ME and μ_R^{ISR} in the PS, while the uncertainty due to FSR is estimated by changing μ_R^{FSR} in the PS.

Certain regions in the calibration measurement contain a sizable contribution of up to 13% of $t\bar{t}$ events with additional heavy flavor quarks. Various measurements of this process have shown that the simulation consistently underestimates the contribution [74], therefore an additional one-sided uncertainty of 28% is introduced to account for this discrepancy.

Single-top-quark processes contribute sub-dominantly in some parts of the phase space and are governed by an additional uncertainty stemming from different ways to treat the interference between $t\bar{t}$ and tW production. The nominal tW samples use the diagram removal scheme, while the alternative samples use the diagram subtraction scheme [44, 45].

Table 4: Post-fit yields, including systematic uncertainties, in all calibration regions. Due to correlations, systematic uncertainties on the individual samples do not necessarily add up in quadrature to the total uncertainty. $t\bar{t}$ events are assigned to the ‘ $t\bar{t}$ fakes’ category if the event contains at least one fake SSV.

	0SSV 2b, μ_L	0SSV 2b, μ_H	1SSV 1b, μ_L	2SSV 1b, μ_L	1SSV 2b, μ_L	1SSV 1b, μ_H	2SSV 1b, μ_H	1SSV 2b, μ_H
$t\bar{t}$ true	194940 \pm 20150	225310 \pm 21660	5760 \pm 610	62 \pm 10	1316 \pm 164	6530 \pm 640	63 \pm 11	1447 \pm 177
$t\bar{t}$ fakes	-	-	2350 \pm 387	177 \pm 32	2348 \pm 323	3697 \pm 485	277 \pm 38	4012 \pm 423
Single top	6814 \pm 840	8161 \pm 1006	781 \pm 100	22 \pm 5	132 \pm 18	1102 \pm 140	36 \pm 7	207 \pm 29
Others	960 \pm 190	1130 \pm 230	180 \pm 40	5 \pm 1	30 \pm 6	270 \pm 60	7 \pm 2	40 \pm 8
Total predicted	202400 \pm 900	234700 \pm 900	9060 \pm 100	266 \pm 12	3830 \pm 60	11600 \pm 110	384 \pm 17	5690 \pm 70
Data	202359	234733	9068	279	3806	11589	381	5703

6.3 Calibration results

The nine calibration regions described in Section 6.1 are included in a simultaneous maximum-likelihood fit using five unconstrained parameters (two $t\bar{t}$ normalization parameters and the three POIs: SF_{eff} , $SF_{\text{fake}}^{\mu_L}$, $SF_{\text{fake}}^{\mu_H}$). Systematic uncertainties, as described in Section 6.2, are treated in the fit as $\mathcal{O}(100)$ nuisance parameters with Gaussian prior. The width of the Gaussian, σ , is equal to the systematic uncertainty corresponding to the nuisance parameter. Uncertainties are inclusive in B -hadron p_T . All common sources of uncertainties are treated as correlated across eight of the nine measurement regions but uncorrelated with respect to the ‘0SSV 2b, high- E_T^{miss} ’ region used to constrain the $\mu_{t\bar{t}}^{\text{high-}E_T^{\text{miss}}}$ normalization parameter. This treatment guarantees that no constraint is imposed on the POIs from the high- E_T^{miss} normalization region. The pileup uncertainties are the only exception to this treatment. These uncertainties are also treated as uncorrelated between regions with zero or at least one SSV and they are also uncorrelated between high and low μ regions.

After the fit, a good agreement between the observed data and the prediction is obtained. Post-fit yields and their uncertainties are summarized for the calibration regions in Table 4, the validation regions in Table 5 and shown in Figure 2. Both calibration regions and high- E_T^{miss} validation regions are included in the latter. The POIs of the fit, summarized in Table 6, are extracted in the calibration regions and applied in the validation regions, which also show good post-fit agreement between the data and the prediction.

Selected post-fit distributions of the SSV transverse momentum are shown in Figure 3 for a subset of the calibration and validation regions. This calibration targets events with SSV transverse momentum smaller than 20 GeV. Only a very small fraction of events considered in the calibration contain an SSV with a transverse momentum above 15 GeV. The overall good agreement between the observed data and the prediction as a function of p_T indicates that the assumption of p_T -independent SFs holds and supports the applicability of this calibration to analyses characterized by SSV p_T spectra significantly different from that in the calibration sample. The small discrepancy between the experimental data and the simulation in the SSV p_T bin 13 – 15 GeV, indicates a possible p_T -dependence of the calibration for values of SSV p_T beyond 15 GeV, which are provided as validity limit for the applicability of this calibration. Further investigations would be needed in order to extend the calibration beyond this SSV p_T range.

Table 5: Post-fit yields, including systematic uncertainties, in all high- E_T^{miss} validation regions. The ‘OSSV 2b’ region is used to constrain the $t\bar{t}$ normalization in all validation regions. Due to correlations, systematic uncertainties on the individual samples do not necessarily add up in quadrature to the total uncertainty. $t\bar{t}$ events are assigned to the ‘ $t\bar{t}$ fakes’ category if the event contains at least one fake SSV.


	OSSV 2b high- E_T^{miss}	1SSV 2b, μ_L high- E_T^{miss}	1SSV 2b, μ_H high- E_T^{miss}	1SSV 1b, μ_L high- E_T^{miss}	1SSV 1b, μ_H high- E_T^{miss}
$t\bar{t}$ true	23730 ± 3010	112 ± 29	133 ± 36	471 ± 108	569 ± 125
$t\bar{t}$ fakes	-	141 ± 34	263 ± 55	164 ± 37	282 ± 57
Single top	1618 ± 182	14 ± 3	27 ± 6	49 ± 9	73 ± 12
Others	270 ± 50	4 ± 1	7 ± 1	10 ± 2	14 ± 3
Total predicted	25600 ± 160	270 ± 40	430 ± 60	690 ± 110	940 ± 140
Data	25601	245	418	678	808

Table 6: Fit results, with uncertainties, for the five unconstrained parameters.


Fitted parameter	value
SF_{eff}	0.86 ± 0.10
$SF_{\text{fake}}^{\mu_L}$	1.63 ± 0.15
$SF_{\text{fake}}^{\mu_H}$	1.58 ± 0.13
$\mu_{t\bar{t}}$	0.96 ± 0.14
$\mu_{t\bar{t}}^{\text{high-}E_T^{\text{miss}}}$	0.91 ± 0.19

The efficiency scale factor is found to be smaller than one by about 15%, while the two fake rate scale factors are found to be greater than one by about 60% (Table 6). The underlying causes of these effects are currently not fully understood, albeit these results are qualitatively consistent with those measured for b -tagging in jets. The fitted values for the $t\bar{t}$ normalization are consistent with factors obtained in previous measurements by the ATLAS Collaboration [75] targeting a similar phase space. The nuisance parameters are only mildly constrained, with the exception of the parameters associated with the modeling of pileup. The fit constrains the pileup uncertainties to about 50% of its original value. This is expected because the pileup uncertainties aim to cover the residual differences of data and simulation over an inclusive phase space, whereas the analysis bins are split into two separate μ regimes.

The impact of the five leading systematic uncertainties on the three POIs are presented in Figure 4. A summary of the impact of all leading systematic uncertainties, grouped by uncertainty sources, is given in Table 7. Impacts are calculated by estimating, for each nuisance parameter, the difference between the fitted POI in the nominal maximum-likelihood fit and a second fit performed by fixing the nuisance parameter to its nominal maximum-likelihood estimator plus one σ of its Gaussian prior ($\hat{\theta} + 1\sigma$). Uncertainties related to the pileup modeling and the modeling of extra-jet radiation in the $t\bar{t}$ background are among the dominant sources of systematic uncertainties for all SFs. Additionally, the uncertainties related to b -jet identification, jet energy scale, and jet flavor composition are important for SF_{eff} , while track-related uncertainties dominate for $SF_{\text{fake}}^{\mu_L}$ and $SF_{\text{fake}}^{\mu_H}$. Statistical uncertainties are below 1% in this measurement.



(a)



(b)

Figure 2: Summary of the fit results in (a) calibration regions and (b) validation regions. The prediction is separated into top quark events (i.e. $t\bar{t}$ and single top quark processes) containing only true SSVs (true) and events containing at least one fake SSV (fakes). The ‘Other’ category contains contributions from non-top quark processes. The bottom panel shows the ratio of the data and the pre-fit (dashed) and post-fit (points) prediction. The hashed band shows the full uncertainty of the prediction.




Figure 3: Distribution of the SSV p_T in (a), (b) two calibration regions and (c) one validation region. The prediction, which is shown post-fit, is separated into top quark events (i.e. $t\bar{t}$ and single top quark processes) containing only true SSVs (true) and events containing at least one fake SSV (fakes). The ‘Other’ category contains contributions from non-top quark processes. Hashed bands indicate the full uncertainty of the prediction. The last bin contains also the events in the overflow.




Figure 4: The five nuisance parameters with the largest impact on the three calibration scale factors (a) SF_{eff} , (b) $SF_{\text{fake}}^{\mu_L}$, and (c) $SF_{\text{fake}}^{\mu_H}$.

Table 7: Summary of the impact of the dominant systematic uncertainties in this calibration for the three calibration scale factors. All systematic uncertainties are fully correlated bin-by-bin, except special cases as explained in the text. In the case of correlated systematic uncertainties, the relative sign of the uncertainty for each measurement is taken into account, even if not shown here.

Uncertainty impact	SF _{eff} [%]	SF _{fake} ^{μ_L} [%]	SF _{fake} ^{μ_H} [%]
Jet energy scale	7	3	2
Flavor tagging	3	3	2.5
$t\bar{t}$ modeling	3	6	3
$t\bar{t}$ heavy flavor modeling	1.5	6	3
Pileup	3	6	6
Track resolution	< 1	6.5	6
Track fake rate	< 1	< 1	6

7 Conclusion

The reconstruction and identification of jets that originate from the hadronization process of b -quarks is an important component in measurements and searches carried out by the ATLAS experiment. Various tagging algorithms and techniques are in place, covering a large b -jet p_T range. A dedicated calibration of the TC-LVT algorithm, which focuses on the identification of B -hadrons with such low p_T that they do not give rise to a reconstructed jet ($p_T < 20$ GeV), is presented for the first time in this paper. The result of the calibration measurement is a set of scale factors that can be used to correct the performance of the TC-LVT algorithm in simulation to match that observed in data. These results improve and extend the previous calibration of this algorithm obtained in the context of bottom squark searches in the compressed mass regime.

The measurement is carried out using 140 fb^{-1} of data from pp collisions collected with the ATLAS detector during LHC Run 2 at a center-of-mass energy of 13 TeV. A data sample containing predominantly di-leptonic $t\bar{t}$ events is selected, by requiring exactly one muon and one electron of opposite electric charge. Various orthogonal regions are defined to facilitate the simultaneous measurement of efficiency and fake rate scale factors. Simulated events are categorized based on the presence of true or fake SSVs, i.e. SSVs matched to a real B -hadron and SSVs mainly arising from random track crossings involving tracks from additional proton–proton interactions occurring in the same bunch crossing, reconstructed by the TC-LVT algorithm.

By separating events into regions with different b -jet multiplicity, different number of SSVs and low and high pileup, the different contributions of true and fake SSVs in these regions can be exploited in a combined likelihood fit to extract the scale factors. Auxiliary measurements are included as well, to reduce the dependence on any potential mis-modeling of the $t\bar{t}$ process in the high missing transverse momentum regime. Systematic uncertainties are included as nuisance parameters in the fit.

A single efficiency scale factor, $\text{SF}_{\text{eff}} = 0.86 \pm 0.10$, is determined. Two pileup-dependent mistag rate scale factors, $\text{SF}_{\text{fake}}^{\mu_L} = 1.63 \pm 0.15$ and $\text{SF}_{\text{fake}}^{\mu_H} = 1.58 \pm 0.13$, are measured. These scale factors are valid for SSV transverse momenta between 3 and 15 GeV. The resulting efficiency in data for the TC-LVT algorithm ranges from 1%–12% in the p_T range 3–15 GeV. The TC-LVT algorithm and calibration described in this paper can significantly improve the sensitivity in various beyond-the-SM searches as they provide a novel and effective tool to reconstruct and identify events that contain low-momentum b -quarks.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [76].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozzi Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN PJA5); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1230812, FONDECYT 1230987); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR - 24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA - CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN - 20223N7F8K - PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085,

JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, ID-IFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEGENT/2019/023, CIDEGENT/2019/027); Sweden: Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] ATLAS Collaboration, *Performance of b -jet identification in the ATLAS experiment*, *JINST* **11** (2016) P04008, arXiv: [1512.01094 \[hep-ex\]](#).
- [2] ATLAS Collaboration, *ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 970, arXiv: [1907.05120 \[hep-ex\]](#).
- [3] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, *Eur. Phys. J. C* **83** (2023) 681, arXiv: [2211.16345 \[physics.data-an\]](#).
- [4] Y. Golfand and E. Likhtman, *Extension of the Algebra of Poincare Group Generators and Violation of P Invariance*, *JETP Lett.* **13** (1971) 323, [*Pisma Zh. Eksp. Teor. Fiz.* **13** (1971) 452].
- [5] D. Volkov and V. Akulov, *Is the neutrino a goldstone particle?* *Phys. Lett. B* **46** (1973) 109.
- [6] J. Wess and B. Zumino, *Supergauge transformations in four dimensions*, *Nucl. Phys. B* **70** (1974) 39.
- [7] J. Wess and B. Zumino, *Supergauge invariant extension of quantum electrodynamics*, *Nucl. Phys. B* **78** (1974) 1.
- [8] S. Ferrara and B. Zumino, *Supergauge invariant Yang-Mills theories*, *Nucl. Phys. B* **79** (1974) 413.
- [9] A. Salam and J. Strathdee, *Super-symmetry and non-Abelian gauges*, *Phys. Lett. B* **51** (1974) 353.
- [10] ATLAS Collaboration, *Search for Higgs boson decays into two new low-mass spin-0 particles in the $4b$ channel with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **102** (2020) 112006, arXiv: [2005.12236 \[hep-ex\]](#).
- [11] T. Robens, T. Stefaniak, and J. Wittbrodt, *Two-real-scalar-singlet extension of the SM: LHC phenomenology and benchmark scenarios*, *Eur. Phys. J. C* **80** (2020), arXiv: [1908.08554](#).

- [12] ATLAS Collaboration, *Search for new phenomena in final states with b -jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector*, **JHEP** **05** (2021) 093, arXiv: [2101.12527 \[hep-ex\]](#).
- [13] ATLAS Collaboration, *Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, **JHEP** **04** (2021) 174, arXiv: [2012.03799 \[hep-ex\]](#).
- [14] CMS Collaboration, *Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton–proton collisions at $\sqrt{s} = 13$ TeV*, **JHEP** **10** (2017) 005, arXiv: [1707.03316 \[hep-ex\]](#).
- [15] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, **JINST** **3** (2008) S08003.
- [16] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [17] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, **JINST** **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [18] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, **JINST** **13** (2018) P07017.
- [19] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, **Eur. Phys. J. C** **77** (2017) 317, arXiv: [1611.09661 \[hep-ex\]](#).
- [20] ATLAS Collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, (2024), arXiv: [2404.06335 \[hep-ex\]](#).
- [21] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, **Eur. Phys. J. C** **83** (2023) 982, arXiv: [2212.09379 \[hep-ex\]](#).
- [22] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, **Eur. Phys. J. C** **80** (2020) 47, arXiv: [1909.00761 \[hep-ex\]](#).
- [23] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, **JINST** **15** (2020) P09015, arXiv: [2004.13447 \[physics.ins-det\]](#).
- [24] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, **JINST** **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [25] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, **Eur. Phys. J. C** **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [26] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, **Nucl. Instrum. Meth. A** **506** (2003) 250.
- [27] T. Sjöstrand, S. Mrenna, and P. Skands, *A brief introduction to PYTHIA 8.1*, **Comput. Phys. Commun.** **178** (2008) 852, arXiv: [0710.3820 \[hep-ph\]](#).
- [28] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions with LHC data*, **Nucl. Phys. B** **867** (2013) 244, arXiv: [1207.1303 \[hep-ph\]](#).

- [29] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [30] ATLAS Collaboration, *Measurement of the Inelastic Proton–Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC*, *Phys. Rev. Lett.* **117** (2016) 182002, arXiv: [1606.02625](https://arxiv.org/abs/1606.02625) [hep-ex].
- [31] S. Frixione, G. Ridolfi, and P. Nason, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126, arXiv: [0707.3088](https://arxiv.org/abs/0707.3088) [hep-ph].
- [32] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012](https://arxiv.org/abs/1410.3012) [hep-ph].
- [33] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [34] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849](https://arxiv.org/abs/1410.8849) [hep-ph].
- [35] ATLAS Collaboration, *Studies on top-quark Monte Carlo modelling for Top2016*, ATL-PHYS-PUB-2016-020, 2016, URL: <https://cds.cern.ch/record/2216168>.
- [36] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196, arXiv: [1512.01178](https://arxiv.org/abs/1512.01178) [hep-ph].
- [37] T. Ježo, J. M. Lindert, N. Moretti, and S. Pozzorini, *New NLOPS predictions for $t\bar{t} + b$ -jet production at the LHC*, *Eur. Phys. J. C* **78** (2018) 502, arXiv: [1802.00426](https://arxiv.org/abs/1802.00426) [hep-ph].
- [38] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866, arXiv: [1907.13071](https://arxiv.org/abs/1907.13071) [hep-ph].
- [39] F. Cascioli, P. Maierhöfer, and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601, arXiv: [1111.5206](https://arxiv.org/abs/1111.5206) [hep-ph].
- [40] A. Denner, S. Dittmaier, and L. Hofer, *COLLIER: A fortran-based complex one-loop library in extended regularizations*, *Comput. Phys. Commun.* **212** (2017) 220, arXiv: [1604.06792](https://arxiv.org/abs/1604.06792) [hep-ph].
- [41] T. Ježo, *Powheg-Box-Res ttbb source code*, 2019, URL: https://gitlab.cern.ch/tjezo/powheg-box-res_ttbb/.
- [42] R. Frederix, E. Re, and P. Torrielli, *Single-top t-channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO*, *JHEP* **09** (2012) 130, arXiv: [1207.5391](https://arxiv.org/abs/1207.5391) [hep-ph].
- [43] S. Alioli, P. Nason, C. Oleari, and E. Re, *NLO single-top production matched with shower in POWHEG: s- and t-channel contributions*, *JHEP* **09** (2009) 111, arXiv: [0907.4076](https://arxiv.org/abs/0907.4076) [hep-ph], Erratum: *JHEP* **02** (2010) 011.
- [44] E. Re, *Single-top Wt-channel production matched with parton showers using the POWHEG method*, *Eur. Phys. J. C* **71** (2011) 1547, arXiv: [1009.2450](https://arxiv.org/abs/1009.2450) [hep-ph].
- [45] S. Frixione, E. Laenen, P. Motylinski, C. White, and B. R. Webber, *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029, arXiv: [0805.3067](https://arxiv.org/abs/0805.3067) [hep-ph].

- [46] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [47] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [48] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039, arXiv: [0808.3674 \[hep-ph\]](#).
- [49] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: [0709.1027 \[hep-ph\]](#).
- [50] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049, arXiv: [1111.1220 \[hep-ph\]](#).
- [51] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [52] S. Catani, F. Krauss, B. R. Webber, and R. Kuhn, *QCD Matrix Elements + Parton Showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [53] S. Höche, F. Krauss, S. Schumann, and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [54] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [55] ATLAS Collaboration, *Early Inner Detector Tracking Performance in the 2015 Data at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-051, 2015, URL: <https://cds.cern.ch/record/2110140>.
- [56] ATLAS Collaboration, *Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2*, *Eur. Phys. J. C* **77** (2017) 673, arXiv: [1704.07983 \[hep-ex\]](#).
- [57] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.
- [58] P. Billoir and S. Qian, *Fast vertex fitting with a local parametrization of tracks*, *Nucl. Instrum. Meth. A* **311** (1992) 139.
- [59] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [60] ATLAS Collaboration, *Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector*, *Phys. Rev. D* **97** (2018) 072003, arXiv: [1712.08891 \[hep-ex\]](#).
- [61] C. Magliocca, *Measurement of the track impact parameters resolution with the ATLAS experiment at LHC using 2016–2018 data*, *Nuovo Cim. C* **44** (2021) 55.
- [62] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).

- [63] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [64] M. Cacciari, G. P. Salam, and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [65] M. Cacciari, G. P. Salam, and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [66] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689, arXiv: [2007.02645 \[hep-ex\]](#).
- [67] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).
- [68] ATLAS Collaboration, *The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions*, (2024), arXiv: [2402.05858 \[hep-ex\]](#).
- [69] ATLAS Collaboration, *Flavor Tagging with Track-Jets in Boosted Topologies with the ATLAS Detector*, ATL-PHYS-PUB-2014-013, 2014, URL: <https://cds.cern.ch/record/1750681>.
- [70] ATLAS Collaboration, *Secondary vertex finding for jet flavour identification with the ATLAS detector*, ATL-PHYS-PUB-2017-011, 2017, URL: <https://cds.cern.ch/record/2270366>.
- [71] ATLAS Collaboration, *Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector*, *Eur. Phys. J. C* **82** (2022) 95, arXiv: [2109.10627 \[hep-ex\]](#).
- [72] ATLAS Collaboration, *Calibration of the light-flavour jet mistagging efficiency of the b-tagging algorithms with Z+jets events using 139fb^{-1} of ATLAS proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **83** (2023) 728, arXiv: [2301.06319 \[hep-ex\]](#).
- [73] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001, arXiv: [1510.03865 \[hep-ph\]](#).
- [74] ATLAS Collaboration, *Measurement of Higgs boson decay into b-quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **06** (2022) 097, arXiv: [2111.06712 \[hep-ex\]](#).
- [75] ATLAS Collaboration, *Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **04** (2021) 165, arXiv: [2102.01444 \[hep-ex\]](#).
- [76] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰⁴, E. Aakvaag ¹⁷, B. Abbott ¹²³, S. Abdelhameed ^{119a}, K. Abeling ⁵⁶, N.J. Abicht ⁵⁰, S.H. Abidi ³⁰, M. Aboeela ⁴⁵, A. Aboulhorma ^{36e}, H. Abramowicz ¹⁵⁴, H. Abreu ¹⁵³, Y. Abulaiti ¹²⁰, B.S. Acharya ^{70a,70b,1}, A. Ackermann ^{64a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{87a}, S.V. Addepalli ²⁷, M.J. Addison ¹⁰³, J. Adelman ¹¹⁸, A. Adiguzel ^{22c}, T. Adye ¹³⁷, A.A. Affolder ¹³⁹, Y. Afik ⁴⁰, M.N. Agaras ¹³, J. Agarwala ^{74a,74b}, A. Aggarwal ¹⁰², C. Agheorghiesei ^{28c}, F. Ahmadov ^{39,y}, W.S. Ahmed ¹⁰⁶, S. Ahuja ⁹⁷, X. Ai ^{63e}, G. Aielli ^{77a,77b}, A. Aikot ¹⁶⁶, M. Ait Tamliah ^{36e}, B. Aitbenkikh ^{36a}, M. Akbiyik ¹⁰², T.P.A. Åkesson ¹⁰⁰, A.V. Akimov ³⁸, D. Akiyama ¹⁷¹, N.N. Akolkar ²⁵, S. Aktas ^{22a}, K. Al Houry ⁴², G.L. Alberghi ^{24b}, J. Albert ¹⁶⁸, P. Albicocco ⁵⁴, G.L. Albouy ⁶¹, S. Alderweireldt ⁵³, Z.L. Alegria ¹²⁴, M. Aleksa ³⁷, I.N. Aleksandrov ³⁹, C. Alexa ^{28b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{24b}, M. Algren ⁵⁷, M. Alhroob ¹⁷⁰, B. Ali ¹³⁵, H.M.J. Ali ⁹³, S. Ali ³², S.W. Alibocus ⁹⁴, M. Aliev ^{34c}, G. Alimonti ^{72a}, W. Alkakh ⁵⁶, C. Allaire ⁶⁷, B.M.M. Allbrooke ¹⁴⁹, J.F. Allen ⁵³, C.A. Allendes Flores ^{140f}, P.P. Allport ²¹, A. Aloisio ^{73a,73b}, F. Alonso ⁹², C. Alpigiani ¹⁴¹, Z.M.K. Alsolami ⁹³, M. Alvarez Estevez ¹⁰¹, A. Alvarez Fernandez ¹⁰², M. Alves Cardoso ⁵⁷, M.G. Alvigi ^{73a,73b}, M. Aly ¹⁰³, Y. Amaral Coutinho ^{84b}, A. Ambler ¹⁰⁶, C. Amelung ³⁷, M. Amerl ¹⁰³, C.G. Ames ¹¹¹, D. Amidei ¹⁰⁸, K.J. Amirie ¹⁵⁸, S.P. Amor Dos Santos ^{133a}, K.R. Amos ¹⁶⁶, S. An ⁸⁵, V. Ananiev ¹²⁸, C. Anastopoulos ¹⁴², T. Andeen ¹¹, J.K. Anders ³⁷, A.C. Anderson ⁶⁰, S.Y. Andreato ^{48a,48b}, A. Andreatza ^{72a,72b}, S. Angelidakis ⁹, A. Angerami ⁴², A.V. Anisenkov ³⁸, A. Annovi ^{75a}, C. Antel ⁵⁷, E. Antipov ¹⁴⁸, M. Antonelli ⁵⁴, F. Anulli ^{76a}, M. Aoki ⁸⁵, T. Aoki ¹⁵⁶, M.A. Aparo ¹⁴⁹, L. Aperio Bella ⁴⁹, C. Appelt ¹⁹, A. Apyan ²⁷, S.J. Arbiol Val ⁸⁸, C. Arcangeletti ⁵⁴, A.T.H. Arce ⁵², E. Arena ⁹⁴, J-F. Arguin ¹¹⁰, S. Argyropoulos ⁵⁵, J.-H. Arling ⁴⁹, O. Arnaez ⁴, H. Arnold ¹⁴⁸, G. Artoni ^{76a,76b}, H. Asada ¹¹³, K. Asai ¹²¹, S. Asai ¹⁵⁶, N.A. Asbah ³⁷, R.A. Ashby Pickering ¹⁷⁰, K. Assamagan ³⁰, R. Astalos ^{29a}, K.S.V. Astrand ¹⁰⁰, S. Atashi ¹⁶², R.J. Atkin ^{34a}, M. Atkinson ¹⁶⁵, H. Atmani ^{36f}, P.A. Atlasiddha ¹³¹, K. Augsten ¹³⁵, S. Auricchio ^{73a,73b}, A.D. Auriol ²¹, V.A. Austrup ¹⁰³, G. Avolio ³⁷, K. Axiotis ⁵⁷, G. Azuelos ^{110,ad}, D. Babal ^{29b}, H. Bachacou ¹³⁸, K. Bachas ^{155,p}, A. Bachi ³⁵, F. Backman ^{48a,48b}, A. Badea ⁴⁰, T.M. Baer ¹⁰⁸, P. Bagnaia ^{76a,76b}, M. Bahmani ¹⁹, D. Bahner ⁵⁵, K. Bai ¹²⁶, J.T. Baines ¹³⁷, L. Baines ⁹⁶, O.K. Baker ¹⁷⁵, E. Bakos ¹⁶, D. Bakshi Gupta ⁸, L.E. Balabram Filho ^{84b}, V. Balakrishnan ¹²³, R. Balasubramanian ¹¹⁷, E.M. Baldin ³⁸, P. Balek ^{87a}, E. Ballabene ^{24b,24a}, F. Balli ¹³⁸, L.M. Baltes ^{64a}, W.K. Balunas ³³, J. Balz ¹⁰², I. Bamwidhi ^{119b}, E. Banas ⁸⁸, M. Bandieramonte ¹³², A. Bandyopadhyay ²⁵, S. Bansal ²⁵, L. Barak ¹⁵⁴, M. Barakat ⁴⁹, E.L. Barberio ¹⁰⁷, D. Barberis ^{58b,58a}, M. Barbero ¹⁰⁴, M.Z. Barel ¹¹⁷, K.N. Barends ^{34a}, T. Barillari ¹¹², M-S. Barisits ³⁷, T. Barklow ¹⁴⁶, P. Baron ¹²⁵, D.A. Baron Moreno ¹⁰³, A. Baroncelli ^{63a}, A.J. Barr ¹²⁹, J.D. Barr ⁹⁸, F. Barreiro ¹⁰¹, J. Barreiro Guimarães da Costa ¹⁴, U. Barron ¹⁵⁴, M.G. Barros Teixeira ^{133a}, S. Barsov ³⁸, F. Bartels ^{64a}, R. Bartoldus ¹⁴⁶, A.E. Barton ⁹³, P. Bartos ^{29a}, A. Basan ¹⁰², M. Baselga ⁵⁰, A. Bassalat ^{67,b}, M.J. Basso ^{159a}, S. Bataju ⁴⁵, R. Bate ¹⁶⁷, R.L. Bates ⁶⁰, S. Batlamous ¹⁰¹, B. Batool ¹⁴⁴, M. Battaglia ¹³⁹, D. Battulga ¹⁹, M. Baucé ^{76a,76b}, M. Bauer ⁸⁰, P. Bauer ²⁵, L.T. Bazzano Hurrell ³¹, J.B. Beacham ⁵², T. Beau ¹³⁰, J.Y. Beaucamp ⁹², P.H. Beauchemin ¹⁶¹, P. Bechtel ²⁵, H.P. Beck ^{20,o}, K. Becker ¹⁷⁰, A.J. Beddall ⁸³, V.A. Bednyakov ³⁹, C.P. Bee ¹⁴⁸, L.J. Beemster ¹⁶, T.A. Beermann ³⁷, M. Begalli ^{84d}, M. Beger ³⁰, A. Behera ¹⁴⁸, J.K. Behr ⁴⁹, J.F. Beirer ³⁷, F. Beisiegel ²⁵, M. Belfkir ^{119b}, G. Bella ¹⁵⁴, L. Bellagamba ^{24b}, A. Bellerive ³⁵, P. Bellos ²¹, K. Beloborodov ³⁸, D. Benckekroun ^{36a}, F. Bendebba ^{36a}, Y. Benhammou ¹⁵⁴,

K.C. Benkendorfer ⁶², L. Beresford ⁴⁹, M. Beretta ⁵⁴, E. Bergeaas Kuutmann ¹⁶⁴, N. Berger ⁴,
 B. Bergmann ¹³⁵, J. Beringer ^{18a}, G. Bernardi ⁵, C. Bernius ¹⁴⁶, F.U. Bernlochner ²⁵,
 F. Bernon ^{37,104}, A. Berrocal Guardia ¹³, T. Berry ⁹⁷, P. Berta ¹³⁶, A. Berthold ⁵¹, S. Bethke ¹¹²,
 A. Betti ^{76a,76b}, A.J. Bevan ⁹⁶, N.K. Bhalla ⁵⁵, S. Bhatta ¹⁴⁸, D.S. Bhattacharya ¹⁶⁹,
 P. Bhattarai ¹⁴⁶, K.D. Bhide ⁵⁵, V.S. Bhopatkar ¹²⁴, R.M. Bianchi ¹³², G. Bianco ^{24b,24a},
 O. Biebel ¹¹¹, R. Bielski ¹²⁶, M. Biglietti ^{78a}, C.S. Billingsley ⁴⁵, M. Bindi ⁵⁶, A. Bingul ^{22b},
 C. Bini ^{76a,76b}, A. Biondini ⁹⁴, G.A. Bird ³³, M. Birman ¹⁷², M. Biros ¹³⁶, S. Biryukov ¹⁴⁹,
 T. Bisanz ⁵⁰, E. Bisceglie ^{44b,44a}, J.P. Biswal ¹³⁷, D. Biswas ¹⁴⁴, I. Bloch ⁴⁹, A. Blue ⁶⁰,
 U. Blumenschein ⁹⁶, J. Blumenthal ¹⁰², V.S. Bobrovnikov ³⁸, M. Boehler ⁵⁵, B. Boehm ¹⁶⁹,
 D. Bogavac ³⁷, A.G. Bogdanchikov ³⁸, C. Bohm ^{48a}, V. Boisvert ⁹⁷, P. Bokan ³⁷, T. Bold ^{87a},
 M. Bomben ⁵, M. Bona ⁹⁶, M. Boonekamp ¹³⁸, C.D. Booth ⁹⁷, A.G. Borbély ⁶⁰,
 I.S. Bordulev ³⁸, H.M. Borecka-Bielska ¹¹⁰, G. Borissov ⁹³, D. Bortoletto ¹²⁹, D. Boscherini ^{24b},
 M. Bosman ¹³, J.D. Bossio Sola ³⁷, K. Bouaouda ^{36a}, N. Bouchhar ¹⁶⁶, L. Boudet ⁴,
 J. Boudreau ¹³², E.V. Bouhova-Thacker ⁹³, D. Boumediene ⁴¹, R. Bouquet ^{58b,58a}, A. Boveia ¹²²,
 J. Boyd ³⁷, D. Boye ³⁰, I.R. Boyko ³⁹, L. Bozianu ⁵⁷, J. Bracinek ²¹, N. Brahimi ⁴,
 G. Brandt ¹⁷⁴, O. Brandt ³³, F. Braren ⁴⁹, B. Brau ¹⁰⁵, J.E. Brau ¹²⁶, R. Brenner ¹⁷²,
 L. Brenner ¹¹⁷, R. Brenner ¹⁶⁴, S. Bressler ¹⁷², G. Brianti ^{79a,79b}, D. Britton ⁶⁰, D. Britzger ¹¹²,
 I. Brock ²⁵, G. Brooijmans ⁴², E.M. Brooks ^{159b}, E. Brost ³⁰, L.M. Brown ¹⁶⁸, L.E. Bruce ⁶²,
 T.L. Bruckler ¹²⁹, P.A. Bruckman de Renstrom ⁸⁸, B. Brüers ⁴⁹, A. Bruni ^{24b}, G. Bruni ^{24b},
 M. Bruschi ^{24b}, N. Bruscinò ^{76a,76b}, T. Buanes ¹⁷, Q. Buat ¹⁴¹, D. Buchin ¹¹², A.G. Buckley ⁶⁰,
 O. Bulekov ³⁸, B.A. Bullard ¹⁴⁶, S. Burdin ⁹⁴, C.D. Burgard ⁵⁰, A.M. Burger ³⁷,
 B. Burghgrave ⁸, O. Burlayenko ⁵⁵, J. Burleson ¹⁶⁵, J.T.P. Burr ³³, J.C. Burzynski ¹⁴⁵,
 E.L. Busch ⁴², V. Büscher ¹⁰², P.J. Bussey ⁶⁰, J.M. Butler ²⁶, C.M. Buttar ⁶⁰,
 J.M. Butterworth ⁹⁸, W. Buttinger ¹³⁷, C.J. Buxo Vazquez ¹⁰⁹, A.R. Buzykaev ³⁸,
 S. Cabrera Urbán ¹⁶⁶, L. Cadamuro ⁶⁷, D. Caforio ⁵⁹, H. Cai ¹³², Y. Cai ^{14,114c}, Y. Cai ^{114a},
 V.M.M. Cairo ³⁷, O. Cakir ^{3a}, N. Calace ³⁷, P. Calafiura ^{18a}, G. Calderini ¹³⁰, P. Calfayan ⁶⁹,
 G. Callea ⁶⁰, L.P. Caloba ^{84b}, D. Calvet ⁴¹, S. Calvet ⁴¹, M. Calvetti ^{75a,75b}, R. Camacho Toro ¹³⁰,
 S. Camarda ³⁷, D. Camarero Munoz ²⁷, P. Camarri ^{77a,77b}, M.T. Camerlingo ^{73a,73b},
 D. Cameron ³⁷, C. Camincher ¹⁶⁸, M. Campanelli ⁹⁸, A. Camplani ⁴³, V. Canale ^{73a,73b},
 A.C. Canbay ^{3a}, E. Canonero ⁹⁷, J. Cantero ¹⁶⁶, Y. Cao ¹⁶⁵, F. Capocasa ²⁷, M. Capua ^{44b,44a},
 A. Carbone ^{72a,72b}, R. Cardarelli ^{77a}, J.C.J. Cardenas ⁸, G. Carducci ^{44b,44a}, T. Carli ³⁷,
 G. Carlino ^{73a}, J.I. Carlotto ¹³, B.T. Carlson ^{132,q}, E.M. Carlson ^{168,159a}, J. Carmignani ⁹⁴,
 L. Carminati ^{72a,72b}, A. Carnelli ¹³⁸, M. Carnesale ^{76a,76b}, S. Caron ¹¹⁶, E. Carquin ^{140f},
 S. Carrá ^{72a}, G. Carratta ^{24b,24a}, A.M. Carroll ¹²⁶, T.M. Carter ⁵³, M.P. Casado ^{13,i},
 M. Caspar ⁴⁹, F.L. Castillo ⁴, L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶⁶, N.F. Castro ^{133a,133e},
 A. Catinaccio ³⁷, J.R. Catmore ¹²⁸, T. Cavaliere ⁴, V. Cavaliere ³⁰, N. Cavalli ^{24b,24a},
 L.J. Caviedes Betancourt ^{23b}, Y.C. Cekmecelioglu ⁴⁹, E. Celebi ⁸³, S. Cella ³⁷, F. Celli ¹²⁹,
 M.S. Centonze ^{71a,71b}, V. Cepaitis ⁵⁷, K. Cerny ¹²⁵, A.S. Cerqueira ^{84a}, A. Cerri ¹⁴⁹,
 L. Cerrito ^{77a,77b}, F. Cerutti ^{18a}, B. Cervato ¹⁴⁴, A. Cervelli ^{24b}, G. Cesarini ⁵⁴, S.A. Cetin ⁸³,
 D. Chakraborty ¹¹⁸, J. Chan ^{18a}, W.Y. Chan ¹⁵⁶, J.D. Chapman ³³, E. Chapon ¹³⁸,
 B. Chargeishvili ^{152b}, D.G. Charlton ²¹, M. Chatterjee ²⁰, C. Chauhan ¹³⁶, Y. Che ^{114a},
 S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ^{39,a}, A. Chen ¹⁰⁸, B. Chen ¹⁵⁴, B. Chen ¹⁶⁸,
 H. Chen ^{114a}, H. Chen ³⁰, J. Chen ^{63c}, J. Chen ¹⁴⁵, M. Chen ¹²⁹, S. Chen ¹⁵⁶, S.J. Chen ^{114a},
 X. Chen ^{63c,138}, X. Chen ^{15,ac}, Y. Chen ^{63a}, C.L. Cheng ¹⁷³, H.C. Cheng ^{65a}, S. Cheong ¹⁴⁶,
 A. Cheplakov ³⁹, E. Cheremushkina ⁴⁹, E. Cherepanova ¹¹⁷, R. Cherkaoui El Moursli ^{36e},
 E. Cheu ⁷, K. Cheung ⁶⁶, L. Chevalier ¹³⁸, V. Chiarella ⁵⁴, G. Chiarelli ^{75a}, N. Chiedde ¹⁰⁴,
 G. Chiodini ^{71a}, A.S. Chisholm ²¹, A. Chitan ^{28b}, M. Chitishvili ¹⁶⁶, M.V. Chizhov ³⁹,

K. Choi ¹¹, Y. Chou ¹⁴¹, E.Y.S. Chow ¹¹⁶, K.L. Chu ¹⁷², M.C. Chu ^{65a}, X. Chu ^{14,114c},
 Z. Chubinidze ⁵⁴, J. Chudoba ¹³⁴, J.J. Chwastowski ⁸⁸, D. Cieri ¹¹², K.M. Ciesla ^{87a},
 V. Cindro ⁹⁵, A. Ciocio ^{18a}, F. Cirotto ^{73a,73b}, Z.H. Citron ¹⁷², M. Citterio ^{72a}, D.A. Ciubotaru ^{28b},
 A. Clark ⁵⁷, P.J. Clark ⁵³, N. Clarke Hall ⁹⁸, C. Clarry ¹⁵⁸, J.M. Clavijo Columbie ⁴⁹,
 S.E. Clawson ⁴⁹, C. Clement ^{48a,48b}, Y. Coadou ¹⁰⁴, M. Cobal ^{70a,70c}, A. Coccaro ^{58b},
 R.F. Coelho Barrue ^{133a}, R. Coelho Lopes De Sa ¹⁰⁵, S. Coelli ^{72a}, B. Cole ⁴², J. Collot ⁶¹,
 P. Conde Muiño ^{133a,133g}, M.P. Connell ^{34c}, S.H. Connell ^{34c}, E.I. Conroy ¹²⁹, F. Conventi ^{73a,ae},
 H.G. Cooke ²¹, A.M. Cooper-Sarkar ¹²⁹, F.A. Corchia ^{24b,24a}, A. Cordeiro Oudot Choi ¹³⁰,
 L.D. Corpe ⁴¹, M. Corradi ^{76a,76b}, F. Corriveau ^{106,w}, A. Cortes-Gonzalez ¹⁹, M.J. Costa ¹⁶⁶,
 F. Costanza ⁴, D. Costanzo ¹⁴², B.M. Cote ¹²², J. Couthures ⁴, G. Cowan ⁹⁷, K. Cranmer ¹⁷³,
 D. Cremonini ^{24b,24a}, S. Crépe-Renaudin ⁶¹, F. Crescioli ¹³⁰, M. Cristinziani ¹⁴⁴,
 M. Cristoforetti ^{79a,79b}, V. Croft ¹¹⁷, J.E. Crosby ¹²⁴, G. Crosetti ^{44b,44a}, A. Cueto ¹⁰¹, H. Cui ⁹⁸,
 Z. Cui ⁷, W.R. Cunningham ⁶⁰, F. Curcio ¹⁶⁶, J.R. Curran ⁵³, P. Czodrowski ³⁷,
 M.M. Czurylo ³⁷, M.J. Da Cunha Sargedas De Sousa ^{58b,58a}, J.V. Da Fonseca Pinto ^{84b},
 C. Da Via ¹⁰³, W. Dabrowski ^{87a}, T. Dado ⁵⁰, S. Dahbi ¹⁵¹, T. Dai ¹⁰⁸, D. Dal Santo ²⁰,
 C. Dallapiccola ¹⁰⁵, M. Dam ⁴³, G. D'amen ³⁰, V. D'Amico ¹¹¹, J. Damp ¹⁰², J.R. Dandoy ³⁵,
 D. Dannheim ³⁷, M. Danninger ¹⁴⁵, V. Dao ¹⁴⁸, G. Darbo ^{58b}, S.J. Das ^{30,af}, F. Dattola ⁴⁹,
 S. D'Auria ^{72a,72b}, A. D'avanzo ^{73a,73b}, C. David ^{34a}, T. Davidek ¹³⁶, I. Dawson ⁹⁶,
 H.A. Day-hall ¹³⁵, K. De ⁸, R. De Asmundis ^{73a}, N. De Biase ⁴⁹, S. De Castro ^{24b,24a},
 N. De Groot ¹¹⁶, P. de Jong ¹¹⁷, H. De la Torre ¹¹⁸, A. De Maria ^{114a}, A. De Salvo ^{76a},
 U. De Sanctis ^{77a,77b}, F. De Santis ^{71a,71b}, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ⁶¹,
 D.V. Dedovich ³⁹, J. Degens ⁹⁴, A.M. Deiana ⁴⁵, F. Del Corso ^{24b,24a}, J. Del Peso ¹⁰¹,
 F. Del Rio ^{64a}, L. Delagrange ¹³⁰, F. Deliot ¹³⁸, C.M. Delitzsch ⁵⁰, M. Della Pietra ^{73a,73b},
 D. Della Volpe ⁵⁷, A. Dell'Acqua ³⁷, L. Dell'Asta ^{72a,72b}, M. Delmastro ⁴, P.A. Delsart ⁶¹,
 S. Demers ¹⁷⁵, M. Demichev ³⁹, S.P. Denisov ³⁸, L. D'Eramo ⁴¹, D. Derendarz ⁸⁸, F. Derue ¹³⁰,
 P. Dervan ⁹⁴, K. Desch ²⁵, C. Deutsch ²⁵, F.A. Di Bello ^{58b,58a}, A. Di Ciaccio ^{77a,77b},
 L. Di Ciaccio ⁴, A. Di Domenico ^{76a,76b}, C. Di Donato ^{73a,73b}, A. Di Girolamo ³⁷,
 G. Di Gregorio ³⁷, A. Di Luca ^{79a,79b}, B. Di Micco ^{78a,78b}, R. Di Nardo ^{78a,78b}, K.F. Di Petrillo ⁴⁰,
 M. Diamantopoulou ³⁵, F.A. Dias ¹¹⁷, T. Dias Do Vale ¹⁴⁵, M.A. Diaz ^{140a,140b},
 F.G. Diaz Capriles ²⁵, A.R. Didenko ³⁹, M. Didenko ¹⁶⁶, E.B. Diehl ¹⁰⁸, S. Díez Cornell ⁴⁹,
 C. Diez Pardos ¹⁴⁴, C. Dimitriadi ¹⁶⁴, A. Dimitrievska ²¹, J. Dingfelder ²⁵, T. Dingley ¹²⁹,
 I-M. Dinu ^{28b}, S.J. Dittmeier ^{64b}, F. Dittus ³⁷, M. Divisek ¹³⁶, F. Djama ¹⁰⁴, T. Djobava ^{152b},
 C. Doglioni ^{103,100}, A. Dohnalova ^{29a}, J. Dolejsi ¹³⁶, Z. Dolezal ¹³⁶, K. Domijan ^{87a},
 K.M. Dona ⁴⁰, M. Donadelli ^{84d}, B. Dong ¹⁰⁹, J. Donini ⁴¹, A. D'Onofrio ^{73a,73b},
 M. D'Onofrio ⁹⁴, J. Dopke ¹³⁷, A. Doria ^{73a}, N. Dos Santos Fernandes ^{133a}, P. Dougan ¹⁰³,
 M.T. Dova ⁹², A.T. Doyle ⁶⁰, M.A. Dragnet ¹²⁹, E. Dreyer ¹⁷², I. Drivas-koulouris ¹⁰,
 M. Drnevich ¹²⁰, M. Drozdova ⁵⁷, D. Du ^{63a}, T.A. du Pree ¹¹⁷, F. Dubinin ³⁸, M. Dubovsky ^{29a},
 E. Duchovni ¹⁷², G. Duckeck ¹¹¹, O.A. Ducu ^{28b}, D. Duda ⁵³, A. Dudarev ³⁷, E.R. Duden ²⁷,
 M. D'uffizi ¹⁰³, L. Duflost ⁶⁷, M. Dührssen ³⁷, I. Duminica ^{28g}, A.E. Dumitriu ^{28b},
 M. Dunford ^{64a}, S. Dungs ⁵⁰, K. Dunne ^{48a,48b}, A. Duperrin ¹⁰⁴, H. Duran Yildiz ^{3a},
 M. Düren ⁵⁹, A. Durglishvili ^{152b}, B.L. Dwyer ¹¹⁸, G.I. Dyckes ^{18a}, M. Dyndal ^{87a},
 B.S. Dziedzic ³⁷, Z.O. Earnshaw ¹⁴⁹, G.H. Eberwein ¹²⁹, B. Eckerova ^{29a}, S. Eggebrecht ⁵⁶,
 E. Egidio Purcino De Souza ¹³⁰, L.F. Ehrke ⁵⁷, G. Eigen ¹⁷, K. Einsweiler ^{18a}, T. Ekelof ¹⁶⁴,
 P.A. Ekman ¹⁰⁰, S. El Farkh ^{36b}, Y. El Ghazali ^{63a}, H. El Jarrari ³⁷, A. El Moussaouy ^{36a},
 V. Ellajosyula ¹⁶⁴, M. Ellert ¹⁶⁴, F. Ellinghaus ¹⁷⁴, N. Ellis ³⁷, J. Elmsheuser ³⁰, M. Elsayy ^{119a},
 M. Elsing ³⁷, D. Emelianov ¹³⁷, Y. Enari ¹⁵⁶, I. Ene ^{18a}, S. Epari ¹³, P.A. Erland ⁸⁸,
 D. Ernani Martins Neto ⁸⁸, M. Errenst ¹⁷⁴, M. Escalier ⁶⁷, C. Escobar ¹⁶⁶, E. Etzion ¹⁵⁴,

G. Evans [id](#)^{133a}, H. Evans [id](#)⁶⁹, L.S. Evans [id](#)⁹⁷, A. Ezhilov [id](#)³⁸, S. Ezzarqtouni [id](#)^{36a}, F. Fabbri [id](#)^{24b,24a}, L. Fabbri [id](#)^{24b,24a}, G. Facini [id](#)⁹⁸, V. Fadeyev [id](#)¹³⁹, R.M. Fakhrutdinov [id](#)³⁸, D. Fakoudis [id](#)¹⁰², S. Falciano [id](#)^{76a}, L.F. Falda Ulhoa Coelho [id](#)³⁷, F. Fallavollita [id](#)¹¹², G. Falsetti [id](#)^{44b,44a}, J. Faltova [id](#)¹³⁶, C. Fan [id](#)¹⁶⁵, Y. Fan [id](#)¹⁴, Y. Fang [id](#)^{14,114c}, M. Fanti [id](#)^{72a,72b}, M. Faraj [id](#)^{70a,70b}, Z. Farazpay [id](#)⁹⁹, A. Farbin [id](#)⁸, A. Farilla [id](#)^{78a}, T. Farooque [id](#)¹⁰⁹, S.M. Farrington [id](#)⁵³, F. Fassi [id](#)^{36e}, D. Fassouliotis [id](#)⁹, M. Faucci Giannelli [id](#)^{77a,77b}, W.J. Fawcett [id](#)³³, L. Fayard [id](#)⁶⁷, P. Federic [id](#)¹³⁶, P. Federicova [id](#)¹³⁴, O.L. Fedin [id](#)^{38,a}, M. Feickert [id](#)¹⁷³, L. Feligioni [id](#)¹⁰⁴, D.E. Fellers [id](#)¹²⁶, C. Feng [id](#)^{63b}, M. Feng [id](#)¹⁵, Z. Feng [id](#)¹¹⁷, M.J. Fenton [id](#)¹⁶², L. Ferencz [id](#)⁴⁹, R.A.M. Ferguson [id](#)⁹³, S.I. Fernandez Luengo [id](#)^{140f}, P. Fernandez Martinez [id](#)¹³, M.J.V. Fernoux [id](#)¹⁰⁴, J. Ferrando [id](#)⁹³, A. Ferrari [id](#)¹⁶⁴, P. Ferrari [id](#)^{117,116}, R. Ferrari [id](#)^{74a}, D. Ferrere [id](#)⁵⁷, C. Ferretti [id](#)¹⁰⁸, D. Fiacco [id](#)^{76a,76b}, F. Fiedler [id](#)¹⁰², P. Fiedler [id](#)¹³⁵, A. Filipčič [id](#)⁹⁵, E.K. Filmer [id](#)¹, F. Filthaut [id](#)¹¹⁶, M.C.N. Fiolhais [id](#)^{133a,133c,c}, L. Fiorini [id](#)¹⁶⁶, W.C. Fisher [id](#)¹⁰⁹, T. Fitschen [id](#)¹⁰³, P.M. Fitzhugh [id](#)¹³⁸, I. Fleck [id](#)¹⁴⁴, P. Fleischmann [id](#)¹⁰⁸, T. Flick [id](#)¹⁷⁴, M. Flores [id](#)^{34d,aa}, L.R. Flores Castillo [id](#)^{65a}, L. Flores Sanz De Acedo [id](#)³⁷, F.M. Follega [id](#)^{79a,79b}, N. Fomin [id](#)³³, J.H. Foo [id](#)¹⁵⁸, A. Formica [id](#)¹³⁸, A.C. Forti [id](#)¹⁰³, E. Fortin [id](#)³⁷, A.W. Fortman [id](#)^{18a}, M.G. Foti [id](#)^{18a}, L. Fountas [id](#)^{9,j}, D. Fournier [id](#)⁶⁷, H. Fox [id](#)⁹³, P. Francavilla [id](#)^{75a,75b}, S. Francescato [id](#)⁶², S. Franchellucci [id](#)⁵⁷, M. Franchini [id](#)^{24b,24a}, S. Franchino [id](#)^{64a}, D. Francis [id](#)³⁷, L. Franco [id](#)¹¹⁶, V. Franco Lima [id](#)³⁷, L. Franconi [id](#)⁴⁹, M. Franklin [id](#)⁶², G. Frattari [id](#)²⁷, Y.Y. Frid [id](#)¹⁵⁴, J. Friend [id](#)⁶⁰, N. Fritzsche [id](#)⁵¹, A. Froch [id](#)⁵⁵, D. Froidevaux [id](#)³⁷, J.A. Frost [id](#)¹²⁹, Y. Fu [id](#)^{63a}, S. Fuenzalida Garrido [id](#)^{140f}, M. Fujimoto [id](#)¹⁰⁴, K.Y. Fung [id](#)^{65a}, E. Furtado De Simas Filho [id](#)^{84e}, M. Furukawa [id](#)¹⁵⁶, J. Fuster [id](#)¹⁶⁶, A. Gaa [id](#)⁵⁶, A. Gabrielli [id](#)^{24b,24a}, A. Gabrielli [id](#)¹⁵⁸, P. Gadow [id](#)³⁷, G. Gagliardi [id](#)^{58b,58a}, L.G. Gagnon [id](#)^{18a}, S. Gaid [id](#)¹⁶³, S. Galantzan [id](#)¹⁵⁴, E.J. Gallas [id](#)¹²⁹, B.J. Gallop [id](#)¹³⁷, K.K. Gan [id](#)¹²², S. Ganguly [id](#)¹⁵⁶, Y. Gao [id](#)⁵³, F.M. Garay Walls [id](#)^{140a,140b}, B. Garcia [id](#)³⁰, C. García [id](#)¹⁶⁶, A. Garcia Alonso [id](#)¹¹⁷, A.G. Garcia Caffaro [id](#)¹⁷⁵, J.E. García Navarro [id](#)¹⁶⁶, M. Garcia-Sciveres [id](#)^{18a}, G.L. Gardner [id](#)¹³¹, R.W. Gardner [id](#)⁴⁰, N. Garelli [id](#)¹⁶¹, D. Garg [id](#)⁸¹, R.B. Garg [id](#)¹⁴⁶, J.M. Gargan [id](#)⁵³, C.A. Garner [id](#)¹⁵⁸, C.M. Garvey [id](#)^{34a}, V.K. Gassmann [id](#)¹⁶¹, G. Gaudio [id](#)^{74a}, V. Gautam [id](#)¹³, P. Gauzzi [id](#)^{76a,76b}, J. Gavranovic [id](#)⁹⁵, I.L. Gavrilenko [id](#)³⁸, A. Gavriluk [id](#)³⁸, C. Gay [id](#)¹⁶⁷, G. Gaycken [id](#)¹²⁶, E.N. Gazis [id](#)¹⁰, A.A. Geanta [id](#)^{28b}, C.M. Gee [id](#)¹³⁹, A. Gekow [id](#)¹²², C. Gemme [id](#)^{58b}, M.H. Genest [id](#)⁶¹, A.D. Gentry [id](#)¹¹⁵, S. George [id](#)⁹⁷, W.F. George [id](#)²¹, T. Geralis [id](#)⁴⁷, P. Gessinger-Befurt [id](#)³⁷, M.E. Geyik [id](#)¹⁷⁴, M. Ghani [id](#)¹⁷⁰, K. Ghorbanian [id](#)⁹⁶, A. Ghosal [id](#)¹⁴⁴, A. Ghosh [id](#)¹⁶², A. Ghosh [id](#)⁷, B. Giacobbe [id](#)^{24b}, S. Giagu [id](#)^{76a,76b}, T. Giani [id](#)¹¹⁷, A. Giannini [id](#)^{63a}, S.M. Gibson [id](#)⁹⁷, M. Gignac [id](#)¹³⁹, D.T. Gil [id](#)^{87b}, A.K. Gilbert [id](#)^{87a}, B.J. Gilbert [id](#)⁴², D. Gillberg [id](#)³⁵, G. Gilles [id](#)¹¹⁷, L. Ginabat [id](#)¹³⁰, D.M. Gingrich [id](#)^{2,ad}, M.P. Giordani [id](#)^{70a,70c}, P.F. Giraud [id](#)¹³⁸, G. Giugliarelli [id](#)^{70a,70c}, D. Giugni [id](#)^{72a}, F. Giuli [id](#)³⁷, I. Gkialas [id](#)^{9,j}, L.K. Gladilin [id](#)³⁸, C. Glasman [id](#)¹⁰¹, G.R. Gledhill [id](#)¹²⁶, G. Glemža [id](#)⁴⁹, M. Glisic [id](#)¹²⁶, I. Gnesi [id](#)^{44b,e}, Y. Go [id](#)³⁰, M. Goblirsch-Kolb [id](#)³⁷, B. Gocke [id](#)⁵⁰, D. Godin [id](#)¹¹⁰, B. Gokturk [id](#)^{22a}, S. Goldfarb [id](#)¹⁰⁷, T. Golling [id](#)⁵⁷, M.G.D. Gololo [id](#)^{34g}, D. Golubkov [id](#)³⁸, J.P. Gombas [id](#)¹⁰⁹, A. Gomes [id](#)^{133a,133b}, G. Gomes Da Silva [id](#)¹⁴⁴, A.J. Gomez Delegido [id](#)¹⁶⁶, R. Gonçalves [id](#)^{133a}, L. Gonella [id](#)²¹, A. Gongadze [id](#)^{152c}, F. Gonnella [id](#)²¹, J.L. Gonski [id](#)¹⁴⁶, R.Y. González Andana [id](#)⁵³, S. González de la Hoz [id](#)¹⁶⁶, R. Gonzalez Lopez [id](#)⁹⁴, C. Gonzalez Renteria [id](#)^{18a}, M.V. Gonzalez Rodrigues [id](#)⁴⁹, R. Gonzalez Suarez [id](#)¹⁶⁴, S. Gonzalez-Sevilla [id](#)⁵⁷, L. Goossens [id](#)³⁷, B. Gorini [id](#)³⁷, E. Gorini [id](#)^{71a,71b}, A. Gorišek [id](#)⁹⁵, T.C. Gosart [id](#)¹³¹, A.T. Goshaw [id](#)⁵², M.I. Gostkin [id](#)³⁹, S. Goswami [id](#)¹²⁴, C.A. Gottardo [id](#)³⁷, S.A. Gotz [id](#)¹¹¹, M. Gouighri [id](#)^{36b}, V. Goumarre [id](#)⁴⁹, A.G. Goussiou [id](#)¹⁴¹, N. Govender [id](#)^{34c}, I. Grabowska-Bold [id](#)^{87a}, K. Graham [id](#)³⁵, E. Gramstad [id](#)¹²⁸, S. Grancagnolo [id](#)^{71a,71b}, C.M. Grant [id](#)^{1,138}, P.M. Gravila [id](#)^{28f}, F.G. Gravili [id](#)^{71a,71b}, H.M. Gray [id](#)^{18a}, M. Greco [id](#)^{71a,71b}, M.J. Green [id](#)¹, C. Grefe [id](#)²⁵, A.S. Grefsrud [id](#)¹⁷, I.M. Gregor [id](#)⁴⁹, K.T. Greif [id](#)¹⁶², P. Grenier [id](#)¹⁴⁶, S.G. Grewe [id](#)¹¹², A.A. Grillo [id](#)¹³⁹, K. Grimm [id](#)³², S. Grinstein [id](#)^{13,s}, J.-F. Grivaz [id](#)⁶⁷, E. Gross [id](#)¹⁷², J. Grosse-Knetter [id](#)⁵⁶, J.C. Grundy [id](#)¹²⁹, L. Guan [id](#)¹⁰⁸, J.G.R. Guerrero Rojas [id](#)¹⁶⁶, G. Guerrieri [id](#)^{70a,70c}, R. Gugel [id](#)¹⁰²,

J.A.M. Guhit ¹⁰⁸, A. Guida ¹⁹, E. Guilloton ¹⁷⁰, S. Guindon ³⁷, F. Guo ^{14,114c}, J. Guo ^{63c}, L. Guo ⁴⁹, Y. Guo ¹⁰⁸, R. Gupta ¹³², S. Gurbuz ²⁵, S.S. Gurdasani ⁵⁵, G. Gustavino ^{76a,76b}, P. Gutierrez ¹²³, L.F. Gutierrez Zagazeta ¹³¹, M. Gutsche ⁵¹, C. Gutschow ⁹⁸, C. Gwenlan ¹²⁹, C.B. Gwilliam ⁹⁴, E.S. Haaland ¹²⁸, A. Haas ¹²⁰, M. Habedank ⁴⁹, C. Haber ^{18a}, H.K. Hadavand ⁸, A. Hadeef ⁵¹, S. Hadzic ¹¹², A.I. Hagan ⁹³, J.J. Hahn ¹⁴⁴, E.H. Haines ⁹⁸, M. Haleem ¹⁶⁹, J. Haley ¹²⁴, J.J. Hall ¹⁴², G.D. Hallowell ¹⁰⁴, L. Halser ²⁰, K. Hamano ¹⁶⁸, M. Hamer ²⁵, G.N. Hamity ⁵³, E.J. Hampshire ⁹⁷, J. Han ^{63b}, K. Han ^{63a}, L. Han ^{114a}, L. Han ^{63a}, S. Han ^{18a}, Y.F. Han ¹⁵⁸, K. Hanagaki ⁸⁵, M. Hance ¹³⁹, D.A. Hangal ⁴², H. Hanif ¹⁴⁵, M.D. Hank ¹³¹, J.B. Hansen ⁴³, P.H. Hansen ⁴³, K. Hara ¹⁶⁰, D. Harada ⁵⁷, T. Harenberg ¹⁷⁴, S. Harkusha ³⁸, M.L. Harris ¹⁰⁵, Y.T. Harris ¹²⁹, J. Harrison ¹³, N.M. Harrison ¹²², P.F. Harrison ¹⁷⁰, N.M. Hartman ¹¹², N.M. Hartmann ¹¹¹, R.Z. Hasan ^{97,137}, Y. Hasegawa ¹⁴³, S. Hassan ¹⁷, R. Hauser ¹⁰⁹, C.M. Hawkes ²¹, R.J. Hawkings ³⁷, Y. Hayashi ¹⁵⁶, S. Hayashida ¹¹³, D. Hayden ¹⁰⁹, C. Hayes ¹⁰⁸, R.L. Hayes ¹¹⁷, C.P. Hays ¹²⁹, J.M. Hays ⁹⁶, H.S. Hayward ⁹⁴, F. He ^{63a}, M. He ^{14,114c}, Y. He ¹⁵⁷, Y. He ⁴⁹, Y. He ⁹⁸, N.B. Heatley ⁹⁶, V. Hedberg ¹⁰⁰, A.L. Heggelund ¹²⁸, N.D. Hehir ^{96,*}, C. Heidegger ⁵⁵, K.K. Heidegger ⁵⁵, J. Heilman ³⁵, S. Heim ⁴⁹, T. Heim ^{18a}, J.G. Heinlein ¹³¹, J.J. Heinrich ¹²⁶, L. Heinrich ^{112,ab}, J. Hejbal ¹³⁴, A. Held ¹⁷³, S. Hellesund ¹⁷, C.M. Helling ¹⁶⁷, S. Hellman ^{48a,48b}, R.C.W. Henderson ⁹³, L. Henkelmann ³³, A.M. Henriques Correia ³⁷, H. Herde ¹⁰⁰, Y. Hernández Jiménez ¹⁴⁸, L.M. Herrmann ²⁵, T. Herrmann ⁵¹, G. Herten ⁵⁵, R. Hertenberger ¹¹¹, L. Hervas ³⁷, M.E. Hesping ¹⁰², N.P. Hessey ^{159a}, M. Hidaoui ^{36b}, N. Hidic ¹³⁶, E. Hill ¹⁵⁸, S.J. Hillier ²¹, J.R. Hinds ¹⁰⁹, F. Hinterkeuser ²⁵, M. Hirose ¹²⁷, S. Hirose ¹⁶⁰, D. Hirschbuehl ¹⁷⁴, T.G. Hitchings ¹⁰³, B. Hiti ⁹⁵, J. Hobbs ¹⁴⁸, R. Hobincu ^{28e}, N. Hod ¹⁷², M.C. Hodgkinson ¹⁴², B.H. Hodgkinson ¹²⁹, A. Hoecker ³⁷, D.D. Hofer ¹⁰⁸, J. Hofer ⁴⁹, T. Holm ²⁵, M. Holzbock ¹¹², L.B.A.H. Hommels ³³, B.P. Honan ¹⁰³, J.J. Hong ⁶⁹, J. Hong ^{63c}, T.M. Hong ¹³², B.H. Hooberman ¹⁶⁵, W.H. Hopkins ⁶, M.C. Hoppesch ¹⁶⁵, Y. Horii ¹¹³, S. Hou ¹⁵¹, A.S. Howard ⁹⁵, J. Howarth ⁶⁰, J. Hoya ⁶, M. Hrabovsky ¹²⁵, A. Hrynevich ⁴⁹, T. Hryn'ova ⁴, P.J. Hsu ⁶⁶, S.-C. Hsu ¹⁴¹, T. Hsu ⁶⁷, M. Hu ^{18a}, Q. Hu ^{63a}, S. Huang ^{65b}, X. Huang ^{14,114c}, Y. Huang ¹⁴², Y. Huang ¹⁰², Y. Huang ¹⁴, Z. Huang ¹⁰³, Z. Hubacek ¹³⁵, M. Huebner ²⁵, F. Huegging ²⁵, T.B. Huffman ¹²⁹, C.A. Hugli ⁴⁹, M. Huhtinen ³⁷, S.K. Huiberts ¹⁷, R. Hulsken ¹⁰⁶, N. Huseynov ^{12,g}, J. Huston ¹⁰⁹, J. Huth ⁶², R. Hyneman ¹⁴⁶, G. Iacobucci ⁵⁷, G. Iakovidis ³⁰, L. Iconomidou-Fayard ⁶⁷, J.P. Iddon ³⁷, P. Iengo ^{73a,73b}, R. Iguchi ¹⁵⁶, Y. Iiyama ¹⁵⁶, T. Iizawa ¹²⁹, Y. Ikegami ⁸⁵, N. Ilic ¹⁵⁸, H. Imam ^{84c}, M. Ince Lezki ⁵⁷, T. Ingebretsen Carlson ^{48a,48b}, J.M. Inglis ⁹⁶, G. Introzzi ^{74a,74b}, M. Iodice ^{78a}, V. Ippolito ^{76a,76b}, R.K. Irwin ⁹⁴, M. Ishino ¹⁵⁶, W. Islam ¹⁷³, C. Issever ^{19,49}, S. Istin ^{22a,ah}, H. Ito ¹⁷¹, R. Iuppa ^{79a,79b}, A. Ivina ¹⁷², J.M. Izen ⁴⁶, V. Izzo ^{73a}, P. Jacka ¹³⁴, P. Jackson ¹, C.S. Jagfeld ¹¹¹, G. Jain ^{159a}, P. Jain ⁴⁹, K. Jakobs ⁵⁵, T. Jakoubek ¹⁷², J. Jamieson ⁶⁰, W. Jang ¹⁵⁶, M. Javurkova ¹⁰⁵, P. Jawahar ¹⁰³, L. Jeanty ¹²⁶, J. Jejelava ^{152a,z}, P. Jenni ^{55,f}, C.E. Jessiman ³⁵, C. Jia ^{63b}, J. Jia ¹⁴⁸, X. Jia ⁶², X. Jia ^{14,114c}, Z. Jia ^{114a}, C. Jiang ⁵³, S. Jiggins ⁴⁹, J. Jimenez Pena ¹³, S. Jin ^{114a}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁷, P. Johansson ¹⁴², K.A. Johns ⁷, J.W. Johnson ¹³⁹, D.M. Jones ¹⁴⁹, E. Jones ⁴⁹, P. Jones ³³, R.W.L. Jones ⁹³, T.J. Jones ⁹⁴, H.L. Joos ^{56,37}, R. Joshi ¹²², J. Jovicevic ¹⁶, X. Ju ^{18a}, J.J. Junggeburth ¹⁰⁵, T. Junkermann ^{64a}, A. Juste Rozas ^{13,s}, M.K. Juzek ⁸⁸, S. Kabana ^{140e}, A. Kaczmarska ⁸⁸, M. Kado ¹¹², H. Kagan ¹²², M. Kagan ¹⁴⁶, A. Kahn ¹³¹, C. Kahra ¹⁰², T. Kaji ¹⁵⁶, E. Kajomovitz ¹⁵³, N. Kakati ¹⁷², I. Kalaitzidou ⁵⁵, C.W. Kalderon ³⁰, N.J. Kang ¹³⁹, D. Kar ^{34g}, K. Karava ¹²⁹, M.J. Kareem ^{159b}, E. Karentzos ⁵⁵, O. Karkout ¹¹⁷, S.N. Karpov ³⁹, Z.M. Karpova ³⁹, V. Kartvelishvili ⁹³, A.N. Karyukhin ³⁸, E. Kasimi ¹⁵⁵, J. Katzy ⁴⁹, S. Kaur ³⁵, K. Kawade ¹⁴³, M.P. Kawale ¹²³, C. Kawamoto ⁸⁹, T. Kawamoto ^{63a}, E.F. Kay ³⁷, F.I. Kaya ¹⁶¹,

S. Kazakos ¹⁰⁹, V.F. Kazanin ³⁸, Y. Ke ¹⁴⁸, J.M. Keaveney ^{34a}, R. Keeler ¹⁶⁸, G.V. Kehris ⁶²,
 J.S. Keller ³⁵, A.S. Kelly ⁹⁸, J.J. Kempster ¹⁴⁹, P.D. Kennedy ¹⁰², O. Kepka ¹³⁴, B.P. Kerridge ¹³⁷,
 S. Kersten ¹⁷⁴, B.P. Kerševan ⁹⁵, L. Keszeghova ^{29a}, S. Ketabchi Haghighat ¹⁵⁸, R.A. Khan ¹³²,
 A. Khanov ¹²⁴, A.G. Kharlamov ³⁸, T. Kharlamova ³⁸, E.E. Khoda ¹⁴¹, M. Kholodenko ³⁸,
 T.J. Khoo ¹⁹, G. Khorialuli ¹⁶⁹, J. Khubua ^{152b,*}, Y.A.R. Khwaira ¹³⁰, B. Kibirige ^{34g}, D. Kim ⁶,
 D.W. Kim ^{48a,48b}, Y.K. Kim ⁴⁰, N. Kimura ⁹⁸, M.K. Kingston ⁵⁶, A. Kirchhoff ⁵⁶, C. Kirfel ²⁵,
 F. Kirfel ²⁵, J. Kirk ¹³⁷, A.E. Kiryunin ¹¹², C. Kitsaki ¹⁰, O. Kivernyk ²⁵, M. Klassen ¹⁶¹,
 C. Klein ³⁵, L. Klein ¹⁶⁹, M.H. Klein ⁴⁵, S.B. Klein ⁵⁷, U. Klein ⁹⁴, P. Klimek ³⁷,
 A. Klimentov ³⁰, T. Klioutchnikova ³⁷, P. Kluit ¹¹⁷, S. Kluth ¹¹², E. Kneringer ⁸⁰,
 T.M. Knight ¹⁵⁸, A. Knue ⁵⁰, R. Kobayashi ⁸⁹, D. Kobylanskii ¹⁷², S.F. Koch ¹²⁹,
 M. Kocian ¹⁴⁶, P. Kodyš ¹³⁶, D.M. Koeck ¹²⁶, P.T. Koenig ²⁵, T. Koffas ³⁵, O. Kolay ⁵¹,
 I. Koletsou ⁴, T. Komarek ⁸⁸, K. Köneke ⁵⁵, A.X.Y. Kong ¹, T. Kono ¹²¹, N. Konstantinidis ⁹⁸,
 P. Kontaxakis ⁵⁷, B. Konya ¹⁰⁰, R. Kopeliansky ⁴², S. Koperny ^{87a}, K. Korcyl ⁸⁸,
 K. Kordas ^{155,d}, A. Korn ⁹⁸, S. Korn ⁵⁶, I. Korolkov ¹³, N. Korotkova ³⁸, B. Kortman ¹¹⁷,
 O. Kortner ¹¹², S. Kortner ¹¹², W.H. Kostecka ¹¹⁸, V.V. Kostyukhin ¹⁴⁴, A. Kotsokechagia ¹³⁸,
 A. Kotwal ⁵², A. Koulouris ³⁷, A. Kourkoumeli-Charalampidi ^{74a,74b}, C. Kourkoumelis ⁹,
 E. Kourlitis ^{112,ab}, O. Kovanda ¹²⁶, R. Kowalewski ¹⁶⁸, W. Kozanecki ¹³⁸, A.S. Kozhin ³⁸,
 V.A. Kramarenko ³⁸, G. Kramberger ⁹⁵, P. Kramer ¹⁰², M.W. Krasny ¹³⁰, A. Krasznahorkay ³⁷,
 A.C. Kraus ¹¹⁸, J.W. Kraus ¹⁷⁴, J.A. Kremer ⁴⁹, T. Kresse ⁵¹, L. Kretschmann ¹⁷⁴,
 J. Kretschmar ⁹⁴, K. Kreul ¹⁹, P. Krieger ¹⁵⁸, S. Krishnamurthy ¹⁰⁵, M. Krivos ¹³⁶,
 K. Krizka ²¹, K. Kroeninger ⁵⁰, H. Kroha ¹¹², J. Kroll ¹³⁴, J. Kroll ¹³¹, K.S. Krowpman ¹⁰⁹,
 U. Kruchonak ³⁹, H. Krüger ²⁵, N. Krumnack ⁸², M.C. Kruse ⁵², O. Kuchinskaja ³⁸, S. Kuday ^{3a},
 S. Kuehn ³⁷, R. Kuesters ⁵⁵, T. Kuhl ⁴⁹, V. Kukhtin ³⁹, Y. Kulchitsky ^{38,a}, S. Kuleshov ^{140d,140b},
 M. Kumar ^{34g}, N. Kumari ⁴⁹, P. Kumari ^{159b}, A. Kupco ¹³⁴, T. Kupfer ⁵⁰, A. Kupich ³⁸,
 O. Kuprash ⁵⁵, H. Kurashige ⁸⁶, L.L. Kurchaninov ^{159a}, O. Kurdysh ⁶⁷, Y.A. Kurochkin ³⁸,
 A. Kurova ³⁸, M. Kuze ¹⁵⁷, A.K. Kvam ¹⁰⁵, J. Kvitá ¹²⁵, T. Kwan ¹⁰⁶, N.G. Kyriacou ¹⁰⁸,
 L.A.O. Laatu ¹⁰⁴, C. Lacasta ¹⁶⁶, F. Lacava ^{76a,76b}, H. Lacker ¹⁹, D. Lacour ¹³⁰, N.N. Lad ⁹⁸,
 E. Ladygin ³⁹, A. Lafarge ⁴¹, B. Laforge ¹³⁰, T. Lagouri ¹⁷⁵, F.Z. Lahbabi ^{36a}, S. Lai ⁵⁶,
 J.E. Lambert ¹⁶⁸, S. Lammers ⁶⁹, W. Lampl ⁷, C. Lampoudis ^{155,d}, G. Lamprinoudis ¹⁰²,
 A.N. Lancaster ¹¹⁸, E. Lançon ³⁰, U. Landgraf ⁵⁵, M.P.J. Landon ⁹⁶, V.S. Lang ⁵⁵,
 O.K.B. Langrekken ¹²⁸, A.J. Lankford ¹⁶², F. Lanni ³⁷, K. Lantzsch ²⁵, A. Lanza ^{74a},
 J.F. Laporte ¹³⁸, T. Lari ^{72a}, F. Lasagni Manghi ^{24b}, M. Lassnig ³⁷, V. Latonova ¹³⁴,
 A. Laurier ¹⁵³, S.D. Lawlor ¹⁴², Z. Lawrence ¹⁰³, R. Lazaridou ¹⁷⁰, M. Lazzaroni ^{72a,72b}, B. Le ¹⁰³,
 E.M. Le Boulicaut ⁵², L.T. Le Pottier ^{18a}, B. Leban ^{24b,24a}, A. Lebedev ⁸², M. LeBlanc ¹⁰³,
 F. Ledroit-Guillon ⁶¹, S.C. Lee ¹⁵¹, S. Lee ^{48a,48b}, T.F. Lee ⁹⁴, L.L. Leeuw ^{34c}, H.P. Lefebvre ⁹⁷,
 M. Lefebvre ¹⁶⁸, C. Leggett ^{18a}, G. Lehmann Miotto ³⁷, M. Leigh ⁵⁷, W.A. Leight ¹⁰⁵,
 W. Leinonen ¹¹⁶, A. Leisos ^{155,r}, M.A.L. Leite ^{84c}, C.E. Leitgeb ¹⁹, R. Leitner ¹³⁶,
 K.J.C. Leney ⁴⁵, T. Lenz ²⁵, S. Leone ^{75a}, C. Leonidopoulos ⁵³, A. Leopold ¹⁴⁷, R. Les ¹⁰⁹,
 C.G. Lester ³³, M. Levchenko ³⁸, J. Levêque ⁴, L.J. Levinson ¹⁷², G. Levrini ^{24b,24a},
 M.P. Lewicki ⁸⁸, C. Lewis ¹⁴¹, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{63b}, C. Li ^{63a}, C-Q. Li ¹¹², H. Li ^{63a},
 H. Li ^{63b}, H. Li ^{114a}, H. Li ¹⁵, H. Li ^{63b}, J. Li ^{63c}, K. Li ¹⁴¹, L. Li ^{63c}, M. Li ^{14,114c},
 S. Li ^{14,114c}, S. Li ^{63d,63c}, T. Li ⁵, X. Li ¹⁰⁶, Z. Li ¹²⁹, Z. Li ¹⁵⁶, Z. Li ^{14,114c}, Z. Li ^{63a},
 S. Liang ^{14,114c}, Z. Liang ¹⁴, M. Liberatore ¹³⁸, B. Liberti ^{77a}, K. Lie ^{65c}, J. Lieber Marin ^{84c},
 H. Lien ⁶⁹, H. Lin ¹⁰⁸, K. Lin ¹⁰⁹, R.E. Lindley ⁷, J.H. Lindon ², J. Ling ⁶², E. Lipeles ¹³¹,
 A. Lipniacka ¹⁷, A. Lister ¹⁶⁷, J.D. Little ⁶⁹, B. Liu ¹⁴, B.X. Liu ^{114b}, D. Liu ^{63d,63c},
 E.H.L. Liu ²¹, J.B. Liu ^{63a}, J.K.K. Liu ³³, K. Liu ^{63d}, K. Liu ^{63d,63c}, M. Liu ^{63a}, M.Y. Liu ^{63a},
 P. Liu ¹⁴, Q. Liu ^{63d,141,63c}, X. Liu ^{63a}, X. Liu ^{63b}, Y. Liu ^{114b,114c}, Y.L. Liu ^{63b}, Y.W. Liu ^{63a},





J. Llorente Merino ^{id145}, S.L. Lloyd ^{id96}, E.M. Lobodzinska ^{id49}, P. Loch ^{id7}, T. Lohse ^{id19},
 K. Lohwasser ^{id142}, E. Loiacono ^{id49}, M. Lokajicek ^{id134,*}, J.D. Lomas ^{id21}, J.D. Long ^{id165},
 I. Longarini ^{id162}, R. Longo ^{id165}, I. Lopez Paz ^{id68}, A. Lopez Solis ^{id49}, N. Lorenzo Martinez ^{id4},
 A.M. Lory ^{id111}, M. Losada ^{id119a}, G. Löschke Centeno ^{id149}, O. Loseva ^{id38}, X. Lou ^{id48a,48b},
 X. Lou ^{id14,114c}, A. Lounis ^{id67}, P.A. Love ^{id93}, G. Lu ^{id14,114c}, M. Lu ^{id67}, S. Lu ^{id131}, Y.J. Lu ^{id66},
 H.J. Lubatti ^{id141}, C. Luci ^{id76a,76b}, F.L. Lucio Alves ^{id114a}, F. Luehring ^{id69}, I. Luise ^{id148},
 O. Lukianchuk ^{id67}, O. Lundberg ^{id147}, B. Lund-Jensen ^{id147,*}, N.A. Luongo ^{id6}, M.S. Lutz ^{id37},
 A.B. Lux ^{id26}, D. Lynn ^{id30}, R. Lysak ^{id134}, E. Lytken ^{id100}, V. Lyubushkin ^{id39}, T. Lyubushkina ^{id39},
 M.M. Lyukova ^{id148}, M.Firdaus M. Soberi ^{id53}, H. Ma ^{id30}, K. Ma ^{id63a}, L.L. Ma ^{id63b}, W. Ma ^{id63a},
 Y. Ma ^{id124}, J.C. MacDonald ^{id102}, P.C. Machado De Abreu Farias ^{id84e}, R. Madar ^{id41}, T. Madula ^{id98},
 J. Maeda ^{id86}, T. Maeno ^{id30}, H. Maguire ^{id142}, V. Maiboroda ^{id138}, A. Maio ^{id133a,133b,133d}, K. Maj ^{id87a},
 O. Majersky ^{id49}, S. Majewski ^{id126}, N. Makovec ^{id67}, V. Maksimovic ^{id16}, B. Malaescu ^{id130},
 Pa. Malecki ^{id88}, V.P. Maleev ^{id38}, F. Malek ^{id61,n}, M. Mali ^{id95}, D. Malito ^{id97}, U. Mallik ^{id81},
 S. Maltezos¹⁰, S. Malyukov³⁹, J. Mamuzic ^{id13}, G. Mancini ^{id54}, M.N. Mancini ^{id27}, G. Manco ^{id74a,74b},
 J.P. Mandalia ^{id96}, S.S. Mandarray ^{id149}, I. Mandić ^{id95}, L. Manhaes de Andrade Filho ^{id84a},
 I.M. Maniatis ^{id172}, J. Manjarres Ramos ^{id91}, D.C. Mankad ^{id172}, A. Mann ^{id111}, S. Manzoni ^{id37},
 L. Mao ^{id63c}, X. Mapekula ^{id34c}, A. Marantis ^{id155,r}, G. Marchiori ^{id5}, M. Marcisovsky ^{id134},
 C. Marcon ^{id72a}, M. Marinescu ^{id21}, S. Marium ^{id49}, M. Marjanovic ^{id123}, A. Markhoos ^{id55},
 M. Markovitch ^{id67}, E.J. Marshall ^{id93}, Z. Marshall ^{id18a}, S. Marti-Garcia ^{id166}, J. Martin ^{id98},
 T.A. Martin ^{id137}, V.J. Martin ^{id53}, B. Martin dit Latour ^{id17}, L. Martinelli ^{id76a,76b}, M. Martinez ^{id13,s},
 P. Martinez Agullo ^{id166}, V.I. Martinez Outschoorn ^{id105}, P. Martinez Suarez ^{id13}, S. Martin-Haugh ^{id137},
 G. Martinovicova ^{id136}, V.S. Martoiu ^{id28b}, A.C. Martyniuk ^{id98}, A. Marzin ^{id37}, D. Mascione ^{id79a,79b},
 L. Masetti ^{id102}, T. Mashimo ^{id156}, J. Masik ^{id103}, A.L. Maslennikov ^{id38}, P. Massarotti ^{id73a,73b},
 P. Mastrandrea ^{id75a,75b}, A. Mastroberardino ^{id44b,44a}, T. Masubuchi ^{id156}, T. Mathisen ^{id164},
 J. Matousek ^{id136}, N. Matsuzawa¹⁵⁶, J. Maurer ^{id28b}, A.J. Maury ^{id67}, B. Maček ^{id95}, D.A. Maximov ^{id38},
 A.E. May ^{id103}, R. Mazini ^{id151}, I. Maznas ^{id118}, M. Mazza ^{id109}, S.M. Mazza ^{id139}, E. Mazzeo ^{id72a,72b},
 C. Mc Ginn ^{id30}, J.P. Mc Gowan ^{id168}, S.P. Mc Kee ^{id108}, C.C. McCracken ^{id167}, E.F. McDonald ^{id107},
 A.E. McDougall ^{id117}, J.A. Mcfayden ^{id149}, R.P. McGovern ^{id131}, R.P. Mckenzie ^{id34g},
 T.C. McLachlan ^{id49}, D.J. McLaughlin ^{id98}, S.J. McMahan ^{id137}, C.M. Mcpartland ^{id94},
 R.A. McPherson ^{id168,w}, S. Mehlhase ^{id111}, A. Mehta ^{id94}, D. Melini ^{id166}, B.R. Mellado Garcia ^{id34g},
 A.H. Melo ^{id56}, F. Meloni ^{id49}, A.M. Mendes Jacques Da Costa ^{id103}, H.Y. Meng ^{id158}, L. Meng ^{id93},
 S. Menke ^{id112}, M. Mentink ^{id37}, E. Meoni ^{id44b,44a}, G. Mercado ^{id118}, S. Merianos ^{id155},
 C. Merlassino ^{id70a,70c}, L. Merola ^{id73a,73b}, C. Meroni ^{id72a,72b}, J. Metcalfe ^{id6}, A.S. Mete ^{id6},
 E. Meuser ^{id102}, C. Meyer ^{id69}, J-P. Meyer ^{id138}, R.P. Middleton ^{id137}, L. Mijović ^{id53},
 G. Mikenberg ^{id172}, M. Mikestikova ^{id134}, M. Mikuž ^{id95}, H. Mildner ^{id102}, A. Milic ^{id37},
 D.W. Miller ^{id40}, E.H. Miller ^{id146}, L.S. Miller ^{id35}, A. Milov ^{id172}, D.A. Milstead^{48a,48b}, T. Min^{114a},
 A.A. Minaenko ^{id38}, I.A. Minashvili ^{id152b}, L. Mince ^{id60}, A.I. Mincer ^{id120}, B. Mindur ^{id87a},
 M. Mineev ^{id39}, Y. Mino ^{id89}, L.M. Mir ^{id13}, M. Miralles Lopez ^{id60}, M. Mironova ^{id18a}, A. Mishima¹⁵⁶,
 M.C. Missio ^{id116}, A. Mitra ^{id170}, V.A. Mitsou ^{id166}, Y. Mitsumori ^{id113}, O. Miu ^{id158},
 P.S. Miyagawa ^{id96}, T. Mkrtchyan ^{id64a}, M. Mlinarevic ^{id98}, T. Mlinarevic ^{id98}, M. Mlynarikova ^{id37},
 S. Mobius ^{id20}, P. Mogg ^{id111}, M.H. Mohamed Farook ^{id115}, A.F. Mohammed ^{id14,114c}, S. Mohapatra ^{id42},
 G. Mokgatitwane ^{id34g}, L. Moleri ^{id172}, B. Mondal ^{id144}, S. Mondal ^{id135}, K. Mönig ^{id49},
 E. Monnier ^{id104}, L. Monsonis Romero¹⁶⁶, J. Montejo Berlingen ^{id13}, A. Montella ^{id48a,48b},
 M. Montella ^{id122}, F. Montekali ^{id78a,78b}, F. Monticelli ^{id92}, S. Monzani ^{id70a,70c}, N. Morange ^{id67},
 A.L. Moreira De Carvalho ^{id49}, M. Moreno Llácer ^{id166}, C. Moreno Martinez ^{id57}, P. Morettini ^{id58b},
 S. Morgenstern ^{id37}, M. Morii ^{id62}, M. Morinaga ^{id156}, F. Morodei ^{id76a,76b}, L. Morvaj ^{id37},
 P. Moschovakos ^{id37}, B. Moser ^{id37}, M. Mosidze ^{id152b}, T. Moskalets ^{id45}, P. Moskvitina ^{id116},

J. Moss ^{id}32,k, P. Moszkowicz ^{id}87a, A. Moussa ^{id}36d, E.J.W. Moyse ^{id}105, O. Mtintsilana ^{id}34g, S. Muanza ^{id}104, J. Mueller ^{id}132, D. Muenstermann ^{id}93, R. Müller ^{id}37, G.A. Mullier ^{id}164, A.J. Mullin³³, J.J. Mullin¹³¹, D.P. Mungo ^{id}158, D. Munoz Perez ^{id}166, F.J. Munoz Sanchez ^{id}103, M. Murin ^{id}103, W.J. Murray ^{id}170,137, M. Muškinja ^{id}95, C. Mwewa ^{id}30, A.G. Myagkov ^{id}38,a, A.J. Myers ^{id}8, G. Myers ^{id}108, M. Myska ^{id}135, B.P. Nachman ^{id}18a, O. Nackenhorst ^{id}50, K. Nagai ^{id}129, K. Nagano ^{id}85, J.L. Nagle ^{id}30,af, E. Nagy ^{id}104, A.M. Nairz ^{id}37, Y. Nakahama ^{id}85, K. Nakamura ^{id}85, K. Nakkalil ^{id}5, H. Nanjo ^{id}127, E.A. Narayanan ^{id}115, I. Naryshkin ^{id}38, L. Nasella ^{id}72a,72b, M. Naseri ^{id}35, S. Nasri ^{id}119b, C. Nass ^{id}25, G. Navarro ^{id}23a, J. Navarro-Gonzalez ^{id}166, R. Nayak ^{id}154, A. Nayaz ^{id}19, P.Y. Nechaeva ^{id}38, S. Nechaeva ^{id}24b,24a, F. Nechansky ^{id}49, L. Nedic ^{id}129, T.J. Neep ^{id}21, A. Negri ^{id}74a,74b, M. Negrini ^{id}24b, C. Nellist ^{id}117, C. Nelson ^{id}106, K. Nelson ^{id}108, S. Nemecek ^{id}134, M. Nessi ^{id}37,h, M.S. Neubauer ^{id}165, F. Neuhaus ^{id}102, J. Neundorf ^{id}49, P.R. Newman ^{id}21, C.W. Ng ^{id}132, Y.W.Y. Ng ^{id}49, B. Ngair ^{id}119a, H.D.N. Nguyen ^{id}110, R.B. Nickerson ^{id}129, R. Nicolaidou ^{id}138, J. Nielsen ^{id}139, M. Niemeyer ^{id}56, J. Niermann ^{id}56, N. Nikiforou ^{id}37, V. Nikolaenko ^{id}38,a, I. Nikolic-Audit ^{id}130, K. Nikolopoulos ^{id}21, P. Nilsson ^{id}30, I. Ninca ^{id}49, G. Ninio ^{id}154, A. Nisati ^{id}76a, N. Nishu ^{id}2, R. Nisius ^{id}112, J-E. Nitschke ^{id}51, E.K. Nkadimeng ^{id}34g, T. Nobe ^{id}156, T. Nommensen ^{id}150, M.B. Norfolk ^{id}142, B.J. Norman ^{id}35, M. Noury ^{id}36a, J. Novak ^{id}95, T. Novak ^{id}95, L. Novotny ^{id}135, R. Novotny ^{id}115, L. Nozka ^{id}125, K. Ntekas ^{id}162, N.M.J. Nunes De Moura Junior ^{id}84b, J. Ocariz ^{id}130, A. Ochi ^{id}86, I. Ochoa ^{id}133a, S. Oerdek ^{id}49,t, J.T. Offermann ^{id}40, A. Ogrodnik ^{id}136, A. Oh ^{id}103, C.C. Ohm ^{id}147, H. Oide ^{id}85, R. Oishi ^{id}156, M.L. Ojeda ^{id}49, Y. Okumura ^{id}156, L.F. Oleiro Seabra ^{id}133a, I. Oleksiyuk ^{id}57, S.A. Olivares Pino ^{id}140d, G. Oliveira Correa ^{id}13, D. Oliveira Damazio ^{id}30, D. Oliveira Goncalves ^{id}84a, J.L. Oliver ^{id}162, Ö.O. Öncel ^{id}55, A.P. O'Neill ^{id}20, A. Onofre ^{id}133a,133e, P.U.E. Onyisi ^{id}11, M.J. Oreglia ^{id}40, G.E. Orellana ^{id}92, D. Orestano ^{id}78a,78b, N. Orlando ^{id}13, R.S. Orr ^{id}158, L.M. Osojnak ^{id}131, R. Ospanov ^{id}63a, G. Otero y Garzon ^{id}31, H. Otono ^{id}90, P.S. Ott ^{id}64a, G.J. Ottino ^{id}18a, M. Ouchrif ^{id}36d, F. Ould-Saada ^{id}128, T. Ovsiannikova ^{id}141, M. Owen ^{id}60, R.E. Owen ^{id}137, V.E. Ozcan ^{id}22a, F. Ozturk ^{id}88, N. Ozturk ^{id}8, S. Ozturk ^{id}83, H.A. Pacey ^{id}129, A. Pacheco Pages ^{id}13, C. Padilla Aranda ^{id}13, G. Padovano ^{id}76a,76b, S. Pagan Griso ^{id}18a, G. Palacino ^{id}69, A. Palazzo ^{id}71a,71b, J. Pampel ^{id}25, J. Pan ^{id}175, T. Pan ^{id}65a, D.K. Panchal ^{id}11, C.E. Pandini ^{id}117, J.G. Panduro Vazquez ^{id}137, H.D. Pandya ^{id}1, H. Pang ^{id}15, P. Pani ^{id}49, G. Panizzo ^{id}70a,70c, L. Panwar ^{id}130, L. Paolozzi ^{id}57, S. Parajuli ^{id}165, A. Paramonov ^{id}6, C. Paraskevopoulos ^{id}54, D. Paredes Hernandez ^{id}65b, A. Pareti ^{id}74a,74b, K.R. Park ^{id}42, T.H. Park ^{id}158, M.A. Parker ^{id}33, F. Parodi ^{id}58b,58a, E.W. Parrish ^{id}118, V.A. Parrish ^{id}53, J.A. Parsons ^{id}42, U. Parzefall ^{id}55, B. Pascual Dias ^{id}110, L. Pascual Dominguez ^{id}101, E. Pasqualucci ^{id}76a, S. Passaggio ^{id}58b, F. Pastore ^{id}97, P. Patel ^{id}88, U.M. Patel ^{id}52, J.R. Pater ^{id}103, T. Pauly ^{id}37, C.I. Pazos ^{id}161, J. Pearkes ^{id}146, M. Pedersen ^{id}128, R. Pedro ^{id}133a, S.V. Peleganchuk ^{id}38, O. Penc ^{id}37, E.A. Pender ^{id}53, G.D. Penn ^{id}175, K.E. Penski ^{id}111, M. Penzin ^{id}38, B.S. Peralva ^{id}84d, A.P. Pereira Peixoto ^{id}141, L. Pereira Sanchez ^{id}146, D.V. Perpelitsa ^{id}30,af, G. Perera ^{id}105, E. Perez Codina ^{id}159a, M. Perganti ^{id}10, H. Pernegger ^{id}37, S. Perrella ^{id}76a,76b, O. Perrin ^{id}41, K. Peters ^{id}49, R.F.Y. Peters ^{id}103, B.A. Petersen ^{id}37, T.C. Petersen ^{id}43, E. Petit ^{id}104, V. Petousis ^{id}135, C. Petridou ^{id}155,d, T. Petru ^{id}136, A. Petrukhin ^{id}144, M. Pettee ^{id}18a, A. Petukhov ^{id}38, K. Petukhova ^{id}37, R. Pezoa ^{id}140f, L. Pezzotti ^{id}37, G. Pezzullo ^{id}175, T.M. Pham ^{id}173, T. Pham ^{id}107, P.W. Phillips ^{id}137, G. Piacquadio ^{id}148, E. Pianori ^{id}18a, F. Piazza ^{id}126, R. Piegaia ^{id}31, D. Pietreanu ^{id}28b, A.D. Pilkington ^{id}103, M. Pinamonti ^{id}70a,70c, J.L. Pinfeld ^{id}2, B.C. Pinheiro Pereira ^{id}133a, A.E. Pinto Pinoargote ^{id}138,138, L. Pintucci ^{id}70a,70c, K.M. Piper ^{id}149, A. Pirttikoski ^{id}57, D.A. Pizzi ^{id}35, L. Pizzimento ^{id}65b, A. Pizzini ^{id}117, M.-A. Pleier ^{id}30, V. Pleskot ^{id}136, E. Plotnikova³⁹, G. Poddar ^{id}96, R. Poettgen ^{id}100, L. Poggioli ^{id}130, I. Pokharel ^{id}56, S. Polacek ^{id}136, G. Polesello ^{id}74a, A. Poley ^{id}145,159a, A. Polini ^{id}24b, C.S. Pollard ^{id}170, Z.B. Pollock ^{id}122, E. Pompa Pacchi ^{id}76a,76b, N.I. Pond ^{id}98, D. Ponomarenko ^{id}116, L. Pontecorvo ^{id}37,

S. Popa ^{28a}, G.A. Popenciu ^{28d}, A. Poreba ³⁷, D.M. Portillo Quintero ^{159a}, S. Pospisil ¹³⁵,
 M.A. Postill ¹⁴², P. Postolache ^{28c}, K. Potamianos ¹⁷⁰, P.A. Potepa ^{87a}, I.N. Potrap ³⁹,
 C.J. Potter ³³, H. Potti ¹⁵⁰, J. Poveda ¹⁶⁶, M.E. Pozo Astigarraga ³⁷, A. Prades Ibanez ¹⁶⁶,
 J. Pretel ⁵⁵, D. Price ¹⁰³, M. Primavera ^{71a}, L. Primomo ^{70a,70c}, M.A. Principe Martin ¹⁰¹,
 R. Privara ¹²⁵, T. Procter ⁶⁰, M.L. Proffitt ¹⁴¹, N. Proklova ¹³¹, K. Prokofiev ^{65c}, G. Proto ¹¹²,
 J. Proudfoot ⁶, M. Przybycien ^{87a}, W.W. Przygoda ^{87b}, A. Psallidas ⁴⁷, J.E. Puddefoot ¹⁴²,
 D. Pudzha ⁵⁵, D. Pyatiizbyantseva ³⁸, J. Qian ¹⁰⁸, D. Qichen ¹⁰³, Y. Qin ¹³, T. Qiu ⁵³,
 A. Quadt ⁵⁶, M. Queitsch-Maitland ¹⁰³, G. Quetant ⁵⁷, R.P. Quinn ¹⁶⁷, G. Rabanal Bolanos ⁶²,
 D. Rafanoharana ⁵⁵, F. Raffaelli ^{77a,77b}, F. Ragusa ^{72a,72b}, J.L. Rainbolt ⁴⁰, J.A. Raine ⁵⁷,
 S. Rajagopalan ³⁰, E. Ramakoti ³⁸, I.A. Ramirez-Berend ³⁵, K. Ran ^{49,114c}, D.S. Rankin ¹³¹,
 N.P. Raphecha ^{34g}, H. Rasheed ^{28b}, V. Raskina ¹³⁰, D.F. Rassloff ^{64a}, A. Rastogi ^{18a},
 S. Rave ¹⁰², S. Ravera ^{58b,58a}, B. Ravina ⁵⁶, I. Ravinovich ¹⁷², M. Raymond ³⁷, A.L. Read ¹²⁸,
 N.P. Readioff ¹⁴², D.M. Rebuzzi ^{74a,74b}, G. Redlinger ³⁰, A.S. Reed ¹¹², K. Reeves ²⁷,
 J.A. Reidelsturz ¹⁷⁴, D. Reikher ¹⁵⁴, A. Rej ⁵⁰, C. Rembser ³⁷, M. Renda ^{28b}, F. Renner ⁴⁹,
 A.G. Rennie ¹⁶², A.L. Rescia ⁴⁹, S. Resconi ^{72a}, M. Ressegotti ^{58b,58a}, S. Rettie ³⁷,
 J.G. Reyes Rivera ¹⁰⁹, E. Reynolds ^{18a}, O.L. Rezanova ³⁸, P. Reznicek ¹³⁶, H. Riani ^{36d},
 N. Ribaric ⁹³, E. Ricci ^{79a,79b}, R. Richter ¹¹², S. Richter ^{48a,48b}, E. Richter-Was ^{87b},
 M. Ridel ¹³⁰, S. Ridouani ^{36d}, P. Rieck ¹²⁰, P. Riedler ³⁷, E.M. Riefel ^{48a,48b}, J.O. Rieger ¹¹⁷,
 M. Rijssenbeek ¹⁴⁸, M. Rimoldi ³⁷, L. Rinaldi ^{24b,24a}, P. Rincke ^{56,164}, T.T. Rimm ³⁰,
 M.P. Rinnagel ¹¹¹, G. Ripellino ¹⁶⁴, I. Riu ¹³, J.C. Rivera Vergara ¹⁶⁸, F. Rizatdinova ¹²⁴,
 E. Rizvi ⁹⁶, B.R. Roberts ^{18a}, S.H. Robertson ^{106,w}, D. Robinson ³³, C.M. Robles Gajardo ^{140f},
 M. Robles Manzano ¹⁰², A. Robson ⁶⁰, A. Rocchi ^{77a,77b}, C. Roda ^{75a,75b}, S. Rodriguez Bosca ³⁷,
 Y. Rodriguez Garcia ^{23a}, A. Rodriguez Rodriguez ⁵⁵, A.M. Rodríguez Vera ¹¹⁸, S. Roe ³⁷,
 J.T. Roemer ³⁷, A.R. Roepe-Gier ¹³⁹, O. Røhne ¹²⁸, R.A. Rojas ¹⁰⁵, C.P.A. Roland ¹³⁰,
 J. Roloff ³⁰, A. Romaniouk ³⁸, E. Romano ^{74a,74b}, M. Romano ^{24b}, A.C. Romero Hernandez ¹⁶⁵,
 N. Rompotis ⁹⁴, L. Roos ¹³⁰, S. Rosati ^{76a}, B.J. Rosser ⁴⁰, E. Rossi ¹²⁹, E. Rossi ^{73a,73b},
 L.P. Rossi ⁶², L. Rossini ⁵⁵, R. Rosten ¹²², M. Rotaru ^{28b}, B. Rottler ⁵⁵, C. Rougier ⁹¹,
 D. Rousseau ⁶⁷, D. Rousso ⁴⁹, A. Roy ¹⁶⁵, S. Roy-Garand ¹⁵⁸, A. Rozanov ¹⁰⁴,
 Z.M.A. Rozario ⁶⁰, Y. Rozen ¹⁵³, A. Rubio Jimenez ¹⁶⁶, A.J. Ruby ⁹⁴, V.H. Ruelas Rivera ¹⁹,
 T.A. Ruggieri ¹, A. Ruggiero ¹²⁹, A. Ruiz-Martinez ¹⁶⁶, A. Rummler ³⁷, Z. Rurikova ⁵⁵,
 N.A. Rusakovich ³⁹, H.L. Russell ¹⁶⁸, G. Russo ^{76a,76b}, J.P. Rutherford ⁷,
 S. Rutherford Colmenares ³³, M. Rybar ¹³⁶, E.B. Rye ¹²⁸, A. Ryzhov ⁴⁵, J.A. Sabater Iglesias ⁵⁷,
 P. Sabatini ¹⁶⁶, H.F-W. Sadrozinski ¹³⁹, F. Safai Tehrani ^{76a}, B. Safarzadeh Samani ¹³⁷, S. Saha ¹,
 M. Sahinsoy ¹¹², A. Saibel ¹⁶⁶, M. Saimpert ¹³⁸, M. Saito ¹⁵⁶, T. Saito ¹⁵⁶, A. Sala ^{72a,72b},
 D. Salamani ³⁷, A. Salnikov ¹⁴⁶, J. Salt ¹⁶⁶, A. Salvador Salas ¹⁵⁴, D. Salvatore ^{44b,44a},
 F. Salvatore ¹⁴⁹, A. Salzburger ³⁷, D. Sammel ⁵⁵, E. Sampson ⁹³, D. Sampsonidis ^{155,d},
 D. Sampsonidou ¹²⁶, J. Sánchez ¹⁶⁶, V. Sanchez Sebastian ¹⁶⁶, H. Sandaker ¹²⁸, C.O. Sander ⁴⁹,
 J.A. Sandesara ¹⁰⁵, M. Sandhoff ¹⁷⁴, C. Sandoval ^{23b}, L. Sanfilippo ^{64a}, D.P.C. Sankey ¹³⁷,
 T. Sano ⁸⁹, A. Sansoni ⁵⁴, L. Santi ^{37,76b}, C. Santoni ⁴¹, H. Santos ^{133a,133b}, A. Santra ¹⁷²,
 E. Sanzani ^{24b,24a}, K.A. Saoucha ¹⁶³, J.G. Saraiva ^{133a,133d}, J. Sardain ⁷, O. Sasaki ⁸⁵,
 K. Sato ¹⁶⁰, C. Sauer ^{64b}, E. Sauvan ⁴, P. Savard ^{158,ad}, R. Sawada ¹⁵⁶, C. Sawyer ¹³⁷,
 L. Sawyer ⁹⁹, C. Sbarra ^{24b}, A. Sbrizzi ^{24b,24a}, T. Scanlon ⁹⁸, J. Schaarschmidt ¹⁴¹,
 U. Schäfer ¹⁰², A.C. Schaffer ^{67,45}, D. Schaile ¹¹¹, R.D. Schamberger ¹⁴⁸, C. Scharf ¹⁹,
 M.M. Schefer ²⁰, V.A. Schegelsky ³⁸, D. Scheirich ¹³⁶, M. Schernau ¹⁶², C. Scheulen ⁵⁶,
 C. Schiavi ^{58b,58a}, M. Schioppa ^{44b,44a}, B. Schlag ^{146,m}, K.E. Schleicher ⁵⁵, S. Schlenker ³⁷,
 J. Schmeing ¹⁷⁴, M.A. Schmidt ¹⁷⁴, K. Schmieden ¹⁰², C. Schmitt ¹⁰², N. Schmitt ¹⁰²,
 S. Schmitt ⁴⁹, L. Schoeffel ¹³⁸, A. Schoening ^{64b}, P.G. Scholer ³⁵, E. Schopf ¹²⁹, M. Schott ²⁵,

J. Schovancova [id](#)³⁷, S. Schramm [id](#)⁵⁷, T. Schroer [id](#)⁵⁷, H-C. Schultz-Coulon [id](#)^{64a}, M. Schumacher [id](#)⁵⁵,
 B.A. Schumm [id](#)¹³⁹, Ph. Schune [id](#)¹³⁸, A.J. Schuy [id](#)¹⁴¹, H.R. Schwartz [id](#)¹³⁹, A. Schwartzman [id](#)¹⁴⁶,
 T.A. Schwarz [id](#)¹⁰⁸, Ph. Schwemling [id](#)¹³⁸, R. Schwienhorst [id](#)¹⁰⁹, F.G. Sciacca [id](#)²⁰, A. Sciandra [id](#)³⁰,
 G. Sciolla [id](#)²⁷, F. Scuri [id](#)^{75a}, C.D. Sebastiani [id](#)⁹⁴, K. Sedlaczek [id](#)¹¹⁸, S.C. Seidel [id](#)¹¹⁵, A. Seiden [id](#)¹³⁹,
 B.D. Seidlitz [id](#)⁴², C. Seitz [id](#)⁴⁹, J.M. Seixas [id](#)^{84b}, G. Sekhniaidze [id](#)^{73a}, L. Selem [id](#)⁶¹,
 N. Semprini-Cesari [id](#)^{24b,24a}, D. Sengupta [id](#)⁵⁷, V. Senthilkumar [id](#)¹⁶⁶, L. Serin [id](#)⁶⁷, M. Sessa [id](#)^{77a,77b},
 H. Severini [id](#)¹²³, F. Sforza [id](#)^{58b,58a}, A. Sfyra [id](#)⁵⁷, Q. Sha [id](#)¹⁴, E. Shabalina [id](#)⁵⁶, A.H. Shah [id](#)³³,
 R. Shaheen [id](#)¹⁴⁷, J.D. Shahinian [id](#)¹³¹, D. Shaked Renous [id](#)¹⁷², L.Y. Shan [id](#)¹⁴, M. Shapiro [id](#)^{18a},
 A. Sharma [id](#)³⁷, A.S. Sharma [id](#)¹⁶⁷, P. Sharma [id](#)⁸¹, P.B. Shatalov [id](#)³⁸, K. Shaw [id](#)¹⁴⁹, S.M. Shaw [id](#)¹⁰³,
 Q. Shen [id](#)^{63c}, D.J. Sheppard [id](#)¹⁴⁵, P. Sherwood [id](#)⁹⁸, L. Shi [id](#)⁹⁸, X. Shi [id](#)¹⁴, S. Shimizu [id](#)⁸⁵,
 C.O. Shimmin [id](#)¹⁷⁵, J.D. Shinner [id](#)⁹⁷, I.P.J. Shipsey [id](#)¹²⁹, S. Shirabe [id](#)⁹⁰, M. Shiyakova [id](#)^{39,u},
 M.J. Shochet [id](#)⁴⁰, D.R. Shope [id](#)¹²⁸, B. Shrestha [id](#)¹²³, S. Shrestha [id](#)^{122,ag}, M.J. Shroff [id](#)¹⁶⁸,
 P. Sicho [id](#)¹³⁴, A.M. Sickles [id](#)¹⁶⁵, E. Sideras Haddad [id](#)^{34g}, A.C. Sidley [id](#)¹¹⁷, A. Sidoti [id](#)^{24b},
 F. Siegert [id](#)⁵¹, Dj. Sijacki [id](#)¹⁶, F. Sili [id](#)⁹², J.M. Silva [id](#)⁵³, I. Silva Ferreira [id](#)^{84b}, M.V. Silva Oliveira [id](#)³⁰,
 S.B. Silverstein [id](#)^{48a}, S. Simion [id](#)⁶⁷, R. Simoniello [id](#)³⁷, E.L. Simpson [id](#)¹⁰³, H. Simpson [id](#)¹⁴⁹,
 L.R. Simpson [id](#)¹⁰⁸, N.D. Simpson [id](#)¹⁰⁰, S. Simsek [id](#)⁸³, S. Sindhu [id](#)⁵⁶, P. Sinervo [id](#)¹⁵⁸, S. Singh [id](#)¹⁵⁸,
 S. Sinha [id](#)⁴⁹, S. Sinha [id](#)¹⁰³, M. Sioli [id](#)^{24b,24a}, I. Siral [id](#)³⁷, E. Sitnikova [id](#)⁴⁹, J. Sjölin [id](#)^{48a,48b},
 A. Skaf [id](#)⁵⁶, E. Skorda [id](#)²¹, P. Skubic [id](#)¹²³, M. Slawinska [id](#)⁸⁸, V. Smakhtin [id](#)¹⁷², B.H. Smart [id](#)¹³⁷,
 S.Yu. Smirnov [id](#)³⁸, Y. Smirnov [id](#)³⁸, L.N. Smirnova [id](#)^{38,a}, O. Smirnova [id](#)¹⁰⁰, A.C. Smith [id](#)⁴²,
 D.R. Smith [id](#)¹⁶², E.A. Smith [id](#)⁴⁰, H.A. Smith [id](#)¹²⁹, J.L. Smith [id](#)¹⁰³, R. Smith [id](#)¹⁴⁶, M. Smizanska [id](#)⁹³,
 K. Smolek [id](#)¹³⁵, A.A. Snesarev [id](#)³⁸, S.R. Snider [id](#)¹⁵⁸, H.L. Snoek [id](#)¹¹⁷, S. Snyder [id](#)³⁰, R. Sobie [id](#)^{168,w},
 A. Soffer [id](#)¹⁵⁴, C.A. Solans Sanchez [id](#)³⁷, E.Yu. Soldatov [id](#)³⁸, U. Soldevila [id](#)¹⁶⁶, A.A. Solodkov [id](#)³⁸,
 S. Solomon [id](#)²⁷, A. Soloshenko [id](#)³⁹, K. Solovieva [id](#)⁵⁵, O.V. Solovyanov [id](#)⁴¹, P. Sommer [id](#)³⁷,
 A. Sonay [id](#)¹³, W.Y. Song [id](#)^{159b}, A. Sopczak [id](#)¹³⁵, A.L. Sopio [id](#)⁹⁸, F. Sopkova [id](#)^{29b}, J.D. Sorenson [id](#)¹¹⁵,
 I.R. Sotarriva Alvarez [id](#)¹⁵⁷, V. Sothilingam [id](#)^{64a}, O.J. Soto Sandoval [id](#)^{140c,140b}, S. Sottocornola [id](#)⁶⁹,
 R. Soualah [id](#)¹⁶³, Z. Soumami [id](#)^{36e}, D. South [id](#)⁴⁹, N. Soybelman [id](#)¹⁷², S. Spagnolo [id](#)^{71a,71b},
 M. Spalla [id](#)¹¹², D. Sperlich [id](#)⁵⁵, G. Spigo [id](#)³⁷, S. Spinali [id](#)⁹³, B. Spisso [id](#)^{73a,73b}, D.P. Spiteri [id](#)⁶⁰,
 M. Spousta [id](#)¹³⁶, E.J. Staats [id](#)³⁵, R. Stamen [id](#)^{64a}, A. Stampekis [id](#)²¹, M. Standke [id](#)²⁵, E. Stanecka [id](#)⁸⁸,
 W. Stanek-Maslouska [id](#)⁴⁹, M.V. Stange [id](#)⁵¹, B. Stanislaus [id](#)^{18a}, M.M. Stanitzki [id](#)⁴⁹, B. Stapf [id](#)⁴⁹,
 E.A. Starchenko [id](#)³⁸, G.H. Stark [id](#)¹³⁹, J. Stark [id](#)⁹¹, P. Staroba [id](#)¹³⁴, P. Starovoitov [id](#)^{64a}, S. Stärz [id](#)¹⁰⁶,
 R. Staszewski [id](#)⁸⁸, G. Stavropoulos [id](#)⁴⁷, P. Steinberg [id](#)³⁰, B. Stelzer [id](#)^{145,159a}, H.J. Stelzer [id](#)¹³²,
 O. Stelzer-Chilton [id](#)^{159a}, H. Stenzel [id](#)⁵⁹, T.J. Stevenson [id](#)¹⁴⁹, G.A. Stewart [id](#)³⁷, J.R. Stewart [id](#)¹²⁴,
 M.C. Stockton [id](#)³⁷, G. Stoicea [id](#)^{28b}, M. Stolarski [id](#)^{133a}, S. Stonjek [id](#)¹¹², A. Straessner [id](#)⁵¹,
 J. Strandberg [id](#)¹⁴⁷, S. Strandberg [id](#)^{48a,48b}, M. Stratmann [id](#)¹⁷⁴, M. Strauss [id](#)¹²³, T. Strebler [id](#)¹⁰⁴,
 P. Strizenc [id](#)^{29b}, R. Ströhmer [id](#)¹⁶⁹, D.M. Strom [id](#)¹²⁶, R. Stroynowski [id](#)⁴⁵, A. Strubig [id](#)^{48a,48b},
 S.A. Stucci [id](#)³⁰, B. Stugu [id](#)¹⁷, J. Stupak [id](#)¹²³, N.A. Styles [id](#)⁴⁹, D. Su [id](#)¹⁴⁶, S. Su [id](#)^{63a}, W. Su [id](#)^{63d},
 X. Su [id](#)^{63a}, D. Suchy [id](#)^{29a}, K. Sugizaki [id](#)¹⁵⁶, V.V. Sulin [id](#)³⁸, M.J. Sullivan [id](#)⁹⁴, D.M.S. Sultan [id](#)¹²⁹,
 L. Sultanaliyeva [id](#)³⁸, S. Sultansoy [id](#)^{3b}, T. Sumida [id](#)⁸⁹, S. Sun [id](#)¹⁷³, O. Sunneborn Gudnadottir [id](#)¹⁶⁴,
 N. Sur [id](#)¹⁰⁴, M.R. Sutton [id](#)¹⁴⁹, H. Suzuki [id](#)¹⁶⁰, M. Svatos [id](#)¹³⁴, M. Swiatlowski [id](#)^{159a}, T. Swirski [id](#)¹⁶⁹,
 I. Sykora [id](#)^{29a}, M. Sykora [id](#)¹³⁶, T. Sykora [id](#)¹³⁶, D. Ta [id](#)¹⁰², K. Tackmann [id](#)^{49,t}, A. Taffard [id](#)¹⁶²,
 R. Tafirout [id](#)^{159a}, J.S. Tafoya Vargas [id](#)⁶⁷, Y. Takubo [id](#)⁸⁵, M. Talby [id](#)¹⁰⁴, A.A. Talyshev [id](#)³⁸,
 K.C. Tam [id](#)^{65b}, N.M. Tamir [id](#)¹⁵⁴, A. Tanaka [id](#)¹⁵⁶, J. Tanaka [id](#)¹⁵⁶, R. Tanaka [id](#)⁶⁷, M. Tanasini [id](#)¹⁴⁸,
 Z. Tao [id](#)¹⁶⁷, S. Tapia Araya [id](#)^{140f}, S. Tapprogge [id](#)¹⁰², A. Tarek Abouelfadl Mohamed [id](#)¹⁰⁹,
 S. Tarem [id](#)¹⁵³, K. Tariq [id](#)¹⁴, G. Tarna [id](#)^{28b}, G.F. Tartarelli [id](#)^{72a}, M.J. Tartarin [id](#)⁹¹, P. Tas [id](#)¹³⁶,
 M. Tasevsky [id](#)¹³⁴, E. Tassi [id](#)^{44b,44a}, A.C. Tate [id](#)¹⁶⁵, G. Tateno [id](#)¹⁵⁶, Y. Tayalati [id](#)^{36e,v}, G.N. Taylor [id](#)¹⁰⁷,
 W. Taylor [id](#)^{159b}, R. Teixeira De Lima [id](#)¹⁴⁶, P. Teixeira-Dias [id](#)⁹⁷, J.J. Teoh [id](#)¹⁵⁸, K. Terashi [id](#)¹⁵⁶,
 J. Terron [id](#)¹⁰¹, S. Terzo [id](#)¹³, M. Testa [id](#)⁵⁴, R.J. Teuscher [id](#)^{158,w}, A. Thaler [id](#)⁸⁰, O. Theiner [id](#)⁵⁷,

N. Themistokleous ⁵³, T. Thevenaux-Pelzer ¹⁰⁴, O. Thielmann ¹⁷⁴, D.W. Thomas ⁹⁷,
 J.P. Thomas ²¹, E.A. Thompson ^{18a}, P.D. Thompson ²¹, E. Thomson ¹³¹, R.E. Thornberry ⁴⁵,
 C. Tian ^{63a}, Y. Tian ⁵⁶, V. Tikhomirov ^{38,a}, Yu.A. Tikhonov ³⁸, S. Timoshenko ³⁸,
 D. Timoshyn ¹³⁶, E.X.L. Ting ¹, P. Tipton ¹⁷⁵, A. Tishelman-Charny ³⁰, S.H. Tlou ^{34g},
 K. Todome ¹⁵⁷, S. Todorova-Nova ¹³⁶, S. Todt ⁵¹, L. Toffolin ^{70a,70c}, M. Togawa ⁸⁵, J. Tojo ⁹⁰,
 S. Tokár ^{29a}, K. Tokushuku ⁸⁵, O. Toldaiev ⁶⁹, R. Tombs ³³, M. Tomoto ^{85,113},
 L. Tompkins ^{146,m}, K.W. Topolnicki ^{87b}, E. Torrence ¹²⁶, H. Torres ⁹¹, E. Torró Pastor ¹⁶⁶,
 M. Toscani ³¹, C. Tosciri ⁴⁰, M. Tost ¹¹, D.R. Tovey ¹⁴², I.S. Trandafir ^{28b}, T. Trefzger ¹⁶⁹,
 A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvold ¹³⁰, D.A. Trischuk ²⁷, B. Trocmé ⁶¹,
 A. Tropina ³⁹, L. Truong ^{34c}, M. Trzebinski ⁸⁸, A. Trzupiek ⁸⁸, F. Tsai ¹⁴⁸, M. Tsai ¹⁰⁸,
 A. Tsiamis ^{155,d}, P.V. Tsiarehka ³⁸, S. Tsigaridas ^{159a}, A. Tsirigotis ^{155,r}, V. Tsiskaridze ¹⁵⁸,
 E.G. Tskhadadze ^{152a}, M. Tsopoulou ¹⁵⁵, Y. Tsujikawa ⁸⁹, I.I. Tsukerman ³⁸, V. Tsulaia ^{18a},
 S. Tsuno ⁸⁵, K. Tsuri ¹²¹, D. Tsybychev ¹⁴⁸, Y. Tu ^{65b}, A. Tudorache ^{28b}, V. Tudorache ^{28b},
 A.N. Tuna ⁶², S. Turchikhin ^{58b,58a}, I. Turk Cakir ^{3a}, R. Turra ^{72a}, T. Turtuvshin ^{39,x},
 P.M. Tuts ⁴², S. Tzamarias ^{155,d}, E. Tzovara ¹⁰², F. Ukegawa ¹⁶⁰, P.A. Ulloa Poblete ^{140c,140b},
 E.N. Umaka ³⁰, G. Unal ³⁷, A. Undrus ³⁰, G. Unel ¹⁶², J. Urban ^{29b}, P. Urrejola ^{140a},
 G. Usai ⁸, R. Ushioda ¹⁵⁷, M. Usman ¹¹⁰, Z. Uysal ⁸³, V. Vacek ¹³⁵, B. Vachon ¹⁰⁶,
 T. Vafeiadis ³⁷, A. Vaitkus ⁹⁸, C. Valderanis ¹¹¹, E. Valdes Santurio ^{48a,48b}, M. Valente ^{159a},
 S. Valentinetti ^{24b,24a}, A. Valero ¹⁶⁶, E. Valiente Moreno ¹⁶⁶, A. Vallier ⁹¹, J.A. Valls Ferrer ¹⁶⁶,
 D.R. Van Arneeman ¹¹⁷, T.R. Van Daalen ¹⁴¹, A. Van Der Graaf ⁵⁰, P. Van Gemmeren ⁶,
 M. Van Rijnbach ³⁷, S. Van Stroud ⁹⁸, I. Van Vulpen ¹¹⁷, P. Vana ¹³⁶, M. Vanadia ^{77a,77b},
 W. Vandelli ³⁷, E.R. Vandewall ¹²⁴, D. Vannicola ¹⁵⁴, L. Vannoli ⁵⁴, R. Vari ^{76a}, E.W. Varnes ⁷,
 C. Varni ^{18b}, T. Varol ¹⁵¹, D. Varouchas ⁶⁷, L. Varriale ¹⁶⁶, K.E. Varvell ¹⁵⁰, M.E. Vasile ^{28b},
 L. Vaslin ⁸⁵, G.A. Vasquez ¹⁶⁸, A. Vasyukov ³⁹, L.M. Vaughan ¹²⁴, R. Vavricka ¹⁰²,
 T. Vazquez Schroeder ³⁷, J. Veatch ³², V. Vecchio ¹⁰³, M.J. Veen ¹⁰⁵, I. Veliscek ³⁰,
 L.M. Veloce ¹⁵⁸, F. Veloso ^{133a,133c}, S. Veneziano ^{76a}, A. Ventura ^{71a,71b}, S. Ventura Gonzalez ¹³⁸,
 A. Verbytskyi ¹¹², M. Verducci ^{75a,75b}, C. Vergis ⁹⁶, M. Verissimo De Araujo ^{84b},
 W. Verkerke ¹¹⁷, J.C. Vermeulen ¹¹⁷, C. Vernieri ¹⁴⁶, M. Vessella ¹⁰⁵, M.C. Vetterli ^{145,ad},
 A. Vgenopoulos ¹⁰², N. Viaux Maira ^{140f}, T. Vickey ¹⁴², O.E. Vickey Boeriu ¹⁴²,
 G.H.A. Viehhauser ¹²⁹, L. Vigani ^{64b}, M. Vigil ¹¹², M. Villa ^{24b,24a}, M. Villaplana Perez ¹⁶⁶,
 E.M. Villhauer ⁵³, E. Vilucchi ⁵⁴, M.G. Vincter ³⁵, A. Visibile ¹¹⁷, C. Vittori ³⁷, I. Vivarelli ^{24b,24a},
 E. Voevodina ¹¹², F. Vogel ¹¹¹, J.C. Voigt ⁵¹, P. Vokac ¹³⁵, Yu. Volkotrub ^{87b}, J. Von Ahnen ⁴⁹,
 E. Von Toerne ²⁵, B. Vormwald ³⁷, V. Vorobel ¹³⁶, K. Vorobev ³⁸, M. Vos ¹⁶⁶, K. Voss ¹⁴⁴,
 M. Vozak ¹¹⁷, L. Vozdecky ¹²³, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, M. Vreeswijk ¹¹⁷,
 N.K. Vu ^{63d,63c}, R. Vuillermet ³⁷, O. Vujanovic ¹⁰², I. Vukotic ⁴⁰, S. Wada ¹⁶⁰, C. Wagner ¹⁰⁵,
 J.M. Wagner ^{18a}, W. Wagner ¹⁷⁴, S. Wahdan ¹⁷⁴, H. Wahlberg ⁹², M. Wakida ¹¹³, J. Walder ¹³⁷,
 R. Walker ¹¹¹, W. Walkowiak ¹⁴⁴, A. Wall ¹³¹, E.J. Wallin ¹⁰⁰, T. Wamorkar ⁶, A.Z. Wang ¹³⁹,
 C. Wang ¹⁰², C. Wang ¹¹, H. Wang ^{18a}, J. Wang ^{65c}, P. Wang ⁹⁸, R. Wang ⁶², R. Wang ⁶,
 S.M. Wang ¹⁵¹, S. Wang ^{63b}, S. Wang ¹⁴, T. Wang ^{63a}, W.T. Wang ⁸¹, W. Wang ¹⁴,
 X. Wang ^{114a}, X. Wang ¹⁶⁵, X. Wang ^{63c}, Y. Wang ^{63d}, Y. Wang ^{114a}, Y. Wang ^{63a},
 Z. Wang ¹⁰⁸, Z. Wang ^{63d,52,63c}, Z. Wang ¹⁰⁸, A. Warburton ¹⁰⁶, R.J. Ward ²¹, N. Warrack ⁶⁰,
 S. Waterhouse ⁹⁷, A.T. Watson ²¹, H. Watson ⁶⁰, M.F. Watson ²¹, E. Watton ^{60,137}, G. Watts ¹⁴¹,
 B.M. Waugh ⁹⁸, J.M. Webb ⁵⁵, C. Weber ³⁰, H.A. Weber ¹⁹, M.S. Weber ²⁰, S.M. Weber ^{64a},
 C. Wei ^{63a}, Y. Wei ⁵⁵, A.R. Weidberg ¹²⁹, E.J. Weik ¹²⁰, J. Weingarten ⁵⁰, C. Weiser ⁵⁵,
 C.J. Wells ⁴⁹, T. Wenaus ³⁰, B. Wendland ⁵⁰, T. Wengler ³⁷, N.S. Wenke ¹¹², N. Wermes ²⁵,
 M. Wessels ^{64a}, A.M. Wharton ⁹³, A.S. White ⁶², A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶²,
 L. Wickremasinghe ¹²⁷, W. Wiedenmann ¹⁷³, M. Wielers ¹³⁷, C. Wiglesworth ⁴³, D.J. Wilbern ¹²³,

H.G. Wilkens , J.J.H. Wilkinson , D.M. Williams , H.H. Williams¹³¹, S. Williams , S. Willocq , B.J. Wilson , P.J. Windischhofer , F.I. Winkel , F. Winklmeier , B.T. Winter , J.K. Winter , M. Wittgen¹⁴⁶, M. Wobisch , T. Wojtkowski⁶¹, Z. Wolffs , J. Wollrath¹⁶², M.W. Wolter , H. Wolters , M.C. Wong¹³⁹, E.L. Woodward , S.D. Worm , B.K. Wosiek , K.W. Woźniak , S. Wozniewski , K. Wraight , C. Wu , M. Wu , M. Wu , S.L. Wu , X. Wu , Y. Wu , Z. Wu , J. Wuerzinger , T.R. Wyatt , B.M. Wynne , S. Xella , L. Xia , M. Xia , M. Xie , S. Xin , A. Xiong , J. Xiong , D. Xu , H. Xu , L. Xu , R. Xu , T. Xu , Y. Xu , Z. Xu , Z. Xu^{114a}, B. Yabsley , S. Yacoub , Y. Yamaguchi , E. Yamashita , H. Yamauchi , T. Yamazaki , Y. Yamazaki , J. Yan^{63c}, S. Yan , Z. Yan , H.J. Yang , H.T. Yang , S. Yang , T. Yang , X. Yang , X. Yang , Y. Yang , Y. Yang^{63a}, Z. Yang , W-M. Yao , H. Ye , H. Ye , J. Ye , S. Ye , X. Ye , Y. Yeh , I. Yeletsikh , B.K. Yeo , M.R. Yexley , T.P. Yildirim , P. Yin , K. Yorita , S. Younas , C.J.S. Young , C. Young , C. Yu , Y. Yu , J. Yuan , M. Yuan , R. Yuan , L. Yue , M. Zaazoua , B. Zabinski , E. Zaid⁵³, Z.K. Zak , T. Zakareishvili , S. Zambito , J.A. Zamora Saa , J. Zang , D. Zanzi , O. Zaplatilek , C. Zeitnitz , H. Zeng , J.C. Zeng , D.T. Zenger Jr , O. Zenin , T. Ženiš , S. Zenz , S. Zerradi , D. Zerwas , M. Zhai , D.F. Zhang , J. Zhang , J. Zhang , K. Zhang , L. Zhang , L. Zhang , P. Zhang , R. Zhang , S. Zhang , S. Zhang , T. Zhang , X. Zhang , X. Zhang , Y. Zhang , Y. Zhang , Y. Zhang , Z. Zhang , Z. Zhang , Z. Zhang , H. Zhao , T. Zhao , Y. Zhao , Z. Zhao , Z. Zhao , A. Zhemchugov , J. Zheng , K. Zheng , X. Zheng , Z. Zheng , D. Zhong , B. Zhou , H. Zhou , N. Zhou , Y. Zhou¹⁵, Y. Zhou , Y. Zhou⁷, C.G. Zhu , J. Zhu , X. Zhu^{63d}, Y. Zhu , Y. Zhu , X. Zhuang , K. Zhukov , N.I. Zimine , J. Zinsser , M. Ziolkowski , L. Živković , A. Zoccoli , K. Zoch , T.G. Zorbas , O. Zormpa , W. Zou , L. Zwalinski .

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

^{3(a)}Department of Physics, Ankara University, Ankara; ^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; China.

¹⁵Physics Department, Tsinghua University, Beijing; China.

¹⁶Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁷Department for Physics and Technology, University of Bergen, Bergen; Norway.

- ¹⁸(*a*) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (*b*) University of California, Berkeley CA; United States of America.
- ¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²¹School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²²(*a*) Department of Physics, Bogazici University, Istanbul; (*b*) Department of Physics Engineering, Gaziantep University, Gaziantep; (*c*) Department of Physics, Istanbul University, Istanbul; Türkiye.
- ²³(*a*) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (*b*) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²⁴(*a*) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (*b*) INFN Sezione di Bologna; Italy.
- ²⁵Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁶Department of Physics, Boston University, Boston MA; United States of America.
- ²⁷Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁸(*a*) Transilvania University of Brasov, Brasov; (*b*) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (*c*) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (*d*) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (*e*) National University of Science and Technology Politehnica, Bucharest; (*f*) West University in Timisoara, Timisoara; (*g*) Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁹(*a*) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (*b*) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ³⁰Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³¹Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³²California State University, CA; United States of America.
- ³³Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³⁴(*a*) Department of Physics, University of Cape Town, Cape Town; (*b*) iThemba Labs, Western Cape; (*c*) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (*d*) National Institute of Physics, University of the Philippines Diliman (Philippines); (*e*) University of South Africa, Department of Physics, Pretoria; (*f*) University of Zululand, KwaDlangezwa; (*g*) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁵Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁶(*a*) Faculté des Sciences Ain Chock, Université Hassan II de Casablanca; (*b*) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (*c*) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (*d*) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (*e*) Faculté des sciences, Université Mohammed V, Rabat; (*f*) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁷CERN, Geneva; Switzerland.
- ³⁸Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁹Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ⁴⁰Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴¹LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴²Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴³Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴⁴(*a*) Dipartimento di Fisica, Università della Calabria, Rende; (*b*) INFN Gruppo Collegato di Cosenza,

Laboratori Nazionali di Frascati; Italy.

⁴⁵Physics Department, Southern Methodist University, Dallas TX; United States of America.

⁴⁶Physics Department, University of Texas at Dallas, Richardson TX; United States of America.

⁴⁷National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

⁴⁸(^a) Department of Physics, Stockholm University; (^b) Oskar Klein Centre, Stockholm; Sweden.

⁴⁹Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.

⁵⁰Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.

⁵¹Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.

⁵²Department of Physics, Duke University, Durham NC; United States of America.

⁵³SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.

⁵⁴INFN e Laboratori Nazionali di Frascati, Frascati; Italy.

⁵⁵Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

⁵⁶II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.

⁵⁷Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

⁵⁸(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.

⁵⁹II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.

⁶⁰SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.

⁶¹LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.

⁶²Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.

⁶³(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; (^e) School of Physics and Microelectronics, Zhengzhou University; China.

⁶⁴(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.

⁶⁵(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.

⁶⁶Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.

⁶⁷IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.

⁶⁸Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.

⁶⁹Department of Physics, Indiana University, Bloomington IN; United States of America.

⁷⁰(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.

⁷¹(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.

⁷²(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.

⁷³(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.

⁷⁴(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.

⁷⁵(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.

⁷⁶(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.

⁷⁷(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.

⁷⁸(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.

- ⁷⁹(*a*) INFN-TIFPA; (*b*) Università degli Studi di Trento, Trento; Italy.
- ⁸⁰Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸¹University of Iowa, Iowa City IA; United States of America.
- ⁸²Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸³Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸⁴(*a*) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (*b*) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (*c*) Instituto de Física, Universidade de São Paulo, São Paulo; (*d*) Rio de Janeiro State University, Rio de Janeiro; (*e*) Federal University of Bahia, Bahia; Brazil.
- ⁸⁵KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁶Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁷(*a*) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (*b*) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁸Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁹Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁹⁰Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹¹L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ⁹²Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹³Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹⁴Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹⁵Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁶School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁷Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁸Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁹Louisiana Tech University, Ruston LA; United States of America.
- ¹⁰⁰Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ¹⁰¹Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰²Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰³School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰⁴CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰⁵Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁶Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁷School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁸Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁹Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹¹⁰Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹¹¹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹²Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹³Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹⁴(*a*) Department of Physics, Nanjing University, Nanjing; (*b*) School of Science, Shenzhen Campus of Sun Yat-sen University; (*c*) University of Chinese Academy of Science (UCAS), Beijing; China.
- ¹¹⁵Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹⁶Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen;

Netherlands.

¹¹⁷Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.

¹¹⁸Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

¹¹⁹(^a)New York University Abu Dhabi, Abu Dhabi;(^b)United Arab Emirates University, Al Ain; United Arab Emirates.

¹²⁰Department of Physics, New York University, New York NY; United States of America.

¹²¹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

¹²²Ohio State University, Columbus OH; United States of America.

¹²³Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.

¹²⁴Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

¹²⁵Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.

¹²⁶Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.

¹²⁷Graduate School of Science, Osaka University, Osaka; Japan.

¹²⁸Department of Physics, University of Oslo, Oslo; Norway.

¹²⁹Department of Physics, Oxford University, Oxford; United Kingdom.

¹³⁰LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.

¹³¹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.

¹³²Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.

¹³³(^a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;(^b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;(^c)Departamento de Física, Universidade de Coimbra, Coimbra;(^d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;(^e)Departamento de Física, Universidade do Minho, Braga;(^f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);(^g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.

¹³⁴Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.

¹³⁵Czech Technical University in Prague, Prague; Czech Republic.

¹³⁶Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.

¹³⁷Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.

¹³⁸IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.

¹³⁹Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.

¹⁴⁰(^a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;(^b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;(^c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;(^d)Universidad Andres Bello, Department of Physics, Santiago;(^e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;(^f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹⁴¹Department of Physics, University of Washington, Seattle WA; United States of America.

¹⁴²Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹⁴³Department of Physics, Shinshu University, Nagano; Japan.

¹⁴⁴Department Physik, Universität Siegen, Siegen; Germany.

¹⁴⁵Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴⁶SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴⁷Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

- ¹⁴⁸Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁹Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁵⁰School of Physics, University of Sydney, Sydney; Australia.
- ¹⁵¹Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵²(^a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (^b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (^c) University of Georgia, Tbilisi; Georgia.
- ¹⁵³Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵⁴Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵⁵Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁶International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁷Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁸Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁹(^a) TRIUMF, Vancouver BC; (^b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁶⁰Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁶¹Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶²Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶³University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶⁴Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶⁵Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁶Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁷Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁸Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁹Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁷⁰Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁷¹Waseda University, Tokyo; Japan.
- ¹⁷²Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷³Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁴Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷⁵Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^e Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^f Also at CERN, Geneva; Switzerland.
- ^g Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC); Azerbaijan.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

- j* Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- k* Also at Department of Physics, California State University, Sacramento; United States of America.
- l* Also at Department of Physics, King's College London, London; United Kingdom.
- m* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- n* Also at Department of Physics, Stellenbosch University; South Africa.
- o* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- p* Also at Department of Physics, University of Thessaly; Greece.
- q* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- r* Also at Hellenic Open University, Patras; Greece.
- s* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- t* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- u* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- v* Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- w* Also at Institute of Particle Physics (IPP); Canada.
- x* Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia.
- y* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- z* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- aa* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ab* Also at Technical University of Munich, Munich; Germany.
- ac* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ad* Also at TRIUMF, Vancouver BC; Canada.
- ae* Also at Università di Napoli Parthenope, Napoli; Italy.
- af* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ag* Also at Washington College, Chestertown, MD; United States of America.
- ah* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased