

Observation of electroweak production of W^+W^- in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A measurement of the production of W bosons with opposite electric charges in association with two jets is presented based on 140 fb^{-1} of data collected by the ATLAS detector in proton-proton collisions at $\sqrt{s} = 13$ TeV. The analysis is sensitive to the scattering of W bosons, which is of particular interest in the ATLAS physics programme as it can be used to probe the electroweak symmetry breaking mechanism of the Standard Model. This signal is observed with a significance of 7.1 standard deviations above the background expectation, while 6.2 standard deviations were expected. The measured cross-section is determined in a signal-enriched fiducial volume and is found to be $2.7 \pm 0.5\text{ fb}$, which is consistent with the theoretical prediction of $2.20^{+0.14}_{-0.13}\text{ fb}$.

KEYWORDS: Hadron-Hadron Scattering

ARXIV EPRINT: [2403.04869](https://arxiv.org/abs/2403.04869)

Contents

1	Introduction	1
2	ATLAS detector	3
3	Data and simulated event samples	3
4	Event selection	5
5	Neural network discriminant	7
6	Background determination	9
7	Uncertainties	10
8	Signal extraction and cross-section measurement	14
9	Conclusion	17
	The ATLAS collaboration	24

1 Introduction

The scattering of W bosons can be used to probe the electroweak (EWK) symmetry breaking mechanism of the Standard Model (SM). Without a SM Higgs boson, the scattering of longitudinally polarised W bosons yields a cross-section that violates unitarity at high centre-of-mass energy [1]. Should either the triple or quartic gauge couplings for these processes prove to be inconsistent with the SM prediction, it will point towards the necessity for a new description of the EWK sector of the SM [2].

This paper presents the observation by the ATLAS Collaboration of the EWK production of W^+W^- in association with two jets (EWK W^+W^-jj), which includes the scattering of W bosons with opposite electric charges. This analysis is carried out with 140 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$ from LHC Run 2. The CMS Collaboration previously observed this process using 138 fb^{-1} of data [3]. The signal is characterised by one W boson decaying into an electron and an electron neutrino, and the other decaying into a muon and a muon neutrino. This decay channel is chosen for its enhanced detection sensitivity over a final state with leptons of the same flavour. In this vector boson scattering (VBS) scenario, the scattered W bosons are radiated from the quarks that initiate the hard interaction, so that the final state particles of the process at leading order (LO) in the strong coupling constant consist of two quarks that hadronise into jets, an electron, a muon, and two neutrinos that manifest as missing transverse energy ($E_{\text{T}}^{\text{miss}}$) in the ATLAS detector. Tree-level Feynman diagrams for the processes included in the signal are shown in figure 1.




Figure 1. Examples of tree-level Feynman diagrams for the electroweak production of W^+W^-jj events via the vector boson scattering of two W bosons radiated from the initial partons. The (a) quartic coupling of the W bosons, (b) s -channel and (c) t -channel diagrams are illustrated.




Figure 2. Examples of tree-level Feynman diagrams for the two main backgrounds: (a) $t\bar{t}$ and (b) strong W^+W^-jj .

Figure 1(a) illustrates the quartic coupling of the W bosons, while figures 1(b) and 1(c) represent the s -channel and t -channel VBS diagrams, respectively.

A discriminant based on a neural network (NN) is employed to distinguish the VBS signal from a large background dominated by the production of top quarks (in pairs or singly). This measurement is well suited to this approach due to the distinct kinematic correlations between the physics objects in the final state. In the VBS process, the radiation of the W bosons from the quarks provides them with a boost that results in jets with high transverse momentum (p_T) entering the forward regions of the detector. The colourless exchange between the W bosons leads to a deficit of hadronic activity in the central region of the detector compared to the background processes. Figure 2 displays the diagrams for the two leading backgrounds, namely the production of top quark pairs ($t\bar{t}$) and W^+W^-jj production by the strong interaction (strong W^+W^-jj).

2 ATLAS detector

The ATLAS experiment [4] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity within the region $|\eta| < 3.2$. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. The muon spectrometer includes a system of precision tracking chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. The luminosity is measured mainly by the LUCID-2 [5] detector, which is located close to the beam pipe. A two-level trigger system is used to select events [6]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [7] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The analysis is based on data collected by the ATLAS detector in proton-proton collisions at a centre-of-mass energy of 13 TeV during Run 2 of the LHC, between 2015 and 2018. After requiring the data to fulfil data quality criteria [8], the total luminosity of Run 2 amounts to 140 fb^{-1} , with an uncertainty of 0.83% [9].

Monte Carlo (MC) predictions of SM processes were produced using the ATLAS simulation infrastructure [10] that incorporates the complete GEANT4 [11] simulation of the ATLAS detector. The effect of multiple interactions in the same or nearby bunch crossing (pile-up) was simulated by generating a set of inelastic proton-proton collision events using PYTHIA 8.186 [12] with the A3 set of tuned parameters (tune) [13] and the NNPDF2.3 LO set of parton distribution functions (PDF) [14]. These events are then overlaid on top of the original hard-scatter signal and background events.

Signal W^+W^-jj events were modelled via a pure EWK prediction that incorporates diagrams of order $\mathcal{O}(\alpha_{\text{EWK}}^6)$ in perturbation theory. The Higgs boson contribution is

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln \left(\frac{E+p_z}{E-p_z} \right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

suppressed by a generator-level cut on the invariant mass of the decay leptons and neutrinos, while s -channel contributions are neglected. All the leptonic decays of the W boson are considered, with 11% of the signal events selected by the analysis involving at least one W boson decaying into a τ -lepton and a neutrino. Events were simulated with POWHEG BOX v2 [15–18] at next-to-leading order (NLO) in quantum chromodynamics (QCD) with the NNPDF3.0 NLO PDF set [19]. The sample was interfaced to PYTHIA 8.244 [20] for the parton shower using CTEQ6L1 PDF set [21] with the AZNLO tune [22] and the dipole recoil shower scheme, preventing the generation of excess central jet radiation [23].

The top-quark pair and single-top quark Wt production were modelled using the POWHEG BOX v2 [24] generator at NLO in QCD with the NNPDF3.0 PDF set. The events were interfaced to PYTHIA 8.230 for the parton shower, hadronisation, and underlying event, with parameters set according to the A14 tune [25] and using the NNPDF2.3 LO PDF set. The mass of the top quark was set to $m_{\text{top}} = 172.5$ GeV. The h_{damp} parameter² was set to $1.5 m_{\text{top}}$ for $t\bar{t}$ events. For Wt events, the four-flavour and five-flavour schemes were used to model the t -channel and the s -channel, respectively. The decays of bottom and charm hadrons were performed by EVTGEN 1.6.0 [26]. The $t\bar{t}$ sample was normalised to the cross-section predicted at next-to-next-to-leading order (NNLO) in QCD including the resummation of next-to-next-to-leading-logarithmic (NNLL) soft-gluon terms calculated using TOP++ 2.0 [27–33], while the Wt cross-section was corrected to the theory prediction calculated at NLO in QCD with NNLL soft-gluon corrections [34, 35].

The W^+W^- production in association with two jets, originating from the strong interaction $q\bar{q} \rightarrow W^+W^-$ and $gg \rightarrow W^+W^-jj$ processes (strong W^+W^-jj), was simulated with SHERPA 2.2.2 [36]. The former relies on matrix elements with up to one additional parton emission at NLO accuracy in QCD and up to three additional partons at LO, while the latter allows up to one additional parton at LO and includes off-shell effects and Higgs boson contributions. The virtual QCD correction was provided by the OPENLOOPS library [37, 38]. The process initiated by gluon-gluon fusion (gg) was normalised to a cross-section at NLO accuracy in QCD [39].

The strong production of Z/γ^* +jets events was simulated with SHERPA 2.2.1 using NLO matrix elements for up to two partons, and LO matrix elements for up to four partons, as calculated with the COMIX [40] and OPENLOOPS libraries.

The strong production of W +jets was simulated with MADGRAPH5_AMC@NLO [41] with up to four partons at LO in QCD. The sample was showered with PYTHIA 8.210 using the A14 tune and the NNPDF2.3 LO PDF set and the cross-section was normalised to the NNLO prediction from FEWZ [42].

The WZ and ZZ processes were simulated with POWHEG BOX v2 at NLO in QCD. The samples were showered with PYTHIA 8.210 using the CTEQ6L1 PDF set with the AZNLO tune. Only the strong production was considered, the weak production was found to be negligible. Leptonic decays of WWW , WWZ and ZZZ productions were modelled with SHERPA 2.2.2 using factorised gauge boson decays. Matrix elements were accurate at NLO in QCD for the

²The resummation damping factor that partly controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high-transverse-momentum radiation against which the $t\bar{t}$ system recoils.

inclusive process and at LO for up to two additional parton emissions. The virtual QCD correction for matrix elements was computed at NLO accuracy via the OPENLOOPS library. The WZ , ZZ , and triboson simulations are collectively referred to as ‘multiboson’ production.

Higgs boson production from gluon-gluon fusion was simulated with POWHEG NNLOPS [43, 44]. The prediction was normalised to the $N^3\text{LO}$ order cross-section in QCD and the NLO cross-section in EWK [45–55]. The sample was showered with PYTHIA 8.212 using PDF4LHC15 PDF set [56] with the AZNLO tune. Higgs boson production from vector boson scattering was simulated with POWHEG BOX v2 at NLO in QCD and interfaced to PYTHIA 8.230 for parton showering. Both samples described above are only used to tune the selection cuts, so that such events have a negligible contribution to the events selected in the analysis.

The matrix element calculations from all the samples generated with SHERPA were matched and merged with the parton shower from SHERPA [57] based on Catani-Seymour dipole factorisation using the MEPS@NLO prescription [58–60]. The NNPDF3.0 NNLO PDF set was used along with a dedicated set of tuned parton shower parameters developed by the authors of SHERPA.

4 Event selection

The candidate signal events are composed of W pairs produced in association with two or three jets, and decaying into an electron and a muon with opposite electric charges plus neutrinos. The analysis of this final state requires a proper reconstruction, calibration and selection of these physics objects.

The events considered in the analysis were recorded by requiring a combination of single electron and single muon triggers [61, 62]. The primary online electrons and muons considered are required to have a low p_T threshold ranging from 24 GeV to 26 GeV and from 20 GeV to 26 GeV, respectively. Furthermore, these leptons must satisfy a loose to tight lepton quality requirement, depending on the data taking period. Additional triggers with looser lepton identification criteria, and with p_T thresholds from 60 GeV to 140 GeV for electrons and from 50 GeV for muons, were used to increase the efficiency of the event selection. This exceeds 99% for candidate events fulfilling the selection criteria described in table 1.

Electrons are reconstructed from energy deposits in the calorimeter that are matched to tracks [63]. They are calibrated and required to have $|\eta| = 2.47$, excluding the transition region between the barrel and the endcaps of the EM calorimeter, namely $1.37 < |\eta| < 1.52$. Muons are reconstructed by combining the tracking information from the inner detector and the muon spectrometer [64]. They are calibrated and required to have $|\eta| = 2.5$. Selected electrons and muons must fulfil their respective **Tight** identification criteria, which relies on a likelihood in the case of electrons.

The primary vertex is selected from event candidates with the highest $\sum p_T^2$ of the associated tracks recorded in the inner detector with $p_T > 500$ MeV, and both leptons are required to originate from it. This requires the longitudinal impact parameter z_0 of the tracks associated with the leptons to satisfy $|z_0 \sin \theta| < 0.5$ mm and their transverse impact parameter significance d_0/σ_{d_0} to fulfil $|d_0/\sigma_{d_0}| < 5$ and < 3 , for electrons and muons, respectively. Leptons are further required to be isolated using information from the tracks

in the inner detector and from the energy clusters in the calorimeters in a cone around the lepton. The **Gradient** [65] criteria is used for electrons, while muons are isolated according to the **Tight_FixedRad** criteria, which is close to the **Tight** working point described in Reference [66], yet with improved background rejection for muon $p_T > 50$ GeV.

Jets are reconstructed using the anti- k_t clustering algorithm [67, 68] with a radius parameter of $R = 0.4$, and by using the particle flow reconstruction [69], which combines calorimeter deposits and tracks to determine jet properties. They are calibrated to account for the detector response, including a correction to their energy resolution [70]. Only jets within $|\eta| < 4.5$ are kept, and to suppress jets originating from additional proton-proton interactions, those with $p_T < 60$ GeV and $|\eta| < 2.4$ are required to satisfy a **tight** jet-vertex tagger working point [71]. Jets with $p_T > 20$ GeV and $|\eta| < 2.5$ originating from the decay of a b -hadron are identified (b -tagged) using the **DL1r** b -tagging algorithm [72, 73] at the 85% efficiency working point.

The p_T of the final state neutrinos can be inferred from the missing transverse momentum $\vec{p}_T^{\text{miss}}$ (with magnitude E_T^{miss}), which is reconstructed from the calibrated leptons and jets. The tracks from the inner detector that are not associated with a physics object are also considered in the determination of E_T^{miss} [74].

Candidate events are required to have a primary vertex associated with at least two tracks, to ensure a proton-proton collision occurred. Selected events are also required to contain at least one electron and one muon with $p_T > 27$ GeV and opposite electric charges. Events with any additional electron satisfying the **Loose** [65] isolation working point and likelihood-based **Tight** (if $10 \text{ GeV} < p_T < 25 \text{ GeV}$) or **Medium** [63] (if $p_T > 25 \text{ GeV}$) criteria, are rejected. Events containing an additional **Loose** muon with $p_T > 10$ GeV satisfying the **Loose** [64] isolation working point are also rejected.

Only events containing either two or three jets with $p_T > 25$ GeV are considered, as signal rates for higher multiplicities are significantly smaller. The centrality of the leptons relative to the two leading jets in p_T is defined as

$$\zeta = \text{centrality} = \min \{ [\min(\eta_{\ell_1}, \eta_{\ell_2}) - \min(\eta_{j_1}, \eta_{j_2})], [\max(\eta_{j_1}, \eta_{j_2}) - \max(\eta_{\ell_1}, \eta_{\ell_2})] \}, \quad (4.1)$$

where $\eta_{j_{1(2)}}$ and $\eta_{\ell_{1(2)}}$ are the leading (subleading) jet and lepton pseudorapidities, respectively. To enhance the signal to background ratio the centrality is required to exceed 0.5. Due to the relative arrangement of the leptons and jets in an EWK W^+W^-jj event, the signal process tends to produce events with a positive lepton centrality.

Events surviving all these requirements constitute an inclusive sample in which the final state objects are well measured and the kinematic features that distinguish the signal from background processes are exploited to improve the purity of the selected sample. The production of Higgs boson mediated W boson pairs via vector boson fusion is suppressed by discarding events with an invariant mass of the two leptons ($m_{e\mu}$) below 80 GeV, and Drell-Yan events are reduced by requiring the E_T^{miss} to be above 15 GeV and by focusing on the $e\mu$ decay channel for the decay of the W boson pair. The contribution of W boson pairs with the same electric charge is negligible given all the requirements above.

The definition of the signal region (SR) is completed by discarding events containing at least one b -jet, which suppresses the contribution from background processes involving

Category	Requirements
Leptons	$p_T > 27 \text{ GeV}$ $ \eta < 2.47$ excluding $1.37 < \eta < 1.52$ (electrons) $ \eta < 2.5$ (muons) Identification: Tight Isolation: Gradient (electrons), Tight_FixedRad (muons) $ d_0/\sigma_{d_0} < 5$ (electrons), $ d_0/\sigma_{d_0} < 3$ (muons) $ z_0 \sin \theta < 0.5 \text{ mm}$
<i>b</i> -jets	$p_T > 20 \text{ GeV}$ and $ \eta < 2.5$ (DL1r <i>b</i> -tagging with 85% efficiency)
Jets	$p_T > 25 \text{ GeV}$ and $ \eta < 4.5$
Events	One electron and one muon with opposite electric charges No additional lepton with $p_T > 10 \text{ GeV}$, Loose isolation, Tight/Medium (electrons) and Loose (muons) identification $m_{e\mu} > 80 \text{ GeV}$ $E_T^{\text{miss}} > 15 \text{ GeV}$ No <i>b</i> -jet Two or three jets $\zeta > 0.5$

Table 1. Selection cuts on physics objects and events that define the signal region.

top quark decays. Although the SR is designed to specifically suppress certain backgrounds, a small fraction of the EWK W^+W^-jj events survive the event selection. The kinematic requirements on the different objects considered are summarised in table 1, and the event yields for the different processes in the signal region, after the fit described in section 8, are provided in table 2, distinguishing between the two- and three-jet categories.

Finally, the discrimination between signal and background in the SR is performed by a NN, defined in section 5, which is used to extract the signal via a likelihood fit.

5 Neural network discriminant

A neural network is used to separate between the signal and the main remaining backgrounds from the SM, which constitute a large fraction of the SR. The discrimination power of the NN is improved by training it separately for SR events including exactly two or three jets, which differ by the radiation of an additional gluon in the case of signal. The training and evaluation of the NN are achieved with the Keras [75] library interfaced within TMVA [76], by only considering the dominant top quark and strong W^+W^-jj processes as backgrounds. The signal and the background samples are each split into a training and a testing components of equal sizes. Two hidden layers with 108 nodes on the first hidden layer and 60 on the second

Process	Event yields	
	$n_{\text{jets}} = 2$	$n_{\text{jets}} = 3$
EWK W^+W^-jj	158 ± 27	54 ± 13
$t\bar{t}$	2394 ± 194	1625 ± 125
Single top	491 ± 34	225 ± 21
Strong W^+W^-jj	1214 ± 256	514 ± 121
W +jets	37 ± 97	19 ± 48
Z +jets	216 ± 62	65 ± 25
Multiboson	101 ± 5	42 ± 3
SM prediction	4610 ± 77	2546 ± 48
Data	4610	2533

Table 2. The composition of the events in the signal region predicted by the SM and the total predicted yield compared with the data. The events are split into two categories, depending on the number of jets. The uncertainties include both statistical and systematic contributions, and correspond to the values after the likelihood fit described in section 8. The uncertainties in the total predictions are smaller than the individual component uncertainties due to correlations induced by the fit.

one are implemented. The output layer incorporates two neurons and the final output of the network takes values between 0 and 1. The optimisation of the hyperparameters, including the number of neurons and layers, is accomplished by maximizing the resulting area under the ROC curve,³ via a grid search. This figure of merit also influences the choice of the input variables to the NN, which are mostly weakly correlated between each other.

The set of input variables used in the two-jet category consists of the leading and subleading jet p_T , $m_{\ell\ell}$, ζ , the E_T^{miss} significance,⁴ the difference $\Delta\eta_{jj}$ between the pseudorapidities of the two leading jets, the azimuthal angle separation $\Delta\phi_{jj}$ between the two leading jets, and the invariant mass $m_{e\mu jj}$ constructed from the four-vectors of the two leading leptons and the two leading jets. In the case of the three-jet category, the same input variables are used with the addition of the p_T and the centrality of the third-leading jet, the latter being defined as

$$\zeta_3 = \text{third-leading jet centrality} = \left| y_{j3} - \frac{1}{2} \cdot \frac{y_{j1} + y_{j2}}{y_{j1} - y_{j2}} \right|, \quad (5.1)$$

where y_{j1} , y_{j2} and y_{j3} are the rapidities of the leading, subleading and third-leading jets in p_T , respectively. For both jet categories, the most sensitive variables in the NN are the p_T of the two leading jets, as they tend to have larger values in VBS processes. Furthermore, in the three-jet category, the third-leading jet has a centrality (ζ_3) that peaks at high values in signal events, as it is frequently emitted from one of the two leading forward jets, thus

³Receiver Operating Characteristic curve.

⁴ E_T^{miss} significance is computed as $\frac{|\vec{p}_T^{\text{miss}}|}{\sqrt{\sigma_L^2(1-\rho_{LT}^2)}}$, where σ_L is the total variance in the direction longitudinal to E_T^{miss} , and ρ_{LT} is the correlation coefficient of the longitudinal (L) and transverse (T) E_T^{miss} measurements.

providing an additional gain in sensitivity. The invariant mass m_{jj} , constructed from the two leading jets in p_T , although usually considered to enhance a VBS phase space, is not used in the input to the NN because it can largely be derived from the observables already used.

To avoid overtraining the NN and to increase its robustness, a dropout regularisation with a rate of 0.1 is applied to both hidden layers. This procedure randomly drops some neurons from the NN at each step of the training, which can be interpreted as considering the average of different layer set-ups. The evaluation of the NN using either the training or an independent test sample produces compatible responses. The NN is further validated in the SR by comparing data and simulation for the correlations of the input variables between each other and against the NN output. Finally, the binning of the NN output is optimised to increase the sensitivity to the signal at high NN output values.

6 Background determination

The main background to the EWK production of W^+W^-jj events consists of top quarks produced either individually or in pairs, and in total represents 66% of the SR. The second most important background is the strong production of pairs of W bosons in association with jets, which amounts to 24% of the SR. The remaining backgrounds are the production of a Z boson in association with jets (4%), other multiboson events (2%), and a W boson in association with jets where one jet is misidentified as a lepton (below 1%).

The background originating from the production of top quarks is modelled by simulation, and further constrained with data in a dedicated control region (CR). The latter is defined with the same cuts as the SR except for requiring one of the two leading jets to be a b -jet. This region is thus dominated by events including a top quark, as highlighted in figure 3, which shows the NN discriminant evaluated from events in the CR, using the same model as in the SR for the two- and three-jet categories. In the NN distribution, signal-like and background-like events tend to have NN output values closer to 1 and 0, respectively. The normalisation of the predicted top quark production is constrained by a binned likelihood fit that includes both the CR and the SR, as described in section 8. The top quark CR proves to be necessary to constrain the normalisation of top quark events, since the low bins of the NN output in the SR, although enriched in top quarks, are found not to have a sufficient constraining power due to the substantial number of strong W^+W^-jj events with similar NN shape in the SR.

It is challenging to define a dedicated CR to enhance the strong production of W^+W^-jj events, given the significant contribution of events originating from the production of top quarks. Nevertheless, the normalisation of simulated W^+W^-jj events is left as a free parameter in the likelihood fit in order to constrain it with data together with the top quark background, using events from the top quark CR and SR.

The less relevant background consisting of W boson production in association with jets is modelled by simulation. To better account for this fraction of events where jets are misreconstructed as leptons, the prediction is scaled up by 15% to 60% across the NN distribution using a constraint from a data region enriched in fake leptons. The latter is defined by selecting leptons with a looser identification, and by requiring that at least one of the two leptons fails to satisfy the isolation and the tight identification requirements, the




Figure 3. Distribution of the NN output in the top quark CR, with the top quark, strong W^+W^-jj , and signal processes constrained by the likelihood fit described in section 8. The two- and three-jet categories are merged. Data corresponds to the black dots, the signal normalised to its simulated cross-section is represented by the unstacked dashed histogram, and the post-fit predictions of the SM together with the signal are depicted by the stacked filled histograms. The lower panel shows the ratio of the data to the post-fit predictions of the SM, and the ratio of the pre-fit to the post-fit SM yields. The uncertainty in the total contribution from the SM is illustrated by a hashed band.

other selection cuts being the same as in the SR. The semileptonic decays of top quarks is accounted for in the fake region as it includes fake leptons coming from b -jets.

Since only a few events arising from the Z boson and multiboson predictions survive the SR selection, these backgrounds are modelled by simulation with no additional constraints from data.

Figure 4 shows the distributions of the leading and subleading jet p_T , the centrality, and the invariant mass $m_{e\mu jj}$ constructed from the four-vectors of the selected leptons and jets in the two-jet signal region. Figure 5 shows the distributions of the leading and subleading jet p_T , the centrality, and the third-leading jet centrality in the three-jet signal region. All figures are shown after the binned likelihood fit described in section 8, and demonstrate a good overall modelling of these observables, which are used as input to the NN. However, some variables like the leading jet p_T are sensitive to the mismodelling of the top quark p_T , which is not corrected for. The potential subsequent tensions in the agreement between data and the SM prediction are however mostly covered at the edge of the uncertainty bands.

7 Uncertainties

Systematic uncertainties in the measurement of the signal cross-section originate from experimental and theoretical sources due to the signal and background modelling.

The dominant experimental uncertainties are related to the calibration of the jets, namely the jet energy scale and resolution [70], the b -tagging efficiency and the jet flavour composition. Other sources of experimental uncertainties are due to the calibration of the leptons, which




Figure 4. Distributions of (a) the leading and (b) subleading jet p_T , (c) the centrality and (d) the invariant mass $m_{e\mu jj}$ constructed from the four-vectors of the two leading leptons and jets. The observables are presented in the SR in the two jet case, with the top quark, strong W^+W^-jj , and signal processes constrained by the likelihood fit described in section 8. Data corresponds to the filled dots, the signal normalised to the total SM background is represented by the unstacked dashed histogram, and the post-fit predictions of the SM together with the signal are depicted by the stacked filled histograms. The lower panels show the ratios of the data to the post-fit predictions of the SM, and the ratio of the pre-fit to the post-fit SM yields. The uncertainty in the total contribution from the SM is illustrated by a hashed band.




Figure 5. Distributions of (a) the leading and (b) subleading jet p_T , (c) the centrality and (d) the third-leading jet centrality ζ_3 . The observables are presented in the SR in the three jet case, with the top quark, strong W^+W^-jj , and signal processes constrained by the likelihood fit described in section 8. Data corresponds to the filled dots, the signal normalised to the total SM background is represented by the unstacked dashed histogram, and the post-fit predictions of the SM together with the signal are depicted by the stacked filled histograms. The lower panels show the ratios of the data to the post-fit predictions of the SM, and the ratio of the pre-fit to the post-fit SM yields. The uncertainty in the total contribution from the SM is illustrated by a hashed band.

affects their identification and isolation efficiencies, their energy resolution and momentum scale [63, 77], and the lepton trigger efficiencies and pile-up modelling. To account for the mismodelling of the simulated W +jets background where one jet is misidentified as a lepton, a conservative uncertainty of 100% is assigned to its normalisation, with a negligible impact on the signal extraction. As this uncertainty is modelled by a gaussian in the likelihood fit, the corresponding postfit errors provided in table 2 overlaps with negative estimates. All experimental uncertainties are propagated through the analysis and the final impact on the signal strength is evaluated when performing the likelihood fit.

The uncertainties in the modelling of the signal includes variations of the renormalisation and factorisation scales, the PDF, the parton shower and the initial- and final-state radiation. To estimate the uncertainty due to missing higher-order QCD corrections, the renormalisation and factorisation scales are varied up and down by factors of two, avoiding opposite variations. The parton shower uncertainty is estimated by comparing the nominal simulation, described in section 3, with an alternative prediction performed using POWHEG BOX v2 interfaced to HERWIG 7.2.1 [78, 79] with the dipole shower model and the H7.1-Default hadronisation and underlying-event tune. The interference between EWK and strong production of W^+W^-jj was evaluated using MADGRAPH5_AMC@NLO, and the resulting value was taken as an uncertainty in the signal, amounting to 1%.

Theoretical uncertainties in the prediction of the background are mostly due to the simulation of top quark events. The parton shower and hadronisation modelling is evaluated by comparing the nominal POWHEG+PYTHIA 8 prediction with an alternative one performed using POWHEG BOX v2 interfaced to HERWIG 7.04 with the H7UE set of tuned parameters and the MMHT2014 LO PDF set [80]. Similarly, the uncertainty in the matching of NLO matrix elements to the parton shower is evaluated by comparing the nominal simulation with events generated by MADGRAPH5_AMC@NLO 2.6.2 at NLO in QCD with the five-flavour scheme and the NNPDF2.3 NLO PDF set and interfaced to PYTHIA 8.230. The uncertainty due to higher-order QCD effects and initial-state radiation for the top quark background is evaluated by varying the renormalisation and factorisation scales, the h_{damp} parameter, and the VAR3c up and down variants of the A14 tune [81]. The final-state radiation uncertainty is evaluated by scaling up and down by a factor of two the renormalisation scale used for final-state parton shower emissions. The uncertainty associated with the Wt interference with $t\bar{t}$ is estimated by comparing the nominal Wt simulation, where $t\bar{t}$ contributions are removed at the amplitude level using the diagram-removal scheme [82], with an alternative Wt simulation, where $t\bar{t}$ contributions are removed at the cross-section level using the diagram-subtraction scheme [82].

Theoretical uncertainties in the strong $qq \rightarrow WW$ and Z + jets backgrounds originate from the renormalisation and factorisation scales, and are estimated by using the same method as for the signal. The theoretical uncertainty on the $gg \rightarrow WW$ production is neglected as this background represents less than 7% of the $qq \rightarrow WW$ process, and has no impact on the final result.

Finally, PDF uncertainties are estimated by using a reweighting procedure at the matrix element level for 100 variations of the NNPDF3.0 NLO PDF set for the signal and for the top quark, strong W^+W^-jj , and Z + jets backgrounds. For each bin of the NN, the standard deviation of these variations is taken as the uncertainty.

8 Signal extraction and cross-section measurement

A profile likelihood fit [83, 84] is performed on the NN output observable, simultaneously in the SR and CR, with the normalisations of the signal (μ), top quark and strong W^+W^-jj processes set as floating parameters. These normalisations consist of multiplicative factors to the nominal process simulation to match the observation in data. The NN is trained separately for events with two or three jets in the SR, with distinct distributions being fitted for the two categories. However, events with both jet multiplicities from the CR are merged together. Figures 3 and 6 show the neural network distribution after the fit in the CR and SR, respectively. A good description of the data by the predicted signal and background events can be observed in both figures.

As illustrated in figure 7, the normalisation of the top quark background is well constrained by the fit, contrary to the normalisation of the strong W^+W^-jj production, which does not benefit from a dedicated CR, as it is challenging to isolate. The impact of the uncertainty due to the normalisation of the strong W^+W^-jj background on the total uncertainty is however limited, as this process represents only about 10 to 15% of the events at large NN output values. The split of the SR into a component with two jets and another one with three jets was found to improve the expected signal significance by about one standard deviation. The observed and expected signal significance obtained from the fit are 7.1 and 6.2 standard deviations, respectively.

The uncertainty in the signal strength μ derived from the likelihood fit is referred to as $\Delta\mu$. For each source of systematic uncertainty, a new fit is performed with the other nuisance parameters left constant at their best fit values from the nominal fit, providing a variation of the uncertainty in the signal strength $\Delta\mu'$. The impact of each category of uncertainty is defined as $\sqrt{(\Delta\mu)^2 - (\Delta\mu')^2}/\mu$ and is reported in table 3. The uncertainty in the luminosity and the experimental uncertainties specific to a given physics object are treated as fully correlated across the different predictions and regions in the fit. The theoretical uncertainties in the prediction of the top quark background are considered as correlated between the CR and the SR. The dominant uncertainty in the fit is due to the limited number of events in the data and amounts to 12.3%, while the total uncertainty is 18.5%. The nuisance parameters with an impact smaller than 0.5% are pruned, with negligible effect on the results.

The cross-section for VBS W^+W^-jj production is measured at particle level in a fiducial region designed to be close to the most sensitive subset of the SR. Its event selection is detailed in table 4, and combines the two- and three-jet categories. In the fiducial volume, particle-level electrons and muons are required to originate from the hard scatter. The impact of photons emitted in a cone of radius $\Delta R = 0.1$ around each lepton direction is considered by adding their momenta to the lepton momentum. At particle level, jets are defined by clustering stable final-state particles using the anti- k_t algorithm with a distance parameter of $R = 0.4$, and the missing transverse momentum is evaluated as the transverse component of the vectorial sum of the neutrino momenta. Events where the two leading jets have an invariant mass m_{jj} smaller than 500 GeV are excluded from the fiducial region, while this is not required in the reconstruction-level SR. Events with m_{jj} above 500 GeV in the fiducial region are primarily reconstructed with NN output values larger than 0.6, which constitutes a region where the fraction of reconstructed signal events in the SR exceeds 5%




Figure 6. Distributions of the neural network output in the SR for (a) two jets and (b) three jets, with the top quark, strong W^+W^-jj , and signal processes constrained by the likelihood fit described in section 8. Data corresponds to the filled dots, the signal normalised to its simulated cross-section is represented by the unstacked dashed histogram, and the post-fit predictions of the SM together with the signal are depicted by the stacked filled histograms. The lower panels show the ratios of the data to the post-fit predictions of the SM, and the ratio of the pre-fit to the post-fit SM yields. The uncertainty in the total contribution from the SM is illustrated by a hashed band.




Figure 7. Measurement of the signal strength $\mu = \mu(\text{EWK } W^+W^-jj)$ from the likelihood fit described in section 8 together with the normalisations of the backgrounds originating from the top quark and strong W^+W^-jj events.

Sources	$\frac{\sqrt{(\Delta\mu)^2 - (\Delta\mu')^2}}{\mu} [\%]$
MC statistical uncertainty	7.7
Top quark theoretical uncertainties	6.3
Signal theoretical uncertainties	5.8
Jet experimental uncertainties	4.9
Strong W^+W^-jj theoretical uncertainties	1.3
Luminosity	0.8
Misidentified lepton uncertainty	0.5
b -tagging	0.4
Lepton experimental uncertainties	0.1
Others	0.3
Data statistical uncertainty	12.3
Top quark normalisation uncertainty	4.9
Strong W^+W^-jj normalisation uncertainty	2.2
Total uncertainty	18.5

Table 3. Impact of systematic uncertainties on the signal strength μ after the fit. The different nuisance parameters are merged into various categories. The statistical and total uncertainties are also provided.

in each NN bin and therefore drives the determination of the signal strength μ . The cut on m_{jj} in the fiducial volume allows the production of triboson events to be suppressed, thus providing a fiducial cross-section purely related to the W^+W^-jj production. The fiducial cross-section for VBS W^+W^-jj production is obtained by multiplying μ by the theoretical fiducial cross-section. Therefore, the cut on m_{jj} also avoids μ being applied to regions of the phase space where the signal is negligible.

Using POWHEG BOX v2, the theoretical cross-section for the VBS W^+W^- production is $2.20^{+0.14}_{-0.13}$ fb, while the observed fiducial cross-sections is $2.65^{+0.49}_{-0.46}$ fb.

Category	Requirements
Leptons	$p_T > 27 \text{ GeV}$ and $ \eta < 2.5$
b -jets	$p_T > 20 \text{ GeV}$ and $ \eta < 2.5$
Jets	$p_T > 25 \text{ GeV}$ and $ \eta < 4.5$
Events	One electron and one muon with opposite electric charges No additional lepton $m_{e\mu} > 80 \text{ GeV}$ $E_T^{\text{miss}} > 15 \text{ GeV}$ No b -jet Two or three jets $\zeta > 0.5$ $m_{jj} > 500 \text{ GeV}$

Table 4. Definition of the fiducial region at particle level.

9 Conclusion

The cross-section of the electroweak production of pairs of scattering W bosons with opposite electric charges is measured using a dataset amounting to 140 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$.

The analysis focuses on the final state consisting of an electron and a muon with opposite electric charges, missing transverse energy, and two or three jets. A NN is used to discriminate between the signal and the dominant processes from the SM, namely top quark and strong W^+W^-jj production, and to extract the signal yield. The signal is observed with a significance of 7.1 standard deviations, while 6.2 standard deviations were expected. The observed cross-section is determined in a signal-enriched fiducial volume, and amounts to $2.7 \pm 0.5 \text{ fb}$, which is consistent with the theoretical prediction of $2.20^{+0.14}_{-0.13} \text{ fb}$. The dominant source of uncertainty is due to the limited number of events in the data.

Acknowledgments

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [85].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil;

NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230812, FONDECYT 1230987); China: National Natural Science Foundation of China (NSFC — 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC — 101002463); European Union: European Research Council (ERC — 948254), Horizon 2020 Framework Programme (MUCCA — CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU), Marie Skłodowska-Curie Actions (EU H2020 MSC IF GRANT NO 101033496); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022), Investissements d’Avenir IDEX (ANR-11-LABX-0012), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG — CR 312/5-1); Italy: Istituto Nazionale di Fisica Nucleare (FELLINI G.A. n. 754496, ICSC, NextGenerationEU); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 — VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: BBVA Foundation (LEO22-1-603), Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), La Caixa Banking Foundation

(LCF/BQ/PI20/11760025), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEAGENT/2019/023, CIDEAGENT/2019/027); Sweden: Swedish Research Council (VR 2018-00482, VR 2022-03845, VR 2022-04683, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2017.0100, KAW 2018.0157, KAW 2018.0458, KAW 2019.0447); Switzerland: Swiss National Science Foundation (SNSF — PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] B.W. Lee, C. Quigg and H.B. Thacker, *Weak interactions at very high-energies: the role of the Higgs boson mass*, *Phys. Rev. D* **16** (1977) 1519 [[INSPIRE](#)].
- [2] O.J.P. Éboli, M.C. Gonzalez-Garcia and J.K. Mizukoshi, *$pp \rightarrow jje^\pm\mu^\pm\nu\nu$ and $jje^\pm\mu^\mp\nu\nu$ at $O(\alpha_{\text{em}}^6)$ and $O(\alpha_{\text{em}}^4\alpha_s^2)$ for the study of the quartic electroweak gauge boson vertex at CERN LHC*, *Phys. Rev. D* **74** (2006) 073005 [[hep-ph/0606118](#)] [[INSPIRE](#)].
- [3] CMS collaboration, *Observation of electroweak W^+W^- pair production in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **841** (2023) 137495 [[arXiv:2205.05711](#)] [[INSPIRE](#)].
- [4] ATLAS collaboration, *The ATLAS experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [5] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, 2018 *JINST* **13** P07017 [[INSPIRE](#)].
- [6] ATLAS collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].
- [7] ATLAS collaboration, *The ATLAS collaboration software and firmware*, [ATL-SOFT-PUB-2021-001](#), CERN, Geneva, Switzerland (2021).
- [8] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [9] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982 [[arXiv:2212.09379](#)] [[INSPIRE](#)].
- [10] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [11] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [12] T. Sjöstrand, S. Mrenna and P.Z. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [[INSPIRE](#)].

- [13] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, [ATL-PHYS-PUB-2016-017](#), CERN, Geneva, Switzerland (2016).
- [14] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [[INSPIRE](#)].
- [15] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040 [[hep-ph/0409146](#)] [[INSPIRE](#)].
- [16] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070 [[arXiv:0709.2092](#)] [[INSPIRE](#)].
- [17] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043 [[arXiv:1002.2581](#)] [[INSPIRE](#)].
- [18] B. Jager and G. Zanderighi, *Electroweak W^+W^-jj production at NLO in QCD matched with parton shower in the POWHEG-BOX*, *JHEP* **04** (2013) 024 [[arXiv:1301.1695](#)] [[INSPIRE](#)].
- [19] NNPDF collaboration, *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [20] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [21] J. Pumplin et al., *New generation of parton distributions with uncertainties from global QCD analysis*, *JHEP* **07** (2002) 012 [[hep-ph/0201195](#)] [[INSPIRE](#)].
- [22] ATLAS collaboration, *Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **09** (2014) 145 [[arXiv:1406.3660](#)] [[INSPIRE](#)].
- [23] A. Ballestrero et al., *Precise predictions for same-sign W-boson scattering at the LHC*, *Eur. Phys. J. C* **78** (2018) 671 [[arXiv:1803.07943](#)] [[INSPIRE](#)].
- [24] S. Frixione, P. Nason and G. Ridolfi, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126 [[arXiv:0707.3088](#)] [[INSPIRE](#)].
- [25] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, [ATL-PHYS-PUB-2014-021](#), CERN, Geneva, Switzerland (2014).
- [26] D.J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152 [[INSPIRE](#)].
- [27] M. Beneke, P. Falgari, S. Klein and C. Schwinn, *Hadronic top-quark pair production with NNLL threshold resummation*, *Nucl. Phys. B* **855** (2012) 695 [[arXiv:1109.1536](#)] [[INSPIRE](#)].
- [28] M. Cacciari et al., *Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation*, *Phys. Lett. B* **710** (2012) 612 [[arXiv:1111.5869](#)] [[INSPIRE](#)].
- [29] P. Bärnreuther, M. Czakon and A. Mitov, *Percent level precision physics at the Tevatron: first genuine NNLO QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$* , *Phys. Rev. Lett.* **109** (2012) 132001 [[arXiv:1204.5201](#)] [[INSPIRE](#)].
- [30] M. Czakon and A. Mitov, *NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels*, *JHEP* **12** (2012) 054 [[arXiv:1207.0236](#)] [[INSPIRE](#)].
- [31] M. Czakon and A. Mitov, *NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction*, *JHEP* **01** (2013) 080 [[arXiv:1210.6832](#)] [[INSPIRE](#)].

- [32] M. Czakon, P. Fiedler and A. Mitov, *Total top-quark pair-production cross section at hadron colliders through $O(\alpha_S^4)$* , *Phys. Rev. Lett.* **110** (2013) 252004 [[arXiv:1303.6254](#)] [[INSPIRE](#)].
- [33] M. Czakon and A. Mitov, *Top++: a program for the calculation of the top-pair cross-section at hadron colliders*, *Comput. Phys. Commun.* **185** (2014) 2930 [[arXiv:1112.5675](#)] [[INSPIRE](#)].
- [34] N. Kidonakis, *Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^-* , *Phys. Rev. D* **82** (2010) 054018 [[arXiv:1005.4451](#)] [[INSPIRE](#)].
- [35] N. Kidonakis, *Top quark production*, in the proceedings of the *Helmholtz international summer school on physics of heavy quarks and hadrons*, (2014) [[DOI:10.3204/DESY-PROC-2013-03/Kidonakis](#)] [[arXiv:1311.0283](#)] [[INSPIRE](#)].
- [36] SHERPA collaboration, *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034 [[arXiv:1905.09127](#)] [[INSPIRE](#)].
- [37] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering amplitudes with OpenLoops*, *Phys. Rev. Lett.* **108** (2012) 111601 [[arXiv:1111.5206](#)] [[INSPIRE](#)].
- [38] A. Denner, S. Dittmaier and L. Hofer, *Collier: a fortran-based Complex One-Loop Library in Extended Regularizations*, *Comput. Phys. Commun.* **212** (2017) 220 [[arXiv:1604.06792](#)] [[INSPIRE](#)].
- [39] F. Caola, K. Melnikov, R. Röntsch and L. Tancredi, *QCD corrections to W^+W^- production through gluon fusion*, *Phys. Lett. B* **754** (2016) 275 [[arXiv:1511.08617](#)] [[INSPIRE](#)].
- [40] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039 [[arXiv:0808.3674](#)] [[INSPIRE](#)].
- [41] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079 [[arXiv:1405.0301](#)] [[INSPIRE](#)].
- [42] C. Anastasiou, L.J. Dixon, K. Melnikov and F. Petriello, *High precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at NNLO*, *Phys. Rev. D* **69** (2004) 094008 [[hep-ph/0312266](#)] [[INSPIRE](#)].
- [43] K. Hamilton, P. Nason, E. Re and G. Zanderighi, *NNLOPS simulation of Higgs boson production*, *JHEP* **10** (2013) 222 [[arXiv:1309.0017](#)] [[INSPIRE](#)].
- [44] K. Hamilton, P. Nason and G. Zanderighi, *Finite quark-mass effects in the NNLOPS POWHEG+MiNLO Higgs generator*, *JHEP* **05** (2015) 140 [[arXiv:1501.04637](#)] [[INSPIRE](#)].
- [45] LHC HIGGS CROSS SECTION WORKING GROUP collaboration, *Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector*, [arXiv:1610.07922](#) [[DOI:10.23731/CYRM-2017-002](#)] [[INSPIRE](#)].
- [46] C. Anastasiou et al., *High precision determination of the gluon fusion Higgs boson cross-section at the LHC*, *JHEP* **05** (2016) 058 [[arXiv:1602.00695](#)] [[INSPIRE](#)].
- [47] C. Anastasiou et al., *Higgs boson gluon-fusion production in QCD at three loops*, *Phys. Rev. Lett.* **114** (2015) 212001 [[arXiv:1503.06056](#)] [[INSPIRE](#)].
- [48] F. Dulat, A. Lazopoulos and B. Mistlberger, *iHiggs 2 — inclusive Higgs cross sections*, *Comput. Phys. Commun.* **233** (2018) 243 [[arXiv:1802.00827](#)] [[INSPIRE](#)].
- [49] R.V. Harlander and K.J. Ozeren, *Finite top mass effects for hadronic Higgs production at next-to-next-to-leading order*, *JHEP* **11** (2009) 088 [[arXiv:0909.3420](#)] [[INSPIRE](#)].
- [50] R.V. Harlander and K.J. Ozeren, *Top mass effects in Higgs production at next-to-next-to-leading order QCD: virtual corrections*, *Phys. Lett. B* **679** (2009) 467 [[arXiv:0907.2997](#)] [[INSPIRE](#)].

- [51] R.V. Harlander, H. Mantler, S. Marzani and K.J. Ozeren, *Higgs production in gluon fusion at next-to-next-to-leading order QCD for finite top mass*, *Eur. Phys. J. C* **66** (2010) 359 [[arXiv:0912.2104](#)] [[INSPIRE](#)].
- [52] A. Pak, M. Rogal and M. Steinhauser, *Finite top quark mass effects in NNLO Higgs boson production at LHC*, *JHEP* **02** (2010) 025 [[arXiv:0911.4662](#)] [[INSPIRE](#)].
- [53] S. Actis, G. Passarino, C. Sturm and S. Uccirati, *NLO electroweak corrections to Higgs boson production at hadron colliders*, *Phys. Lett. B* **670** (2008) 12 [[arXiv:0809.1301](#)] [[INSPIRE](#)].
- [54] S. Actis, G. Passarino, C. Sturm and S. Uccirati, *NNLO computational techniques: the cases $H \rightarrow \gamma\gamma$ and $H \rightarrow gg$* , *Nucl. Phys. B* **811** (2009) 182 [[arXiv:0809.3667](#)] [[INSPIRE](#)].
- [55] M. Bonetti, K. Melnikov and L. Tancredi, *Higher order corrections to mixed QCD-EW contributions to Higgs boson production in gluon fusion*, *Phys. Rev. D* **97** (2018) 056017 [Erratum *ibid.* **97** (2018) 099906] [[arXiv:1801.10403](#)] [[INSPIRE](#)].
- [56] J. Butterworth et al., *PDF4LHC recommendations for LHC run II*, *J. Phys. G* **43** (2016) 023001 [[arXiv:1510.03865](#)] [[INSPIRE](#)].
- [57] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani-Seymour dipole factorisation*, *JHEP* **03** (2008) 038 [[arXiv:0709.1027](#)] [[INSPIRE](#)].
- [58] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049 [[arXiv:1111.1220](#)] [[INSPIRE](#)].
- [59] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, *QCD matrix elements + parton showers*, *JHEP* **11** (2001) 063 [[hep-ph/0109231](#)] [[INSPIRE](#)].
- [60] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053 [[arXiv:0903.1219](#)] [[INSPIRE](#)].
- [61] ATLAS collaboration, *Performance of electron and photon triggers in ATLAS during LHC run 2*, *Eur. Phys. J. C* **80** (2020) 47 [[arXiv:1909.00761](#)] [[INSPIRE](#)].
- [62] ATLAS collaboration, *Performance of the ATLAS muon triggers in run 2*, *2020 JINST* **15** P09015 [[arXiv:2004.13447](#)] [[INSPIRE](#)].
- [63] ATLAS collaboration, *Electron and photon efficiencies in LHC run 2 with the ATLAS experiment*, *JHEP* **05** (2024) 162 [[arXiv:2308.13362](#)] [[INSPIRE](#)].
- [64] ATLAS collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578 [[arXiv:2012.00578](#)] [[INSPIRE](#)].
- [65] ATLAS collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data*, *2019 JINST* **14** P12006 [[arXiv:1908.00005](#)] [[INSPIRE](#)].
- [66] ATLAS collaboration, *Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292 [[arXiv:1603.05598](#)] [[INSPIRE](#)].
- [67] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [68] M. Cacciari, G.P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [69] ATLAS collaboration, *Jet reconstruction and performance using particle flow with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 466 [[arXiv:1703.10485](#)] [[INSPIRE](#)].

- [70] ATLAS collaboration, *Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689 [[arXiv:2007.02645](#)] [[INSPIRE](#)].
- [71] ATLAS collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581 [[arXiv:1510.03823](#)] [[INSPIRE](#)].
- [72] ATLAS collaboration, *Optimisation and performance studies of the ATLAS b-tagging algorithms for the 2017–18 LHC run*, [ATL-PHYS-PUB-2017-013](#), CERN, Geneva, Switzerland (2017).
- [73] ATLAS collaboration, *ATLAS flavour-tagging algorithms for the LHC run 2 pp collision dataset*, *Eur. Phys. J. C* **83** (2023) 681 [[arXiv:2211.16345](#)] [[INSPIRE](#)].
- [74] ATLAS collaboration, *E_T^{miss} performance in the ATLAS detector using 2015–2016 LHC p-p collisions*, [ATLAS-CONF-2018-023](#), CERN, Geneva, Switzerland (2018).
- [75] F. Chollet et al., *Keras*, <https://keras.io> (2015).
- [76] A. Hoecker et al., *TMVA — toolkit for multivariate data analysis*, [physics/0703039](#).
- [77] ATLAS collaboration, *Studies of the muon momentum calibration and performance of the ATLAS detector with pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **83** (2023) 686 [[arXiv:2212.07338](#)] [[INSPIRE](#)].
- [78] M. Bähr et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639 [[arXiv:0803.0883](#)] [[INSPIRE](#)].
- [79] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196 [[arXiv:1512.01178](#)] [[INSPIRE](#)].
- [80] L.A. Harland-Lang, A.D. Martin, P. Motylinski and R.S. Thorne, *Parton distributions in the LHC era: MMHT 2014 PDFs*, *Eur. Phys. J. C* **75** (2015) 204 [[arXiv:1412.3989](#)] [[INSPIRE](#)].
- [81] ATLAS collaboration, *Studies on top-quark Monte Carlo modelling with Sherpa and MG5_aMC@NLO*, [ATL-PHYS-PUB-2017-007](#), CERN, Geneva, Switzerland (2017).
- [82] S. Frixione et al., *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029 [[arXiv:0805.3067](#)] [[INSPIRE](#)].
- [83] ROOT collaboration, *HistFactory: a tool for creating statistical models for use with RooFit and RooStats*, [CERN-OPEN-2012-016](#), New York U., New York, NY, U.S.A. (2012) [[DOI:10.17181/CERN-OPEN-2012-016](#)].
- [84] F. James and M. Roos, *Minuit: a system for function minimization and analysis of the parameter errors and correlations*, *Comput. Phys. Commun.* **10** (1975) 343 [[INSPIRE](#)].
- [85] ATLAS collaboration, *ATLAS computing acknowledgements*, [ATL-SOFT-PUB-2023-001](#), CERN, Geneva, Switzerland (2023).

The ATLAS collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Aboulhorma ^{35e},
H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, B.S. Acharya ^{69a,69b,m},
C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, S.V. Addepalli ²⁶, M.J. Addison ¹⁰¹, J. Adelman ¹¹⁵,
A. Adiguzel ^{21c}, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³,
J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,y},
W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ^{62a}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶³, M. Ait Tamlihat ^{35e},
B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷,
D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵,
P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸,
C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³²,
H.M.J. Ali ⁹¹, S. Ali ¹⁴⁸, S.W. Alibocus ⁹², M. Aliev ¹⁴⁵, G. Alimonti ^{71a}, W. Alkakh ⁵⁵,
C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰,
A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰, C. Alpighiani ¹³⁸, M. Alvarez Estevez ⁹⁹,
A. Alvarez Fernandez ¹⁰⁰, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰¹,
Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰¹, C.G. Ames ¹⁰⁹,
D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵,
C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andrean ^{47a,47b},
A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ab}, A.V. Anisenkov ³⁷, A. Annovi ^{74a},
C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴,
T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸,
A. Apyan ²⁶, N. Aranzabal ³⁶, S.J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹,
E. Arena ⁹², J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴,
G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, K. Assamagan ²⁹,
R. Astalos ^{28a}, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², H. Atmani ^{35f},
P.A. Atlasiddha ¹⁰⁶, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰¹,
G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,af}, D. Babal ^{28b}, H. Bachacou ¹³⁵,
K. Bachas ^{152,p}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, T.M. Baer ¹⁰⁶,
P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴,
L. Baines ⁹⁴, O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²⁰,
R. Balasubramanian ¹¹⁴, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵,
L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹,
A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵,
D. Barberis ^{57b,57a}, M. Barbero ¹⁰², M.Z. Barel ¹¹⁴, K.N. Barends ^{33a}, T. Barillari ¹¹⁰,
M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a},
G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹,
J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹, M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷,
F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a}, A. Basan ¹⁰⁰, M. Baselga ⁴⁹,
A. Bassalat ^{66,b}, M.J. Basso ^{156a}, C.R. Basson ¹⁰¹, R.L. Bates ⁵⁹, S. Batlamous ^{35e},
J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Bauce ^{75a,75b},
M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁷,
J.Y. Beaucamp ⁹⁰, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtle ²⁴, H.P. Beck ^{19,o},
K. Becker ¹⁶⁷, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵,

T.A. Beermann³⁶, M. Begalli^{83d}, M. Begel²⁹, A. Behera¹⁴⁵, J.K. Behr⁴⁸, J.F. Beirer⁵⁵, F. Beisiegel²⁴, M. Belfkir¹⁵⁹, G. Bella¹⁵¹, L. Bellagamba^{23b}, A. Bellerive³⁴, P. Bellos²⁰, K. Beloborodov³⁷, D. Benckekroun^{35a}, F. Bendebba^{35a}, Y. Benhammou¹⁵¹, M. Benoit²⁹, J.R. Bensinger²⁶, S. Bentvelsen¹¹⁴, L. Beresford⁴⁸, M. Beretta⁵³, E. Bergeaas Kuutmann¹⁶¹, N. Berger⁴, B. Bergmann¹³², J. Beringer^{17a}, G. Bernardi⁵, C. Bernius¹⁴³, F.U. Bernlochner²⁴, F. Bernon^{36,102}, A. Berrocal Guardia¹³, T. Berry⁹⁵, P. Berta¹³³, A. Berthold⁵⁰, I.A. Bertram⁹¹, S. Bethke¹¹⁰, A. Betti^{75a,75b}, A.J. Bevan⁹⁴, N.K. Bhalla⁵⁴, M. Bhamjee^{33c}, S. Bhatta¹⁴⁵, D.S. Bhattacharya¹⁶⁶, P. Bhattacharai¹⁴³, V.S. Bhopatkar¹²¹, R. Bi^{29,ai}, R.M. Bianchi¹²⁹, G. Bianco^{23b,23a}, O. Biebel¹⁰⁹, R. Bielski¹²³, M. Biglietti^{77a}, M. Bindi⁵⁵, A. Bingul^{21b}, C. Bini^{75a,75b}, A. Biondini⁹², C.J. Birch-sykes¹⁰¹, G.A. Bird^{20,134}, M. Birman¹⁶⁹, M. Biros¹³³, S. Biryukov¹⁴⁶, T. Bisanz⁴⁹, E. Bisceglie^{43b,43a}, J.P. Biswal¹³⁴, D. Biswas¹⁴¹, A. Bitadze¹⁰¹, K. Bjørke¹²⁵, I. Bloch⁴⁸, C. Blocker²⁶, A. Blue⁵⁹, U. Blumenschein⁹⁴, J. Blumenthal¹⁰⁰, G.J. Bobbink¹¹⁴, V.S. Bobrovnikov³⁷, M. Boehler⁵⁴, B. Boehm¹⁶⁶, D. Bogavac³⁶, A.G. Bogdanchikov³⁷, C. Bohm^{47a}, V. Boisvert⁹⁵, P. Bokan⁴⁸, T. Bold^{86a}, M. Bomben⁵, M. Bona⁹⁴, M. Boonekamp¹³⁵, C.D. Booth⁹⁵, A.G. Borbély⁵⁹, I.S. Bordulev³⁷, H.M. Borecka-Bielska¹⁰⁸, G. Borissov⁹¹, D. Bortoletto¹²⁶, D. Boscherini^{23b}, M. Bosman¹³, J.D. Bossio Sola³⁶, K. Bouaouda^{35a}, N. Bouchhar¹⁶³, J. Boudreau¹²⁹, E.V. Bouhova-Thacker⁹¹, D. Boumediene⁴⁰, R. Bouquet¹⁶⁵, A. Boveia¹¹⁹, J. Boyd³⁶, D. Boye²⁹, I.R. Boyko³⁸, J. Bracinik²⁰, N. Brahimi^{62d}, G. Brandt¹⁷¹, O. Brandt³², F. Braren⁴⁸, B. Brau¹⁰³, J.E. Brau¹²³, R. Brenner¹⁶⁹, L. Brenner¹¹⁴, R. Brenner¹⁶¹, S. Bressler¹⁶⁹, D. Britton⁵⁹, D. Britzger¹¹⁰, I. Brock²⁴, G. Brooijmans⁴¹, W.K. Brooks^{137f}, E. Brost²⁹, L.M. Brown¹⁶⁵, L.E. Bruce⁶¹, T.L. Bruckler¹²⁶, P.A. Bruckman de Renstrom⁸⁷, B. Brüers⁴⁸, A. Bruni^{23b}, G. Bruni^{23b}, M. Bruschi^{23b}, N. Bruscino^{75a,75b}, T. Buanes¹⁶, Q. Buat¹³⁸, D. Buchin¹¹⁰, A.G. Buckley⁵⁹, O. Bulekov³⁷, B.A. Bullard¹⁴³, S. Burdin⁹², C.D. Burgard⁴⁹, A.M. Burger⁴⁰, B. Burghgrave⁸, O. Burlayenko⁵⁴, J.T.P. Burr³², C.D. Burton¹¹, J.C. Burzynski¹⁴², E.L. Busch⁴¹, V. Büscher¹⁰⁰, P.J. Bussey⁵⁹, J.M. Butler²⁵, C.M. Buttar⁵⁹, J.M. Butterworth⁹⁶, W. Buttinger¹³⁴, C.J. Buxo Vazquez¹⁰⁷, A.R. Buzykaev³⁷, S. Cabrera Urbán¹⁶³, L. Cadamuro⁶⁶, D. Caforio⁵⁸, H. Cai¹²⁹, Y. Cai^{14a,14e}, Y. Cai^{14c}, V.M.M. Cairo³⁶, O. Cakir^{3a}, N. Calace³⁶, P. Calafiura^{17a}, G. Calderini¹²⁷, P. Calfayan⁶⁸, G. Callea⁵⁹, L.P. Caloba^{83b}, D. Calvet⁴⁰, S. Calvet⁴⁰, T.P. Calvet¹⁰², M. Calvetti^{74a,74b}, R. Camacho Toro¹²⁷, S. Camarda³⁶, D. Camarero Munoz²⁶, P. Camarri^{76a,76b}, M.T. Camerlingo^{72a,72b}, D. Cameron³⁶, C. Camincher¹⁶⁵, M. Campanelli⁹⁶, A. Camplani⁴², V. Canale^{72a,72b}, A. Canesse¹⁰⁴, J. Cantero¹⁶³, Y. Cao¹⁶², F. Capocasa²⁶, M. Capua^{43b,43a}, A. Carbone^{71a,71b}, R. Cardarelli^{76a}, J.C.J. Cardenas⁸, F. Cardillo¹⁶³, G. Carducci^{43b,43a}, T. Carli³⁶, G. Carlino^{72a}, J.I. Carlotto¹³, B.T. Carlson^{129,q}, E.M. Carlson^{165,156a}, L. Carminati^{71a,71b}, A. Carnelli¹³⁵, M. Carnesale^{75a,75b}, S. Caron¹¹³, E. Carquin^{137f}, S. Carrá^{71a}, G. Carratta^{23b,23a}, F. Carrio Argos^{33g}, J.W.S. Carter¹⁵⁵, T.M. Carter⁵², M.P. Casado^{13,i}, M. Caspar⁴⁸, F.L. Castillo⁴, L. Castillo Garcia¹³, V. Castillo Gimenez¹⁶³, N.F. Castro^{130a,130e}, A. Catinaccio³⁶, J.R. Catmore¹²⁵, V. Cavaliere²⁹, N. Cavalli^{23b,23a}, V. Cavasinni^{74a,74b}, Y.C. Cekmecelioglu⁴⁸, E. Celebi^{21a}, F. Celli¹²⁶, M.S. Centonze^{70a,70b}, V. Cepaitis⁵⁶,

K. Cerny ¹²², A.S. Cerqueira ^{83a}, A. Cerri ¹⁴⁶, L. Cerrito ^{76a,76b}, F. Cerutti ^{17a},
 B. Cervato ¹⁴¹, A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸², Z. Chadi ^{35a},
 D. Chakraborty ¹¹⁵, J. Chan ¹⁷⁰, W.Y. Chan ¹⁵³, J.D. Chapman ³², E. Chapon ¹³⁵,
 B. Chargeishvili ^{149b}, D.G. Charlton ²⁰, T.P. Charman ⁹⁴, M. Chatterjee ¹⁹, C. Chauhan ¹³³,
 S. Chekanov ⁶, S.V. Chekulaev ^{156a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁶, B. Chen ¹⁵¹,
 B. Chen ¹⁶⁵, H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ¹⁴², M. Chen ¹²⁶, S. Chen ¹⁵³,
 S.J. Chen ^{14c}, X. Chen ^{62c,135}, X. Chen ^{14b,ae}, Y. Chen ^{62a}, C.L. Cheng ¹⁷⁰, H.C. Cheng ^{64a},
 S. Cheong ¹⁴³, A. Cheplakov ³⁸, E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁴,
 R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵, L. Chevalier ¹³⁵, V. Chiarella ⁵³,
 G. Chiarelli ^{74a}, N. Chiedde ¹⁰², G. Chiodini ^{70a}, A.S. Chisholm ²⁰, A. Chitan ^{27b},
 M. Chitishvili ¹⁶³, M.V. Chizhov ³⁸, K. Choi ¹¹, A.R. Chomont ^{75a,75b}, Y. Chou ¹⁰³,
 E.Y.S. Chow ¹¹³, T. Chowdhury ^{33g}, K.L. Chu ¹⁶⁹, M.C. Chu ^{64a}, X. Chu ^{14a,14e},
 J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, K.M. Ciesla ^{86a}, V. Cindro ⁹³,
 A. Ciocio ^{17a}, F. Ciotto ^{72a,72b}, Z.H. Citron ^{169,k}, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b},
 B.M. Ciungu ¹⁵⁵, A. Clark ⁵⁶, P.J. Clark ⁵², C. Clarry ¹⁵⁵, J.M. Clavijo Columbie ⁴⁸,
 S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸, Y. Coadou ¹⁰², M. Cobal ^{69a,69c},
 A. Coccaro ^{57b}, R.F. Coelho Barrue ^{130a}, R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a},
 H. Cohen ¹⁵¹, A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{130a,130g},
 M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶, F. Conventi ^{72a,ag},
 H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷, L.D. Corpe ⁴⁰,
 M. Corradi ^{75a,75b}, F. Corriveau ^{104,w}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³, F. Costanza ⁴,
 D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁵, K. Cranmer ¹⁷⁰, D. Cremonini ^{23b,23a},
 S. Crépé-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹, M. Cristoforetti ^{78a,78b},
 V. Croft ¹¹⁴, J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ⁹⁹, T. Cuhadar Donszelmann ¹⁶⁰,
 H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶,
 M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedas De Sousa ^{57b,57a}, J.V. Da Fonseca Pinto ^{83b},
 C. Da Via ¹⁰¹, W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁶, D. Dal Santo ¹⁹,
 C. Dallapiccola ¹⁰³, M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁹, J. Damp ¹⁰⁰,
 J.R. Dandoy ¹²⁸, M.F. Daneri ³⁰, M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶,
 S.J. Das ^{29,ai}, S. D'Auria ^{71a,71b}, C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴,
 I. Dawson ⁹⁴, H.A. Day-hall ¹³², K. De ⁸, R. De Asmundis ^{72a}, N. De Biase ⁴⁸,
 S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴, H. De la Torre ¹¹⁵, A. De Maria ^{14c},
 A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, A. De Santo ¹⁴⁶, J.B. De Vivie De Regie ⁶⁰,
 D.V. Dedovich ³⁸, J. Degens ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a}, J. Del Peso ⁹⁹,
 F. Del Rio ^{63a}, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶,
 A. Dell'Acqua ³⁶, L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷²,
 M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁷,
 P. Dervan ⁹², K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b},
 L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶,
 G. Di Gregorio ³⁶, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, C. Diaconu ¹⁰²,
 M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b},
 F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸,
 C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24,161}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴,

I-M. Dinu ^{id}^{27b}, S.J. Dittmeier ^{id}^{63b}, F. Dittus ^{id}³⁶, F. Djama ^{id}¹⁰², T. Djobava ^{id}^{149b},
J.I. Djuvsland ^{id}¹⁶, C. Doglioni ^{id}^{101,98}, A. Dohnalova ^{id}^{28a}, J. Dolejsi ^{id}¹³³, Z. Dolezal ^{id}¹³³,
K.M. Dona ^{id}³⁹, M. Donadelli ^{id}^{83c}, B. Dong ^{id}¹⁰⁷, J. Donini ^{id}⁴⁰, A. D’Onofrio ^{id}^{77a,77b},
M. D’Onofrio ^{id}⁹², J. Dopke ^{id}¹³⁴, A. Doria ^{id}^{72a}, N. Dos Santos Fernandes ^{id}^{130a}, P. Dougan ^{id}¹⁰¹,
M.T. Dova ^{id}⁹⁰, A.T. Doyle ^{id}⁵⁹, M.A. Draguet ^{id}¹²⁶, E. Dreyer ^{id}¹⁶⁹, I. Drivas-koulouris ^{id}¹⁰,
M. Drnevich ^{id}¹¹⁷, A.S. Drobac ^{id}¹⁵⁸, M. Drozdova ^{id}⁵⁶, D. Du ^{id}^{62a}, T.A. du Pree ^{id}¹¹⁴,
F. Dubinin ^{id}³⁷, M. Dubovsky ^{id}^{28a}, E. Duchovni ^{id}¹⁶⁹, G. Duckeck ^{id}¹⁰⁹, O.A. Ducu ^{id}^{27b},
D. Duda ^{id}⁵², A. Dudarev ^{id}³⁶, E.R. Duden ^{id}²⁶, M. D’uffizi ^{id}¹⁰¹, L. Duflot ^{id}⁶⁶, M. Dührssen ^{id}³⁶,
C. Dülsen ^{id}¹⁷¹, A.E. Dumitriu ^{id}^{27b}, M. Dunford ^{id}^{63a}, S. Dungs ^{id}⁴⁹, K. Dunne ^{id}^{47a,47b},
A. Duperrin ^{id}¹⁰², H. Duran Yildiz ^{id}^{3a}, M. Düren ^{id}⁵⁸, A. Durglishvili ^{id}^{149b}, B.L. Dwyer ^{id}¹¹⁵,
G.I. Dyckes ^{id}^{17a}, M. Dyndal ^{id}^{86a}, B.S. Dziedzic ^{id}⁸⁷, Z.O. Earnshaw ^{id}¹⁴⁶, G.H. Eberwein ^{id}¹²⁶,
B. Eckerova ^{id}^{28a}, S. Eggebrecht ^{id}⁵⁵, E. Egidio Purcino De Souza ^{id}¹²⁷, L.F. Ehrke ^{id}⁵⁶, G. Eigen ^{id}¹⁶,
K. Einsweiler ^{id}^{17a}, T. Ekelof ^{id}¹⁶¹, P.A. Ekman ^{id}⁹⁸, S. El Farkh ^{id}^{35b}, Y. El Ghazali ^{id}^{35b},
H. El Jarrari ^{id}^{35e,148}, A. El Moussaouy ^{id}¹⁰⁸, V. Ellajosyula ^{id}¹⁶¹, M. Ellert ^{id}¹⁶¹, F. Ellinghaus ^{id}¹⁷¹,
N. Ellis ^{id}³⁶, J. Elmsheuser ^{id}²⁹, M. Elsing ^{id}³⁶, D. Emeliyanov ^{id}¹³⁴, Y. Enari ^{id}¹⁵³, I. Ene ^{id}^{17a},
S. Epari ^{id}¹³, J. Erdmann ^{id}⁴⁹, P.A. Erland ^{id}⁸⁷, M. Errenst ^{id}¹⁷¹, M. Escalier ^{id}⁶⁶, C. Escobar ^{id}¹⁶³,
E. Etzion ^{id}¹⁵¹, G. Evans ^{id}^{130a}, H. Evans ^{id}⁶⁸, L.S. Evans ^{id}⁹⁵, M.O. Evans ^{id}¹⁴⁶, A. Ezhilov ^{id}³⁷,
S. Ezzarqtouni ^{id}^{35a}, F. Fabbri ^{id}⁵⁹, L. Fabbri ^{id}^{23b,23a}, G. Facini ^{id}⁹⁶, V. Fadeyev ^{id}¹³⁶,
R.M. Fakhrutdinov ^{id}³⁷, S. Falciano ^{id}^{75a}, L.F. Falda Ulhoa Coelho ^{id}³⁶, P.J. Falke ^{id}²⁴,
J. Faltova ^{id}¹³³, C. Fan ^{id}¹⁶², Y. Fan ^{id}^{14a}, Y. Fang ^{id}^{14a,14e}, M. Fanti ^{id}^{71a,71b}, M. Faraj ^{id}^{69a,69b},
Z. Farazpay ^{id}⁹⁷, A. Farbin ^{id}⁸, A. Farilla ^{id}^{77a}, T. Farooque ^{id}¹⁰⁷, S.M. Farrington ^{id}⁵², F. Fassi ^{id}^{35e},
D. Fassouliotis ^{id}⁹, M. Faucci Giannelli ^{id}^{76a,76b}, W.J. Fawcett ^{id}³², L. Fayard ^{id}⁶⁶, P. Federic ^{id}¹³³,
P. Federicova ^{id}¹³¹, O.L. Fedin ^{id}^{37,a}, G. Fedotov ^{id}³⁷, M. Feickert ^{id}¹⁷⁰, L. Feligioni ^{id}¹⁰²,
D.E. Fellers ^{id}¹²³, C. Feng ^{id}^{62b}, M. Feng ^{id}^{14b}, Z. Feng ^{id}¹¹⁴, M.J. Fenton ^{id}¹⁶⁰, A.B. Fenyuk ^{id}³⁷,
L. Ferencz ^{id}⁴⁸, R.A.M. Ferguson ^{id}⁹¹, S.I. Fernandez Luengo ^{id}^{137f}, P. Fernandez Martinez ^{id}¹³,
M.J.V. Fernoux ^{id}¹⁰², J. Ferrando ^{id}⁴⁸, A. Ferrari ^{id}¹⁶¹, P. Ferrari ^{id}^{114,113}, R. Ferrari ^{id}^{73a},
D. Ferrere ^{id}⁵⁶, C. Ferretti ^{id}¹⁰⁶, F. Fiedler ^{id}¹⁰⁰, P. Fiedler ^{id}¹³², A. Filipčič ^{id}⁹³, E.K. Filmer ^{id}¹,
F. Filthaut ^{id}¹¹³, M.C.N. Fiolhais ^{id}^{130a,130c,c}, L. Fiorini ^{id}¹⁶³, W.C. Fisher ^{id}¹⁰⁷, T. Fitschen ^{id}¹⁰¹,
P.M. Fitzhugh ^{id}¹³⁵, I. Fleck ^{id}¹⁴¹, P. Fleischmann ^{id}¹⁰⁶, T. Flick ^{id}¹⁷¹, M. Flores ^{id}^{33d,ac},
L.R. Flores Castillo ^{id}^{64a}, L. Flores Sanz De Acedo ^{id}³⁶, F.M. Follega ^{id}^{78a,78b}, N. Fomin ^{id}¹⁶,
J.H. Foo ^{id}¹⁵⁵, B.C. Forland ^{id}⁶⁸, A. Formica ^{id}¹³⁵, A.C. Forti ^{id}¹⁰¹, E. Fortin ^{id}³⁶, A.W. Fortman ^{id}⁶¹,
M.G. Foti ^{id}^{17a}, L. Fountas ^{id}^{9,j}, D. Fournier ^{id}⁶⁶, H. Fox ^{id}⁹¹, P. Francavilla ^{id}^{74a,74b},
S. Francescato ^{id}⁶¹, S. Franchellucci ^{id}⁵⁶, M. Franchini ^{id}^{23b,23a}, S. Franchino ^{id}^{63a}, D. Francis ^{id}³⁶,
L. Franco ^{id}¹¹³, V. Franco Lima ^{id}³⁶, L. Franconi ^{id}⁴⁸, M. Franklin ^{id}⁶¹, G. Frattari ^{id}²⁶,
A.C. Freegard ^{id}⁹⁴, W.S. Freund ^{id}^{83b}, Y.Y. Frid ^{id}¹⁵¹, J. Friend ^{id}⁵⁹, N. Fritzsche ^{id}⁵⁰, A. Froch ^{id}⁵⁴,
D. Froidevaux ^{id}³⁶, J.A. Frost ^{id}¹²⁶, Y. Fu ^{id}^{62a}, S. Fuenzalida Garrido ^{id}^{137f}, M. Fujimoto ^{id}¹⁰²,
E. Fullana Torregrosa ^{id}^{163,*}, K.Y. Fung ^{id}^{64a}, E. Furtado De Simas Filho ^{id}^{83b}, M. Furukawa ^{id}¹⁵³,
J. Fuster ^{id}¹⁶³, A. Gabrielli ^{id}^{23b,23a}, A. Gabrielli ^{id}¹⁵⁵, P. Gadow ^{id}³⁶, G. Gagliardi ^{id}^{57b,57a},
L.G. Gagnon ^{id}^{17a}, E.J. Gallas ^{id}¹²⁶, B.J. Gallop ^{id}¹³⁴, K.K. Gan ^{id}¹¹⁹, S. Ganguly ^{id}¹⁵³, Y. Gao ^{id}⁵²,
F.M. Garay Walls ^{id}^{137a,137b}, B. Garcia ^{id}²⁹, C. García ^{id}¹⁶³, A. Garcia Alonso ^{id}¹¹⁴,
A.G. Garcia Caffaro ^{id}¹⁷², J.E. García Navarro ^{id}¹⁶³, M. Garcia-Sciveres ^{id}^{17a}, G.L. Gardner ^{id}¹²⁸,
R.W. Gardner ^{id}³⁹, N. Garelli ^{id}¹⁵⁸, D. Garg ^{id}⁸⁰, R.B. Garg ^{id}^{143,n}, J.M. Gargan ^{id}⁵², C.A. Garner ^{id}¹⁵⁵,
C.M. Garvey ^{id}^{33a}, P. Gaspar ^{id}^{83b}, V.K. Gassmann ^{id}¹⁵⁸, G. Gaudio ^{id}^{73a}, V. Gautam ^{id}¹³,

P. Gauzzi ^{[175a,175b](#)}, I.L. Gavrilenko ^{[37](#)}, A. Gavrilyuk ^{[37](#)}, C. Gay ^{[164](#)}, G. Gaycken ^{[48](#)},
E.N. Gaziz ^{[10](#)}, A.A. Geanta ^{[27b](#)}, C.M. Gee ^{[136](#)}, C. Gemme ^{[57b](#)}, M.H. Genest ^{[60](#)},
S. Gentile ^{[175a,175b](#)}, A.D. Gentry ^{[112](#)}, S. George ^{[95](#)}, W.F. George ^{[20](#)}, T. Geralis ^{[46](#)},
P. Gessinger-Befurt ^{[36](#)}, M.E. Geyik ^{[171](#)}, M. Ghani ^{[167](#)}, M. Ghneimat ^{[141](#)}, K. Ghorbanian ^{[94](#)},
A. Ghosal ^{[141](#)}, A. Ghosh ^{[160](#)}, A. Ghosh ^{[7](#)}, B. Giacobbe ^{[23b](#)}, S. Giagu ^{[175a,175b](#)}, T. Giani ^{[114](#)},
P. Giannetti ^{[74a](#)}, A. Giannini ^{[62a](#)}, S.M. Gibson ^{[95](#)}, M. Gignac ^{[136](#)}, D.T. Gil ^{[86b](#)},
A.K. Gilbert ^{[86a](#)}, B.J. Gilbert ^{[41](#)}, D. Gillberg ^{[34](#)}, G. Gilles ^{[114](#)}, N.E.K. Gillwald ^{[48](#)},
L. Ginabat ^{[127](#)}, D.M. Gingrich ^{[2,af](#)}, M.P. Giordani ^{[69a,69c](#)}, P.F. Giraud ^{[135](#)},
G. Giugliarelli ^{[69a,69c](#)}, D. Giugni ^{[71a](#)}, F. Giulia ^{[36](#)}, I. Gkialas ^{[9,j](#)}, L.K. Gladilin ^{[37](#)},
C. Glasman ^{[99](#)}, G.R. Gledhill ^{[123](#)}, G. Glemža ^{[48](#)}, M. Glisic ^{[123](#)}, I. Gnesi ^{[43b,f](#)}, Y. Go ^{[29,ai](#)},
M. Goblirsch-Kolb ^{[36](#)}, B. Gocke ^{[49](#)}, D. Godin ^{[108](#)}, B. Gokturk ^{[21a](#)}, S. Goldfarb ^{[105](#)},
T. Golling ^{[56](#)}, M.G.D. Gololo ^{[33g](#)}, D. Golubkov ^{[37](#)}, J.P. Gombas ^{[107](#)}, A. Gomes ^{[130a,130b](#)},
G. Gomes Da Silva ^{[141](#)}, A.J. Gomez Delegido ^{[163](#)}, R. Gonçalves ^{[130a,130c](#)}, G. Gonella ^{[123](#)},
L. Gonella ^{[20](#)}, A. Gongadze ^{[149c](#)}, F. Gonnella ^{[20](#)}, J.L. Gonski ^{[41](#)}, R.Y. González Andana ^{[52](#)},
S. González de la Hoz ^{[163](#)}, S. Gonzalez Fernandez ^{[13](#)}, R. Gonzalez Lopez ^{[92](#)},
C. Gonzalez Renteria ^{[17a](#)}, M.V. Gonzalez Rodrigues ^{[48](#)}, R. Gonzalez Suarez ^{[161](#)},
S. Gonzalez-Sevilla ^{[56](#)}, G.R. Gonzalvo Rodriguez ^{[163](#)}, L. Goossens ^{[36](#)}, B. Gorini ^{[36](#)},
E. Gorini ^{[70a,70b](#)}, A. Gorišek ^{[93](#)}, T.C. Gosart ^{[128](#)}, A.T. Goshaw ^{[51](#)}, M.I. Gostkin ^{[38](#)},
S. Goswami ^{[121](#)}, C.A. Gottardo ^{[36](#)}, S.A. Gotz ^{[109](#)}, M. Goughri ^{[35b](#)}, V. Goumarre ^{[48](#)},
A.G. Goussiou ^{[138](#)}, N. Govender ^{[33c](#)}, I. Grabowska-Bold ^{[86a](#)}, K. Graham ^{[34](#)}, E. Gramstad ^{[125](#)},
S. Grancagnolo ^{[70a,70b](#)}, M. Grandi ^{[146](#)}, C.M. Grant ^{[1,135](#)}, P.M. Gravila ^{[27f](#)}, F.G. Gravili ^{[70a,70b](#)},
H.M. Gray ^{[17a](#)}, M. Greco ^{[70a,70b](#)}, C. Greife ^{[24](#)}, I.M. Gregor ^{[48](#)}, P. Grenier ^{[143](#)}, S.G. Grewe ^{[110](#)},
C. Grieco ^{[13](#)}, A.A. Grillo ^{[136](#)}, K. Grimm ^{[31](#)}, S. Grinstein ^{[13,s](#)}, J.-F. Grivaz ^{[66](#)}, E. Gross ^{[169](#)},
J. Grosse-Knetter ^{[55](#)}, C. Grud ^{[106](#)}, J.C. Grundy ^{[126](#)}, L. Guan ^{[106](#)}, W. Guan ^{[29](#)}, C. Gubbels ^{[164](#)},
J.G.R. Guerrero Rojas ^{[163](#)}, G. Guerrieri ^{[69a,69c](#)}, F. Guescini ^{[110](#)}, R. Gugel ^{[100](#)},
J.A.M. Guhit ^{[106](#)}, A. Guida ^{[18](#)}, T. Guillemin ^{[4](#)}, E. Guilloton ^{[167,134](#)}, S. Guindon ^{[36](#)},
F. Guo ^{[14a,14e](#)}, J. Guo ^{[62c](#)}, L. Guo ^{[48](#)}, Y. Guo ^{[106](#)}, R. Gupta ^{[48](#)}, R. Gupta ^{[129](#)}, S. Gurbuz ^{[24](#)},
S.S. Gurdasani ^{[54](#)}, G. Gustavino ^{[36](#)}, M. Guth ^{[56](#)}, P. Gutierrez ^{[120](#)}, L.F. Gutierrez Zagazeta ^{[128](#)},
M. Gutsche ^{[50](#)}, C. Gutscheow ^{[96](#)}, C. Gwenlan ^{[126](#)}, C.B. Gwilliam ^{[92](#)}, E.S. Haaland ^{[125](#)},
A. Haas ^{[117](#)}, M. Habedank ^{[48](#)}, C. Haber ^{[17a](#)}, H.K. Hadavand ^{[8](#)}, A. Hadeef ^{[100](#)}, S. Hadzic ^{[110](#)},
A.I. Hagan ^{[91](#)}, J.J. Hahn ^{[141](#)}, E.H. Haines ^{[96](#)}, M. Haleem ^{[166](#)}, J. Haley ^{[121](#)}, J.J. Hall ^{[139](#)},
G.D. Hallewell ^{[102](#)}, L. Halser ^{[19](#)}, K. Hamano ^{[165](#)}, M. Hamer ^{[24](#)}, G.N. Hamity ^{[52](#)},
E.J. Hampshire ^{[95](#)}, J. Han ^{[62b](#)}, K. Han ^{[62a](#)}, L. Han ^{[14c](#)}, L. Han ^{[62a](#)}, S. Han ^{[17a](#)},
Y.F. Han ^{[155](#)}, K. Hanagaki ^{[84](#)}, M. Hance ^{[136](#)}, D.A. Hangal ^{[41,ab](#)}, H. Hanif ^{[142](#)}, M.D. Hank ^{[128](#)},
R. Hankache ^{[101](#)}, J.B. Hansen ^{[42](#)}, J.D. Hansen ^{[42](#)}, P.H. Hansen ^{[42](#)}, K. Hara ^{[157](#)}, D. Harada ^{[56](#)},
T. Harenberg ^{[171](#)}, S. Harkusha ^{[37](#)}, M.L. Harris ^{[103](#)}, Y.T. Harris ^{[126](#)}, J. Harrison ^{[13](#)},
N.M. Harrison ^{[119](#)}, P.F. Harrison ^{[167](#)}, N.M. Hartman ^{[110](#)}, N.M. Hartmann ^{[109](#)}, Y. Hasegawa ^{[140](#)},
R. Hauser ^{[107](#)}, C.M. Hawkes ^{[20](#)}, R.J. Hawkings ^{[36](#)}, Y. Hayashi ^{[153](#)}, S. Hayashida ^{[111](#)},
D. Hayden ^{[107](#)}, C. Hayes ^{[106](#)}, R.L. Hayes ^{[114](#)}, C.P. Hays ^{[126](#)}, J.M. Hays ^{[94](#)}, H.S. Hayward ^{[92](#)},
F. He ^{[62a](#)}, M. He ^{[14a,14e](#)}, Y. He ^{[154](#)}, Y. He ^{[48](#)}, N.B. Heatley ^{[94](#)}, V. Hedberg ^{[98](#)},
A.L. Heggelund ^{[125](#)}, N.D. Hehir ^{[94,*](#)}, C. Heidegger ^{[54](#)}, K.K. Heidegger ^{[54](#)}, W.D. Heidorn ^{[81](#)},
J. Heilman ^{[34](#)}, S. Heim ^{[48](#)}, T. Heim ^{[17a](#)}, J.G. Heinlein ^{[128](#)}, J.J. Heinrich ^{[123](#)},
L. Heinrich ^{[110,ad](#)}, J. Hejbal ^{[131](#)}, L. Helary ^{[48](#)}, A. Held ^{[170](#)}, S. Hellesund ^{[16](#)}, C.M. Helling ^{[164](#)},

S. Hellman ^{[147a,47b](#)}, R.C.W. Henderson ^{[91](#)}, L. Henkelmann ^{[32](#)}, A.M. Henriques Correia ^{[36](#)},
H. Herde ^{[98](#)}, Y. Hernández Jiménez ^{[145](#)}, L.M. Herrmann ^{[24](#)}, T. Herrmann ^{[50](#)}, G. Herten ^{[54](#)},
R. Hertenberger ^{[109](#)}, L. Hervas ^{[36](#)}, M.E. Hespings ^{[100](#)}, N.P. Hessey ^{[156a](#)}, H. Hibi ^{[85](#)}, E. Hill ^{[155](#)},
S.J. Hillier ^{[20](#)}, J.R. Hinds ^{[107](#)}, F. Hinterkeuser ^{[24](#)}, M. Hirose ^{[124](#)}, S. Hirose ^{[157](#)},
D. Hirschbuehl ^{[171](#)}, T.G. Hitchings ^{[101](#)}, B. Hiti ^{[93](#)}, J. Hobbs ^{[145](#)}, R. Hobincu ^{[27e](#)}, N. Hod ^{[169](#)},
M.C. Hodgkinson ^{[139](#)}, B.H. Hodgkinson ^{[32](#)}, A. Hoecker ^{[36](#)}, D.D. Hofer ^{[106](#)}, J. Hofer ^{[48](#)},
T. Holm ^{[24](#)}, M. Holzbock ^{[110](#)}, L.B.A.H. Hommels ^{[32](#)}, B.P. Honan ^{[101](#)}, J. Hong ^{[62c](#)},
T.M. Hong ^{[129](#)}, B.H. Hooberman ^{[162](#)}, W.H. Hopkins ^{[6](#)}, Y. Horii ^{[111](#)}, S. Hou ^{[148](#)},
A.S. Howard ^{[93](#)}, J. Howarth ^{[59](#)}, J. Hoya ^{[6](#)}, M. Hrabovsky ^{[122](#)}, A. Hrynevich ^{[48](#)}, T. Hryn'ova ^{[4](#)},
P.J. Hsu ^{[65](#)}, S.-C. Hsu ^{[138](#)}, Q. Hu ^{[62a](#)}, Y.F. Hu ^{[14a,14e](#)}, S. Huang ^{[64b](#)}, X. Huang ^{[14c](#)},
X. Huang ^{[14a,14e](#)}, Y. Huang ^{[139](#)}, Y. Huang ^{[14a](#)}, Z. Huang ^{[101](#)}, Z. Hubacek ^{[132](#)}, M. Huebner ^{[24](#)},
F. Huegging ^{[24](#)}, T.B. Huffman ^{[126](#)}, C.A. Hugli ^{[48](#)}, M. Huhtinen ^{[36](#)}, S.K. Huiberts ^{[16](#)},
R. Hulsken ^{[104](#)}, N. Huseynov ^{[12](#)}, J. Huston ^{[107](#)}, J. Huth ^{[61](#)}, R. Hyneman ^{[143](#)}, G. Iacobucci ^{[56](#)},
G. Iakovidis ^{[29](#)}, I. Ibragimov ^{[141](#)}, L. Iconomidou-Fayard ^{[66](#)}, P. Iengo ^{[72a,72b](#)}, R. Iguchi ^{[153](#)},
T. Iizawa ^{[126](#)}, Y. Ikegami ^{[84](#)}, N. Ilic ^{[155](#)}, H. Imam ^{[35a](#)}, M. Ince Lezki ^{[56](#)},
T. Ingebretsen Carlson ^{[47a,47b](#)}, G. Introzzi ^{[73a,73b](#)}, M. Iodice ^{[77a](#)}, V. Ippolito ^{[75a,75b](#)},
R.K. Irwin ^{[92](#)}, M. Ishino ^{[153](#)}, W. Islam ^{[170](#)}, C. Issever ^{[18,48](#)}, S. Istin ^{[21a,ak](#)}, H. Ito ^{[168](#)},
J.M. Iturbe Ponce ^{[64a](#)}, R. Iuppa ^{[78a,78b](#)}, A. Ivina ^{[169](#)}, J.M. Izen ^{[45](#)}, V. Izzo ^{[72a](#)},
P. Jacka ^{[131,132](#)}, P. Jackson ^{[1](#)}, R.M. Jacobs ^{[48](#)}, B.P. Jaeger ^{[142](#)}, C.S. Jagfeld ^{[109](#)}, G. Jain ^{[156a](#)},
P. Jain ^{[54](#)}, K. Jakobs ^{[54](#)}, T. Jakoubek ^{[169](#)}, J. Jamieson ^{[59](#)}, K.W. Janas ^{[86a](#)}, M. Javurkova ^{[103](#)},
F. Jeanneau ^{[135](#)}, L. Jeanty ^{[123](#)}, J. Jejelava ^{[149a,z](#)}, P. Jenni ^{[54,g](#)}, C.E. Jessiman ^{[34](#)},
S. Jézéquel ^{[4](#)}, C. Jia ^{[62b](#)}, J. Jia ^{[145](#)}, X. Jia ^{[61](#)}, X. Jia ^{[14a,14e](#)}, Z. Jia ^{[14c](#)}, S. Jiggins ^{[48](#)},
J. Jimenez Pena ^{[13](#)}, S. Jin ^{[14c](#)}, A. Jinaru ^{[27b](#)}, O. Jinnouchi ^{[154](#)}, P. Johansson ^{[139](#)},
K.A. Johns ^{[7](#)}, J.W. Johnson ^{[136](#)}, D.M. Jones ^{[32](#)}, E. Jones ^{[48](#)}, P. Jones ^{[32](#)}, R.W.L. Jones ^{[91](#)},
T.J. Jones ^{[92](#)}, H.L. Joos ^{[55,36](#)}, R. Joshi ^{[119](#)}, J. Jovicevic ^{[15](#)}, X. Ju ^{[17a](#)}, J.J. Junggeburth ^{[103](#)},
T. Junkermann ^{[63a](#)}, A. Juste Rozas ^{[13,s](#)}, M.K. Juzek ^{[87](#)}, S. Kabana ^{[137e](#)}, A. Kaczmarska ^{[87](#)},
M. Kado ^{[110](#)}, H. Kagan ^{[119](#)}, M. Kagan ^{[143](#)}, A. Kahn ^{[41](#)}, A. Kahn ^{[128](#)}, C. Kahra ^{[100](#)},
T. Kaji ^{[153](#)}, E. Kajomovitz ^{[150](#)}, N. Kakati ^{[169](#)}, I. Kalaitzidou ^{[54](#)}, C.W. Kalderon ^{[29](#)},
A. Kamenshchikov ^{[155](#)}, N.J. Kang ^{[136](#)}, D. Kar ^{[33g](#)}, K. Karava ^{[126](#)}, M.J. Kareem ^{[156b](#)},
E. Karentzos ^{[54](#)}, I. Karkanas ^{[152](#)}, O. Karkout ^{[114](#)}, S.N. Karpov ^{[38](#)}, Z.M. Karpova ^{[38](#)},
V. Kartvelishvili ^{[91](#)}, A.N. Karyukhin ^{[37](#)}, E. Kasimi ^{[152](#)}, J. Katzy ^{[48](#)}, S. Kaur ^{[34](#)},
K. Kawade ^{[140](#)}, M.P. Kawale ^{[120](#)}, C. Kawamoto ^{[88](#)}, T. Kawamoto ^{[135](#)}, E.F. Kay ^{[36](#)},
F.I. Kaya ^{[158](#)}, S. Kazakos ^{[107](#)}, V.F. Kazanin ^{[37](#)}, Y. Ke ^{[145](#)}, J.M. Keaveney ^{[33a](#)}, R. Keeler ^{[165](#)},
G.V. Kehris ^{[61](#)}, J.S. Keller ^{[34](#)}, A.S. Kelly ^{[96](#)}, J.J. Kempster ^{[146](#)}, K.E. Kennedy ^{[41](#)},
P.D. Kennedy ^{[100](#)}, O. Kepka ^{[131](#)}, B.P. Kerridge ^{[167](#)}, S. Kersten ^{[171](#)}, B.P. Kerševan ^{[93](#)},
S. Keshri ^{[66](#)}, L. Keszeghova ^{[28a](#)}, S. Ketabchi Haghighat ^{[155](#)}, R.A. Khan ^{[129](#)}, M. Khandoga ^{[127](#)},
A. Khanov ^{[121](#)}, A.G. Kharlamov ^{[37](#)}, T. Kharlamova ^{[37](#)}, E.E. Khoda ^{[138](#)}, M. Kholodenko ^{[37](#)},
T.J. Khoo ^{[18](#)}, G. Khorauli ^{[166](#)}, J. Khubua ^{[149b,*](#)}, Y.A.R. Khwaira ^{[66](#)}, A. Kilgallon ^{[123](#)},
D.W. Kim ^{[47a,47b](#)}, Y.K. Kim ^{[39](#)}, N. Kimura ^{[96](#)}, M.K. Kingston ^{[55](#)}, A. Kirchhoff ^{[55](#)},
C. Kirfel ^{[24](#)}, F. Kirfel ^{[24](#)}, J. Kirk ^{[134](#)}, A.E. Kiryunin ^{[110](#)}, C. Kitsaki ^{[10](#)}, O. Kivernyk ^{[24](#)},
M. Klassen ^{[63a](#)}, C. Klein ^{[34](#)}, L. Klein ^{[166](#)}, M.H. Klein ^{[106](#)}, M. Klein ^{[92](#)}, S.B. Klein ^{[56](#)},
U. Klein ^{[92](#)}, P. Klimek ^{[36](#)}, A. Klimentov ^{[29](#)}, T. Kliuchnikova ^{[36](#)}, P. Kluit ^{[114](#)}, S. Kluth ^{[110](#)},
E. Kneringer ^{[79](#)}, T.M. Knight ^{[155](#)}, A. Knue ^{[49](#)}, R. Kobayashi ^{[88](#)}, D. Kobylanskii ^{[169](#)},

S.F. Koch ¹²⁶, M. Kocian ¹⁴³, P. Kodyš ¹³³, D.M. Koeck ¹²³, P.T. Koenig ²⁴, T. Koffas ³⁴, O. Kolay ⁵⁰, M. Kolb ¹³⁵, I. Koletsou ⁴, T. Komarek ¹²², K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁸, N. Konstantinidis ⁹⁶, P. Kontaxakis ⁵⁶, B. Konya ⁹⁸, R. Kopeliansky ⁶⁸, S. Koperny ^{86a}, K. Korcyl ⁸⁷, K. Kordas ^{152,e}, G. Koren ¹⁵¹, A. Korn ⁹⁶, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹⁴, O. Kortner ¹¹⁰, S. Kortner ¹¹⁰, W.H. Kostecka ¹¹⁵, V.V. Kostyukhin ¹⁴¹, A. Kotsokechagia ¹³⁵, A. Kotwal ⁵¹, A. Koulouris ³⁶, A. Kourkumeli-Charalampidi ^{73a,73b}, C. Kourkumelis ⁹, E. Kourlitis ^{110,ad}, O. Kovanda ¹⁴⁶, R. Kowalewski ¹⁶⁵, W. Kozanecki ¹³⁵, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹³, P. Kramer ¹⁰⁰, M.W. Krasny ¹²⁷, A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷¹, J.A. Kremer ⁴⁸, T. Kresse ⁵⁰, J. Kretzschmar ⁹², K. Kreul ¹⁸, P. Krieger ¹⁵⁵, S. Krishnamurthy ¹⁰³, M. Krivos ¹³³, K. Krizka ²⁰, K. Kroeninger ⁴⁹, H. Kroha ¹¹⁰, J. Kroll ¹³¹, J. Kroll ¹²⁸, K.S. Krowpman ¹⁰⁷, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹, J.A. Krzysiak ⁸⁷, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a}, S. Kuleshov ^{137d,137b}, M. Kumar ^{33g}, N. Kumari ⁴⁸, A. Kupco ¹³¹, T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁵, L.L. Kurchaninov ^{156a}, O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵⁴, A.K. Kvam ¹⁰³, J. Kvita ¹²², T. Kwan ¹⁰⁴, N.G. Kyriacou ¹⁰⁶, L.A.O. Laatu ¹⁰², C. Lacasta ¹⁶³, F. Lacava ^{75a,75b}, H. Lacker ¹⁸, D. Lacour ¹²⁷, N.N. Lad ⁹⁶, E. Ladygin ³⁸, B. Laforge ¹²⁷, T. Lagouri ^{137e}, F.Z. Lahbabi ^{35a}, S. Lai ⁵⁵, I.K. Lakomic ^{86a}, N. Lalloue ⁶⁰, J.E. Lambert ¹⁶⁵, S. Lammers ⁶⁸, W. Lampl ⁷, C. Lampoudis ^{152,e}, A.N. Lancaster ¹¹⁵, E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁴, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰³, O.K.B. Langrekken ¹²⁵, A.J. Lankford ¹⁶⁰, F. Lanni ³⁶, K. Lantzsich ²⁴, A. Lanza ^{73a}, A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁵, T. Lari ^{71a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³¹, A. Laudrain ¹⁰⁰, A. Laurier ¹⁵⁰, S.D. Lawlor ¹³⁹, Z. Lawrence ¹⁰¹, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰¹, E.M. Le Boulicaut ⁵¹, B. Leban ⁹³, A. Lebedev ⁸¹, M. LeBlanc ¹⁰¹, F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁶, S.C. Lee ¹⁴⁸, S. Lee ^{47a,47b}, T.F. Lee ⁹², L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁵, M. Lefebvre ¹⁶⁵, C. Leggett ^{17a}, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰³, W. Leinonen ¹¹³, A. Leisos ^{152,r}, M.A.L. Leite ^{83c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³³, K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁴, C. Leroy ¹⁰⁸, R. Les ¹⁰⁷, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁶, L.J. Levinson ¹⁶⁹, M.P. Lewicki ⁸⁷, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{14b}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁸, L. Li ^{62c}, M. Li ^{14a,14e}, Q.Y. Li ^{62a}, S. Li ^{14a,14e}, S. Li ^{62d,62c,d}, T. Li ⁵, X. Li ¹⁰⁴, Z. Li ¹²⁶, Z. Li ¹⁰⁴, Z. Li ⁹², Z. Li ^{14a,14e}, S. Liang ^{14a,14e}, Z. Liang ^{14a}, M. Liberatore ¹³⁵, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{83b}, H. Lien ⁶⁸, K. Lin ¹⁰⁷, R.E. Lindley ⁷, J.H. Lindon ², E. Lipeles ¹²⁸, A. Lipniacka ¹⁶, A. Lister ¹⁶⁴, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴², D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,138,62c}, X. Liu ^{62a}, Y. Liu ^{14d,14e}, Y.L. Liu ^{62b}, Y.W. Liu ^{62a}, J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, T. Lohse ¹⁸, K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸, M. Lokajicek ^{131,*}, J.D. Lomas ²⁰, J.D. Long ¹⁶², I. Longarini ¹⁶⁰, L. Longo ^{70a,70b}, R. Longo ¹⁶², I. Lopez Paz ⁶⁷, A. Lopez Solis ⁴⁸, J. Lorenz ¹⁰⁹, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹, G. Löschcke Centeno ¹⁴⁶, O. Loseva ³⁷, X. Lou ^{47a,47b}, X. Lou ^{14a,14e},

A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹¹, G. Lu ^{14a,14e}, M. Lu ⁸⁰, S. Lu ¹²⁸, Y.J. Lu ⁶⁵,
H.J. Lubatti ¹³⁸, C. Luci ^{75a,75b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁸,
I. Luise ¹⁴⁵, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴⁴, B. Lund-Jensen ^{144,*}, N.A. Luongo ¹²³,
M.S. Lutz ¹⁵¹, A.B. Lux ²⁵, D. Lynn ²⁹, H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸,
V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, M.M. Lyukova ¹⁴⁵, H. Ma ²⁹, K. Ma ^{62a}, L.L. Ma ^{62b},
W. Ma ^{62a}, Y. Ma ¹²¹, D.M. Mac Donell ¹⁶⁵, G. Maccarrone ⁵³, J.C. MacDonald ¹⁰⁰,
P.C. Machado De Abreu Farias ^{83b}, R. Madar ⁴⁰, W.F. Mader ⁵⁰, T. Madula ⁹⁶, J. Maeda ⁸⁵,
T. Maeno ²⁹, H. Maguire ¹³⁹, V. Maiboroda ¹³⁵, A. Maio ^{130a,130b,130d}, K. Maj ^{86a},
O. Majersky ⁴⁸, S. Majewski ¹²³, N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁷,
Pa. Malecki ⁸⁷, V.P. Maleev ³⁷, F. Malek ⁶⁰, M. Mali ⁹³, D. Malito ⁹⁵, U. Mallik ⁸⁰,
S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{73a,73b},
J.P. Mandalia ⁹⁴, I. Mandić ⁹³, L. Manhaes de Andrade Filho ^{83a}, I.M. Maniatis ¹⁶⁹,
J. Manjarres Ramos ^{102,aa}, D.C. Mankad ¹⁶⁹, A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵, S. Manzoni ³⁶,
X. Mapekula ^{33c}, A. Marantis ^{152,r}, G. Marchiori ⁵, M. Marcisovsky ¹³¹, C. Marcon ^{71a},
M. Marinescu ²⁰, M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶³,
T.A. Martin ¹⁶⁷, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{75a,75b},
M. Martinez ^{13,s}, P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³, P. Martinez Suarez ¹³,
S. Martin-Haugh ¹³⁴, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶, A. Marzin ³⁶, D. Mascione ^{78a,78b},
L. Masetti ¹⁰⁰, T. Mashimo ¹⁵³, J. Masik ¹⁰¹, A.L. Maslennikov ³⁷, L. Massa ^{23b},
P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵³,
T. Mathisen ¹⁶¹, J. Matousek ¹³³, N. Matsuzawa ¹⁵³, J. Maurer ^{27b}, B. Maček ⁹³,
D.A. Maximov ³⁷, R. Mazini ¹⁴⁸, I. Maznas ¹⁵², M. Mazza ¹⁰⁷, S.M. Mazza ¹³⁶,
E. Mazzeo ^{71a,71b}, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶, E.F. McDonald ¹⁰⁵,
A.E. McDougall ¹¹⁴, J.A. Mcfayden ¹⁴⁶, R.P. McGovern ¹²⁸, G. Mchedlidze ^{149b},
R.P. McKenzie ^{33g}, T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁶, S.J. McMahon ¹³⁴,
C.M. Mcpartland ⁹², R.A. McPherson ^{165,w}, S. Mehlhase ¹⁰⁹, A. Mehta ⁹², D. Melini ¹⁵⁰,
B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵, F. Meloni ⁴⁸, A.M. Mendes Jacques Da Costa ¹⁰¹,
H.Y. Meng ¹⁵⁵, L. Meng ⁹¹, S. Menke ¹¹⁰, M. Mentink ³⁶, E. Meoni ^{43b,43a}, G. Mercado ¹¹⁵,
C. Merlassino ¹²⁶, L. Merola ^{72a,72b}, C. Meroni ^{71a,71b}, G. Merz ¹⁰⁶, O. Meshkov ³⁷,
J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁸, J-P. Meyer ¹³⁵, R.P. Middleton ¹³⁴, L. Mijović ⁵²,
G. Mikenberg ¹⁶⁹, M. Mikestikova ¹³¹, M. Mikuž ⁹³, H. Mildner ¹⁰⁰, A. Milic ³⁶,
C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b}, T. Min ^{14c},
A.A. Minaenko ³⁷, I.A. Minashvili ^{149b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{86a},
M. Mineev ³⁸, Y. Mino ⁸⁸, L.M. Mir ¹³, M. Miralles Lopez ¹⁶³, M. Mironova ^{17a},
A. Mishima ¹⁵³, M.C. Missio ¹¹³, A. Mitra ¹⁶⁷, V.A. Mitsou ¹⁶³, Y. Mitsumori ¹¹¹, O. Miu ¹⁵⁵,
P.S. Miyagawa ⁹⁴, T. Mkrtchyan ^{63a}, M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶,
S. Mobius ¹⁹, P. Moder ⁴⁸, P. Mogg ¹⁰⁹, A.F. Mohammed ^{14a,14e}, S. Mohapatra ⁴¹,
G. Mokgatitswane ^{33g}, L. Moleri ¹⁶⁹, B. Mondal ¹⁴¹, S. Mondal ¹³², K. Mönig ⁴⁸,
E. Monnier ¹⁰², L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ¹³, M. Montella ¹¹⁹,
F. Montereali ^{77a,77b}, F. Monticelli ⁹⁰, S. Monzani ^{69a,69c}, N. Morange ⁶⁶,
A.L. Moreira De Carvalho ^{130a}, M. Moreno Llacer ¹⁶³, C. Moreno Martinez ⁵⁶, P. Morettini ^{57b},
S. Morgenstern ³⁶, M. Morii ⁶¹, M. Morinaga ¹⁵³, A.K. Morley ³⁶, F. Morodei ^{75a,75b},
L. Morvaj ³⁶, P. Moschovakos ³⁶, B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴,

P. Moskvitina ¹¹³, J. Moss ^{31,l}, E.J.W. Moyse ¹⁰³, O. Mtintsilana ^{33g}, S. Muanza ¹⁰², J. Mueller ¹²⁹, D. Muenstermann ⁹¹, R. Müller ¹⁹, G.A. Mullier ¹⁶¹, A.J. Mullin ³², J.J. Mullin ¹²⁸, D.P. Mungo ¹⁵⁵, D. Munoz Perez ¹⁶³, F.J. Munoz Sanchez ¹⁰¹, M. Murin ¹⁰¹, W.J. Murray ^{167,134}, A. Murrone ^{71a,71b}, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, G. Myers ⁶⁸, M. Myska ¹³², B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁶, K. Nagano ⁸⁴, J.L. Nagle ^{29,ai}, E. Nagy ¹⁰², A.M. Nairz ³⁶, Y. Nakahama ⁸⁴, K. Nakamura ⁸⁴, K. Nakkalil ⁵, H. Nanjo ¹²⁴, R. Narayan ⁴⁴, E.A. Narayanan ¹¹², I. Naryshkin ³⁷, M. Naseri ³⁴, S. Nasri ¹⁵⁹, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶³, R. Nayak ¹⁵¹, A. Nayaz ¹⁸, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, L. Nedic ¹²⁶, T.J. Neep ²⁰, A. Negri ^{73a,73b}, M. Negrini ^{23b}, C. Nellist ¹¹⁴, C. Nelson ¹⁰⁴, K. Nelson ¹⁰⁶, S. Nemecek ¹³¹, M. Nessi ^{36,h}, M.S. Neubauer ¹⁶², F. Neuhaus ¹⁰⁰, J. Neundorff ⁴⁸, R. Newhouse ¹⁶⁴, P.R. Newman ²⁰, C.W. Ng ¹²⁹, Y.W.Y. Ng ⁴⁸, B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰⁸, R.B. Nickerson ¹²⁶, R. Nicolaidou ¹³⁵, J. Nielsen ¹³⁶, M. Niemeyer ⁵⁵, J. Niermann ^{55,36}, N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁷, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, I. Ninca ⁴⁸, H.R. Nindhito ⁵⁶, G. Ninio ¹⁵¹, A. Nisati ^{75a}, N. Nishu ², R. Nisius ¹¹⁰, J-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, T. Nobe ¹⁵³, D.L. Noel ³², T. Nommensen ¹⁴⁷, M.B. Norfolk ¹³⁹, R.R.B. Norisam ⁹⁶, B.J. Norman ³⁴, J. Novak ⁹³, T. Novak ⁴⁸, L. Novotny ¹³², R. Novotny ¹¹², L. Nozka ¹²², K. Ntekas ¹⁶⁰, N.M.J. Nunes De Moura Junior ^{83b}, E. Nurse ⁹⁶, J. Ocariz ¹²⁷, A. Ochi ⁸⁵, I. Ochoa ^{130a}, S. Oerdek ^{48,t}, J.T. Offermann ³⁹, A. Ogrodnik ¹³³, A. Oh ¹⁰¹, C.C. Ohm ¹⁴⁴, H. Oide ⁸⁴, R. Oishi ¹⁵³, M.L. Ojeda ⁴⁸, M.W. O’Keefe ⁹², Y. Okumura ¹⁵³, L.F. Oleiro Seabra ^{130a}, S.A. Olivares Pino ^{137d}, D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{83a}, J.L. Oliver ¹⁶⁰, Ö.O. Öncel ⁵⁴, A.P. O’Neill ¹⁹, A. Onofre ^{130a,130e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹⁰, D. Orestano ^{77a,77b}, N. Orlando ¹³, R.S. Orr ¹⁵⁵, V. O’Shea ⁵⁹, L.M. Osojnak ¹²⁸, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ²⁹, F. Ould-Saada ¹²⁵, M. Owen ⁵⁹, R.E. Owen ¹³⁴, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, F. Ozturk ⁸⁷, N. Ozturk ⁸, S. Ozturk ⁸², H.A. Pacey ¹²⁶, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{75a,75b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁸, A. Palazzo ^{70a,70b}, S. Palestini ³⁶, J. Pan ¹⁷², T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹⁴, J.G. Panduro Vazquez ⁹⁵, H.D. Pandya ¹, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁸, S. Parajuli ⁴⁴, A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, K.R. Park ⁴¹, T.H. Park ¹⁵⁵, M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁵, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁸, L. Pascual Dominguez ¹⁵¹, E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁵, P. Pasuwan ^{47a,47b}, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰¹, T. Pauly ³⁶, J. Pearkes ¹⁴³, M. Pedersen ¹²⁵, R. Pedro ^{130a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², K.E. Penski ¹⁰⁹, M. Penzin ³⁷, B.S. Peralva ^{83d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b}, D.V. Perepelitsa ^{29,ai}, E. Perez Codina ^{156a}, M. Perganti ¹⁰, L. Perini ^{71a,71b,*}, H. Pernegger ³⁶, O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰¹, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰², V. Petousis ¹³², C. Petridou ^{152,e}, A. Petrukhin ¹⁴¹, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³³, R. Pezoa ^{137f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷², T.M. Pham ¹⁷⁰, T. Pham ¹⁰⁵, P.W. Phillips ¹³⁴, G. Piacquadio ¹⁴⁵, E. Pianori ^{17a},

F. Piazza ¹²³, R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰¹, M. Pinamonti ^{69a,69c}, J.L. Pinfold ², B.C. Pinheiro Pereira ^{130a}, A.E. Pinto Pinoargote ^{100,135}, L. Pintucci ^{69a,69c}, K.M. Piper ¹⁴⁶, A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b}, A. Pizzini ¹¹⁴, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³³, E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁸, L. Poggioli ¹²⁷, I. Pokharel ⁵⁵, S. Polacek ¹³³, G. Polesello ^{73a}, A. Poley ^{142,156a}, R. Polifka ¹³², A. Polini ^{23b}, C.S. Pollard ¹⁶⁷, Z.B. Pollock ¹¹⁹, V. Polychronakos ²⁹, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹³, L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{156a}, S. Pospisil ¹³², M.A. Postill ¹³⁹, P. Postolache ^{27c}, K. Potamianos ¹⁶⁷, P.A. Potepa ^{86a}, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³, M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶³, J. Pretel ⁵⁴, D. Price ¹⁰¹, M. Primavera ^{70a}, M.A. Principe Martin ⁹⁹, R. Privara ¹²², T. Procter ⁵⁹, M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸, K. Prokofiev ^{64c}, G. Proto ¹¹⁰, S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, J.E. Puddefoot ¹³⁹, D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁶, D. Qichen ¹⁰¹, Y. Qin ¹⁰¹, T. Qiu ⁵², A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰¹, G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁴, G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹, E. Ramakoti ³⁷, I.A. Ramirez-Berend ³⁴, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b}, V. Raskina ¹²⁷, D.F. Rassloff ^{63a}, S. Rave ¹⁰⁰, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁹, M. Raymond ³⁶, A.L. Read ¹²⁵, N.P. Readioff ¹³⁹, D.M. Rebuzzi ^{73a,73b}, G. Redlinger ²⁹, A.S. Reed ¹¹⁰, K. Reeves ²⁶, J.A. Reidelsturz ¹⁷¹, D. Reikher ¹⁵¹, A. Rej ⁴⁹, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b}, M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ¹⁶⁰, A.L. Rescia ⁴⁸, S. Resconi ^{71a}, M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷, E. Reynolds ^{17a}, O.L. Rezanova ³⁷, P. Reznicek ¹³³, N. Ribaric ⁹¹, E. Ricci ^{78a,78b}, R. Richter ¹¹⁰, S. Richter ^{47a,47b}, E. Richter-Was ^{86b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷, P. Riedler ³⁶, E.M. Riefel ^{47a,47b}, J.O. Rieger ¹¹⁴, M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b}, M. Rimoldi ³⁶, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹, M.P. Rinnagel ¹⁰⁹, G. Ripellino ¹⁶¹, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵, F. Rizatdinova ¹²¹, E. Rizvi ⁹⁴, B.A. Roberts ¹⁶⁷, B.R. Roberts ^{17a}, S.H. Robertson ^{104,w}, D. Robinson ³², C.M. Robles Gajardo ^{137f}, M. Robles Manzano ¹⁰⁰, A. Robson ⁵⁹, A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ^{156b}, S. Roe ³⁶, J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹, O. Røhne ¹²⁵, R.A. Rojas ¹⁰³, C.P.A. Roland ¹²⁷, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶², N. Rompotis ⁹², L. Roos ¹²⁷, S. Rosati ^{75a}, B.J. Rosser ³⁹, E. Rossi ¹²⁶, E. Rossi ^{72a,72b}, L.P. Rossi ^{57b}, L. Rossini ⁵⁴, R. Rosten ¹¹⁹, M. Rotaru ^{27b}, B. Rottler ⁵⁴, C. Rougier ^{102,aa}, D. Rousseau ⁶⁶, D. Rouso ³², A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵, A. Rozanov ¹⁰², Z.M.A. Rozario ⁵⁹, Y. Rozen ¹⁵⁰, X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶³, A.J. Ruby ⁹², V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁶, A. Ruiz-Martinez ¹⁶³, A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁵, G. Russo ^{75a,75b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³², K. Rybacki ⁹¹, M. Rybar ¹³³, E.B. Rye ¹²⁵, A. Ryzhov ⁴⁴, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³, L. Sabetta ^{75a,75b}, H.F.-W. Sadrozinski ¹³⁶, F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹³⁴, M. Safdari ¹⁴³, S. Saha ¹⁶⁵, M. Sahinsoy ¹¹⁰, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³, D. Salamani ³⁶, A. Salnikov ¹⁴³, J. Salt ¹⁶³, A. Salvador Salas ¹⁵¹,

D. Salvatore ^{[143b,43a](#)}, F. Salvatore ^{[146](#)}, A. Salzburger ^{[36](#)}, D. Sammel ^{[54](#)}, D. Sampsonidis ^{[152,e](#)},
D. Sampsonidou ^{[123](#)}, J. Sánchez ^{[163](#)}, A. Sanchez Pineda ^{[4](#)}, V. Sanchez Sebastian ^{[163](#)},
H. Sandaker ^{[125](#)}, C.O. Sander ^{[48](#)}, J.A. Sandesara ^{[103](#)}, M. Sandhoff ^{[171](#)}, C. Sandoval ^{[22b](#)},
D.P.C. Sankey ^{[134](#)}, T. Sano ^{[88](#)}, A. Sansoni ^{[53](#)}, L. Santi ^{[75a,75b](#)}, C. Santoni ^{[40](#)},
H. Santos ^{[130a,130b](#)}, S.N. Santpur ^{[17a](#)}, A. Santra ^{[169](#)}, K.A. Saoucha ^{[116b](#)}, J.G. Saraiva ^{[130a,130d](#)},
J. Sardain ^{[7](#)}, O. Sasaki ^{[84](#)}, K. Sato ^{[157](#)}, C. Sauer ^{[63b](#)}, F. Sauerburger ^{[54](#)}, E. Sauvan ^{[4](#)},
P. Savard ^{[155,af](#)}, R. Sawada ^{[153](#)}, C. Sawyer ^{[134](#)}, L. Sawyer ^{[97](#)}, I. Sayago Galvan ^{[163](#)},
C. Sbarra ^{[23b](#)}, A. Sbrizzi ^{[23b,23a](#)}, T. Scanlon ^{[96](#)}, J. Schaarschmidt ^{[138](#)}, P. Schacht ^{[110](#)},
U. Schäfer ^{[100](#)}, A.C. Schaffer ^{[66,44](#)}, D. Schaile ^{[109](#)}, R.D. Schamberger ^{[145](#)}, C. Scharf ^{[18](#)},
M.M. Schefer ^{[19](#)}, V.A. Schegelsky ^{[37](#)}, D. Scheirich ^{[133](#)}, F. Schenck ^{[18](#)}, M. Schernau ^{[160](#)},
C. Scheulen ^{[55](#)}, C. Schiavi ^{[57b,57a](#)}, E.J. Schioppa ^{[70a,70b](#)}, M. Schioppa ^{[43b,43a](#)}, B. Schlag ^{[143,n](#)},
K.E. Schleicher ^{[54](#)}, S. Schlenker ^{[36](#)}, J. Schmeing ^{[171](#)}, M.A. Schmidt ^{[171](#)}, K. Schmieden ^{[100](#)},
C. Schmitt ^{[100](#)}, N. Schmitt ^{[100](#)}, S. Schmitt ^{[48](#)}, L. Schoeffel ^{[135](#)}, A. Schoening ^{[63b](#)},
P.G. Scholer ^{[54](#)}, E. Schopf ^{[126](#)}, M. Schott ^{[100](#)}, J. Schovancova ^{[36](#)}, S. Schramm ^{[56](#)},
F. Schroeder ^{[171](#)}, T. Schroer ^{[56](#)}, H-C. Schultz-Coulon ^{[63a](#)}, M. Schumacher ^{[54](#)},
B.A. Schumm ^{[136](#)}, Ph. Schune ^{[135](#)}, A.J. Schuy ^{[138](#)}, H.R. Schwartz ^{[136](#)}, A. Schwartzman ^{[143](#)},
T.A. Schwarz ^{[106](#)}, Ph. Schwemling ^{[135](#)}, R. Schwienhorst ^{[107](#)}, A. Sciandra ^{[136](#)}, G. Sciolla ^{[26](#)},
F. Scuri ^{[74a](#)}, C.D. Sebastiani ^{[92](#)}, K. Sedlaczek ^{[115](#)}, P. Seema ^{[18](#)}, S.C. Seidel ^{[112](#)}, A. Seiden ^{[136](#)},
B.D. Seidlitz ^{[41](#)}, C. Seitz ^{[48](#)}, J.M. Seixas ^{[83b](#)}, G. Sekhniaidze ^{[72a](#)}, S.J. Sekula ^{[44](#)}, L. Selem ^{[60](#)},
N. Semprini-Cesari ^{[23b,23a](#)}, D. Sengupta ^{[56](#)}, V. Senthilkumar ^{[163](#)}, L. Serin ^{[66](#)}, L. Serkin ^{[69a,69b](#)},
M. Sessa ^{[76a,76b](#)}, H. Severini ^{[120](#)}, F. Sforza ^{[57b,57a](#)}, A. Sfyrila ^{[56](#)}, E. Shabalina ^{[55](#)},
R. Shaheen ^{[144](#)}, J.D. Shahinian ^{[128](#)}, D. Shaked Renous ^{[169](#)}, L.Y. Shan ^{[14a](#)}, M. Shapiro ^{[17a](#)},
A. Sharma ^{[36](#)}, A.S. Sharma ^{[164](#)}, P. Sharma ^{[80](#)}, S. Sharma ^{[48](#)}, P.B. Shatalov ^{[37](#)}, K. Shaw ^{[146](#)},
S.M. Shaw ^{[101](#)}, A. Shcherbakova ^{[37](#)}, Q. Shen ^{[62c,5](#)}, P. Sherwood ^{[96](#)}, L. Shi ^{[96](#)}, X. Shi ^{[14a](#)},
C.O. Shimmin ^{[172](#)}, J.D. Shinner ^{[95](#)}, I.P.J. Shipsey ^{[126](#)}, S. Shirabe ^{[56,h](#)}, M. Shiyakova ^{[38,u](#)},
J. Shlomi ^{[169](#)}, M.J. Shochet ^{[39](#)}, J. Shojaii ^{[105](#)}, D.R. Shope ^{[125](#)}, B. Shrestha ^{[120](#)},
S. Shrestha ^{[119,aj](#)}, E.M. Shrif ^{[33g](#)}, M.J. Shroff ^{[165](#)}, P. Sicho ^{[131](#)}, A.M. Sickles ^{[162](#)},
E. Sideras Haddad ^{[33g](#)}, A. Sidoti ^{[23b](#)}, F. Siegert ^{[50](#)}, Dj. Sijacki ^{[15](#)}, R. Sikora ^{[86a](#)}, F. Sili ^{[90](#)},
J.M. Silva ^{[20](#)}, M.V. Silva Oliveira ^{[29](#)}, S.B. Silverstein ^{[47a](#)}, S. Simion ^{[66](#)}, R. Simoniello ^{[36](#)},
E.L. Simpson ^{[59](#)}, H. Simpson ^{[146](#)}, L.R. Simpson ^{[106](#)}, N.D. Simpson ^{[98](#)}, S. Simsek ^{[82](#)},
S. Sindhu ^{[55](#)}, P. Sinervo ^{[155](#)}, S. Singh ^{[155](#)}, S. Sinha ^{[48](#)}, S. Sinha ^{[101](#)}, M. Sioli ^{[23b,23a](#)},
I. Siral ^{[36](#)}, E. Sitnikova ^{[48](#)}, S.Yu. Sivoklov ^{[37,*](#)}, J. Sjölin ^{[47a,47b](#)}, A. Skaf ^{[55](#)}, E. Skorda ^{[20](#)},
P. Skubic ^{[120](#)}, M. Slawinska ^{[87](#)}, V. Smakhtin ^{[169](#)}, B.H. Smart ^{[134](#)}, J. Smiesko ^{[36](#)},
S.Yu. Smirnov ^{[37](#)}, Y. Smirnov ^{[37](#)}, L.N. Smirnova ^{[37,a](#)}, O. Smirnova ^{[98](#)}, A.C. Smith ^{[41](#)},
E.A. Smith ^{[39](#)}, H.A. Smith ^{[126](#)}, J.L. Smith ^{[92](#)}, R. Smith ^{[143](#)}, M. Smizanska ^{[91](#)}, K. Smolek ^{[132](#)},
A.A. Snesarev ^{[37](#)}, S.R. Snider ^{[155](#)}, H.L. Snoek ^{[114](#)}, S. Snyder ^{[29](#)}, R. Sobie ^{[165,w](#)}, A. Soffer ^{[151](#)},
C.A. Solans Sanchez ^{[36](#)}, E.Yu. Soldatov ^{[37](#)}, U. Soldevila ^{[163](#)}, A.A. Solodkov ^{[37](#)}, S. Solomon ^{[26](#)},
A. Soloshenko ^{[38](#)}, K. Solovieva ^{[54](#)}, O.V. Solovyanov ^{[40](#)}, V. Solovyev ^{[37](#)}, P. Sommer ^{[36](#)},
A. Sonay ^{[13](#)}, W.Y. Song ^{[156b](#)}, J.M. Sonneveld ^{[114](#)}, A. Sopczak ^{[132](#)}, A.L. Sopia ^{[96](#)},
F. Sopkova ^{[28b](#)}, I.R. Sotarriva Alvarez ^{[154](#)}, V. Sothilingam ^{[63a](#)}, O.J. Soto Sandoval ^{[137c,137b](#)},
S. Sottocornola ^{[68](#)}, R. Soualah ^{[116b](#)}, Z. Soumami ^{[35e](#)}, D. South ^{[48](#)}, N. Soybelman ^{[169](#)},
S. Spagnolo ^{[70a,70b](#)}, M. Spalla ^{[110](#)}, D. Sperlich ^{[54](#)}, G. Spigo ^{[36](#)}, S. Spinali ^{[91](#)}, D.P. Spiteri ^{[59](#)},
M. Spousta ^{[133](#)}, E.J. Staats ^{[34](#)}, A. Stabile ^{[71a,71b](#)}, R. Stamen ^{[63a](#)}, A. Stampekis ^{[20](#)},

M. Standke ^{[124](#)}, E. Stanecka ^{[87](#)}, M.V. Stange ^{[50](#)}, B. Stanislaus ^{[17a](#)}, M.M. Stanitzki ^{[48](#)},
 B. Stapf ^{[48](#)}, E.A. Starchenko ^{[37](#)}, G.H. Stark ^{[136](#)}, J. Stark ^{[102,aa](#)}, D.M. Starko ^{[156b](#)},
 P. Staroba ^{[131](#)}, P. Starovoitov ^{[63a](#)}, S. Stärz ^{[104](#)}, R. Staszewski ^{[87](#)}, G. Stavropoulos ^{[46](#)},
 J. Steentoft ^{[161](#)}, P. Steinberg ^{[29](#)}, B. Stelzer ^{[142,156a](#)}, H.J. Stelzer ^{[129](#)}, O. Stelzer-Chilton ^{[156a](#)},
 H. Stenzel ^{[58](#)}, T.J. Stevenson ^{[146](#)}, G.A. Stewart ^{[36](#)}, J.R. Stewart ^{[121](#)}, M.C. Stockton ^{[36](#)},
 G. Stoicea ^{[27b](#)}, M. Stolarski ^{[130a](#)}, S. Stonjek ^{[110](#)}, A. Straessner ^{[50](#)}, J. Strandberg ^{[144](#)},
 S. Strandberg ^{[47a,47b](#)}, M. Stratmann ^{[171](#)}, M. Strauss ^{[120](#)}, T. Strebler ^{[102](#)}, P. Strizenec ^{[28b](#)},
 R. Ströhmer ^{[166](#)}, D.M. Strom ^{[123](#)}, L.R. Strom ^{[48](#)}, R. Stroynowski ^{[44](#)}, A. Strubig ^{[47a,47b](#)},
 S.A. Stucci ^{[29](#)}, B. Stugu ^{[16](#)}, J. Stupak ^{[120](#)}, N.A. Styles ^{[48](#)}, D. Su ^{[143](#)}, S. Su ^{[62a](#)}, W. Su ^{[62d](#)},
 X. Su ^{[62a,66](#)}, K. Sugizaki ^{[153](#)}, V.V. Sulin ^{[37](#)}, M.J. Sullivan ^{[92](#)}, D.M.S. Sultan ^{[78a,78b](#)},
 L. Sultanaliev ^{[37](#)}, S. Sultansoy ^{[3b](#)}, T. Sumida ^{[88](#)}, S. Sun ^{[106](#)}, S. Sun ^{[170](#)},
 O. Sunneborn Gudnadottir ^{[161](#)}, N. Sur ^{[102](#)}, M.R. Sutton ^{[146](#)}, H. Suzuki ^{[157](#)}, M. Svatos ^{[131](#)},
 M. Swiatlowski ^{[156a](#)}, T. Swirski ^{[166](#)}, I. Sykora ^{[28a](#)}, M. Sykora ^{[133](#)}, T. Sykora ^{[133](#)}, D. Ta ^{[100](#)},
 K. Tackmann ^{[48,t](#)}, A. Taffard ^{[160](#)}, R. Tafirout ^{[156a](#)}, J.S. Tafoya Vargas ^{[66](#)}, E.P. Takeva ^{[52](#)},
 Y. Takubo ^{[84](#)}, M. Talby ^{[102](#)}, A.A. Talyshev ^{[37](#)}, K.C. Tam ^{[64b](#)}, N.M. Tamir ^{[151](#)}, A. Tanaka ^{[153](#)},
 J. Tanaka ^{[153](#)}, R. Tanaka ^{[66](#)}, M. Tanasini ^{[57b,57a](#)}, Z. Tao ^{[164](#)}, S. Tapia Araya ^{[137f](#)},
 S. Tapprogge ^{[100](#)}, A. Tarek Abouelfadl Mohamed ^{[107](#)}, S. Tarem ^{[150](#)}, K. Tariq ^{[14a](#)},
 G. Tarna ^{[102,27b](#)}, G.F. Tartarelli ^{[71a](#)}, P. Tas ^{[133](#)}, M. Tasevsky ^{[131](#)}, E. Tassi ^{[43b,43a](#)},
 A.C. Tate ^{[162](#)}, G. Tateno ^{[153](#)}, Y. Tayalati ^{[35e,v](#)}, G.N. Taylor ^{[105](#)}, W. Taylor ^{[156b](#)}, A.S. Tee ^{[170](#)},
 R. Teixeira De Lima ^{[143](#)}, P. Teixeira-Dias ^{[95](#)}, J.J. Teoh ^{[155](#)}, K. Terashi ^{[153](#)}, J. Terron ^{[99](#)},
 S. Terzo ^{[13](#)}, M. Testa ^{[53](#)}, R.J. Teuscher ^{[155,w](#)}, A. Thaler ^{[79](#)}, O. Theiner ^{[56](#)},
 N. Themistokleous ^{[52](#)}, T. Theveniaux-Pelzer ^{[102](#)}, O. Thielmann ^{[171](#)}, D.W. Thomas ^{[95](#)},
 J.P. Thomas ^{[20](#)}, E.A. Thompson ^{[17a](#)}, P.D. Thompson ^{[20](#)}, E. Thomson ^{[128](#)}, Y. Tian ^{[55](#)},
 V. Tikhomirov ^{[37,a](#)}, Yu.A. Tikhonov ^{[37](#)}, S. Timoshenko ^{[37](#)}, D. Timoshyn ^{[133](#)}, E.X.L. Ting ^{[1](#)},
 P. Tipton ^{[172](#)}, S.H. Tlou ^{[33g](#)}, A. Tnourji ^{[40](#)}, K. Todome ^{[154](#)}, S. Todorova-Nova ^{[133](#)}, S. Todt ^{[50](#)},
 M. Togawa ^{[84](#)}, J. Tojo ^{[89](#)}, S. Tokár ^{[28a](#)}, K. Tokushuku ^{[84](#)}, O. Toldaiev ^{[68](#)}, R. Tombs ^{[32](#)},
 M. Tomoto ^{[84,111](#)}, L. Tompkins ^{[143,n](#)}, K.W. Topolnicki ^{[86b](#)}, E. Torrence ^{[123](#)}, H. Torres ^{[102,aa](#)},
 E. Torró Pastor ^{[163](#)}, M. Toscani ^{[30](#)}, C. Toscirì ^{[39](#)}, M. Tost ^{[11](#)}, D.R. Tovey ^{[139](#)}, A. Traeet ^{[16](#)},
 I.S. Trandafir ^{[27b](#)}, T. Trefzger ^{[166](#)}, A. Tricoli ^{[29](#)}, I.M. Trigger ^{[156a](#)}, S. Trincaz-Duvold ^{[127](#)},
 D.A. Trischuk ^{[26](#)}, B. Trocmé ^{[60](#)}, C. Troncon ^{[71a](#)}, L. Truong ^{[33c](#)}, M. Trzebinski ^{[87](#)},
 A. Trzupek ^{[87](#)}, F. Tsai ^{[145](#)}, M. Tsai ^{[106](#)}, A. Tsiamis ^{[152,e](#)}, P.V. Tsiarshka ^{[37](#)}, S. Tsigaridas ^{[156a](#)},
 A. Tsirigotis ^{[152,r](#)}, V. Tsiskaridze ^{[155](#)}, E.G. Tskhadadze ^{[149a](#)}, M. Tsopoulou ^{[152,e](#)},
 Y. Tsujikawa ^{[88](#)}, I.I. Tsukerman ^{[37](#)}, V. Tsulaia ^{[17a](#)}, S. Tsuno ^{[84](#)}, O. Tsur ^{[150](#)}, K. Tsurii ^{[118](#)},
 D. Tsybychev ^{[145](#)}, Y. Tu ^{[64b](#)}, A. Tudorache ^{[27b](#)}, V. Tudorache ^{[27b](#)}, A.N. Tuna ^{[36](#)},
 S. Turchikhin ^{[57b,57a](#)}, I. Turk Cakir ^{[3a](#)}, R. Turra ^{[71a](#)}, T. Turtuvshin ^{[38,x](#)}, P.M. Tuts ^{[41](#)},
 S. Tzamarias ^{[152,e](#)}, P. Tzanis ^{[10](#)}, E. Tzovara ^{[100](#)}, F. Ukegawa ^{[157](#)}, P.A. Ulloa Poblete ^{[137c,137b](#)},
 E.N. Umaka ^{[29](#)}, G. Unal ^{[36](#)}, M. Unal ^{[11](#)}, A. Undrus ^{[29](#)}, G. Unel ^{[160](#)}, J. Urban ^{[28b](#)},
 P. Urquijo ^{[105](#)}, P. Urrejola ^{[137a](#)}, G. Usai ^{[8](#)}, R. Ushioda ^{[154](#)}, M. Usman ^{[108](#)}, Z. Uysal ^{[21b](#)},
 V. Vacek ^{[132](#)}, B. Vachon ^{[104](#)}, K.O.H. Vadla ^{[125](#)}, T. Vafeiadis ^{[36](#)}, A. Vaitkus ^{[96](#)},
 C. Valderanis ^{[109](#)}, E. Valdes Santurio ^{[47a,47b](#)}, M. Valente ^{[156a](#)}, S. Valentinetti ^{[23b,23a](#)},
 A. Valero ^{[163](#)}, E. Valiente Moreno ^{[163](#)}, A. Vallier ^{[102,aa](#)}, J.A. Valls Ferrer ^{[163](#)},
 D.R. Van Arneman ^{[114](#)}, T.R. Van Daalen ^{[138](#)}, A. Van Der Graaf ^{[49](#)}, P. Van Gemmeren ^{[6](#)},
 M. Van Rijnbach ^{[125,36](#)}, S. Van Stroud ^{[96](#)}, I. Van Vulpén ^{[114](#)}, M. Vanadia ^{[76a,76b](#)},

W. Vandelli³⁶, M. Vandenbroucke¹³⁵, E.R. Vandewall¹²¹, D. Vannicola¹⁵¹,
L. Vannoli^{57b,57a}, R. Vari^{75a}, E.W. Varnes⁷, C. Varni^{17b}, T. Varol¹⁴⁸, D. Varouchas⁶⁶,
L. Varriale¹⁶³, K.E. Varvell¹⁴⁷, M.E. Vasile^{27b}, L. Vaslin⁸⁴, G.A. Vasquez¹⁶⁵,
A. Vasyukov³⁸, F. Vazeille⁴⁰, T. Vazquez Schroeder³⁶, J. Veatch³¹, V. Vecchio¹⁰¹,
M.J. Veen¹⁰³, I. Veliscek¹²⁶, L.M. Veloce¹⁵⁵, F. Veloso^{130a,130c}, S. Veneziano^{75a},
A. Ventura^{70a,70b}, S. Ventura Gonzalez¹³⁵, A. Verbytskyi¹¹⁰, M. Verducci^{74a,74b},
C. Vergis²⁴, M. Verissimo De Araujo^{83b}, W. Verkerke¹¹⁴, J.C. Vermeulen¹¹⁴, C. Vernieri¹⁴³,
M. Vessella¹⁰³, M.C. Vetterli^{142,af}, A. Vgenopoulos^{152,e}, N. Viaux Maira^{137f}, T. Vickey¹³⁹,
O.E. Vickey Boeriu¹³⁹, G.H.A. Viehhauser¹²⁶, L. Vigani^{63b}, M. Villa^{23b,23a},
M. Villaplana Perez¹⁶³, E.M. Villhauer⁵², E. Vilucchi⁵³, M.G. Vinciter³⁴, G.S. Virdee²⁰,
A. Vishwakarma⁵², A. Visibile¹¹⁴, C. Vittori³⁶, I. Vivarelli¹⁴⁶, E. Voevodina¹¹⁰,
F. Vogel¹⁰⁹, J.C. Voigt⁵⁰, P. Vokac¹³², Yu. Volkotrub^{86a}, J. Von Ahnen⁴⁸,
E. Von Toerne²⁴, B. Vormwald³⁶, V. Vorobel¹³³, K. Vorobev³⁷, M. Vos¹⁶³, K. Voss¹⁴¹,
J.H. Vosseveld⁹², M. Vozak¹¹⁴, L. Vozdecky⁹⁴, N. Vranjes¹⁵, M. Vranjes Milosavljevic¹⁵,
M. Vreeswijk¹¹⁴, R. Vuillermet³⁶, O. Vujanovic¹⁰⁰, I. Vukotic³⁹, S. Wada¹⁵⁷, C. Wagner¹⁰³,
J.M. Wagner^{17a}, W. Wagner¹⁷¹, S. Wahdan¹⁷¹, H. Wahlberg⁹⁰, M. Wakida¹¹¹,
J. Walder¹³⁴, R. Walker¹⁰⁹, W. Walkowiak¹⁴¹, A. Wall¹²⁸, T. Wamorkar⁶, A.Z. Wang¹³⁶,
C. Wang¹⁰⁰, C. Wang^{62c}, H. Wang^{17a}, J. Wang^{64a}, R.-J. Wang¹⁰⁰, R. Wang⁶¹,
R. Wang⁶, S.M. Wang¹⁴⁸, S. Wang^{62b}, T. Wang^{62a}, W.T. Wang⁸⁰, W. Wang^{14a},
X. Wang^{14c}, X. Wang¹⁶², X. Wang^{62c}, Y. Wang^{62d}, Y. Wang^{14c}, Z. Wang¹⁰⁶,
Z. Wang^{62d,51,62c}, Z. Wang¹⁰⁶, A. Warburton¹⁰⁴, R.J. Ward²⁰, N. Warrack⁵⁹,
A.T. Watson²⁰, H. Watson⁵⁹, M.F. Watson²⁰, E. Watton^{59,134}, G. Watts¹³⁸,
B.M. Waugh⁹⁶, C. Weber²⁹, H.A. Weber¹⁸, M.S. Weber¹⁹, S.M. Weber^{63a}, C. Wei^{62a},
Y. Wei¹²⁶, A.R. Weidberg¹²⁶, E.J. Weik¹¹⁷, J. Weingarten⁴⁹, M. Weirich¹⁰⁰, C. Weiser⁵⁴,
C.J. Wells⁴⁸, T. Wenaus²⁹, B. Wendland⁴⁹, T. Wengler³⁶, N.S. Wenke¹¹⁰, N. Wermes²⁴,
M. Wessels^{63a}, A.M. Wharton⁹¹, A.S. White⁶¹, A. White⁸, M.J. White¹,
D. Whiteson¹⁶⁰, L. Wickremasinghe¹²⁴, W. Wiedenmann¹⁷⁰, C. Wiel⁵⁰, M. Wielers¹³⁴,
C. Wigglesworth⁴², D.J. Wilbern¹²⁰, H.G. Wilkens³⁶, D.M. Williams⁴¹, H.H. Williams¹²⁸,
S. Williams³², S. Willocq¹⁰³, B.J. Wilson¹⁰¹, P.J. Windischhofer³⁹, F.I. Winkel³⁰,
F. Winklmeier¹²³, B.T. Winter⁵⁴, J.K. Winter¹⁰¹, M. Wittgen¹⁴³, M. Wobisch⁹⁷,
Z. Wolffs¹¹⁴, J. Wollrath¹⁶⁰, M.W. Wolter⁸⁷, H. Wolters^{130a,130c}, A.F. Wongel⁴⁸,
E.L. Woodward⁴¹, S.D. Worm⁴⁸, B.K. Wosiek⁸⁷, K.W. Woźniak⁸⁷, S. Wozniowski⁵⁵,
K. Wraight⁵⁹, C. Wu²⁰, J. Wu^{14a,14e}, M. Wu^{64a}, M. Wu¹¹³, S.L. Wu¹⁷⁰, X. Wu⁵⁶,
Y. Wu^{62a}, Z. Wu¹³⁵, J. Wuerzinger^{110,ad}, T.R. Wyatt¹⁰¹, B.M. Wynne⁵², S. Xella⁴²,
L. Xia^{14c}, M. Xia^{14b}, J. Xiang^{64c}, M. Xie^{62a}, X. Xie^{62a}, S. Xin^{14a,14e}, A. Xiong¹²³,
J. Xiong^{17a}, D. Xu^{14a}, H. Xu^{62a}, L. Xu^{62a}, R. Xu¹²⁸, T. Xu¹⁰⁶, Y. Xu^{14b}, Z. Xu⁵²,
Z. Xu^{14c}, B. Yabsley¹⁴⁷, S. Yacoob^{33a}, Y. Yamaguchi¹⁵⁴, E. Yamashita¹⁵³,
H. Yamauchi¹⁵⁷, T. Yamazaki^{17a}, Y. Yamazaki⁸⁵, J. Yan^{62c}, S. Yan¹²⁶, Z. Yan²⁵,
H.J. Yang^{62c,62d}, H.T. Yang^{62a}, S. Yang^{62a}, T. Yang^{64c}, X. Yang³⁶, X. Yang^{14a},
Y. Yang⁴⁴, Y. Yang^{62a}, Z. Yang^{62a}, W.-M. Yao^{17a}, Y.C. Yap⁴⁸, H. Ye^{14c}, H. Ye⁵⁵,
J. Ye^{14a}, S. Ye²⁹, X. Ye^{62a}, Y. Yeh⁹⁶, I. Yeletsikh³⁸, B.K. Yeo^{17b}, M.R. Yexley⁹⁶,
P. Yin⁴¹, K. Yorita¹⁶⁸, S. Younas^{27b}, C.J.S. Young³⁶, C. Young¹⁴³, C. Yu^{14a,14e,ah},
Y. Yu^{62a}, M. Yuan¹⁰⁶, R. Yuan^{62b}, L. Yue⁹⁶, M. Zaazoua^{62a}, B. Zabinski⁸⁷, E. Zaid⁵²,

Z.K. Zak^{[ID](#)87}, T. Zakareishvili^{[ID](#)149b}, N. Zakharchuk^{[ID](#)34}, S. Zambito^{[ID](#)56}, J.A. Zamora Saa^{[ID](#)137d,137b}, J. Zang^{[ID](#)153}, D. Zanzi^{[ID](#)54}, O. Zaplatilek^{[ID](#)132}, C. Zeitnitz^{[ID](#)171}, H. Zeng^{[ID](#)14a}, J.C. Zeng^{[ID](#)162}, D.T. Zenger Jr^{[ID](#)26}, O. Zenin^{[ID](#)37}, T. Ženiš^{[ID](#)28a}, S. Zenz^{[ID](#)94}, S. Zerradi^{[ID](#)35a}, D. Zerwas^{[ID](#)66}, M. Zhai^{[ID](#)14a,14e}, B. Zhang^{[ID](#)14c}, D.F. Zhang^{[ID](#)139}, J. Zhang^{[ID](#)62b}, J. Zhang^{[ID](#)6}, K. Zhang^{[ID](#)14a,14e}, L. Zhang^{[ID](#)14c}, P. Zhang^{[ID](#)14a,14e}, R. Zhang^{[ID](#)170}, S. Zhang^{[ID](#)106}, S. Zhang^{[ID](#)44}, T. Zhang^{[ID](#)153}, X. Zhang^{[ID](#)62c}, X. Zhang^{[ID](#)62b}, Y. Zhang^{[ID](#)62c,5}, Y. Zhang^{[ID](#)96}, Y. Zhang^{[ID](#)14c}, Z. Zhang^{[ID](#)17a}, Z. Zhang^{[ID](#)66}, H. Zhao^{[ID](#)138}, P. Zhao^{[ID](#)51}, T. Zhao^{[ID](#)62b}, Y. Zhao^{[ID](#)136}, Z. Zhao^{[ID](#)62a}, A. Zhemchugov^{[ID](#)38}, J. Zheng^{[ID](#)14c}, K. Zheng^{[ID](#)162}, X. Zheng^{[ID](#)62a}, Z. Zheng^{[ID](#)143}, D. Zhong^{[ID](#)162}, B. Zhou^{[ID](#)106}, H. Zhou^{[ID](#)7}, N. Zhou^{[ID](#)62c}, Y. Zhou^{[ID](#)7}, C.G. Zhu^{[ID](#)62b}, J. Zhu^{[ID](#)106}, Y. Zhu^{[ID](#)62c}, Y. Zhu^{[ID](#)62a}, X. Zhuang^{[ID](#)14a}, K. Zhukov^{[ID](#)37}, V. Zhulanov^{[ID](#)37}, N.I. Zimine^{[ID](#)38}, J. Zinsser^{[ID](#)63b}, M. Ziolkowski^{[ID](#)141}, L. Živković^{[ID](#)15}, A. Zoccoli^{[ID](#)23b,23a}, K. Zoch^{[ID](#)61}, T.G. Zorbas^{[ID](#)139}, O. Zormpa^{[ID](#)46}, W. Zou^{[ID](#)41}, L. Zwalinski^{[ID](#)36}

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ (a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) School of Science, Shenzhen Campus of Sun Yat-sen University; (e) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom

²¹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul; Türkiye

²² (a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia

²³ (a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (b) INFN Sezione di Bologna; Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany

²⁵ Department of Physics, Boston University, Boston MA; United States of America

²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America

²⁷ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National

- Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;*^(e) *National University of Science and Technology Politehnica, Bucharest;*^(f) *West University in Timisoara, Timisoara;*^(g) *Faculty of Physics, University of Bucharest, Bucharest; Romania*
- ²⁸ ^(a) *Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;*^(b) *Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic*
- ²⁹ *Physics Department, Brookhaven National Laboratory, Upton NY; United States of America*
- ³⁰ *Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina*
- ³¹ *California State University, CA; United States of America*
- ³² *Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom*
- ³³ ^(a) *Department of Physics, University of Cape Town, Cape Town;*^(b) *iThemba Labs, Western Cape;*^(c) *Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;*^(d) *National Institute of Physics, University of the Philippines Diliman (Philippines);*^(e) *University of South Africa, Department of Physics, Pretoria;*^(f) *University of Zululand, KwaDlangezwa;*^(g) *School of Physics, University of the Witwatersrand, Johannesburg; South Africa*
- ³⁴ *Department of Physics, Carleton University, Ottawa ON; Canada*
- ³⁵ ^(a) *Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies — Université Hassan II, Casablanca;*^(b) *Faculté des Sciences, Université Ibn-Tofail, Kénitra;*^(c) *Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;*^(d) *LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;*^(e) *Faculté des sciences, Université Mohammed V, Rabat;*^(f) *Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco*
- ³⁶ *CERN, Geneva; Switzerland*
- ³⁷ *Affiliated with an institute covered by a cooperation agreement with CERN*
- ³⁸ *Affiliated with an international laboratory covered by a cooperation agreement with CERN*
- ³⁹ *Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America*
- ⁴⁰ *LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France*
- ⁴¹ *Nevis Laboratory, Columbia University, Irvington NY; United States of America*
- ⁴² *Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark*
- ⁴³ ^(a) *Dipartimento di Fisica, Università della Calabria, Rende;*^(b) *INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy*
- ⁴⁴ *Physics Department, Southern Methodist University, Dallas TX; United States of America*
- ⁴⁵ *Physics Department, University of Texas at Dallas, Richardson TX; United States of America*
- ⁴⁶ *National Centre for Scientific Research “Demokritos”, Agia Paraskevi; Greece*
- ⁴⁷ ^(a) *Department of Physics, Stockholm University;*^(b) *Oskar Klein Centre, Stockholm; Sweden*
- ⁴⁸ *Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany*
- ⁴⁹ *Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany*
- ⁵⁰ *Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany*
- ⁵¹ *Department of Physics, Duke University, Durham NC; United States of America*
- ⁵² *SUPA — School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom*
- ⁵³ *INFN e Laboratori Nazionali di Frascati, Frascati; Italy*
- ⁵⁴ *Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany*
- ⁵⁵ *II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany*
- ⁵⁶ *Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland*
- ⁵⁷ ^(a) *Dipartimento di Fisica, Università di Genova, Genova;*^(b) *INFN Sezione di Genova; Italy*
- ⁵⁸ *II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany*
- ⁵⁹ *SUPA — School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom*
- ⁶⁰ *LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France*
- ⁶¹ *Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America*
- ⁶² ^(a) *Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;*^(b) *Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University,*

- Qingdao;^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;^(b) Department of Physics, University of Hong Kong, Hong Kong;^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain
- ⁶⁸ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁹ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;^(b) ICTP, Trieste;^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁷⁰ ^(a) INFN Sezione di Lecce;^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷¹ ^(a) INFN Sezione di Milano;^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷² ^(a) INFN Sezione di Napoli;^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷³ ^(a) INFN Sezione di Pavia;^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷⁴ ^(a) INFN Sezione di Pisa;^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma;^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁶ ^(a) INFN Sezione di Roma Tor Vergata;^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁷ ^(a) INFN Sezione di Roma Tre;^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁸ ^(a) INFN-TIFPA;^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁹ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁸⁰ University of Iowa, Iowa City IA; United States of America
- ⁸¹ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁸² Istinye University, Sariyer, Istanbul; Türkiye
- ⁸³ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c) Instituto de Física, Universidade de São Paulo, São Paulo;^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- ⁸⁴ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸⁵ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁶ ^(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁷ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁸ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁹ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁹⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹¹ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁹² Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- ⁹³ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹⁴ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹⁵ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹⁶ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁷ Louisiana Tech University, Ruston LA; United States of America
- ⁹⁸ Fysiska institutionen, Lunds universitet, Lund; Sweden
- ⁹⁹ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- ¹⁰⁰ Institut für Physik, Universität Mainz, Mainz; Germany
- ¹⁰¹ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- ¹⁰² CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰³ Department of Physics, University of Massachusetts, Amherst MA; United States of America

- ¹⁰⁴ *Department of Physics, McGill University, Montreal QC; Canada*
- ¹⁰⁵ *School of Physics, University of Melbourne, Victoria; Australia*
- ¹⁰⁶ *Department of Physics, University of Michigan, Ann Arbor MI; United States of America*
- ¹⁰⁷ *Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America*
- ¹⁰⁸ *Group of Particle Physics, University of Montreal, Montreal QC; Canada*
- ¹⁰⁹ *Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany*
- ¹¹⁰ *Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany*
- ¹¹¹ *Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan*
- ¹¹² *Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America*
- ¹¹³ *Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands*
- ¹¹⁴ *Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands*
- ¹¹⁵ *Department of Physics, Northern Illinois University, DeKalb IL; United States of America*
- ¹¹⁶ ^(a) *New York University Abu Dhabi, Abu Dhabi;* ^(b) *University of Sharjah, Sharjah; United Arab Emirates*
- ¹¹⁷ *Department of Physics, New York University, New York NY; United States of America*
- ¹¹⁸ *Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan*
- ¹¹⁹ *Ohio State University, Columbus OH; United States of America*
- ¹²⁰ *Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America*
- ¹²¹ *Department of Physics, Oklahoma State University, Stillwater OK; United States of America*
- ¹²² *Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic*
- ¹²³ *Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America*
- ¹²⁴ *Graduate School of Science, Osaka University, Osaka; Japan*
- ¹²⁵ *Department of Physics, University of Oslo, Oslo; Norway*
- ¹²⁶ *Department of Physics, Oxford University, Oxford; United Kingdom*
- ¹²⁷ *LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France*
- ¹²⁸ *Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America*
- ¹²⁹ *Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America*
- ¹³⁰ ^(a) *Laboratório de Instrumentação e Física Experimental de Partículas — LIP, Lisboa;* ^(b) *Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;* ^(c) *Departamento de Física, Universidade de Coimbra, Coimbra;* ^(d) *Centro de Física Nuclear da Universidade de Lisboa, Lisboa;* ^(e) *Departamento de Física, Universidade do Minho, Braga;* ^(f) *Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);* ^(g) *Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal*
- ¹³¹ *Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic*
- ¹³² *Czech Technical University in Prague, Prague; Czech Republic*
- ¹³³ *Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic*
- ¹³⁴ *Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom*
- ¹³⁵ *IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France*
- ¹³⁶ *Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America*
- ¹³⁷ ^(a) *Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;* ^(b) *Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;* ^(c) *Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;* ^(d) *Universidad Andres Bello, Department of Physics, Santiago;* ^(e) *Instituto de Alta Investigación, Universidad de Tarapacá, Arica;* ^(f) *Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile*
- ¹³⁸ *Department of Physics, University of Washington, Seattle WA; United States of America*
- ¹³⁹ *Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom*
- ¹⁴⁰ *Department of Physics, Shinshu University, Nagano; Japan*
- ¹⁴¹ *Department Physik, Universität Siegen, Siegen; Germany*

- ¹⁴² *Department of Physics, Simon Fraser University, Burnaby BC; Canada*
- ¹⁴³ *SLAC National Accelerator Laboratory, Stanford CA; United States of America*
- ¹⁴⁴ *Department of Physics, Royal Institute of Technology, Stockholm; Sweden*
- ¹⁴⁵ *Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America*
- ¹⁴⁶ *Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom*
- ¹⁴⁷ *School of Physics, University of Sydney, Sydney; Australia*
- ¹⁴⁸ *Institute of Physics, Academia Sinica, Taipei; Taiwan*
- ¹⁴⁹ ^(a) *E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;* ^(b) *High Energy Physics Institute, Tbilisi State University, Tbilisi;* ^(c) *University of Georgia, Tbilisi; Georgia*
- ¹⁵⁰ *Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel*
- ¹⁵¹ *Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel*
- ¹⁵² *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece*
- ¹⁵³ *International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan*
- ¹⁵⁴ *Department of Physics, Tokyo Institute of Technology, Tokyo; Japan*
- ¹⁵⁵ *Department of Physics, University of Toronto, Toronto ON; Canada*
- ¹⁵⁶ ^(a) *TRIUMF, Vancouver BC;* ^(b) *Department of Physics and Astronomy, York University, Toronto ON; Canada*
- ¹⁵⁷ *Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan*
- ¹⁵⁸ *Department of Physics and Astronomy, Tufts University, Medford MA; United States of America*
- ¹⁵⁹ *United Arab Emirates University, Al Ain; United Arab Emirates*
- ¹⁶⁰ *Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America*
- ¹⁶¹ *Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden*
- ¹⁶² *Department of Physics, University of Illinois, Urbana IL; United States of America*
- ¹⁶³ *Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia — CSIC, Valencia; Spain*
- ¹⁶⁴ *Department of Physics, University of British Columbia, Vancouver BC; Canada*
- ¹⁶⁵ *Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada*
- ¹⁶⁶ *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany*
- ¹⁶⁷ *Department of Physics, University of Warwick, Coventry; United Kingdom*
- ¹⁶⁸ *Waseda University, Tokyo; Japan*
- ¹⁶⁹ *Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel*
- ¹⁷⁰ *Department of Physics, University of Wisconsin, Madison WI; United States of America*
- ¹⁷¹ *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany*
- ¹⁷² *Department of Physics, Yale University, New Haven CT; United States of America*

^a *Also Affiliated with an institute covered by a cooperation agreement with CERN*

^b *Also at An-Najah National University, Nablus; Palestine*

^c *Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America*

^d *Also at Center for High Energy Physics, Peking University; China*

^e *Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece*

^f *Also at Centro Studi e Ricerche Enrico Fermi; Italy*

^g *Also at CERN, Geneva; Switzerland*

^h *Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland*

ⁱ *Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain*

^j *Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece*

^k *Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel*

^l *Also at Department of Physics, California State University, Sacramento; United States of America*

^m *Also at Department of Physics, King's College London, London; United Kingdom*

ⁿ *Also at Department of Physics, Stanford University, Stanford CA; United States of America*

^o Also at Department of Physics, University of Fribourg, Fribourg; Switzerland

^p Also at Department of Physics, University of Thessaly; Greece

^q Also at Department of Physics, Westmont College, Santa Barbara; United States of America

^r Also at Hellenic Open University, Patras; Greece

^s Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain

^t Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany

^u Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria

^v Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco

^w Also at Institute of Particle Physics (IPP); Canada

^x Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia

^y Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

^z Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia

^{aa} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France

^{ab} Also at Lawrence Livermore National Laboratory, Livermore; United States of America

^{ac} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines

^{ad} Also at Technical University of Munich, Munich; Germany

^{ae} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China

^{af} Also at TRIUMF, Vancouver BC; Canada

^{ag} Also at Università di Napoli Parthenope, Napoli; Italy

^{ah} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China

^{ai} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America

^{aj} Also at Washington College, Chestertown, MD; United States of America

^{ak} Also at Yeditepe University, Physics Department, Istanbul; Türkiye

* Deceased