

Energy-scaling behavior of intrinsic transverse-momentum parameters in Drell-Yan simulation

A. Hayrapetyan *et al.*^{*}
(CMS Collaboration)



(Received 26 September 2024; accepted 12 February 2025; published 8 April 2025)

An analysis is presented based on models of the intrinsic transverse momentum (intrinsic k_T) of partons in nucleons by studying the dilepton transverse momentum in Drell-Yan events. Using parameter tuning in event generators and existing data from fixed-target experiments and from hadron colliders, our investigation spans 3 orders of magnitude in center-of-mass energy and 2 orders of magnitude in dilepton invariant mass. The results show an energy-scaling behavior of the intrinsic k_T parameters, independent of the dilepton invariant mass at a given center-of-mass energy.

DOI: [10.1103/PhysRevD.111.072003](https://doi.org/10.1103/PhysRevD.111.072003)

I. INTRODUCTION

The description of high-energy hadron-hadron collisions relies on the modeling of the nonperturbative regime of quantum chromodynamics (QCD). In particular, the modeling of the intrinsic transverse momenta of partons inside the colliding protons (intrinsic k_T) represents a challenge both experimentally and theoretically. Several approaches exist to describe the intrinsic k_T , including those with transverse-momentum (p_T)-dependent parton distribution functions (PDFs) [1–3], and those based on first-principle approaches such as lattice QCD [4–6]. The most widely used frameworks for the description of collision events at the LHC are general-purpose Monte Carlo (MC) event generators that include parton shower descriptions, such as PYTHIA8 [7,8], HERWIG 7 [9], and SHERPA [10]. They are based on collinear PDFs and usually model the intrinsic k_T as a random variable with a Gaussian distribution, whose width is a tunable parameter. However, the extracted intrinsic k_T parameter does not necessarily correspond to a simple model of nonperturbative physics, but also compensates for deficiencies in the parton shower model. These considerations motivate the study presented in this paper.

The region of Drell-Yan (DY) production where the lepton-pair system is produced with low p_T , around a few GeV, is especially suited for the study of the intrinsic k_T models because it provides a clean, high-resolution final state and has been studied widely in collider experiments

[11–23]. Previous studies illustrate the sensitivity of this region to high-order QCD contributions [24] and include their own treatments of nonperturbative physics effects [25–36].

In this paper, we investigate the intrinsic k_T models in PYTHIA and HERWIG by parameter tuning to DY measurements and their implications for the perturbative and nonperturbative-QCD effects in the DY initial-state kinematics. The use of CMS data in this investigation extends the probed energy scale of the hard scattering to 1 TeV. The experimental data and simulations are described in Sec. II. The strategy for generator tuning and uncertainty estimation is discussed in Sec. III. Section IV investigates the interdependence between the underlying-event (UE) and the DY lepton-pair transverse-momentum ($p_T(\ell^+\ell^-)$) descriptions. The impacts of the hadron-collision energies and the DY hard-scattering energy scales on the intrinsic k_T tunes are discussed in Secs. V and VI, respectively. Finally, the results are summarized in Sec. VII.

II. DATA AND SIMULATION

We use DY data measured from various types of hadron collisions at different center-of-mass energies and the corresponding simulations to extract nonperturbative-QCD information and to study the interplay between the intrinsic k_T parameter and the perturbative evolution including the initial-state radiation (ISR). The analysis is performed with the PYTHIA 8 and HERWIG 7 event generators, which provide different options of ordering variables and energy thresholds for partonic emissions, and the results are compared with those of the previous studies with CASCADE [2,3,37]. The UE models of the two generators, which consist of multiple-parton interactions (MPI) and beam remnants (BR), as well as hadronization, ISR, and final-state radiation (FSR), have been extensively studied

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/) license. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.

TABLE I. Measurements of the DY differential cross section as a function of $p_T(\ell^+\ell^-)$ at various center-of-mass energies $\sqrt{s}$ from different hadron-collision processes used as inputs for the intrinsic k_T tunes. The $\sqrt{s}$ in $p\text{Pb}$ collisions represents the nucleon-nucleon center-of-mass energy. The variable Q represents the energy scale of the hard scattering, approximated by the dilepton invariant mass. The Z boson mass is denoted as $m(Z)$.

Experiment	Collision type	$\sqrt{s}$ (GeV)	Q (GeV)
E866/NuSea [11,12]	pp/pd , fixed target	38.8	4–12.85
R209 [13]	pp	62	5–8
PHENIX [14]	pp	200	4.8–8.2
D0/CDF [15,16]	$p\bar{p}$	1800	$m(Z)$
D0/CDF [17,18]	$p\bar{p}$	1960	$m(Z)$
CMS [19]	pp	2760	$m(Z)$
ATLAS [20]	pp	8000	46–150
CMS [21]	$p\text{Pb}$	8160	15–120
CMS [22]	pp	13000	50–1000
LHCb [23]	pp	13000	$m(Z)$

[38–40]. The measurements of the differential cross section of DY processes as a function of the $p_T(\ell^+\ell^-)$ are summarized in Table I, in which the proton-lead ($p\text{Pb}$) measurement data were converted for comparison with pp collisions by correcting for the number of nucleons, and corresponding simulations are used to tune the intrinsic k_T parameter. Tabulated results are provided in the HEPData record for this analysis [41].

Predictions of the DY cross section are produced at next-to-leading order (NLO) using MADGRAPH5_AMC@NLOv3.4.1 [42], and the matrix-element computation is matched to the PYTHIA 8 or HERWIG 7 generator in the CMS software interface for parton shower and UE activity modeling. The UE tunes used in this analysis are based on various PDFs, partonic emission orderings, and settings in MPI and BR modelings, as listed below:

- (i) PYTHIA 8 tunes: The PYTHIA 8.243 generator is used for the p_T -ordered parton shower and hadronization, and the UE model is parametrized by the CP3, CP4, or CP5 tune [39]. The three tunes have the strong coupling $\alpha_s(m_Z)$ set to 0.118, use NLO strong-coupling evolution, and employ NLO or next-to-NLO (NNLO) PDFs in the hard scattering, parton showering, ISR, FSR, MPI, and BR modelings.
- (ii) HERWIG 7 tunes: The HERWIG 7.1.4 generator is used for the angular-ordered parton shower and hadronization, and the CH2 and CH3 tunes [40] are used for the UE modeling. Both tunes use $\alpha_s(m_Z) = 0.118$ with NNLO strong-coupling evolution and the NNLO NNPDF3.1 PDFs for the parton shower, but different α_s and PDF sets in the MPI and BR modelings.

These UE tunes from the CMS Collaboration used measurements at $\sqrt{s}$ from 0.9 to 13 TeV by the CDF and CMS experiments, modeling the behavior of UE-sensitive variables across all these energies, as well as

the kinematics of high p_T jet, $t\bar{t}$, and DY production at the CMS.

The intrinsic k_T is modeled similarly in PYTHIA and HERWIG by a Gaussian distribution with tunable parameters. In PYTHIA, the width q_s of the Gaussian distribution is related to the parameter `BeamRemnants:primordialkThard` $\simeq q_s/\sqrt{2}$, whereas in HERWIG, it is given by the parameter `ShowerHandler:IntrinsicPtGaussian` $= q_s$. Either of these parameters is referred to as tunable intrinsic k_T parameter q in the following.

III. GENERATOR TUNING STRATEGY

In each scenario of $\sqrt{s}$ given in Table I, we assume that the DY differential cross section versus $p_T(\ell^+\ell^-)$ depends on q . Simulated samples of events are generated with different choices of the parameter q sampled from the tuning range, resulting in varied predictions of the DY differential cross section. The dependence of the cross section on q predicted for each bin in $p_T(\ell^+\ell^-)$ is extracted by interpolating the simulated values, as well as their uncertainty, with polynomial functions $f_i(q)$ and $u_{f_i(q)}$, respectively, in each bin i of $p_T(\ell^+\ell^-)$. The PROFESSOR2 software [43] is employed to perform the interpolation and compute a goodness of fit (GOF), based on the χ^2 distribution, for quantifying the agreement between the interpolated simulated values and those measured in the data. The GOF is measured by the χ^2 as a function of q

$$\chi^2(q) = \sum_i \frac{(f_i(q) - d_i)^2}{u_{d_i}^2 + u_{f_i(q)}^2}, \quad (1)$$

where d_i and u_{d_i} are the cross section and its uncertainty measured in data in bin i , respectively. For measurements performed at $\sqrt{s} > 1$ TeV, the value of χ^2 is obtained by summing over the bins i that correspond to the low- $p_T(\ell^+\ell^-)$ range 0–10 GeV because of its high sensitivity to the intrinsic k_T model. For measurements at $\sqrt{s} < 1$ TeV, the whole range of $p_T(\ell^+\ell^-)$ available in the data, which is below 10 GeV, is considered for computing the value of χ^2 . For each measurement at a given $\sqrt{s}$, the final tuned parameter q is taken to be the one that minimizes the respective χ^2 .

The uncertainties in the tuned parameter originate from the variations of the χ^2 . The uncertainty due to the choice of $p_T(\ell^+\ell^-)$ range is estimated as the difference between the resulting tuned parameter when considering the $p_T(\ell^+\ell^-)$ ranges $[0, 10]$ and $[0, 15]$ GeV for $\sqrt{s} > 1$ TeV, because the transition from the nonperturbative to perturbative contributions takes place approximately between 10–20 GeV. With regard to the $\sqrt{s} < 1$ TeV cases, this uncertainty is estimated as the difference between the parameter tuned using the range $[0 \text{ GeV}, \max(p_T)]$ and $[0, 2]$ GeV (for $\sqrt{s} = 38.8$ GeV) or $[0, 4]$ GeV

(for $\sqrt{s} = 62$ and 200 GeV). The uncertainty due to the choice of the functional form used for the interpolation is taken to be the difference between the parameter tuned using order-5 polynomials as the central value and that using order-3 polynomials as the systematic deviation. The uncertainty from the limited statistical precision in the simulation is estimated by substituting the denominator of Eq. (1) with $u_{f_i(q)}^2$ and determining the parameter values that result in a value of χ^2 increased by 1 compared to the minimum. The contribution from the uncertainty of the measured data is estimated by repeating the tuning for varied values of the differential DY cross section. These varied values are obtained by sampling from Gaussian distributions centered at the nominal values of measured cross sections and with standard deviations equal to their uncertainties. The covariance between the uncertainties contributed by the measured data for different generator setups is estimated from the covariance between the corresponding tunes obtained from the varied measurements. The other uncertainty sources are approximately uncorrelated among the tunes. The uncertainty from the measurement is dominant in most of the tunes, ranging from 2 to 20%, depending on the measurement precision.

IV. UNDERLYING-EVENT TUNES AND DY $p_T(\ell^+\ell^-)$

Our baseline UE description is given by the PYTHIA CP5 tune [39], for which five parameters controlling MPI and color reconnection were varied. To assess the impact of the UE parametrization on the DY dilepton transverse momentum ($p_T(\ell^+\ell^-)$) spectrum, we generated DY samples and their $p_T(\ell^+\ell^-)$ distributions with the intrinsic k_T parameter fixed to the tuned result and the UE parameters set to either the CP5 tune-up or tune-down variation. The difference between the two predictions reflects the effects of the UE-tune uncertainty on the DY $p_T(\ell^+\ell^-)$ spectrum, shown as red bands in Fig. 1 (upper), which are much smaller than the uncertainty from the intrinsic k_T variations shown as violet bands.

Similarly, we study the impact of the intrinsic k_T variation on observables that are sensitive to the UE models and have been used to obtain the CP5 tune. An observable used for the UE tuning is the density of the scalar p_T sum of the charged particles (p_T^{sum}) in the pseudorapidity (η)-azimuthal angle (ϕ) space as a function of the p_T of the leading charged particle (p_T^{max}) in the transMAX region averaged over N_{events} generated events [38] in the minimum bias (MB) process. This observable is shown in Fig. 1 (lower). For each event, the transMAX region is defined by the direction of the leading charged particle in the space transverse to the proton beams. Assuming ϕ as the azimuthal angle of the leading charged particle, the ranges of ϕ_1 satisfying $60^\circ < |\phi - \phi_1| < 120^\circ$ define the two transverse regions, in which transMAX is the one with a




FIG. 1. Effect of the variation of the UE parameters on the DY $p_T(\ell^+\ell^-)$ spectrum (upper) and of the variation of the intrinsic k_T parameter on the charged p_T^{sum} density as a function of p_T^{max} in the transMAX region of the MB process (lower). The red and violet shaded areas represent the predictions from the up and down variations of the UE tune and the intrinsic k_T tune, respectively. In the upper distribution, both shaded areas are based on the prediction of tuned intrinsic k_T parameter on top of PYTHIA CP5 (“int. k_T tune”). In the lower distribution, the red shaded areas are based on the prediction of the intrinsic k_T parameter set to the default 1.8 and the UE tune set to PYTHIA CP5 (“Default int. k_T ”), and the violet shaded area is based on the “int. k_T tune” prediction. The error bars represent the statistical uncertainty in the simulated events. The lower distribution also includes the UE prediction of the combined tune of the intrinsic k_T and the ISR cutoff scale to the DY $p_T(\ell^+\ell^-)$ distribution (“int. k_T + ISR $p_{T0\text{Ref}}$ tune”). The data are from the CMS measurements on the DY process [22] and the MB process [38] at 13 TeV.

higher activity. With the UE parameters fixed to the CP5 tune, we generated MB events with the tuned intrinsic k_T parameter, shown as violet markers in Fig. 1 (lower). The intrinsic k_T tune uncertainty was estimated from the

difference between the tune-up and -down variations, represented by the violet band in Fig. 1 (lower). Compared with the UE tune uncertainty represented by the red band, the impact of the intrinsic k_T variations on UE-sensitive observables is small. The results shown in Fig. 1 imply that the parameter space for UE and intrinsic k_T can be factorized. Therefore, in the results presented in the following sections, the intrinsic k_T parameters are tuned without changing the UE tune parameters.

Besides the intrinsic k_T model, the lower cutoff scale of ISR also affects the DY $p_T(\ell^+\ell^-)$ distribution, which is discussed in Sec. V. However, the UE observables are sensitive to the ISR cutoff scale. The combined tune of the intrinsic k_T parameter and the cutoff scale of ISR to the DY $p_T(\ell^+\ell^-)$ distribution alters the UE observable as shown in Fig. 1 (lower, blue markers). For the purpose of decoupling the intrinsic k_T study from the UE modeling when investigating its scaling behavior with the collision energy and hard-scattering scale, the parameter for the ISR cutoff is fixed to its default value in the studies shown in Figs. 2 and 4.

V. IMPACT OF THE COLLISION ENERGY ON THE INTRINSIC k_T TUNES

The impact of the center-of-mass energy on the intrinsic k_T parameter is investigated by tuning the generators to the $p_T(\ell^+\ell^-)$ measurements for each experimental setup in Table I. The results show an energy-scaling behavior of the intrinsic k_T parameter for both generators and all setups, as indicated in Fig. 2. The function $q(\sqrt{s}) = b\sqrt{s}^a$ is fitted to the points, with fit parameters a and $\log_{10}(b)$ describing the slope and intercept of the function, respectively. The same slope a is assumed for all generator setups based on observation, which is supported by the combined value of χ^2_{lin} of all linear fits divided by the total number of degrees of freedom (NDF), $\chi^2_{\text{lin}}/\text{NDF} = 1.27$, under this assumption and the corresponding p value [44] of 0.11. The slope of the fitted function is $a = 0.162 \pm 0.005$. When fitted with free-floating slopes, the resulting slopes are 0.163 ± 0.006 , 0.164 ± 0.006 , 0.170 ± 0.008 , 0.160 ± 0.008 , and 0.155 ± 0.007 for the CP3, CP4, CP5, CH2 and CH3 tunes, respectively, which are compatible with each other. The generators can be improved by implementing the energy scaling of the intrinsic k_T parameters provided by this analysis.

In addition to the intrinsic k_T model, the DY $p_T(\ell^+\ell^-)$ distribution also receives contributions from ISR. Therefore, the intrinsic k_T parameters in the generators practically compensate the ISR contribution below the cutoff scale in the tunes to DY measured data. To investigate the effect of the ISR cutoff scale on the intrinsic k_T parameter, we perform an energy-dependent intrinsic k_T tune with a different ISR cutoff scale, by varying the regularization parameter SPACESHOWER:PT0REF in PYTHIA and SUDAKOVCOMMON:PTMIN in HERWIG. The tuning




FIG. 2. Tuned parameter q values for DY measurements at different center-of-mass energies (points) for various PYTHIA and HERWIG setups (colors). The error bars on the points represent the tuning uncertainties. The tuned values are given in Appendix. For each generator setup, the function $b\sqrt{s}^a$ is fitted to the points and shown as a line, assuming the same slope a for all the settings. The $\chi^2_{\text{lin}}/\text{NDF}$ and p value of the combined linear fit is given in the plot. The uncertainty in each fit is shown as a colored band and corresponds to the up and down variations of the fit parameters, propagated from the tune uncertainties. The CASCADE predictions (CAS3) [2,3] are also fitted separately with the function $b\sqrt{s}^a$ for comparison with PYTHIA and HERWIG.

process and determination of the uncertainty follows the same strategy used in the results shown in Fig. 2 in the PYTHIA CP5 or HERWIG CH3 setups. The SPACESHOWER:PT0REF parameter is changed to 1 GeV from the default value of 2 GeV for PYTHIA, and the SUDAKOVCOMMON:PTMIN parameter is changed to 0.7 GeV from the default value of 1.22 GeV for HERWIG, such that the simulation can still reasonably describe the observed DY $p_T(\ell^+\ell^-)$ distribution after the intrinsic k_T tunes. Lowering the cutoff scale induces more low-energy ISR contributions to the low- $p_T(\ell^+\ell^-)$ DY distribution.

Figure 3 shows the results of the combined fit for the tuned parameter in the PYTHIA CP5 setup with SPACESHOWER:PT0REF set to 1 GeV and the default case and those for the tuned parameter in the HERWIG CH3 setup with SUDAKOVCOMMON:PTMIN set to 0.7 GeV and the default case. For each generator setting, the function $b\sqrt{s}^a$ is fitted to the points and shown as a line, allowing various slopes a and offsets $\log_{10}(b)$. The $\chi^2_{\text{lin}}/\text{NDF}$ and p value of the fit are 1.71 and 0.04 for PYTHIA (1.15 and 0.30 for HERWIG), respectively. The reported p values are the significance of the χ^2 test with NDF = 16 from 20 tuned




FIG. 3. Tuned parameter q values for DY measurements at different center-of-mass energies (points) for various generator settings (lines and bands). The error bars on the points represent the tuning uncertainties. The tuned values are given in Appendix. For the PYTHIA CP5 setup, the parameter SPACESHOWER:PT0REF is set to 1 GeV (orange dashed) or its default value of 2 GeV (blue solid). For the HERWIG CH3 setup, the parameter SUDAKOVCOMMON:PTMIN is set to 0.7 GeV (green dotted) or its default value of 1.22 GeV (purple dash dotted). The function $b\sqrt{s}^a$ is fitted to the points of each generator setting and shown as a line, allowing free-floating slopes a and offsets $\log_{10}(b)$. The uncertainty in each fit is shown as a colored band and corresponds to the up and down variations of the fit parameters, propagated from the tune uncertainties.

results and four parameters to fit, including two slope parameters and two offset parameters. The slope parameters for the PYTHIA setups are 0.172 ± 0.009 (default) and 0.170 ± 0.009 (lower ISR cutoff), and the slopes for the HERWIG setups are 0.153 ± 0.007 (default) and 0.130 ± 0.009 (lower ISR cutoff). This result shows that the variation of the ISR threshold in the simulation does not change the energy-scaling behavior of intrinsic k_T tunes and causes a mild change of the slope only for very low values of the threshold.

The energy-scaling behavior of the intrinsic k_T tunes can lead to deeper insights about the nonperturbative-QCD contributions in the low- $p_T(\ell^+\ell^-)$ region of the DY process after extracting and comparing the effects of perturbative QCD in the tunes. On one hand, the tunes are affected by perturbative-QCD models varying among the generator setups because both ISR and intrinsic k_T play a role in describing the $p_T(\ell^+\ell^-)$ in the DY process. These effects are demonstrated by the variations of the intercepts of linear fit, as shown in the fits in Figs. 2 and 3. Additionally, the PYTHIA and HERWIG generators use

different showering models, PYTHIA using p_T -ordered showering and HERWIG using angular-ordered showering, which leads to more low-energy ISR in the HERWIG generation of DY events and less compensation from the nonperturbative part to model $p_T(\ell^+\ell^-)$. Therefore, the intercepts in the HERWIG fit are smaller than those for the PYTHIA fit in Fig. 2. On the other hand, the slopes of the linear fits are similar for the various PYTHIA and HERWIG tunes in combination with the DY matrix element computed at NLO, despite their differences in the PDF, the order in the parton shower, and the cutoff scale of showering. Stable under variations of perturbative-QCD modeling and hard-scattering scales, this energy-scaling behavior potentially originates from nonperturbative-QCD effects, pointing to the need for further theoretical investigation. The adjustment of intrinsic k_T under higher-order or resummed DY matrix elements and their corresponding energy-scaling behaviors presents a compelling avenue for future research, as nonperturbative-QCD effects are increasingly incorporated into these matrix elements.

A different approach to modeling the intrinsic k_T is implemented in the CASCADE generator [37] (“CAS3” in Fig. 2), which accounts for the effect of low-energy gluons with a nonperturbative Sudakov form factor [26], using the parton branching method [1,2]. The CASCADE generator predicts an intrinsic k_T [2,3] that, compared with PYTHIA and HERWIG, is less dependent on the collider energy as shown in Fig. 2. The energy scaling of the intrinsic k_T parameters in the PYTHIA and HERWIG models may be necessary to account for nonperturbative and low-energy gluon emissions not included in the parton showers.

VI. IMPACT OF THE HARD-SCATTERING SCALES ON THE INTRINSIC k_T TUNES

To explore the dependence of intrinsic k_T parameters on the DY hard-scattering scale Q , tunings are performed using the DY differential cross section versus $p_T(\ell^+\ell^-)$ in exclusive ranges of dilepton invariant mass $m(\ell^+\ell^-)$ for $\sqrt{s} = 38.8$ GeV [11,12], and 8 [20], 8.16 [21], and 13 TeV [22], in which measurements in multiple $m(\ell^+\ell^-)$ ranges are available. As shown in Fig. 4, the intrinsic k_T tunes of either PYTHIA (CP5) or HERWIG (CH2) are similar for various $m(\ell^+\ell^-)$ ranges at the same $\sqrt{s}$, which leads to the hypothesis that the intrinsic k_T parameter is identical for all the $m(\ell^+\ell^-)$ ranges at a fixed $\sqrt{s}$. Figure 4 shows the results of a constant fit to the tuned parameter values based on this hypothesis, which is compatible with the tuned values as indicated by the value of $\chi^2_{\text{const}}/\text{NDF}$ being close to 1. This investigation of the Q dependence of the intrinsic k_T tunes under fixed $\sqrt{s}$ complements previous studies on the $\sqrt{s}$ dependence of the resummed nonperturbative Sudakov factor under fixed Q , as summarized in Ref. [45].

Defining the fractions of the hadron momentum carried by the incoming pair of quarks in the DY process to be x_1




FIG. 4. Tuned parameter values (points) for DY measurements at four different center-of-mass energies $\sqrt{s} = 38.8$ GeV [11,12], and 8 [20], 8.16 [21], and 13 TeV [22], for the PYTHIA CP5 (blue dark) and HERWIG CH2 (green light) setups. The error bars on the points represent the tuning uncertainties. The tuned values are given in Appendix. For each generator setup, a constant is fitted to the points and shown as a line. The uncertainty in each fit, propagated from the tune uncertainties, is shown as a colored band.

and x_2 , $m(\ell^+\ell^-)$ is given by $m(\ell^+\ell^-) = x_1 x_2 \sqrt{s}$ at leading order. Since the tuned values are stable versus $x_1 x_2 \sqrt{s}$ for given values of $\sqrt{s}$, the intrinsic k_T parameter is independent of $x_1 x_2$ within the present precision. Furthermore, the impact of x_1/x_2 on the intrinsic k_T tunes is demonstrated by the tunes using the CMS and LHCb measurements at $\sqrt{s} = 13$ TeV because of the different rapidity regions used for the measurements by the two experiments. The tunes to the two measurements agree within the uncertainties (shown in Fig. 2), which indicates the intrinsic k_T tune to be stable under x_1/x_2 variations and suggests its independence of the momentum fractions x_1 and x_2 individually.

VII. SUMMARY

In summary, generator tunes of the intrinsic transverse momentum k_T were used to explore model-independent features of nonperturbative quantum chromodynamics (QCD). The tunes were performed for various underlying-event (UE) setups in the generators PYTHIA and HERWIG using the Drell-Yan differential cross section as a function of the dilepton transverse momentum measured in multiple types of hadron collision experiments with $\sqrt{s}$ ranging from 38.8 GeV to 13 TeV. The results show a linear relation between the logarithm of the intrinsic k_T parameter and $\log_{10}(\sqrt{s})$ for all generator tunes, with the intercepts altered by generator-dependent perturbative-QCD models such as choices of parton distribution functions or parton shower parameters. The slope is 0.162 ± 0.005 , independent of the UE tune or generator, and related to nonperturbative-QCD effects such as nonresolvable low-energy gluon emissions in parton showers. The tunes were also performed using experiments that probe different regions of dilepton invariant mass and rapidity and demonstrate the independence of

the intrinsic k_T parameter with respect to these variables at each $\sqrt{s}$. This indicates the independence of the intrinsic k_T on the longitudinal momentum fractions of the quarks within colliding hadrons in Drell-Yan processes.

ACKNOWLEDGMENTS

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: SC (Armenia), BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); ERC PRG, RVTT3 and MoER TK202 (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LMTLT (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI and NSTDA (Thailand); TUBITAK and TENMAK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

DATA AVAILABILITY

Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the CMS data preservation, re-use, and open access policy [46].

APPENDIX: TUNING RESULTS

Table II gives the tuning results shown in Fig. 2. Tables III and IV give the tuning results corresponding to the entries “CP5 SpaceShower:pT0Ref = 1 GeV” and “CH3 SudakovCommon:pTmin = 0.7 GeV” in Fig. 3, respectively. Table V gives the tuning results shown in Fig. 4.

TABLE II. Tune results for the BEAMREMNANTS:PRIMORDIALKTHARD parameter in PYTHIA 8 and the SHOWERHANDLER:INTRINSICPTGAUSSIAN parameter in HERWIG 7, taking into account the statistical uncertainty of simulations (MC stat.), the measurement uncertainty in data (data unc.), the uncertainty from choices of tune ranges (range), and the uncertainty from choices of the functions for interpolation (int.).

$\sqrt{s}$	Generator setup	Tune result $\pm$ MC stat. $\pm$ data unc. $\pm$ range $\pm$ int.
38.8 GeV	PYTHIA 8 CP5	$0.988 \pm 0.0008 \pm 0.029 \pm 0.022 \pm 0.015$
	PYTHIA 8 CP4	$0.993 \pm 0.0008 \pm 0.029 \pm 0.017 \pm 0.009$
	PYTHIA 8 CP3	$0.990 \pm 0.004 \pm 0.03 \pm 0.017 \pm 0.020$
	HERWIG 7 CH2	$0.829 \pm 0.0005 \pm 0.017 \pm 0.010 \pm 0.06$
	HERWIG 7 CH3	$0.830 \pm 0.0005 \pm 0.017 \pm 0.010 \pm 0.026$
62 GeV	PYTHIA 8 CP5	$1.24 \pm 0.0008 \pm 0.07 \pm 0.0015 \pm 0.06$
	PYTHIA 8 CP4	$1.24 \pm 4 \times 10^{-8} \pm 0.06 \pm 0.0012 \pm 0.006$
	PYTHIA 8 CP3	$1.23 \pm 0.0009 \pm 0.06 \pm 0.0010 \pm 0.012$
	HERWIG 7 CH2	$0.94 \pm 0.0006 \pm 0.05 \pm 0.0012 \pm 0.024$
	HERWIG 7 CH3	$0.93 \pm 0.0006 \pm 0.04 \pm 0.0014 \pm 0.019$
200 GeV	PYTHIA 8 CP5	$1.47 \pm 0.0022 \pm 0.08 \pm 0.005 \pm 0.06$
	PYTHIA 8 CP4	$1.54 \pm 0.0024 \pm 0.09 \pm 0.003 \pm 0.004$
	PYTHIA 8 CP3	$1.54 \pm 0.0024 \pm 0.09 \pm 0.003 \pm 0.022$
	HERWIG 7 CH2	$1.14 \pm 0.0014 \pm 0.06 \pm 0.003 \pm 0.018$
	HERWIG 7 CH3	$1.15 \pm 0.0015 \pm 0.06 \pm 0.005 \pm 0.004$
1.8 TeV	PYTHIA 8 CP5	$1.93 \pm 0.012 \pm 0.11 \pm 0.02 \pm 0.015$
	PYTHIA 8 CP4	$1.94 \pm 0.013 \pm 0.12 \pm 0.04 \pm 0.0005$
	PYTHIA 8 CP3	$2.09 \pm 0.013 \pm 0.12 \pm 0.03 \pm 0.007$
	HERWIG 7 CH2	$1.52 \pm 0.014 \pm 0.12 \pm 0.03 \pm 0.0024$
	HERWIG 7 CH3	$1.52 \pm 0.014 \pm 0.13 \pm 0.03 \pm 0.010$
1.96 TeV	PYTHIA 8 CP5	$1.88 \pm 0.017 \pm 0.08 \pm 0.10 \pm 0.009$
	PYTHIA 8 CP4	$1.93 \pm 0.018 \pm 0.08 \pm 0.03 \pm 0.009$
	PYTHIA 8 CP3	$2.03 \pm 0.019 \pm 0.08 \pm 0.03 \pm 0.008$
	HERWIG 7 CH2	$1.41 \pm 0.023 \pm 0.10 \pm 0.08 \pm 0.0019$
	HERWIG 7 CH3	$1.42 \pm 0.021 \pm 0.09 \pm 0.024 \pm 0.021$
2.76 TeV	PYTHIA 8 CP5	$2.36 \pm 0.022 \pm 0.3 \pm 0.005 \pm 0.005$
	PYTHIA 8 CP4	$2.39 \pm 0.020 \pm 0.3 \pm 0.024 \pm 0.013$
	PYTHIA 8 CP3	$2.35 \pm 0.023 \pm 0.3 \pm 0.004 \pm 0.007$
	HERWIG 7 CH2	$1.87 \pm 0.03 \pm 0.5 \pm 0.06 \pm 0.003$
	HERWIG 7 CH3	$1.9 \pm 0.03 \pm 0.4 \pm 0.18 \pm 0.018$
8 TeV	PYTHIA 8 CP5	$2.64 \pm 0.006 \pm 0.0251 \pm 0.06 \pm 0.0016$
	PYTHIA 8 CP4	$2.62 \pm 0.008 \pm 0.022 \pm 0.04 \pm 0.006$
	PYTHIA 8 CP3	$2.50 \pm 0.008 \pm 0.012 \pm 0.03 \pm 0.026$
	HERWIG 7 CH2	$1.89 \pm 0.008 \pm 0.015 \pm 0.05 \pm 0.007$
	HERWIG 7 CH3	$1.89 \pm 0.007 \pm 0.009 \pm 0.05 \pm 0.007$
8.16 TeV	PYTHIA 8 CP5	$2.66 \pm 0.029 \pm 0.14 \pm 0.02 \pm 0.015$
	PYTHIA 8 CP4	$2.63 \pm 0.029 \pm 0.16 \pm 0.023 \pm 0.013$
	PYTHIA 8 CP3	$2.62 \pm 0.029 \pm 0.13 \pm 0.015 \pm 0.007$
	HERWIG 7 CH2	$1.96 \pm 0.03 \pm 0.19 \pm 0.06 \pm 0.027$
	HERWIG 7 CH3	$1.96 \pm 0.03 \pm 0.17 \pm 0.09 \pm 0.02$
13 TeV (CMS)	PYTHIA 8 CP5	$2.648 \pm 0.006 \pm 0.027 \pm 0.028 \pm 0.04$
	PYTHIA 8 CP4	$2.654 \pm 0.006 \pm 0.027 \pm 0.08 \pm 0.004$
	PYTHIA 8 CP3	$2.619 \pm 0.006 \pm 0.028 \pm 0.05 \pm 0.009$
	HERWIG 7 CH2	$2.05 \pm 0.03 \pm 0.04 \pm 0.03 \pm 0.035$
	HERWIG 7 CH3	$2.03 \pm 0.03 \pm 0.04 \pm 0.021 \pm 0.010$
13 TeV (LHCb)	PYTHIA 8 CP5	$2.66 \pm 0.009 \pm 0.06 \pm 0.13 \pm 0.0007$
	PYTHIA 8 CP4	$2.67 \pm 0.009 \pm 0.06 \pm 0.10 \pm 0.003$
	PYTHIA 8 CP3	$2.62 \pm 0.009 \pm 0.06 \pm 0.11 \pm 0.00007$
	HERWIG 7 CH2	$1.99 \pm 0.04 \pm 0.06 \pm 0.05 \pm 0.04$
	HERWIG 7 CH3	$1.99 \pm 0.06 \pm 0.14 \pm 0.16 \pm 0.06$

TABLE III. Tune results for the BEAMREMNANTS:PRIMORDIALKTHARD parameter in PYTHIA 8 with the CP5 tune setup. The parameter SPACESHOWER:PT0REF was set to 1 GeV, taking into account the statistical uncertainty of simulations (MC stat.), the measurement uncertainty in data (data unc.), the uncertainty from choices of tune ranges (range), and the uncertainty from choices of the functions for interpolation (int.).

$\sqrt{s}$	Tune result $\pm$ MC stat. $\pm$ data unc. $\pm$ range $\pm$ int.
38.8 GeV	$0.929 \pm 0.001 \pm 0.03 \pm 0.015 \pm 0.0005$
62 GeV	$1.16 \pm 1.8 \times 10^{-10} \pm 0.07 \pm 0.0014 \pm 0.00018$
200 GeV	$1.37 \pm 0.003 \pm 0.09 \pm 0.006 \pm 0.003$
1.8 TeV	$1.66 \pm 0.013 \pm 0.08 \pm 0.007 \pm 0.016$
1.96 TeV	$1.51 \pm 0.016 \pm 0.11 \pm 0.18 \pm 0.08$
2.76 TeV	$2.2 \pm 0.026 \pm 0.3 \pm 0.006 \pm 0.025$
8 TeV	$2.51 \pm 0.04 \pm 0.03 \pm 0.008 \pm 0.04$
8.16 TeV	$2.51 \pm 0.05 \pm 0.20 \pm 0.021 \pm 0.14$
13 TeV (CMS)	$2.54 \pm 0.008 \pm 0.04 \pm 0.09 \pm 0.0024$
13 TeV (LHCb)	$2.52 \pm 0.014 \pm 0.09 \pm 0.17 \pm 0.0021$

TABLE IV. Tune results for the SHOWERHANDLER:INTRINSICPTGAUSSIAN parameter in HERWIG 7 with the CH3 tune setup. The parameter SUDAKOVCOMMON:PTMIN was set to 0.7 GeV, taking into account the statistical uncertainty of simulations (MC stat.), the measurement uncertainty in data (data unc.), the uncertainty from choices of tune ranges (range), and the uncertainty from choices of the functions for interpolation (int.).

$\sqrt{s}$	Tune result $\pm$ MC stat. $\pm$ data unc. $\pm$ range $\pm$ int.
38.8 GeV	$0.742 \pm 0.0010 \pm 0.024 \pm 0.0010 \pm 0.004$
62 GeV	$0.80 \pm 0.00021 \pm 0.04 \pm 0.0020 \pm 0.00024$
200 GeV	$1.00 \pm 0.0018 \pm 0.06 \pm 0.004 \pm 0.0023$
1.8 TeV	$1.16 \pm 0.024 \pm 0.18 \pm 0.06 \pm 0.07$
1.96 TeV	$0.95 \pm 0.025 \pm 0.10 \pm 0.012 \pm 0.005$
2.76 TeV	$1.60 \pm 0.018 \pm 0.23 \pm 0.10 \pm 0.24$
8 TeV	$1.395 \pm 0.07 \pm 0.17 \pm 0.14 \pm 0.08$
8.16 TeV	$1.47 \pm 0.028 \pm 0.17 \pm 0.03 \pm 0.04$
13 TeV (CMS)	$1.71 \pm 0.025 \pm 0.016 \pm 0.00017 \pm 0.07$
13 TeV (LHCb)	$1.60 \pm 0.06 \pm 0.08 \pm 0.13 \pm 0.05$

TABLE V. Results of the tune to various ranges of the $m(\ell^+\ell^-)$ for values of $\sqrt{s}$ of 38.8 GeV and 8, 8.16, and 13 TeV, taking into account the statistical uncertainty of simulations (MC stat.), the measurement uncertainty in data (data unc.), the uncertainty from choices of tune ranges (range), and the uncertainty from choices of the functions for interpolation (int.).

$\sqrt{s}$	$m(\ell^+\ell^-)$ range	Tune result $\pm$ MC stat. and data unc. $\pm$ range $\pm$ int.	
		PYTHIA CP5	HERWIG CH2
38.8 GeV	4.2–5.2 GeV	$0.99 \pm 0.05 \pm 0.020 \pm 0.010$	$0.82 \pm 0.03 \pm 0.011 \pm 0.05$
	5.2–6.2 GeV	$1.03 \pm 0.06 \pm 0.020 \pm 0.025$	$0.85 \pm 0.03 \pm 0.010 \pm 0.09$
	6.2–7.2 GeV	$1.07 \pm 0.08 \pm 0.010 \pm 0.20$	$0.88 \pm 0.05 \pm 0.010 \pm 0.11$
	7.2–8.7 GeV	$0.92 \pm 0.04 \pm 0.025 \pm 0.005$	$0.80 \pm 0.03 \pm 0.016 \pm 0.05$
	10.2–12.85 GeV	$0.87 \pm 0.31 \pm 0.18 \pm 0.16$	$0.81 \pm 0.23 \pm 0.09 \pm 0.06$
8 TeV	46–66 GeV	$2.36 \pm 0.17 \pm 0.0016 \pm 0.05$	$2.15 \pm 0.27 \pm 0.03 \pm 0.07$
	66–116 GeV	$2.51 \pm 0.07 \pm 0.017 \pm 0.05$	$1.95 \pm 0.05 \pm 0.04 \pm 0.011$
	116–150 GeV	$2.70 \pm 0.33 \pm 0.13 \pm 0.17$	$2.1 \pm 0.4 \pm 0.0005 \pm 0.006$
8.16 TeV	15–60 GeV	$3.0 \pm 0.4 \pm 0.19 \pm 0.10$	$2.2 \pm 0.3 \pm 0.10 \pm 0.11$
	60–120 GeV	$2.61 \pm 0.13 \pm 0.033 \pm 0.009$	$1.89 \pm 0.18 \pm 0.08 \pm 0.003$
13 TeV	50–76 GeV	$2.65 \pm 0.07 \pm 0.06 \pm 0.017$	$1.91 \pm 0.14 \pm 0.02 \pm 0.007$
	76–106 GeV	$2.66 \pm 0.03 \pm 0.08 \pm 0.003$	$2.05 \pm 0.05 \pm 0.02 \pm 0.01$
	106–170 GeV	$2.59 \pm 0.07 \pm 0.11 \pm 0.03$	$2.34 \pm 0.23 \pm 0.07 \pm 0.16$
	170–350 GeV	$2.65 \pm 0.16 \pm 0.07 \pm 0.007$	$1.90 \pm 0.16 \pm 0.16 \pm 0.02$
	350–1000 GeV	$2.17 \pm 0.4 \pm 0.018 \pm 0.017$	$1.8 \pm 0.4 \pm 0.13 \pm 0.03$

- [1] A. Bermudez Martinez *et al.*, The transverse momentum spectrum of low mass Drell-Yan production at next-to-leading order in the parton branching method, *Eur. Phys. J. C* **80**, 598 (2020).
- [2] I. Bujanja *et al.*, The small k_T region in Drell-Yan production at next-to-leading order with the parton branching method, *Eur. Phys. J. C* **84**, 154 (2024).
- [3] M. Mendizabal, F. Guzman, H. Jung, and S. Taheri Monfared, On the role of soft and non-perturbative gluons in collinear parton densities and parton shower event generators, *Eur. Phys. J. C* **84**, 1299 (2024).
- [4] P. Hägler, B. U. Musch, J. W. Negele, and A. Schäfer, Intrinsic quark transverse momentum in the nucleon from lattice QCD, *Eur. Phys. Lett.* **88**, 61001 (2009).
- [5] B. U. Musch, P. Hägler, A. Schäfer, D. B. Renner, and J. W. Negele, Transverse-momentum distribution of quarks in the nucleon from lattice QCD, *Proc. Sci., LC2008* (2009) 053.
- [6] B. U. Musch, P. Hägler, J. W. Negele, and A. Schäfer, Exploring quark transverse momentum distributions with lattice QCD, *Phys. Rev. D* **83**, 094507 (2011).
- [7] C. Bierlich *et al.*, A comprehensive guide to the physics and usage of PYTHIA 8.3, *SciPost Phys. Codebases* **2022**, 8 (2022).
- [8] T. Sjöstrand and P. Z. Skands, Multiple interactions and the structure of beam remnants, *J. High Energy Phys.* **03** (2004) 053.
- [9] J. Bellm *et al.*, HERWIG 7.0/HERWIG++ 3.0 release note, *Eur. Phys. J. C* **76**, 196 (2016).
- [10] E. Bothmann *et al.* (Sherpa Collaboration), Event generation with SHERPA2.2, *SciPost Phys.* **7**, 034 (2019).
- [11] J. C. Webb *et al.* (NuSea Collaboration), Absolute Drell-Yan dimuon cross-sections in 800 GeV/c pp and pd collisions, [arXiv:hep-ex/0302019](#) [Phys. Rev. Lett. (to be published)].
- [12] J. C. Webb, Measurement of continuum dimuon production in 800-GeV/c proton nucleon collisions, Ph.D. thesis, New Mexico State University (2003).
- [13] D. Antreasyan *et al.*, Dimuon scaling comparison at 44 GeV and 62 GeV, *Phys. Rev. Lett.* **48**, 302 (1982).
- [14] C. Aidala *et al.* (PHENIX Collaboration), Measurements of $\mu\mu$ pairs from open heavy flavor and Drell-Yan in p + p collisions at $\sqrt{s} = 200$ GeV, *Phys. Rev. D* **99**, 072003 (2019).
- [15] B. Abbott *et al.* (D0 Collaboration), Measurement of the inclusive differential cross section for Z bosons as a function of transverse momentum in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **61**, 032004 (2000).
- [16] T. Affolder *et al.* (CDF Collaboration), The transverse momentum and total cross section of e^+e^- pairs in the Z boson region from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **84**, 845 (2000).
- [17] V. M. Abazov *et al.* (D0 Collaboration), Measurement of the normalized $Z/\gamma^* \rightarrow \mu^+\mu^-$ transverse momentum distribution in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Lett. B* **693**, 522 (2010).
- [18] T. Aaltonen *et al.* (CDF Collaboration), Transverse momentum cross section of e^+e^- pairs in the Z-boson region from $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **86**, 052010 (2012).
- [19] CMS Collaboration, Study of Z production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV in the dimuon and dielectron decay channels, *J. High Energy Phys.* **03** (2015) 022.
- [20] ATLAS Collaboration, Measurement of the transverse momentum and ϕ_η^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Eur. Phys. J. C* **76**, 291 (2016).
- [21] CMS Collaboration, Study of Drell-Yan dimuon production in proton-lead collisions at $\sqrt{s_{NN}} = 8.16$ TeV, *J. High Energy Phys.* **05** (2021) 182.
- [22] CMS Collaboration, Measurement of the mass dependence of the transverse momentum of lepton pairs in Drell-Yan production in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **83**, 628 (2023).
- [23] LHCb Collaboration, Precision measurement of forward Z boson production in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **07** (2022) 026.
- [24] C. T. H. Davies, B. R. Webber, and W. J. Stirling, Drell-Yan cross-sections at small transverse momentum, *Nucl. Phys. B* **256**, 413 (1985).
- [25] M. Guzzi, P. M. Nadolsky, and B. Wang, Nonperturbative contributions to a resummed leptonic angular distribution in inclusive neutral vector boson production, *Phys. Rev. D* **90**, 014030 (2014).
- [26] S.-Y. Wei, Exploring the non-perturbative Sudakov factor via Z^0 -boson production in pp collisions, *Phys. Lett. B* **817**, 136356 (2021).
- [27] A. Bacchetta, F. Delcarro, C. Pisano, M. Radici, and A. Signori, Extraction of partonic transverse momentum distributions from semi-inclusive deep-inelastic scattering, Drell-Yan and Z-boson production, *J. High Energy Phys.* **06** (2017) 081; **06** (2019) 51.
- [28] I. Scimemi and A. Vladimirov, Analysis of vector boson production within TMD factorization, *Eur. Phys. J. C* **78**, 89 (2018).
- [29] V. Bertone, I. Scimemi, and A. Vladimirov, Extraction of unpolarized quark transverse momentum dependent parton distributions from Drell-Yan/Z-boson production, *J. High Energy Phys.* **06** (2019) 028.
- [30] I. Scimemi and A. Vladimirov, Non-perturbative structure of semi-inclusive deep-inelastic and Drell-Yan scattering at small transverse momentum, *J. High Energy Phys.* **06** (2020) 137.
- [31] A. Bacchetta, V. Bertone, C. Bissolotti, G. Bozzi, F. Delcarro, F. Piacenza, and M. Radici, Transverse-momentum-dependent parton distributions up to N³LL from Drell-Yan data, *J. High Energy Phys.* **07** (2020) 117.
- [32] M. Bury, F. Hautmann, S. Leal-Gomez, I. Scimemi, A. Vladimirov, and P. Zurita, PDF bias and flavor dependence in TMD distributions, *J. High Energy Phys.* **10** (2022) 118.
- [33] A. Bacchetta, V. Bertone, C. Bissolotti, G. Bozzi, M. Cerutti, F. Piacenza, M. Radici, and A. Signori (MAP (Multi-dimensional Analyses of Partonic distributions) Collaboration), Unpolarized transverse momentum distributions from a global fit of Drell-Yan and semi-inclusive deep-inelastic scattering data, *J. High Energy Phys.* **10** (2022) 127.
- [34] V. Moos, I. Scimemi, A. Vladimirov, and P. Zurita, Extraction of unpolarized transverse momentum

- distributions from the fit of Drell-Yan data at N⁴LL, *J. High Energy Phys.* **05** (2024) 036.
- [35] A. Bacchetta, V. Bertone, C. Bissolotti, G. Bozzi, M. Cerutti, F. Delcarro, M. Radici, L. Rossi, and A. Signori (MAP Collaboration), Flavor dependence of unpolarized quark transverse momentum distributions from a global fit, *J. High Energy Phys.* **08** (2024) 232.
- [36] A. Bacchetta, G. Bozzi, M. Radici, M. Ritzmann, and A. Signori, Effect of flavor-dependent partonic transverse momentum on the determination of the W boson mass in hadronic collisions, *Phys. Lett. B* **788**, 542 (2019).
- [37] S. Baranov *et al.*, CASCADE3 a Monte Carlo event generator based on TMDs, *Eur. Phys. J. C* **81**, 425 (2021).
- [38] CMS Collaboration, Underlying event measurements with leading particles and jets in pp collisions at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, CMS-PAS-FSQ-15-007, 2015, <https://cds.cern.ch/record/2104473>.
- [39] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA 8 tunes from underlying-event measurements, *Eur. Phys. J. C* **80**, 4 (2020).
- [40] CMS Collaboration, Development and validation of HERWIG 7 tunes from CMS underlying-event measurements, *Eur. Phys. J. C* **81**, 312 (2021).
- [41] HEPData record for this analysis (2024), [10.17182/hepdata.154142](https://hepdata.cern.ch/record/154142).
- [42] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H. S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [43] A. Buckley, H. Hoeth, H. Lacker, H. Schulz, and J. E. von Seggern, Systematic event generator tuning for the LHC, *Eur. Phys. J. C* **65**, 331 (2010).
- [44] E. Gross and O. Vitells, Trial factors for the look elsewhere effect in high energy physics, *Eur. Phys. J. C* **70**, 525 (2010).
- [45] C. Balázs and C.-P. Yuan, Soft gluon effects on lepton pairs at hadron colliders, *Phys. Rev. D* **56**, 5558 (1997).
- [46] [10.7483/OPENDATA.CMS.7347.JDWH](https://cds.cern.ch/record/734710).

A. Hayrapetyan,¹ A. Tumasyan,^{1,b} W. Adam,² J. W. Andrejkovic,² T. Bergauer,² S. Chatterjee,² K. Damanakis,² M. Dragicevic,² P. S. Hussain,² M. Jeitler,^{2,c} N. Krammer,² A. Li,² D. Liko,² I. Mikulec,² J. Schieck,^{2,c} R. Schöffbeck,² D. Schwarz,² M. Sonawane,² W. Waltenberger,² C.-E. Wulz,^{2,c} T. Janssen,³ T. Van Laer,³ P. Van Mechelen,³ N. Breugelmans,⁴ J. D'Hondt,⁴ S. Dansana,⁴ A. De Moor,⁴ M. Delcourt,⁴ F. Heyen,⁴ S. Lowette,⁴ I. Makarenko,⁴ D. Müller,⁴ S. Tavernier,⁴ M. Tytgat,^{4,d} G. P. Van Onsem,⁴ S. Van Putte,⁴ D. Vannerom,⁴ B. Bilin,⁵ B. Clerbaux,⁵ A. K. Das,⁵ G. De Lentdecker,⁵ H. Evard,⁵ L. Favart,⁵ P. Gianneios,⁵ J. Jaramillo,⁵ A. Khalilzadeh,⁵ F. A. Khan,⁵ K. Lee,⁵ M. Mahdavihorrani,⁵ A. Malara,⁵ S. Paredes,⁵ M. A. Shahzad,⁵ L. Thomas,⁵ M. Vanden Bemden,⁵ C. Vander Velde,⁵ P. Vanlaer,⁵ M. De Coen,⁶ D. Dobur,⁶ G. Gokbulut,⁶ Y. Hong,⁶ J. Knolle,⁶ L. Lambrecht,⁶ D. Marckx,⁶ K. Mota Amarilo,⁶ K. Skovpen,⁶ N. Van Den Bossche,⁶ J. van der Linden,⁶ L. Wezenbeek,⁶ A. Benecke,⁷ A. Bethani,⁷ G. Bruno,⁷ C. Caputo,⁷ J. De Favereau De Jeneret,⁷ C. Delaere,⁷ I. S. Donertas,⁷ A. Giammanco,⁷ A. O. Guzel,⁷ Sa. Jain,⁷ V. Lemaitre,⁷ J. Lidrych,⁷ P. Mastrapasqua,⁷ T. T. Tran,⁷ S. Wertz,⁷ G. A. Alves,⁸ M. Alves Gallo Pereira,⁸ E. Coelho,⁸ G. Correia Silva,⁸ C. Hensel,⁸ T. Menezes De Oliveira,⁸ C. Mora Herrera,^{8,e} A. Moraes,⁸ P. Rebello Teles,⁸ M. Soeiro,⁸ A. Vilela Pereira,^{8,e} W. L. Aldá Júnior,⁹ M. Barroso Ferreira Filho,⁹ H. Brandao Malbouisson,⁹ W. Carvalho,⁹ J. Chinellato,^{9,f} E. M. Da Costa,⁹ G. G. Da Silveira,^{9,g} D. De Jesus Damiao,⁹ S. Fonseca De Souza,⁹ R. Gomes De Souza,⁹ T. Laux Kuhn,⁹ M. Macedo,⁹ J. Martins,^{9,h} L. Mundim,⁹ H. Nogima,⁹ J. P. Pinheiro,⁹ A. Santoro,⁹ A. Sznajder,⁹ M. Thiel,⁹ C. A. Bernardes,^{10,g} L. Calligaris,¹⁰ T. R. Fernandez Perez Tomei,¹⁰ E. M. Gregores,¹⁰ I. Maietto Silverio,¹⁰ P. G. Mercadante,¹⁰ S. F. Novaes,¹⁰ B. Orzari,¹⁰ Sandra S. Padula,¹⁰ A. Aleksandrov,¹¹ G. Antchev,¹¹ R. Hadjiiska,¹¹ P. Iaydjiev,¹¹ M. Misheva,¹¹ M. Shopova,¹¹ G. Sultanov,¹¹ A. Dimitrov,¹² L. Litov,¹² B. Pavlov,¹² P. Petkov,¹² A. Petrov,¹² E. Shumka,¹² S. Keshri,¹³ D. Laroze,¹³ S. Thakur,¹³ T. Cheng,¹⁴ T. Javaid,¹⁴ L. Yuan,¹⁴ Z. Hu,¹⁵ Z. Liang,¹⁵ J. Liu,¹⁵ G. M. Chen,^{16,i} H. S. Chen,^{16,i} M. Chen,^{16,i} F. Iemmi,¹⁶ C. H. Jiang,¹⁶ A. Kapoor,^{16,j} H. Liao,¹⁶ Z.-A. Liu,^{16,k} R. Sharma,^{16,l} J. N. Song,^{16,k} J. Tao,¹⁶ C. Wang,^{16,i} J. Wang,¹⁶ Z. Wang,^{16,i} H. Zhang,¹⁶ J. Zhao,¹⁶ A. Agapitos,¹⁷ Y. Ban,¹⁷ S. Deng,¹⁷ B. Guo,¹⁷ C. Jiang,¹⁷ A. Levin,¹⁷ C. Li,¹⁷ Q. Li,¹⁷ Y. Mao,¹⁷ S. Qian,¹⁷ S. J. Qian,¹⁷ X. Qin,¹⁷ X. Sun,¹⁷ D. Wang,¹⁷ H. Yang,¹⁷ L. Zhang,¹⁷ Y. Zhao,¹⁷ C. Zhou,¹⁷ S. Yang,¹⁸ Z. You,¹⁹ K. Jaffel,²⁰ N. Lu,²⁰ G. Bauer,^{21,m} B. Li,²¹ K. Yi,^{21,n,o} J. Zhang,²¹ X. Gao,^{22,p} Y. Li,²² Z. Lin,²³ C. Lu,²³ M. Xiao,²³ C. Avila,²⁴ D. A. Barbosa Trujillo,²⁴ A. Cabrera,²⁴ C. Florez,²⁴ J. Fraga,²⁴ J. A. Reyes Vega,²⁴ F. Ramirez,²⁵ C. Rendón,²⁵ M. Rodriguez,²⁵ A. A. Ruales Barbosa,²⁵ J. D. Ruiz Alvarez,²⁵ D. Giljanovic,²⁶ N. Godinovic,²⁶ D. Lelas,²⁶ A. Sculac,²⁶ M. Kovac,²⁷ A. Petkovic,²⁷ T. Sculac,²⁷ P. Bargassa,²⁸ V. Brigljevic,²⁸ B. K. Chitroda,²⁸ D. Ferencek,²⁸

- K. Jakovcic,²⁸ A. Starodumov,^{28,q} T. Susa,²⁸ A. Attikis,²⁹ K. Christoforou,²⁹ A. Hadjiagapiou,²⁹ C. Leonidou,²⁹ J. Mousa,²⁹ C. Nicolaou,²⁹ L. Paizanos,²⁹ F. Ptochos,²⁹ P. A. Razis,²⁹ H. Rykaczewski,²⁹ H. Saka,²⁹ A. Stepenov,²⁹ M. Finger,³⁰ M. Finger Jr.,³⁰ A. Kveton,³⁰ E. Carrera Jarrin,³¹ B. El-mahdy,³² S. Khalil,^{32,r} E. Salama,^{32,s,t} M. A. Mahmoud,³³ Y. Mohammed,³³ K. Ehataht,³⁴ M. Kadastik,³⁴ T. Lange,³⁴ S. Nandan,³⁴ C. Nielsen,³⁴ J. Pata,³⁴ M. Raidal,³⁴ L. Tani,³⁴ C. Veelken,³⁴ H. Kirschenmann,³⁵ K. Osterberg,³⁵ M. Voutilainen,³⁵ S. Bharthuar,³⁶ N. Bin Norjoharuddeen,³⁶ E. Brücken,³⁶ F. Garcia,³⁶ P. Inkaew,³⁶ K. T. S. Kallonen,³⁶ T. Lampén,³⁶ K. Lassila-Perini,³⁶ S. Lehti,³⁶ T. Lindén,³⁶ M. Myllymäki,³⁶ M. m. Rantanen,³⁶ H. Siikonen,³⁶ J. Tuominiemi,³⁶ P. Luukka,³⁷ H. Petrow,³⁷ M. Besancon,³⁸ F. Couderc,³⁸ M. Dejardin,³⁸ D. Denegri,³⁸ J. L. Faure,³⁸ F. Ferri,³⁸ S. Ganjour,³⁸ P. Gras,³⁸ G. Hamel de Monchenault,³⁸ M. Kumar,³⁸ V. Lohezic,³⁸ J. Malcles,³⁸ F. Orlandi,³⁸ L. Portales,³⁸ A. Rosowsky,³⁸ M. Ö. Sahin,³⁸ A. Savoy-Navarro,^{38,u} P. Simkina,³⁸ M. Titov,³⁸ M. Tornago,³⁸ F. Beaudette,³⁹ G. Boldrini,³⁹ P. Busson,³⁹ A. Cappati,³⁹ C. Charlot,³⁹ M. Chiusi,³⁹ F. Damas,³⁹ O. Davignon,³⁹ A. De Wit,³⁹ I. T. Ehle,³⁹ B. A. Fontana Santos Alves,³⁹ S. Ghosh,³⁹ A. Gilbert,³⁹ R. Granier de Cassagnac,³⁹ A. Hakimi,³⁹ B. Harikrishnan,³⁹ L. Kalipoliti,³⁹ G. Liu,³⁹ M. Nguyen,³⁹ C. Ochando,³⁹ R. Salerno,³⁹ J. B. Sauvan,³⁹ Y. Sirois,³⁹ L. Urda Gómez,³⁹ E. Vernazza,³⁹ A. Zabi,³⁹ A. Zghiche,³⁹ J.-L. Agram,^{40,v} J. Andrea,⁴⁰ D. Apparú,⁴⁰ D. Bloch,⁴⁰ J.-M. Brom,⁴⁰ E. C. Chabert,⁴⁰ C. Collard,⁴⁰ S. Falke,⁴⁰ U. Goerlach,⁴⁰ R. Haeberle,⁴⁰ A.-C. Le Bihan,⁴⁰ M. Meena,⁴⁰ O. Poncet,⁴⁰ G. Saha,⁴⁰ M. A. Sessini,⁴⁰ P. Van Hove,⁴⁰ P. Vaucelle,⁴⁰ A. Di Florio,⁴¹ D. Amram,⁴² S. Beauceron,⁴² B. Blancon,⁴² G. Boudoul,⁴² N. Chanon,⁴² D. Contardo,⁴² P. Depasse,⁴² C. Dozen,^{42,w} H. El Mamouni,⁴² J. Fay,⁴² S. Gascon,⁴² M. Gouzevitch,⁴² C. Greenberg,⁴² G. Grenier,⁴² B. Ille,⁴² E. Jourdain,⁴² I. B. Laktineh,⁴² M. Lethuillier,⁴² L. Mirabito,⁴² S. Perries,⁴² A. Purohit,⁴² M. Vander Donckt,⁴² P. Verdier,⁴² J. Xiao,⁴² D. Chokheli,⁴³ I. Lomidze,⁴³ Z. Tsamalaidze,^{43,q} V. Botta,⁴⁴ S. Consuegra Rodríguez,⁴⁴ L. Feld,⁴⁴ K. Klein,⁴⁴ M. Lipinski,⁴⁴ D. Meuser,⁴⁴ A. Pauls,⁴⁴ D. Pérez Adán,⁴⁴ N. Röver,⁴⁴ M. Teroerde,⁴⁴ S. Diekmann,⁴⁵ A. Dodonova,⁴⁵ N. Eich,⁴⁵ D. Eliseev,⁴⁵ F. Engelke,⁴⁵ J. Erdmann,⁴⁵ M. Erdmann,⁴⁵ P. Fackeldey,⁴⁵ B. Fischer,⁴⁵ T. Hebbeker,⁴⁵ K. Hoepfner,⁴⁵ F. Ivone,⁴⁵ A. Jung,⁴⁵ M. y. Lee,⁴⁵ F. Mausolf,⁴⁵ M. Merschmeyer,⁴⁵ A. Meyer,⁴⁵ S. Mukherjee,⁴⁵ D. Noll,⁴⁵ F. Nowotny,⁴⁵ A. Pozdnyakov,⁴⁵ Y. Rath,⁴⁵ W. Redjeb,⁴⁵ F. Rehm,⁴⁵ H. Reithler,⁴⁵ V. Sarkisovi,⁴⁵ A. Schmidt,⁴⁵ C. Seth,⁴⁵ A. Sharma,⁴⁵ J. L. Spahr,⁴⁵ A. Stein,⁴⁵ F. Torres Da Silva De Araujo,^{45,x} S. Wiedenbeck,⁴⁵ S. Zaleski,⁴⁵ C. Dziwok,⁴⁶ G. Flügge,⁴⁶ T. Kress,⁴⁶ A. Nowack,⁴⁶ O. Poeth,⁴⁶ A. Stahl,⁴⁶ T. Ziemons,⁴⁶ A. Zotz,⁴⁶ H. Aarup Petersen,⁴⁷ M. Aldaya Martin,⁴⁷ J. Alimena,⁴⁷ S. Amoroso,⁴⁷ Y. An,⁴⁷ J. Bach,⁴⁷ S. Baxter,⁴⁷ M. Bayatmakou,⁴⁷ H. Becerril Gonzalez,⁴⁷ O. Behnke,⁴⁷ A. Belvedere,⁴⁷ F. Blekman,^{47,y} K. Borras,^{47,z} A. Campbell,⁴⁷ A. Cardini,⁴⁷ C. Cheng,⁴⁷ F. Colombina,⁴⁷ G. Eckerlin,⁴⁷ D. Eckstein,⁴⁷ L. I. Estevez Banos,⁴⁷ O. Filatov,⁴⁷ E. Gallo,^{47,y} A. Geiser,⁴⁷ V. Guglielmi,⁴⁷ M. Guthoff,⁴⁷ A. Hinzmänn,⁴⁷ L. Jeppe,⁴⁷ B. Kaech,⁴⁷ M. Kasemann,⁴⁷ C. Kleinwort,⁴⁷ R. Kogler,⁴⁷ M. Komm,⁴⁷ D. Krücker,⁴⁷ W. Lange,⁴⁷ D. Leyva Pernia,⁴⁷ K. Lipka,^{47,aa} W. Lohmann,^{47,bb} F. Lorkowski,⁴⁷ R. Mankel,⁴⁷ I.-A. Melzer-Pellmann,⁴⁷ M. Mendizabal Morentin,⁴⁷ A. B. Meyer,⁴⁷ G. Milella,⁴⁷ K. Moral Figueroa,⁴⁷ A. Mussgiller,⁴⁷ L. P. Nair,⁴⁷ J. Niedziela,⁴⁷ A. Nürnberg,⁴⁷ Y. Otari,⁴⁷ J. Park,⁴⁷ E. Ranken,⁴⁷ A. Raspereza,⁴⁷ D. Rastorguev,⁴⁷ J. Rübenach,⁴⁷ L. Rygaard,⁴⁷ A. Saggio,⁴⁷ M. Scham,^{47,cc,z} S. Schnake,^{47,z} P. Schütze,⁴⁷ C. Schwanenberger,^{47,y} D. Selivanova,⁴⁷ K. Sharko,⁴⁷ M. Shchedrolosiev,⁴⁷ D. Stafford,⁴⁷ S. Taheri Monfared,⁴⁷ F. Vazzoler,⁴⁷ A. Ventura Barroso,⁴⁷ R. Walsh,⁴⁷ D. Wang,⁴⁷ Q. Wang,⁴⁷ Y. Wen,⁴⁷ K. Wichmann,⁴⁷ L. Wiens,^{47,z} C. Wissing,⁴⁷ Y. Yang,⁴⁷ A. Zimmermann Castro Santos,⁴⁷ A. Albrecht,⁴⁸ S. Albrecht,⁴⁸ M. Antonello,⁴⁸ S. Bein,⁴⁸ L. Benato,⁴⁸ S. Bollweg,⁴⁸ M. Bonanomi,⁴⁸ P. Connor,⁴⁸ K. El Morabit,⁴⁸ Y. Fischer,⁴⁸ E. Garutti,⁴⁸ A. Grohsjean,⁴⁸ J. Haller,⁴⁸ H. R. Jabusch,⁴⁸ G. Kasieczka,⁴⁸ P. Keicher,⁴⁸ R. Klanner,⁴⁸ W. Korcaric,⁴⁸ T. Kramer,⁴⁸ C. c. Kuo,⁴⁸ V. Kutzner,⁴⁸ F. Labe,⁴⁸ J. Lange,⁴⁸ A. Lobanov,⁴⁸ C. Matthies,⁴⁸ L. Moureaux,⁴⁸ M. Mrowietz,⁴⁸ A. Nigamova,⁴⁸ Y. Nissan,⁴⁸ A. Paasch,⁴⁸ K. J. Pena Rodriguez,⁴⁸ T. Quadfasel,⁴⁸ B. Raciti,⁴⁸ M. Rieger,⁴⁸ D. Savoie,⁴⁸ J. Schindler,⁴⁸ P. Schleper,⁴⁸ M. Schröder,⁴⁸ J. Schwandt,⁴⁸ M. Sommerhalder,⁴⁸ H. Stadie,⁴⁸ G. Steinbrück,⁴⁸ A. Tews,⁴⁸ M. Wolf,⁴⁸ S. Brommer,⁴⁹ M. Burkart,⁴⁹ E. Butz,⁴⁹ T. Chwalek,⁴⁹ A. Dierlamm,⁴⁹ A. Droll,⁴⁹ U. Elicabuk,⁴⁹ N. Faltermann,⁴⁹ M. Giffels,⁴⁹ A. Gottmann,⁴⁹ F. Hartmann,^{49,dd} R. Hofsaess,⁴⁹ M. Horzela,⁴⁹ U. Husemann,⁴⁹ J. Kieseler,⁴⁹ M. Klute,⁴⁹ R. Koppenhöfer,⁴⁹ J. M. Lawhorn,⁴⁹ M. Link,⁴⁹ A. Lintuluoto,⁴⁹ S. Maier,⁴⁹ S. Mitra,⁴⁹ M. Mormile,⁴⁹ Th. Müller,⁴⁹ M. Neukum,⁴⁹ M. Oh,⁴⁹

- E. Pfeffer⁴⁹, M. Presilla⁴⁹, G. Quast⁴⁹, K. Rabbertz⁴⁹, B. Regnery⁴⁹, N. Shadskiy⁴⁹, I. Shvetsov⁴⁹, H. J. Simonis⁴⁹, L. Sowa⁴⁹, L. Stockmeier⁴⁹, K. Tauqeer⁴⁹, M. Toms⁴⁹, N. Trevisani⁴⁹, R. F. Von Cube⁴⁹, M. Wassmer⁴⁹, S. Wieland⁴⁹, F. Wittig⁴⁹, R. Wolf⁴⁹, X. Zuo⁴⁹, G. Anagnostou⁵⁰, G. Daskalakis⁵⁰, A. Kyriakis⁵⁰, A. Papadopoulos^{50,dd}, A. Stakia⁵⁰, P. Kontaxakis⁵¹, G. Melachroinos⁵¹, Z. Painesis⁵¹, I. Papavergou⁵¹, I. Paraskevas⁵¹, N. Saoulidou⁵¹, K. Theofilatos⁵¹, E. Tziaferi⁵¹, K. Vellidis⁵¹, I. Zisopoulos⁵¹, G. Bakas⁵², T. Chatzistavrou⁵², G. Karapostoli⁵², K. Kousouris⁵², I. Papakrivopoulos⁵², E. Siamarkou⁵², G. Tsipolitis⁵², A. Zacharopoulou⁵², K. Adamidis⁵³, I. Bestintzanos⁵³, I. Evangelou⁵³, C. Foudas⁵³, C. Kamtsikis⁵³, P. Katsoulis⁵³, P. Kokkas⁵³, P. G. Kosmoglou Kioseoglou⁵³, N. Manthos⁵³, I. Papadopoulos⁵³, J. Strologas⁵³, C. Hajdu⁵⁴, D. Horvath^{54,ee,ff}, K. Márton⁵⁴, A. J. Rádl^{54,gg}, F. Sikler⁵⁴, V. Veszpremi⁵⁴, M. Csanád⁵⁵, K. Farkas⁵⁵, A. Fehérkuti^{55,hh}, M. M. A. Gadallah^{55,ii}, Á. Kadlecik⁵⁵, P. Major⁵⁵, G. Pásztor⁵⁵, G. I. Veres⁵⁵, B. Ujvari⁵⁶, G. Zilizi⁵⁶, G. Bencze⁵⁷, S. Czellar⁵⁷, J. Molnar⁵⁷, Z. Szillasi⁵⁷, T. Csorgo^{58,hh}, F. Nemes^{58,hh}, T. Novak⁵⁸, S. Bansal⁵⁹, S. B. Beri⁵⁹, V. Bhatnagar⁵⁹, G. Chaudhary⁵⁹, S. Chauhan⁵⁹, N. Dhingra^{59,jj}, A. Kaur⁵⁹, A. Kaur⁵⁹, H. Kaur⁵⁹, M. Kaur⁵⁹, S. Kumar⁵⁹, T. Sheokand⁵⁹, J. B. Singh⁵⁹, A. Singla⁵⁹, A. Ahmed⁶⁰, A. Bhardwaj⁶⁰, A. Chhetri⁶⁰, B. C. Choudhary⁶⁰, A. Kumar⁶⁰, A. Kumar⁶⁰, M. Naimuddin⁶⁰, K. Ranjan⁶⁰, M. K. Saini⁶⁰, S. Saumya⁶⁰, S. Baradia⁶¹, S. Barman^{61,kk}, S. Bhattacharya⁶¹, S. Das Gupta⁶¹, S. Dutta⁶¹, S. Dutta⁶¹, S. Sarkar⁶¹, M. M. Ameen⁶², P. K. Behera⁶², S. C. Behera⁶², S. Chatterjee⁶², G. Dash⁶², P. Jana⁶², P. Kalbhor⁶², S. Kamble⁶², J. R. Komaragiri^{62,ll}, D. Kumar^{62,ll}, T. Mishra⁶², B. Parida⁶², P. R. Pujahari⁶², N. R. Saha⁶², A. Sharma⁶², A. K. Sikdar⁶², R. K. Singh⁶², P. Verma⁶², S. Verma⁶², A. Vijay⁶², S. Dugad⁶³, G. B. Mohanty⁶³, M. Shelake⁶³, P. Suryadevara⁶³, A. Bala⁶⁴, S. Banerjee⁶⁴, R. M. Chatterjee⁶⁴, M. Guchait⁶⁴, Sh. Jain⁶⁴, A. Jaiswal⁶⁴, S. Kumar⁶⁴, G. Majumder⁶⁴, K. Mazumdar⁶⁴, S. Parolia⁶⁴, A. Thachayath⁶⁴, S. Bahinipati^{65,mm}, C. Kar⁶⁵, D. Maity^{65,nn}, P. Mal⁶⁵, V. K. Muraleedharan Nair Bindhu^{65,nn}, K. Naskar^{65,nn}, A. Nayak^{65,nn}, S. Nayak⁶⁵, K. Pal⁶⁵, P. Sadangi⁶⁵, S. K. Swain⁶⁵, S. Varghese^{65,nn}, D. Vats^{65,nn}, S. Acharya^{66,oo}, A. Alpana⁶⁶, S. Dube⁶⁶, B. Gomber^{66,oo}, P. Hazarika⁶⁶, B. Kansal⁶⁶, A. Laha⁶⁶, B. Sahu^{66,oo}, S. Sharma⁶⁶, K. Y. Vaish⁶⁶, H. Bakhshiansohi^{67,pp}, A. Jafari^{67,qq}, M. Zeinali^{67,rr}, S. Bashiri⁶⁸, S. Chenarani^{68,ss}, S. M. Etesami⁶⁸, Y. Hosseini⁶⁸, M. Khakzad⁶⁸, E. Khazaie⁶⁸, M. Mohammadi Najafabadi⁶⁸, S. Tizchang^{68,tt}, M. Felcini⁶⁹, M. Grunewald⁶⁹, M. Abbrescia^{70a,70b}, A. Colaleo^{70a,70b}, D. Creanza^{70a,70c}, B. D'Anzi^{70a,70b}, N. De Filippis^{70a,70c}, M. De Palma^{70a,70b}, W. Elmetenawee^{70a,70b,uu}, L. Fiore^{70a}, G. Iaselli^{70a,70c}, L. Longo^{70a}, M. Louka^{70a,70b}, G. Maggi^{70a,70c}, M. Maggi^{70a}, I. Margjeka^{70a}, V. Mastrapasqua^{70a,70b}, S. My^{70a,70b}, S. Nuzzo^{70a,70b}, A. Pellecchia^{70a,70b}, A. Pompili^{70a,70b}, G. Pugliese^{70a,70c}, R. Radogna^{70a,70b}, D. Ramos^{70a}, A. Ranieri^{70a}, L. Silvestris^{70a}, F. M. Simone^{70a,70c}, Ü. Sözbilir^{70a}, A. Stamerra^{70a,70b}, D. Troiano^{70a,70b}, R. Venditti^{70a,70b}, P. Verwilligen^{70a}, A. Zaza^{70a,70b}, G. Abbiendi^{71a}, C. Battilana^{71a,71b}, D. Bonacorsi^{71a,71b}, P. Capiluppi^{71a,71b}, A. Castro^{71a,71b,a}, F. R. Cavallo^{71a}, M. Cuffiani^{71a,71b}, G. M. Dallavalle^{71a}, T. Diotallevi^{71a,71b}, F. Fabbri^{71a}, A. Fanfani^{71a,71b}, D. Fasanella^{71a}, P. Giacomelli^{71a}, L. Giommi^{71a,71b}, C. Grandi^{71a}, L. Guiducci^{71a,71b}, S. Lo Meo^{71a,vv}, M. Lorusso^{71a,71b}, L. Lunerti^{71a}, S. Marcellini^{71a}, G. Masetti^{71a}, F. L. Navarria^{71a,71b}, G. Paggi^{71a,71b}, A. Perrotta^{71a}, F. Primavera^{71a,71b}, A. M. Rossi^{71a,71b}, S. Rossi Tisbeni^{71a,71b}, T. Rovelli^{71a,71b}, G. P. Siroli^{71a,71b}, S. Costa^{72a,72b,ww}, A. Di Mattia^{72a}, A. Lapertosa^{72a}, R. Potenza^{72a,72b}, A. Tricomi^{72a,72b,ww}, C. Tuve^{72a,72b}, P. Assiouras^{73a}, G. Barbagli^{73a}, G. Bardelli^{73a,73b}, B. Camaiani^{73a,73b}, A. Cassese^{73a}, R. Ceccarelli^{73a}, V. Ciulli^{73a,73b}, C. Civinini^{73a}, R. D'Alessandro^{73a,73b}, E. Focardi^{73a,73b}, T. Kello^{73a}, G. Latino^{73a,73b}, P. Lenzi^{73a,73b}, M. Lizzo^{73a}, M. Meschini^{73a}, S. Paoletti^{73a}, A. Papanastassiou^{73a,73b}, G. Sguazzoni^{73a}, L. Viliani^{73a}, L. Benussi⁷⁴, S. Bianco⁷⁴, S. Meola^{74,xx}, D. Piccolo⁷⁴, P. Chatagnon^{75a}, F. Ferro^{75a}, E. Robutti^{75a}, S. Tosi^{75a,75b}, A. Benaglia^{76a}, F. Brivio^{76a}, F. Cetorelli^{76a,76b}, F. De Guio^{76a,76b}, M. E. Dinardo^{76a,76b}, P. Dini^{76a}, S. Gennai^{76a}, R. Gerosa^{76a,76b}, A. Ghezzi^{76a,76b}, P. Govoni^{76a,76b}, L. Guzzi^{76a}, M. T. Lucchini^{76a,76b}, M. Malberti^{76a}, S. Malvezzi^{76a}, A. Massironi^{76a}, D. Menasce^{76a}, L. Moroni^{76a}, M. Paganoni^{76a,76b}, S. Palluotto^{76a,76b}, D. Pedrini^{76a}, A. Perego^{76a,76b}, B. S. Pinolini^{76a}, G. Pizzati^{76a,76b}, S. Ragazzi^{76a,76b}, T. Tabarelli de Fatis^{76a,76b}, S. Buontempo^{77a}, A. Cagnotta^{77a,77b}, F. Carnevali^{77a,77b}, N. Cavallo^{77a,77c}, F. Fabozzi^{77a,77c}, A. O. M. Iorio^{77a,77b}, L. Lista^{77a,77b,yy}, P. Paolucci^{77a,dd}, B. Rossi^{77a}, R. Ardino^{78a}, P. Azzi^{78a}, N. Bacchetta^{78a,zz}, D. Bisello^{78a,78b}, P. Bortignon^{78a}, G. Bortolato^{78a,78b}, A. Bragagnolo^{78a,78b}, A. C. M. Bulla^{78a}, R. Carlin^{78a,78b}, T. Dorigo^{78a}, F. Gasparini^{78a,78b}, U. Gasparini^{78a,78b}, S. Giorgetti^{78a}, E. Lusiani^{78a}, M. Margoni^{78a,78b}, G. Maron^{78a,aaa}, A. T. Meneguzzo^{78a,78b}, M. Migliorini^{78a,78b}

J. Pazzini^{78a,78b} P. Ronchese^{78a,78b} R. Rossin^{78a,78b} F. Simonetto^{78a,78b} M. Tosi^{78a,78b} A. Triossi^{78a,78b}
S. Ventura^{78a} M. Zanetti^{78a,78b} P. Zotto^{78a,78b} A. Zucchetta^{78a,78b} G. Zumerle^{78a,78b} A. Braghieri^{79a}
S. Calzaferri^{79a} D. Fiorina^{79a} P. Montagna^{79a,79b} V. Re^{79a} C. Riccardi^{79a,79b} P. Salvini^{79a} I. Vai^{79a,79b}
P. Vitulo^{79a,79b} S. Ajmal^{80a,80b} M. E. Ascioti^{80a,80b} G. M. Bilei^{80a} C. Carrivale^{80a,80b} D. Ciangottini^{80a,80b}
L. Fanò^{80a,80b} M. Magherini^{80a,80b} V. Mariani^{80a,80b} M. Menichelli^{80a} F. Moscatelli^{80a,80b} A. Rossi^{80a,80b}
A. Santocchia^{80a,80b} D. Spiga^{80a} T. Tedeschi^{80a,80b} C. Aimè^{81a} C. A. Alexe^{81a,81c} P. Asenov^{81a,81b}
P. Azzurri^{81a} G. Bagliesi^{81a} R. Bhattacharya^{81a} L. Bianchini^{81a,81b} T. Boccali^{81a} E. Bossini^{81a}
D. Bruschini^{81a,81c} R. Castaldi^{81a} M. A. Ciocci^{81a,81b} M. Cipriani^{81a,81b} V. D'Amante^{81a,81d} R. Dell'Orso^{81a}
S. Donato^{81a} A. Giassi^{81a} F. Ligabue^{81a,81c} A. C. Marini^{81a} D. Matos Figueiredo^{81a} A. Messineo^{81a,81b}
S. Mishra^{81a} M. Musich^{81a,81b} F. Palla^{81a} A. Rizzi^{81a,81b} G. Rolandi^{81a,81c} S. Roy Chowdhury^{81a} T. Sarkar^{81a}
A. Scribano^{81a} P. Spagnolo^{81a} R. Tenchini^{81a} G. Tonelli^{81a,81b} N. Turini^{81a,81d} F. Vaselli^{81a,81c} A. Venturi^{81a}
P. G. Verdini^{81a} C. Baldenegro Barrera^{82a,82b} P. Barria^{82a} C. Basile^{82a,82b} F. Cavallari^{82a}
L. Cunqueiro Mendez^{82a,82b} D. Del Re^{82a,82b} E. Di Marco^{82a,82b} M. Diemoz^{82a} F. Errico^{82a,82b} E. Longo^{82a,82b}
L. Martikainen^{82a,82b} J. Mijuskovic^{82a,82b} G. Organtini^{82a,82b} F. Pandolfi^{82a} R. Paramatti^{82a,82b}
C. Quaranta^{82a,82b} S. Rahatlou^{82a,82b} C. Rovelli^{82a} F. Santanastasio^{82a,82b} L. Soffi^{82a} N. Amapane^{83a,83b}
R. Arcidiacono^{83a,83c} S. Argiro^{83a,83b} M. Arneodo^{83a,83c} N. Bartosik^{83a} R. Bellan^{83a,83b} A. Bellora^{83a,83b}
C. Biino^{83a} C. Borca^{83a,83b} N. Cartiglia^{83a} M. Costa^{83a,83b} R. Covarelli^{83a,83b} N. Demaria^{83a} L. Finco^{83a}
M. Grippo^{83a,83b} B. Kiani^{83a,83b} F. Legger^{83a} F. Luongo^{83a,83b} C. Mariotti^{83a} L. Markovic^{83a,83b} S. Maselli^{83a}
A. Mecca^{83a,83b} L. Menzio^{83a,83b} P. Meridiani^{83a} E. Migliore^{83a,83b} M. Monteno^{83a} R. Mulargia^{83a}
M. M. Obertino^{83a,83b} G. Ortona^{83a} L. Pacher^{83a,83b} N. Pastrone^{83a} M. Pelliccioni^{83a} M. Ruspa^{83a,83c}
F. Siviero^{83a,83b} V. Sola^{83a,83b} A. Solano^{83a,83b} A. Staiano^{83a} C. Tarricone^{83a,83b} D. Trocino^{83a}
G. Umoret^{83a,83b} R. White^{83a,83b} J. Babbar^{84a,84b} S. Belforte^{84a} V. Candelise^{84a,84b} M. Casarsa^{84a}
F. Cossutti^{84a} K. De Leo^{84a} G. Della Ricca^{84a,84b} S. Dogra⁸⁵ J. Hong⁸⁵ B. Kim⁸⁵ J. Kim⁸⁵ D. Lee⁸⁵ H. Lee⁸⁵
S. W. Lee⁸⁵ C. S. Moon⁸⁵ Y. D. Oh⁸⁵ M. S. Ryu⁸⁵ S. Sekmen⁸⁵ B. Tae⁸⁵ Y. C. Yang⁸⁵ M. S. Kim⁸⁶
G. Bak⁸⁷ P. Gwak⁸⁷ H. Kim⁸⁷ D. H. Moon⁸⁷ E. Asilar⁸⁸ J. Choi⁸⁸ D. Kim⁸⁸ T. J. Kim⁸⁸ J. A. Merlin⁸⁸
Y. Ryou⁸⁸ S. Choi⁸⁹ S. Han⁸⁹ B. Hong⁸⁹ K. Lee⁸⁹ K. S. Lee⁸⁹ S. Lee⁸⁹ J. Yoo⁸⁹ J. Goh⁹⁰ S. Yang⁹⁰
H. S. Kim⁹¹ Y. Kim⁹¹ S. Lee⁹¹ J. Almond⁹² J. H. Bhyun⁹² J. Choi⁹² J. Choi⁹² W. Jun⁹² J. Kim⁹² Y. W. Kim⁹²
S. Ko⁹² H. Kwon⁹² H. Lee⁹² J. Lee⁹² J. Lee⁹² B. H. Oh⁹² S. B. Oh⁹² H. Seo⁹² U. K. Yang⁹² I. Yoon⁹²
W. Jang⁹³ D. Y. Kang⁹³ Y. Kang⁹³ S. Kim⁹³ B. Ko⁹³ J. S. H. Lee⁹³ Y. Lee⁹³ I. C. Park⁹³ Y. Roh⁹³
I. J. Watson⁹³ S. Ha⁹⁴ H. D. Yoo⁹⁴ M. Choi⁹⁵ M. R. Kim⁹⁵ H. Lee⁹⁵ Y. Lee⁹⁵ I. Yu⁹⁵ T. Beyrouthy⁹⁶
Y. Gharbia⁹⁶ F. Alazemi⁹⁷ K. Dreimanis⁹⁸ A. Gaile⁹⁸ C. Munoz Diaz⁹⁸ D. Osite⁹⁸ G. Pikurs⁹⁸ A. Potrebko⁹⁸
M. Seidel⁹⁸ D. Sidiropoulos Kontos⁹⁸ N. R. Strautnieks⁹⁹ M. Ambrozias¹⁰⁰ A. Juodagalvis¹⁰⁰ A. Rinkevicius¹⁰⁰
G. Tamulaitis¹⁰⁰ I. Yusuff^{101,ccc} Z. Zolkapli¹⁰¹ J. F. Benitez¹⁰² A. Castaneda Hernandez¹⁰²
H. A. Encinas Acosta¹⁰² L. G. Gallegos Maríñez¹⁰² M. León Coello¹⁰² J. A. Murillo Quijada¹⁰² A. Schrawat¹⁰²
L. Valencia Palomo¹⁰² G. Ayala¹⁰³ H. Castilla-Valdez¹⁰³ H. Crotte Ledesma¹⁰³ E. De La Cruz-Burelo¹⁰³
I. Heredia-De La Cruz^{103,ddd} R. Lopez-Fernandez¹⁰³ J. Mejia Guisao¹⁰³ C. A. Mondragon Herrera¹⁰³
A. Sánchez Hernández¹⁰³ C. Oropeza Barrera¹⁰⁴ D. L. Ramirez Guadarrama¹⁰⁴ M. Ramírez García¹⁰⁴
I. Bautista¹⁰⁵ I. Pedraza¹⁰⁵ H. A. Salazar Ibarguen¹⁰⁵ C. Uribe Estrada¹⁰⁵ I. Bujanja¹⁰⁶ N. Raicevic¹⁰⁶
P. H. Butler¹⁰⁷ A. Ahmad¹⁰⁸ M. I. Asghar¹⁰⁸ A. Awais¹⁰⁸ M. I. M. Awan¹⁰⁸ H. R. Hoorani¹⁰⁸ W. A. Khan¹⁰⁸
V. Avati¹⁰⁹ L. Grzanka¹⁰⁹ M. Malawski¹⁰⁹ H. Bialkowska¹¹⁰ M. Bluj¹¹⁰ M. Górski¹¹⁰ M. Kazana¹¹⁰
M. Szleper¹¹⁰ P. Zalewski¹¹⁰ K. Bunkowski¹¹¹ K. Doroba¹¹¹ A. Kalinowski¹¹¹ M. Konecki¹¹¹
J. Krolikowski¹¹¹ A. Muhammad¹¹¹ K. Pozniak¹¹² W. Zabolotny¹¹² M. Araujo¹¹³ D. Bastos¹¹³
C. Beirão Da Cruz E Silva¹¹³ A. Boletti¹¹³ M. Bozzo¹¹³ T. Camporesi¹¹³ G. Da Molin¹¹³ P. Faccioli¹¹³
M. Gallinaro¹¹³ J. Hollar¹¹³ N. Leonardo¹¹³ G. B. Marozzo¹¹³ T. Niknejad¹¹³ A. Petrilli¹¹³ M. Pisano¹¹³
J. Seixas¹¹³ J. Varela¹¹³ J. W. Wulff¹¹³ P. Adzic¹¹⁴ P. Milenovic¹¹⁴ D. Devetak¹¹⁵ M. Dordevic¹¹⁵
J. Milosevic¹¹⁵ L. Nadder¹¹⁵ V. Rekovic¹¹⁵ J. Alcaraz Maestre¹¹⁶ Cristina F. Bedoya¹¹⁶
J. A. Brochero Cifuentes¹¹⁶ Oliver M. Carretero¹¹⁶ M. Cepeda¹¹⁶ M. Cerrada¹¹⁶ N. Colino¹¹⁶
B. De La Cruz¹¹⁶ A. Delgado Peris¹¹⁶ A. Escalante Del Valle¹¹⁶ D. Fernández Del Val¹¹⁶
J. P. Fernández Ramos¹¹⁶ J. Flix¹¹⁶ M. C. Fouz¹¹⁶ O. Gonzalez Lopez¹¹⁶ S. Goy Lopez¹¹⁶ J. M. Hernandez¹¹⁶

M. I. Josa¹¹⁶, J. Llorente Merino¹¹⁶, E. Martin Viscasillas¹¹⁶, D. Moran¹¹⁶, C. M. Morcillo Perez¹¹⁶,
 Á. Navarro Tobar¹¹⁶, C. Perez Dengra¹¹⁶, A. Pérez-Calero Yzquierdo¹¹⁶, J. Puerta Pelayo¹¹⁶, I. Redondo¹¹⁶,
 S. Sánchez Navas¹¹⁶, J. Sastre¹¹⁶, J. Vazquez Escobar¹¹⁶, J. F. de Trocóniz¹¹⁷, B. Alvarez Gonzalez¹¹⁸,
 J. Cuevas¹¹⁸, J. Fernandez Menendez¹¹⁸, S. Folgueras¹¹⁸, I. Gonzalez Caballero¹¹⁸, P. Leguina¹¹⁸,
 E. Palencia Cortezon¹¹⁸, J. Prado Pico¹¹⁸, C. Ramón Álvarez¹¹⁸, V. Rodríguez Bouza¹¹⁸, A. Soto Rodríguez¹¹⁸,
 A. Trapote¹¹⁸, C. Vico Villalba¹¹⁸, P. Vischia¹¹⁸, S. Bhowmik¹¹⁹, S. Blanco Fernández¹¹⁹, I. J. Cabrillo¹¹⁹,
 A. Calderon¹¹⁹, J. Duarte Campderros¹¹⁹, M. Fernandez¹¹⁹, G. Gomez¹¹⁹, C. Lasaosa García¹¹⁹,
 R. Lopez Ruiz¹¹⁹, C. Martinez Rivero¹¹⁹, P. Martinez Ruiz del Arbol¹¹⁹, F. Matorras¹¹⁹, P. Matorras Cuevas¹¹⁹,
 E. Navarrete Ramos¹¹⁹, J. Piedra Gomez¹¹⁹, L. Scodellaro¹¹⁹, I. Vila¹¹⁹, J. M. Vizan Garcia¹¹⁹,
 B. Kailasapathy^{120,eee}, D. D. C. Wickramaratna¹²⁰, W. G. D. Dharmaratna^{121,fff}, K. Liyanage¹²¹, N. Perera¹²¹,
 D. Abbaneo¹²², C. Amendola¹²², E. Auffray¹²², G. Auzinger¹²², J. Baechler¹²², D. Barney¹²²,
 A. Bermúdez Martínez¹²², M. Bianco¹²², A. A. Bin Anuar¹²², A. Bocci¹²², L. Borgonovi¹²², C. Botta¹²²,
 E. Brondolin¹²², C. Caillol¹²², G. Cerminara¹²², N. Chernyavskaya¹²², D. d'Enterria¹²², A. Dabrowski¹²²,
 A. David¹²², A. De Roeck¹²², M. M. Defranchis¹²², M. Deile¹²², M. Dobson¹²², G. Franzoni¹²², W. Funk¹²²,
 S. Giani¹²², D. Gigi¹²², K. Gill¹²², F. Glege¹²², J. Hegeman¹²², J. K. Heikkilä¹²², B. Huber¹²², V. Innocente¹²²,
 T. James¹²², P. Janot¹²², O. Kaluzinska¹²², O. Karacheban^{122,bb}, S. Laurila¹²², P. Lecoq¹²², E. Leutgeb¹²²,
 C. Lourenço¹²², L. Malgeri¹²², M. Mannelli¹²², M. Matthewman¹²², A. Mehta¹²², F. Meijers¹²², S. Mersi¹²²,
 E. Meschi¹²², V. Milosevic¹²², F. Monti¹²², F. Moortgat¹²², M. Mulders¹²², I. Neutelings¹²², S. Orfanelli¹²²,
 F. Pantaleo¹²², G. Petrucciani¹²², A. Pfeiffer¹²², M. Pierini¹²², H. Qu¹²², D. Rabady¹²², B. Ribeiro Lopes¹²²,
 M. Rovere¹²², H. Sakulin¹²², S. Sanchez Cruz¹²², S. Scarfi¹²², C. Schwick¹²², M. Selvaggi¹²², A. Sharma¹²²,
 K. Shchelina¹²², P. Silva¹²², P. Sphicas^{122,ggg}, A. G. Stahl Leiton¹²², A. Steen¹²², S. Summers¹²², D. Treille¹²²,
 P. Tropea¹²², D. Walter¹²², J. Wanczyk^{122,hhh}, J. Wang¹²², K. A. Wozniak^{122,iii}, S. Wuchterl¹²², P. Zehetner¹²²,
 P. Zejdl¹²², W. D. Zeuner¹²², T. Bevilacqua^{123,jjj}, L. Caminada^{123,jjj}, A. Ebrahimi¹²³, W. Erdmann¹²³,
 R. Horisberger¹²³, Q. Ingram¹²³, H. C. Kaestli¹²³, D. Kotlinski¹²³, C. Lange¹²³, M. Missiroli^{123,jjj},
 L. Noehte^{123,jjj}, T. Rohe¹²³, A. Samalan¹²³, T. K. Aarrestad¹²⁴, M. Backhaus¹²⁴, G. Bonomelli¹²⁴, A. Calandri¹²⁴,
 C. Cazzaniga¹²⁴, K. Datta¹²⁴, P. De Bryas Dexmiers D'archiac^{124,hhh}, A. De Cosa¹²⁴, G. Dissertori¹²⁴,
 M. Dittmar¹²⁴, M. Donegà¹²⁴, F. Eble¹²⁴, M. Galli¹²⁴, K. Gedia¹²⁴, F. Glessgen¹²⁴, C. Grab¹²⁴, N. Härringer¹²⁴,
 T. G. Harte¹²⁴, D. Hits¹²⁴, W. Lustermann¹²⁴, A.-M. Lyon¹²⁴, R. A. Manzoni¹²⁴, M. Marchegiani¹²⁴,
 L. Marchese¹²⁴, C. Martin Perez¹²⁴, A. Mascellani^{124,hhh}, F. Nessi-Tedaldi¹²⁴, F. Pauss¹²⁴, V. Perovic¹²⁴,
 S. Pigazzini¹²⁴, B. Ristic¹²⁴, F. Riti¹²⁴, R. Seidita¹²⁴, J. Steggemann^{124,hhh}, A. Tarabini¹²⁴, D. Valsecchi¹²⁴,
 R. Wallny¹²⁴, C. Amsler^{125,kkk}, P. Bärtschi¹²⁵, M. F. Canelli¹²⁵, K. Cormier¹²⁵, M. Huwiler¹²⁵, W. Jin¹²⁵,
 A. Jofrehei¹²⁵, B. Kilminster¹²⁵, S. Leontsinis¹²⁵, S. P. Liechti¹²⁵, A. Macchiolo¹²⁵, P. Meiring¹²⁵, F. Meng¹²⁵,
 U. Molinatti¹²⁵, J. Motta¹²⁵, A. Reimers¹²⁵, P. Robmann¹²⁵, M. Senger¹²⁵, E. Shokr¹²⁵, F. Stäger¹²⁵,
 R. Tramontano¹²⁵, C. Adloff^{126,lll}, D. Bhowmik¹²⁶, C. M. Kuo¹²⁶, W. Lin¹²⁶, P. K. Rout¹²⁶, P. C. Tiwari^{126,ll},
 S. S. Yu¹²⁶, L. Ceard¹²⁷, K. F. Chen¹²⁷, P. s. Chen¹²⁷, Z. g. Chen¹²⁷, A. De Iorio¹²⁷, W.-S. Hou¹²⁷, T. h. Hsu¹²⁷,
 Y. w. Kao¹²⁷, S. Karmakar¹²⁷, G. Kole¹²⁷, Y. y. Li¹²⁷, R.-S. Lu¹²⁷, E. Paganis¹²⁷, X. f. Su¹²⁷,
 J. Thomas-Wilsker¹²⁷, L. s. Tsai¹²⁷, D. Tsionou¹²⁷, H. y. Wu¹²⁷, E. Yazgan¹²⁷, C. Asawatangtrakuldee¹²⁸,
 N. Srimanobhas¹²⁸, V. Wachirapusanand¹²⁸, D. Agyel¹²⁹, F. Boran¹²⁹, F. Dolek¹²⁹, I. Dumanoglu^{129,mmm},
 E. Eskut¹²⁹, Y. Guler^{129,nnn}, E. Gurpinar Guler^{129,nnn}, C. Isik¹²⁹, O. Kara¹²⁹, A. Kayis Topaksu¹²⁹, U. Kiminsu¹²⁹,
 Y. Komurcu¹²⁹, G. Onengut¹²⁹, K. Ozdemir^{129,ooo}, A. Polatoz¹²⁹, B. Tali^{129,ppp}, U. G. Tok¹²⁹, S. Turkcapar¹²⁹,
 E. Uslan¹²⁹, I. S. Zorbakir¹²⁹, G. Sokmen¹³⁰, M. Yalvac^{130,qqq}, B. Akgun¹³¹, I. O. Atakisi¹³¹, E. Gülmez¹³¹,
 M. Kaya^{131,rrr}, O. Kaya^{131,sss}, S. Tekten^{131,ttt}, A. Cakir¹³², K. Cankocak^{132,mmm,uuu}, G. G. Dincer^{132,mmm},
 S. Sen^{132,vvv}, O. Aydilek^{133,www}, B. Haciasahinoglu¹³³, I. Hos^{133,xxx}, B. Kaynak¹³³, S. Ozkorucuklu¹³³,
 O. Potok¹³³, H. Sert¹³³, C. Simsek¹³³, C. Zorbilmez¹³³, S. Cerci¹³⁴, B. Isildak^{134,yyy}, D. Sunar Cerci¹³⁴,
 T. Yetkin¹³⁴, A. Boyaryntsev¹³⁵, B. Grynyov¹³⁵, L. Levchuk¹³⁶, D. Anthony¹³⁷, J. J. Brooke¹³⁷, A. Bundock¹³⁷,
 F. Bury¹³⁷, E. Clement¹³⁷, D. Cussans¹³⁷, H. Flacher¹³⁷, M. Glowacki¹³⁷, J. Goldstein¹³⁷, H. F. Heath¹³⁷,
 M.-L. Holmberg¹³⁷, L. Kreczko¹³⁷, S. Paramesvaran¹³⁷, L. Robertshaw¹³⁷, S. Seif El Nasr-Storey¹³⁷, V. J. Smith¹³⁷,
 N. Stylianou^{137,zzz}, K. Walkingshaw Pass¹³⁷, A. H. Ball¹³⁸, K. W. Bell¹³⁸, A. Belyaev^{138,aaa}, C. Brew¹³⁸,
 R. M. Brown¹³⁸, D. J. A. Cockerill¹³⁸, C. Cooke¹³⁸, A. Elliot¹³⁸, K. V. Ellis¹³⁸, K. Harder¹³⁸, S. Harper¹³⁸

- J. Linacre¹³⁸, K. Manolopoulos,¹³⁸ D. M. Newbold¹³⁸, E. Olaiya,¹³⁸ D. Petyt¹³⁸, T. Reis¹³⁸, A. R. Sahasransu¹³⁸, G. Salvi¹³⁸, T. Schuh,¹³⁸ C. H. Shepherd-Themistocleous¹³⁸, I. R. Tomalin¹³⁸, K. C. Whalen¹³⁸, T. Williams¹³⁸, I. Andreou¹³⁹, R. Bainbridge¹³⁹, P. Bloch¹³⁹, C. E. Brown¹³⁹, O. Buchmuller,¹³⁹ V. Cacchio,¹³⁹ C. A. Carrillo Montoya¹³⁹, G. S. Chahal^{139,bbbb}, D. Colling¹³⁹, J. S. Dancu,¹³⁹ I. Das¹³⁹, P. Dauncey¹³⁹, G. Davies¹³⁹, J. Davies,¹³⁹ M. Della Negra¹³⁹, S. Fayer,¹³⁹ G. Fedi¹³⁹, G. Hall¹³⁹, M. H. Hassanshahi¹³⁹, A. Howard,¹³⁹ G. Iles¹³⁹, C. R. Knight¹³⁹, J. Langford¹³⁹, J. León Holgado¹³⁹, L. Lyons¹³⁹, A.-M. Magnan¹³⁹, B. Maier¹³⁹, S. Mallios,¹³⁹ M. Mieskolainen¹³⁹, J. Nash^{139,cccc}, M. Pesaresi¹³⁹, P. B. Pradeep,¹³⁹ B. C. Radburn-Smith¹³⁹, A. Richards,¹³⁹ A. Rose¹³⁹, K. Savva¹³⁹, C. Seez¹³⁹, R. Shukla¹³⁹, A. Tapper¹³⁹, K. Uchida¹³⁹, G. P. Uttley¹³⁹, L. H. Vage,¹³⁹ T. Virdee^{139,dd}, M. Vojinovic¹³⁹, N. Wardle¹³⁹, D. Winterbottom¹³⁹, J. E. Cole¹⁴⁰, A. Khan,¹⁴⁰ P. Kyberd¹⁴⁰, I. D. Reid¹⁴⁰, S. Abdullin¹⁴¹, A. Brinkerhoff¹⁴¹, E. Collins¹⁴¹, M. R. Darwish¹⁴¹, J. Dittmann¹⁴¹, K. Hatakeyama¹⁴¹, J. Hiltbrand¹⁴¹, B. McMaster¹⁴¹, J. Samudio¹⁴¹, S. Sawant¹⁴¹, C. Sutantawibul¹⁴¹, J. Wilson¹⁴¹, R. Bartek¹⁴², A. Dominguez¹⁴², A. E. Simsek¹⁴², B. Bam¹⁴³, A. Buchot Perraguin¹⁴³, R. Chudasama¹⁴³, S. I. Cooper¹⁴³, C. Crovella¹⁴³, S. V. Gleyzer¹⁴³, E. Pearson,¹⁴³ C. U. Perez¹⁴³, P. Rumerio^{143,ddd}, E. Usai¹⁴³, R. Yi¹⁴³, A. Akpinar¹⁴⁴, C. Cosby¹⁴⁴, G. De Castro,¹⁴⁴ Z. Demiragli¹⁴⁴, C. Erice¹⁴⁴, C. Fangmeier¹⁴⁴, C. Fernandez Madrazo¹⁴⁴, E. Fontanesi¹⁴⁴, D. Gastler¹⁴⁴, F. Golf¹⁴⁴, S. Jeon¹⁴⁴, J. O'cain,¹⁴⁴ I. Reed¹⁴⁴, J. Rohlf¹⁴⁴, K. Salyer¹⁴⁴, D. Sperka¹⁴⁴, D. Spitzbart¹⁴⁴, I. Suarez¹⁴⁴, A. Tsatsos¹⁴⁴, A. G. Zecchinelli¹⁴⁴, G. Benelli¹⁴⁵, D. Cutts¹⁴⁵, L. Gouskos¹⁴⁵, M. Hadley¹⁴⁵, U. Heintz¹⁴⁵, J. M. Hogan^{145,eeee}, T. Kwon¹⁴⁵, G. Landsberg¹⁴⁵, K. T. Lau¹⁴⁵, D. Li¹⁴⁵, J. Luo¹⁴⁵, S. Mondal¹⁴⁵, N. Pervan¹⁴⁵, T. Russell,¹⁴⁵ S. Sagir^{145,fff}, X. Shen,¹⁴⁵ F. Simpson¹⁴⁵, M. Stamenkovic¹⁴⁵, N. Venkatasubramanian,¹⁴⁵ X. Yan¹⁴⁵, S. Abbott¹⁴⁶, C. Brainerd¹⁴⁶, R. Breedon¹⁴⁶, H. Cai¹⁴⁶, M. Calderon De La Barca Sanchez¹⁴⁶, M. Chertok¹⁴⁶, M. Citron¹⁴⁶, J. Conway¹⁴⁶, P. T. Cox¹⁴⁶, R. Erbacher¹⁴⁶, F. Jensen¹⁴⁶, O. Kukral¹⁴⁶, G. Mocellin¹⁴⁶, M. Mulhearn¹⁴⁶, S. Ostrom¹⁴⁶, W. Wei¹⁴⁶, S. Yoo¹⁴⁶, F. Zhang¹⁴⁶, M. Bachtis¹⁴⁷, R. Cousins¹⁴⁷, A. Datta¹⁴⁷, G. Flores Avila¹⁴⁷, J. Hauser¹⁴⁷, M. Ignatenko¹⁴⁷, M. A. Iqbal¹⁴⁷, T. Lam¹⁴⁷, E. Manca¹⁴⁷, A. Nunez Del Prado,¹⁴⁷ D. Saltzberg¹⁴⁷, V. Valuev¹⁴⁷, R. Clare¹⁴⁸, J. W. Gary¹⁴⁸, M. Gordon,¹⁴⁸ G. Hanson¹⁴⁸, W. Si¹⁴⁸, A. Aportela,¹⁴⁹ A. Arora¹⁴⁹, J. G. Branson¹⁴⁹, S. Cittolin¹⁴⁹, S. Cooperstein¹⁴⁹, D. Diaz¹⁴⁹, J. Duarte¹⁴⁹, L. Giannini¹⁴⁹, Y. Gu,¹⁴⁹ J. Guiang¹⁴⁹, R. Kansal¹⁴⁹, V. Krutelyov¹⁴⁹, R. Lee¹⁴⁹, J. Letts¹⁴⁹, M. Masciovecchio¹⁴⁹, F. Mokhtar¹⁴⁹, S. Mukherjee¹⁴⁹, M. Pieri¹⁴⁹, M. Quinlan¹⁴⁹, B. V. Sathia Narayanan¹⁴⁹, V. Sharma¹⁴⁹, M. Tadel¹⁴⁹, E. Vourliotis¹⁴⁹, F. Würthwein¹⁴⁹, Y. Xiang¹⁴⁹, A. Yagil¹⁴⁹, A. Barzdukas¹⁵⁰, L. Brennan¹⁵⁰, C. Campagnari¹⁵⁰, K. Downham¹⁵⁰, C. Grieco¹⁵⁰, J. Incandela¹⁵⁰, J. Kim¹⁵⁰, A. J. Li¹⁵⁰, P. Masterson¹⁵⁰, H. Mei¹⁵⁰, J. Richman¹⁵⁰, S. N. Santpur¹⁵⁰, U. Sarica¹⁵⁰, R. Schmitz¹⁵⁰, F. Setti¹⁵⁰, J. Shephlock¹⁵⁰, D. Stuart¹⁵⁰, T. Á. Vami¹⁵⁰, S. Wang¹⁵⁰, D. Zhang,¹⁵⁰ S. Bhattacharya¹⁵¹, A. Bornheim¹⁵¹, O. Cerri,¹⁵¹ A. Latorre,¹⁵¹ J. Mao¹⁵¹, H. B. Newman¹⁵¹, G. Reales Gutiérrez,¹⁵¹ M. Spiropulu¹⁵¹, J. R. Vlimant¹⁵¹, C. Wang¹⁵¹, S. Xie¹⁵¹, R. Y. Zhu¹⁵¹, J. Alison¹⁵², S. An¹⁵², P. Bryant¹⁵², M. Cremonesi,¹⁵² V. Dutta¹⁵², T. Ferguson¹⁵², T. A. Gómez Espinosa¹⁵², A. Harilal¹⁵², A. Kallil Tharayil,¹⁵² C. Liu¹⁵², T. Mudholkar¹⁵², S. Murthy¹⁵², P. Palit¹⁵², K. Park,¹⁵² M. Paulini¹⁵², A. Roberts¹⁵², A. Sanchez¹⁵², W. Terrill¹⁵², J. P. Cumalat¹⁵³, W. T. Ford¹⁵³, A. Hart¹⁵³, A. Hassani¹⁵³, G. Karathanasis¹⁵³, N. Manganelli¹⁵³, J. Pearkes¹⁵³, C. Savard¹⁵³, N. Schonbeck¹⁵³, K. Stenson¹⁵³, K. A. Ulmer¹⁵³, S. R. Wagner¹⁵³, N. Zipper¹⁵³, D. Zuolo¹⁵³, J. Alexander¹⁵⁴, S. Bright-Thonney¹⁵⁴, X. Chen¹⁵⁴, D. J. Cranshaw¹⁵⁴, J. Fan¹⁵⁴, X. Fan¹⁵⁴, S. Hogan¹⁵⁴, P. Kotamnives,¹⁵⁴ J. Monroy¹⁵⁴, M. Oshiro¹⁵⁴, J. R. Patterson¹⁵⁴, M. Reid¹⁵⁴, A. Ryd¹⁵⁴, J. Thom¹⁵⁴, P. Wittich¹⁵⁴, R. Zou¹⁵⁴, M. Albrow¹⁵⁵, M. Alyari¹⁵⁵, O. Amram¹⁵⁵, G. Apollinari¹⁵⁵, A. Apresyan¹⁵⁵, L. A. T. Bauerdick¹⁵⁵, D. Berry¹⁵⁵, J. Berryhill¹⁵⁵, P. C. Bhat¹⁵⁵, K. Burkett¹⁵⁵, J. N. Butler¹⁵⁵, A. Canepa¹⁵⁵, G. B. Cerati¹⁵⁵, H. W. K. Cheung¹⁵⁵, F. Chlebana¹⁵⁵, G. Cummings¹⁵⁵, J. Dickinson¹⁵⁵, I. Dutta¹⁵⁵, V. D. Elvira¹⁵⁵, Y. Feng¹⁵⁵, J. Freeman¹⁵⁵, A. Gandrakota¹⁵⁵, Z. Gecse¹⁵⁵, L. Gray¹⁵⁵, D. Green,¹⁵⁵ A. Grummer¹⁵⁵, S. Grünendahl¹⁵⁵, D. Guerrero¹⁵⁵, O. Gutsche¹⁵⁵, R. M. Harris¹⁵⁵, R. Heller¹⁵⁵, T. C. Herwig¹⁵⁵, J. Hirschauer¹⁵⁵, B. Jayatilaka¹⁵⁵, S. Jindariani¹⁵⁵, M. Johnson¹⁵⁵, U. Joshi¹⁵⁵, T. Klijnsma¹⁵⁵, B. Klima¹⁵⁵, K. H. M. Kwok¹⁵⁵, S. Lammel¹⁵⁵, C. Lee¹⁵⁵, D. Lincoln¹⁵⁵, R. Lipton¹⁵⁵, T. Liu¹⁵⁵, C. Madrid¹⁵⁵, K. Maeshima¹⁵⁵, C. Mantilla¹⁵⁵, D. Mason¹⁵⁵, P. McBride¹⁵⁵, P. Merkel¹⁵⁵, S. Mrenna¹⁵⁵, S. Nahn¹⁵⁵, J. Ngadiuba¹⁵⁵, D. Noonan¹⁵⁵, S. Norberg¹⁵⁵, V. Papadimitriou¹⁵⁵, N. Pastika¹⁵⁵, K. Pedro¹⁵⁵, C. Pena^{155,gggg}, F. Ravera¹⁵⁵, A. Reinsvold Hall^{155,hhhh}, L. Ristori¹⁵⁵, M. Safdari¹⁵⁵, E. Sexton-Kennedy¹⁵⁵, N. Smith¹⁵⁵

- A. Soha¹⁵⁵, L. Spiegel¹⁵⁵, S. Stoynev¹⁵⁵, J. Strait¹⁵⁵, L. Taylor¹⁵⁵, S. Tkaczyk¹⁵⁵, N. V. Tran¹⁵⁵, L. Uplegger¹⁵⁵, E. W. Vaandering¹⁵⁵, I. Zoi¹⁵⁵, C. Aruta¹⁵⁶, P. Avery¹⁵⁶, D. Bourilkov¹⁵⁶, P. Chang¹⁵⁶, V. Cherepanov¹⁵⁶, R. D. Field¹⁵⁶, C. Huh¹⁵⁶, E. Koenig¹⁵⁶, M. Kolosova¹⁵⁶, J. Konigsberg¹⁵⁶, A. Korytov¹⁵⁶, K. Matchev¹⁵⁶, N. Menendez¹⁵⁶, G. Mitselmakher¹⁵⁶, K. Mohrman¹⁵⁶, A. Muthirakalayil Madhu¹⁵⁶, N. Rawal¹⁵⁶, S. Rosenzweig¹⁵⁶, Y. Takahashi¹⁵⁶, J. Wang¹⁵⁶, T. Adams¹⁵⁷, A. Al Kadhimi¹⁵⁷, A. Askew¹⁵⁷, S. Bower¹⁵⁷, V. Hagopian¹⁵⁷, R. Hashmi¹⁵⁷, R. S. Kim¹⁵⁷, S. Kim¹⁵⁷, T. Kolberg¹⁵⁷, G. Martinez¹⁵⁷, H. Prosper¹⁵⁷, P. R. Prova¹⁵⁷, M. Wulansatiti¹⁵⁷, R. Yohay¹⁵⁷, J. Zhang¹⁵⁷, B. Alsufyani¹⁵⁸, M. M. Baarmand¹⁵⁸, S. Butalla¹⁵⁸, S. Das¹⁵⁸, T. Elkafrawy^{158,t}, M. Hohlmann¹⁵⁸, E. Yanes¹⁵⁸, M. R. Adams¹⁵⁹, A. Baty¹⁵⁹, C. Bennett¹⁵⁹, R. Cavanaugh¹⁵⁹, R. Escobar Franco¹⁵⁹, O. Evdokimov¹⁵⁹, C. E. Gerber¹⁵⁹, M. Hawksworth¹⁵⁹, A. Hingrajiya¹⁵⁹, D. J. Hofman¹⁵⁹, J. h. Lee¹⁵⁹, D. S. Lemos¹⁵⁹, A. H. Merrit¹⁵⁹, C. Mills¹⁵⁹, S. Nanda¹⁵⁹, G. Oh¹⁵⁹, B. Ozek¹⁵⁹, D. Pilipovic¹⁵⁹, R. Pradhan¹⁵⁹, E. Prifti¹⁵⁹, T. Roy¹⁵⁹, S. Rudrabhatla¹⁵⁹, N. Singh¹⁵⁹, M. B. Tonjes¹⁵⁹, N. Varelas¹⁵⁹, M. A. Wadud¹⁵⁹, Z. Ye¹⁵⁹, J. Yoo¹⁵⁹, M. Alhusseini¹⁶⁰, D. Blend¹⁶⁰, K. Dilsiz^{160,iiii}, L. Emediato¹⁶⁰, G. Karaman¹⁶⁰, O. K. Köseyan¹⁶⁰, J.-P. Merlo¹⁶⁰, A. Mestvirishvili^{160,iiij}, O. Neogi¹⁶⁰, H. Ogul^{160,kkkk}, Y. Onel¹⁶⁰, A. Penzo¹⁶⁰, C. Snyder¹⁶⁰, E. Tiras^{160,liii}, B. Blumenfeld¹⁶¹, L. Corcodilos¹⁶¹, J. Davis¹⁶¹, A. V. Gritsan¹⁶¹, L. Kang¹⁶¹, S. Kyriacou¹⁶¹, P. Maksimovic¹⁶¹, M. Roguljic¹⁶¹, J. Roskes¹⁶¹, S. Sekhar¹⁶¹, M. Swartz¹⁶¹, A. Abreu¹⁶², L. F. Alcerro Alcerro¹⁶², J. Anguiano¹⁶², S. Arteaga Escatel¹⁶², P. Baringer¹⁶², A. Bean¹⁶², Z. Flowers¹⁶², D. Grove¹⁶², J. King¹⁶², G. Krintiras¹⁶², M. Lazarovits¹⁶², C. Le Mahieu¹⁶², J. Marquez¹⁶², M. Murray¹⁶², M. Nickel¹⁶², M. Pitt¹⁶², S. Popescu^{162,mmmm}, C. Rogan¹⁶², C. Royon¹⁶², R. Salvatico¹⁶², S. Sanders¹⁶², C. Smith¹⁶², G. Wilson¹⁶², B. Allmond¹⁶³, R. Gujju Gurunadha¹⁶³, A. Ivanov¹⁶³, K. Kaadze¹⁶³, Y. Maravin¹⁶³, J. Natoli¹⁶³, D. Roy¹⁶³, G. Sorrentino¹⁶³, A. Baden¹⁶⁴, A. Belloni¹⁶⁴, J. Bistany-riebman¹⁶⁴, Y. M. Chen¹⁶⁴, S. C. Eno¹⁶⁴, N. J. Hadley¹⁶⁴, S. Jabeen¹⁶⁴, R. G. Kellogg¹⁶⁴, T. Koeth¹⁶⁴, B. Kronheim¹⁶⁴, Y. Lai¹⁶⁴, S. Lascio¹⁶⁴, A. C. Mignerey¹⁶⁴, S. Nabili¹⁶⁴, C. Palmer¹⁶⁴, C. Papageorgakis¹⁶⁴, M. M. Paranjpe¹⁶⁴, E. Popova^{164,q}, A. Shevelev¹⁶⁴, L. Wang¹⁶⁴, J. Bendavid¹⁶⁵, I. A. Cali¹⁶⁵, P. c. Chou¹⁶⁵, M. D'Alfonso¹⁶⁵, J. Eysermans¹⁶⁵, C. Freer¹⁶⁵, G. Gomez-Ceballos¹⁶⁵, M. Goncharov¹⁶⁵, G. Grosso¹⁶⁵, P. Harris¹⁶⁵, D. Hoang¹⁶⁵, D. Kovalskyi¹⁶⁵, J. Krupa¹⁶⁵, L. Lavezzo¹⁶⁵, Y.-J. Lee¹⁶⁵, K. Long¹⁶⁵, C. McGinn¹⁶⁵, A. Novak¹⁶⁵, M. I. Park¹⁶⁵, C. Paus¹⁶⁵, C. Reissel¹⁶⁵, C. Roland¹⁶⁵, G. Roland¹⁶⁵, S. Rothman¹⁶⁵, G. S. F. Stephans¹⁶⁵, Z. Wang¹⁶⁵, B. Wyslouch¹⁶⁵, T. J. Yang¹⁶⁵, B. Crossman¹⁶⁶, B. M. Joshi¹⁶⁶, C. Kapsiak¹⁶⁶, M. Krohn¹⁶⁶, D. Mahon¹⁶⁶, J. Mans¹⁶⁶, B. Marzocchi¹⁶⁶, M. Revering¹⁶⁶, R. Rusack¹⁶⁶, R. Saradhy¹⁶⁶, N. Strobbe¹⁶⁶, K. Bloom¹⁶⁷, D. R. Claes¹⁶⁷, G. Haza¹⁶⁷, J. Hossain¹⁶⁷, C. Joo¹⁶⁷, I. Kravchenko¹⁶⁷, J. E. Siado¹⁶⁷, W. Tabb¹⁶⁷, A. Vagnerini¹⁶⁷, A. Wightman¹⁶⁷, F. Yan¹⁶⁷, D. Yu¹⁶⁷, H. Bandyopadhyay¹⁶⁸, L. Hay¹⁶⁸, H. w. Hsia¹⁶⁸, I. Iashvili¹⁶⁸, A. Kalogeropoulos¹⁶⁸, A. Kharchilava¹⁶⁸, M. Morris¹⁶⁸, D. Nguyen¹⁶⁸, J. Pekkanen¹⁶⁸, S. Rappoccio¹⁶⁸, H. Rejeb Sfar¹⁶⁸, A. Williams¹⁶⁸, P. Young¹⁶⁸, G. Alverson¹⁶⁹, E. Barberis¹⁶⁹, J. Bonilla¹⁶⁹, B. Bylsma¹⁶⁹, M. Campana¹⁶⁹, J. Dervan¹⁶⁹, Y. Haddad¹⁶⁹, Y. Han¹⁶⁹, I. Israr¹⁶⁹, A. Krishna¹⁶⁹, J. Li¹⁶⁹, M. Lu¹⁶⁹, G. Madigan¹⁶⁹, R. McCarthy¹⁶⁹, D. M. Morse¹⁶⁹, V. Nguyen¹⁶⁹, T. Orimoto¹⁶⁹, A. Parker¹⁶⁹, L. Skinnari¹⁶⁹, D. Wood¹⁶⁹, J. Bueghly¹⁷⁰, S. Dittmer¹⁷⁰, K. A. Hahn¹⁷⁰, Y. Liu¹⁷⁰, M. McGinnis¹⁷⁰, Y. Miao¹⁷⁰, D. G. Monk¹⁷⁰, M. H. Schmitt¹⁷⁰, A. Taliencio¹⁷⁰, M. Velasco¹⁷⁰, G. Agarwal¹⁷¹, R. Band¹⁷¹, R. Bucci¹⁷¹, S. Castells¹⁷¹, A. Das¹⁷¹, R. Goldouzian¹⁷¹, M. Hildreth¹⁷¹, K. W. Ho¹⁷¹, K. Hurtado Anampa¹⁷¹, T. Ivanov¹⁷¹, C. Jessop¹⁷¹, K. Lannon¹⁷¹, J. Lawrence¹⁷¹, N. Loukas¹⁷¹, L. Lutton¹⁷¹, J. Mariano¹⁷¹, N. Marinelli¹⁷¹, I. Mcalister¹⁷¹, T. McCauley¹⁷¹, C. Mcgrady¹⁷¹, C. Moore¹⁷¹, Y. Musienko^{171,q}, H. Nelson¹⁷¹, M. Osherson¹⁷¹, A. Piccinelli¹⁷¹, R. Ruchti¹⁷¹, A. Townsend¹⁷¹, Y. Wan¹⁷¹, M. Wayne¹⁷¹, H. Yockey¹⁷¹, M. Zarucki¹⁷¹, L. Zygala¹⁷¹, A. Basnet¹⁷², M. Carrigan¹⁷², L. S. Durkin¹⁷², C. Hill¹⁷², M. Joyce¹⁷², M. Nunez Ornelas¹⁷², K. Wei¹⁷², B. L. Winer¹⁷², B. R. Yates¹⁷², H. Bouchamaoui¹⁷³, K. Coldham¹⁷³, P. Das¹⁷³, G. Dezoort¹⁷³, P. Elmer¹⁷³, A. Frankenthal¹⁷³, B. Greenberg¹⁷³, N. Haubrich¹⁷³, K. Kennedy¹⁷³, G. Kopp¹⁷³, S. Kwan¹⁷³, D. Lange¹⁷³, A. Loeliger¹⁷³, D. Marlow¹⁷³, I. Ojalvo¹⁷³, J. Olsen¹⁷³, D. Stickland¹⁷³, C. Tully¹⁷³, S. Malik¹⁷⁴, A. S. Bakshi¹⁷⁵, S. Chandra¹⁷⁵, R. Chawla¹⁷⁵, A. Gu¹⁷⁵, L. Gutay¹⁷⁵, M. Jones¹⁷⁵, A. W. Jung¹⁷⁵, A. M. Koshy¹⁷⁵, M. Liu¹⁷⁵, G. Negro¹⁷⁵, N. Neumeister¹⁷⁵, G. Paspalaki¹⁷⁵, S. Piperov¹⁷⁵, V. Scheurer¹⁷⁵, J. F. Schulte¹⁷⁵, M. Stojanovic¹⁷⁵, J. Thieman¹⁷⁵, A. K. Viridi¹⁷⁵, F. Wang¹⁷⁵, A. Wildridge¹⁷⁵, W. Xie¹⁷⁵, Y. Yao¹⁷⁵, J. Dolen¹⁷⁶, N. Parashar¹⁷⁶, A. Pathak¹⁷⁶, D. Acosta¹⁷⁷, T. Carnahan¹⁷⁷, K. M. Ecklund¹⁷⁷, P. J. Fernández Manteca¹⁷⁷, S. Freed¹⁷⁷, P. Gardner¹⁷⁷, F. J. M. Geurts¹⁷⁷, I. Krommydas¹⁷⁷, W. Li¹⁷⁷, J. Lin¹⁷⁷

O. Miguel Colin¹⁷⁷, B. P. Padley¹⁷⁷, R. Redjimi¹⁷⁷, J. Rotter¹⁷⁷, E. Yigitbasi¹⁷⁷, Y. Zhang¹⁷⁷, A. Bodek¹⁷⁸, P. de Barbaro¹⁷⁸, R. Demina¹⁷⁸, J. L. Dulemba¹⁷⁸, A. Garcia-Bellido¹⁷⁸, O. Hindrichs¹⁷⁸, A. Khukhunaishvili¹⁷⁸, N. Parmar¹⁷⁸, P. Parygin^{178,q}, R. Taus¹⁷⁸, B. Chiarito¹⁷⁹, J. P. Chou¹⁷⁹, S. V. Clark¹⁷⁹, D. Gadkari¹⁷⁹, Y. Gershtein¹⁷⁹, E. Halkiadakis¹⁷⁹, M. Heindl¹⁷⁹, C. Houghton¹⁷⁹, D. Jaroslawski¹⁷⁹, S. Konstantinou¹⁷⁹, I. Laflotte¹⁷⁹, A. Lath¹⁷⁹, R. Montalvo¹⁷⁹, K. Nash¹⁷⁹, J. Reichert¹⁷⁹, H. Routray¹⁷⁹, P. Saha¹⁷⁹, S. Salur¹⁷⁹, S. Schnetzer¹⁷⁹, S. Somalwar¹⁷⁹, R. Stone¹⁷⁹, S. A. Thayil¹⁷⁹, S. Thomas¹⁷⁹, J. Vora¹⁷⁹, H. Wang¹⁷⁹, D. Ally¹⁸⁰, A. G. Delannoy¹⁸⁰, S. Fiorendi¹⁸⁰, S. Higginbotham¹⁸⁰, T. Holmes¹⁸⁰, A. R. Kanuganti¹⁸⁰, N. Karunarathna¹⁸⁰, L. Lee¹⁸⁰, E. Nibigira¹⁸⁰, S. Spanier¹⁸⁰, D. Aebi¹⁸¹, M. Ahmad¹⁸¹, T. Akhter¹⁸¹, K. Androsov^{181,hhh}, O. Bouhali^{181,nnnn}, R. Eusebi¹⁸¹, J. Gilmore¹⁸¹, T. Huang¹⁸¹, T. Kamon^{181,oooo}, H. Kim¹⁸¹, S. Luo¹⁸¹, R. Mueller¹⁸¹, D. Overton¹⁸¹, D. Rathjens¹⁸¹, A. Safonov¹⁸¹, N. Akchurin¹⁸², J. Damgov¹⁸², N. Gogate¹⁸², V. Hegde¹⁸², A. Hussain¹⁸², Y. Kazhykarim¹⁸², K. Lamichhane¹⁸², S. W. Lee¹⁸², A. Mankel¹⁸², T. Peltola¹⁸², I. Volobouev¹⁸², E. Appelt¹⁸³, Y. Chen¹⁸³, S. Greene¹⁸³, A. Gurrola¹⁸³, W. Johns¹⁸³, R. Kunnawalkam Elayavalli¹⁸³, A. Melo¹⁸³, F. Romeo¹⁸³, P. Sheldon¹⁸³, S. Tuo¹⁸³, J. Velkovska¹⁸³, J. Viinikainen¹⁸³, B. Cardwell¹⁸⁴, H. Chung¹⁸⁴, B. Cox¹⁸⁴, J. Hakala¹⁸⁴, R. Hirosky¹⁸⁴, A. Ledovskoy¹⁸⁴, C. Neu¹⁸⁴, S. Bhattacharya¹⁸⁵, P. E. Karchin¹⁸⁵, A. Aravind¹⁸⁶, S. Banerjee¹⁸⁶, K. Black¹⁸⁶, T. Bose¹⁸⁶, E. Chavez¹⁸⁶, S. Dasu¹⁸⁶, I. De Bruyn¹⁸⁶, P. Everaerts¹⁸⁶, C. Galloni¹⁸⁶, H. He¹⁸⁶, M. Herndon¹⁸⁶, A. Herve¹⁸⁶, C. K. Koraka¹⁸⁶, A. Lanaro¹⁸⁶, R. Loveless¹⁸⁶, J. Madhusudanan Sreekala¹⁸⁶, A. Mallampalli¹⁸⁶, A. Mohammadi¹⁸⁶, S. Mondal¹⁸⁶, G. Parida¹⁸⁶, L. Pétré¹⁸⁶, D. Pinna¹⁸⁶, A. Savin¹⁸⁶, V. Shang¹⁸⁶, V. Sharma¹⁸⁶, W. H. Smith¹⁸⁶, D. Teague¹⁸⁶, H. F. Tsoi¹⁸⁶, W. Vetens¹⁸⁶, A. Warden¹⁸⁶, S. Afanasiev¹⁸⁷, V. Alexakhin¹⁸⁷, D. Budkouski¹⁸⁷, I. Golutvin^{187,a}, I. Gorbunov¹⁸⁷, V. Karjavine¹⁸⁷, V. Korenkov¹⁸⁷, A. Lanev¹⁸⁷, A. Malakhov¹⁸⁷, V. Matveev^{187,q}, V. Palichik¹⁸⁷, V. Perelygin¹⁸⁷, M. Savina¹⁸⁷, V. Shalaev¹⁸⁷, S. Shmatov¹⁸⁷, S. Shulha¹⁸⁷, V. Smirnov¹⁸⁷, O. Teryaev¹⁸⁷, N. Voytishin¹⁸⁷, B. S. Yuldashev^{187,pppp}, A. Zarubin¹⁸⁷, I. Zhizhin¹⁸⁷, G. Gavrilo¹⁸⁷, V. Golovtsov¹⁸⁷, Y. Ivanov¹⁸⁷, V. Kim^{187,q}, P. Levchenko^{187,qqqq}, V. Murzin¹⁸⁷, V. Oreshkin¹⁸⁷, D. Sosnov¹⁸⁷, V. Sulimov¹⁸⁷, L. Uvarov¹⁸⁷, A. Vorobyev^{187,a}, Yu. Andreev¹⁸⁷, A. Dermenev¹⁸⁷, S. Gninenko¹⁸⁷, N. Golubev¹⁸⁷, A. Karneyeu¹⁸⁷, D. Kirpichnikov¹⁸⁷, M. Kirsanov¹⁸⁷, N. Krasnikov¹⁸⁷, I. Tisova¹⁸⁷, A. Toropin¹⁸⁷, T. Aushev¹⁸⁷, V. Gavrilov¹⁸⁷, N. Lychkovskaya¹⁸⁷, A. Nikitenko^{187,rrr,ssss}, V. Popov¹⁸⁷, A. Zhokin¹⁸⁷, R. Chistov^{187,q}, M. Danilov^{187,q}, S. Polikarpov^{187,q}, V. Andreev¹⁸⁷, M. Azarkin¹⁸⁷, M. Kirakosyan¹⁸⁷, A. Terkulov¹⁸⁷, E. Boos¹⁸⁷, V. Bunichev¹⁸⁷, M. Dubinin^{187,gggg}, L. Dudko¹⁸⁷, V. Klyukhin¹⁸⁷, O. Kodolova^{187,ssss}, O. Lukina¹⁸⁷, S. Obraztsov¹⁸⁷, M. Perfilov¹⁸⁷, S. Petrushanko¹⁸⁷, V. Savrin¹⁸⁷, A. Snigirev¹⁸⁷, V. Blinov^{187,q}, T. Dimova^{187,q}, A. Kozyrev^{187,q}, O. Radchenko^{187,q}, Y. Skovpen^{187,q}, V. Kachanov¹⁸⁷, D. Konstantinov¹⁸⁷, S. Slabospitskii¹⁸⁷, A. Uzunian¹⁸⁷, A. Babaev¹⁸⁷, V. Borshch¹⁸⁷, D. Druzhkin^{187,ttt}, V. Chekhovsky¹⁸⁸, and V. Makarenko¹⁸⁸

(CMS Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*

²*Institut für Hochenergiephysik, Vienna, Austria*

³*Universiteit Antwerpen, Antwerpen, Belgium*

⁴*Vrije Universiteit Brussel, Brussel, Belgium*

⁵*Université Libre de Bruxelles, Bruxelles, Belgium*

⁶*Ghent University, Ghent, Belgium*

⁷*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*

⁸*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*

⁹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*

¹⁰*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*

¹¹*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*

¹²*University of Sofia, Sofia, Bulgaria*

¹³*Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile*

¹⁴*Beihang University, Beijing, China*

¹⁵*Department of Physics, Tsinghua University, Beijing, China*

¹⁶*Institute of High Energy Physics, Beijing, China*

¹⁷*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*

- ¹⁸Guangdong Provincial Key Laboratory of Nuclear Science and Guangdong-Hong Kong Joint Laboratory of Quantum Matter, South China Normal University, Guangzhou, China
- ¹⁹Sun Yat-Sen University, Guangzhou, China
- ²⁰University of Science and Technology of China, Hefei, China
- ²¹Nanjing Normal University, Nanjing, China
- ²²Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE)—Fudan University, Shanghai, China
- ²³Zhejiang University, Hangzhou, Zhejiang, China
- ²⁴Universidad de Los Andes, Bogota, Colombia
- ²⁵Universidad de Antioquia, Medellin, Colombia
- ²⁶University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia
- ²⁷University of Split, Faculty of Science, Split, Croatia
- ²⁸Institute Rudjer Boskovic, Zagreb, Croatia
- ²⁹University of Cyprus, Nicosia, Cyprus
- ³⁰Charles University, Prague, Czech Republic
- ³¹Universidad San Francisco de Quito, Quito, Ecuador
- ³²Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt
- ³³Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt
- ³⁴National Institute of Chemical Physics and Biophysics, Tallinn, Estonia
- ³⁵Department of Physics, University of Helsinki, Helsinki, Finland
- ³⁶Helsinki Institute of Physics, Helsinki, Finland
- ³⁷Lappeenranta-Lahti University of Technology, Lappeenranta, Finland
- ³⁸IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
- ³⁹Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France
- ⁴⁰Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France
- ⁴¹Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France
- ⁴²Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France
- ⁴³Georgian Technical University, Tbilisi, Georgia
- ⁴⁴RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany
- ⁴⁵RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ⁴⁶RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany
- ⁴⁷Deutsches Elektronen-Synchrotron, Hamburg, Germany
- ⁴⁸University of Hamburg, Hamburg, Germany
- ⁴⁹Karlsruher Institut fuer Technologie, Karlsruhe, Germany
- ⁵⁰Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece
- ⁵¹National and Kapodistrian University of Athens, Athens, Greece
- ⁵²National Technical University of Athens, Athens, Greece
- ⁵³University of Ioánnina, Ioánnina, Greece
- ⁵⁴HUN-REN Wigner Research Centre for Physics, Budapest, Hungary
- ⁵⁵MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary
- ⁵⁶Faculty of Informatics, University of Debrecen, Debrecen, Hungary
- ⁵⁷HUN-REN ATOMKI—Institute of Nuclear Research, Debrecen, Hungary
- ⁵⁸Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary
- ⁵⁹Panjab University, Chandigarh, India
- ⁶⁰University of Delhi, Delhi, India
- ⁶¹Saha Institute of Nuclear Physics, HBNI, Kolkata, India
- ⁶²Indian Institute of Technology Madras, Madras, India
- ⁶³Tata Institute of Fundamental Research-A, Mumbai, India
- ⁶⁴Tata Institute of Fundamental Research-B, Mumbai, India
- ⁶⁵National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India
- ⁶⁶Indian Institute of Science Education and Research (IISER), Pune, India
- ⁶⁷Isfahan University of Technology, Isfahan, Iran
- ⁶⁸Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
- ⁶⁹University College Dublin, Dublin, Ireland

- ⁷⁰INFN Sezione di Bari, Università di Bari, Politecnico di Bari, Bari, Italy
^{70a}INFN Sezione di Bari, Bari, Italy
^{70b}Università di Bari, Bari, Italy
^{70c}Politecnico di Bari, Bari, Italy
- ⁷¹INFN Sezione di Bologna, Università di Bologna, Bologna, Italy
^{71a}INFN Sezione di Bologna, Bologna, Italy
^{71b}Università di Bologna, Bologna, Italy
- ⁷²INFN Sezione di Catania, Università di Catania, Catania, Italy
^{72a}INFN Sezione di Catania, Catania, Italy
^{72b}Università di Catania, Catania, Italy
- ⁷³INFN Sezione di Firenze, Università di Firenze, Firenze, Italy
^{73a}INFN Sezione di Firenze, Firenze, Italy
^{73b}Università di Firenze, Firenze, Italy
- ⁷⁴INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁷⁵INFN Sezione di Genova, Università di Genova, Genova, Italy
^{75a}INFN Sezione di Genova, Genova, Italy
^{75b}Università di Genova, Genova, Italy
- ⁷⁶INFN Sezione di Milano-Bicocca, Università di Milano-Bicocca, Milano, Italy
^{76a}INFN Sezione di Milano-Bicocca, Milano, Italy
^{76b}Università di Milano-Bicocca, Milano, Italy
- ⁷⁷INFN Sezione di Napoli, Università di Napoli 'Federico II', Napoli, Italy, Università della Basilicata, Potenza, Italy, Scuola Superiore Meridionale (SSM), Napoli, Italy
^{77a}INFN Sezione di Napoli, Napoli, Italy
^{77b}Università di Napoli 'Federico II', Napoli, Italy
^{77c}Università della Basilicata, Potenza, Italy
^{77d}Scuola Superiore Meridionale (SSM), Napoli, Italy
- ⁷⁸INFN Sezione di Padova, Università di Padova, Padova, Italy, Università di Trento, Trento, Italy
^{78a}INFN Sezione di Padova, Padova, Italy
^{78b}Università di Padova, Padova, Italy
^{78c}Università di Trento, Trento, Italy
- ⁷⁹INFN Sezione di Pavia, Università di Pavia, Pavia, Italy
^{79a}INFN Sezione di Pavia, Pavia, Italy
^{79b}Università di Pavia, Pavia, Italy
- ⁸⁰INFN Sezione di Perugia, Università di Perugia, Perugia, Italy
^{80a}INFN Sezione di Perugia, Perugia, Italy
^{80b}Università di Perugia, Perugia, Italy
- ⁸¹INFN Sezione di Pisa, Università di Pisa, Scuola Normale Superiore di Pisa, Pisa Italy,
Università di Siena, Siena, Italy
^{81a}INFN Sezione di Pisa, Pisa, Italy
^{81b}Università di Pisa, Pisa, Italy
^{81c}Scuola Normale Superiore di Pisa, Pisa, Italy
^{81d}Università di Siena, Siena, Italy
- ⁸²INFN Sezione di Roma, Sapienza Università di Roma, Roma, Italy
^{82a}INFN Sezione di Roma, Roma, Italy
^{82b}Sapienza Università di Roma, Roma, Italy
- ⁸³INFN Sezione di Torino, Università di Torino, Torino, Italy,
Università del Piemonte Orientale, Novara, Italy
^{83a}INFN Sezione di Torino, Torino, Italy
^{83b}Università di Torino, Torino, Italy
^{83c}Università del Piemonte Orientale, Novara, Italy
- ⁸⁴INFN Sezione di Trieste, Università di Trieste, Trieste, Italy
^{84a}INFN Sezione di Trieste, Trieste, Italy
^{84b}Università di Trieste, Trieste, Italy
- ⁸⁵Kyungpook National University, Daegu, Korea
- ⁸⁶Department of Mathematics and Physics—GWNu, Gangneung, Korea
- ⁸⁷Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea
⁸⁸Hanyang University, Seoul, Korea
⁸⁹Korea University, Seoul, Korea
- ⁹⁰Kyung Hee University, Department of Physics, Seoul, Korea
⁹¹Sejong University, Seoul, Korea

- ⁹²Seoul National University, Seoul, Korea
⁹³University of Seoul, Seoul, Korea
⁹⁴Yonsei University, Department of Physics, Seoul, Korea
⁹⁵Sungkyunkwan University, Suwon, Korea
⁹⁶College of Engineering and Technology, American University of the Middle East (AUM),
 Dasman, Kuwait
⁹⁷Kuwait University—College of Science—Department of Physics, Safat, Kuwait
⁹⁸Riga Technical University, Riga, Latvia
⁹⁹University of Latvia (LU), Riga, Latvia
¹⁰⁰Vilnius University, Vilnius, Lithuania
¹⁰¹National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia
¹⁰²Universidad de Sonora (UNISON), Hermosillo, Mexico
¹⁰³Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico
¹⁰⁴Universidad Iberoamericana, Mexico City, Mexico
¹⁰⁵Benemerita Universidad Autonoma de Puebla, Puebla, Mexico
¹⁰⁶University of Montenegro, Podgorica, Montenegro
¹⁰⁷University of Canterbury, Christchurch, New Zealand
¹⁰⁸National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
¹⁰⁹AGH University of Krakow, Faculty of Computer Science, Electronics and Telecommunications,
 Krakow, Poland
¹¹⁰National Centre for Nuclear Research, Swierk, Poland
¹¹¹Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
¹¹²Warsaw University of Technology, Warsaw, Poland
¹¹³Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
¹¹⁴Faculty of Physics, University of Belgrade, Belgrade, Serbia
¹¹⁵VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
¹¹⁶Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
¹¹⁷Universidad Autónoma de Madrid, Madrid, Spain
¹¹⁸Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA),
 Oviedo, Spain
¹¹⁹Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
¹²⁰University of Colombo, Colombo, Sri Lanka
¹²¹University of Ruhuna, Department of Physics, Matara, Sri Lanka
¹²²CERN, European Organization for Nuclear Research, Geneva, Switzerland
¹²³Paul Scherrer Institut, Villigen, Switzerland
¹²⁴ETH Zurich—Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland
¹²⁵Universität Zürich, Zurich, Switzerland
¹²⁶National Central University, Chung-Li, Taiwan
¹²⁷National Taiwan University (NTU), Taipei, Taiwan
¹²⁸High Energy Physics Research Unit, Department of Physics, Faculty of Science,
 Chulalongkorn University, Bangkok, Thailand
¹²⁹Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey
¹³⁰Middle East Technical University, Physics Department, Ankara, Turkey
¹³¹Bogazici University, Istanbul, Turkey
¹³²Istanbul Technical University, Istanbul, Turkey
¹³³Istanbul University, Istanbul, Turkey
¹³⁴Yildiz Technical University, Istanbul, Turkey
¹³⁵Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine
¹³⁶National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine
¹³⁷University of Bristol, Bristol, United Kingdom
¹³⁸Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁹Imperial College, London, United Kingdom
¹⁴⁰Brunel University, Uxbridge, United Kingdom
¹⁴¹Baylor University, Waco, Texas, USA
¹⁴²Catholic University of America, Washington, DC, USA
¹⁴³The University of Alabama, Tuscaloosa, Alabama, USA
¹⁴⁴Boston University, Boston, Massachusetts, USA
¹⁴⁵Brown University, Providence, Rhode Island, USA
¹⁴⁶University of California, Davis, Davis, California, USA
¹⁴⁷University of California, Los Angeles, California, USA

- ¹⁴⁸University of California, Riverside, Riverside, California, USA
¹⁴⁹University of California, San Diego, La Jolla, California, USA
¹⁵⁰University of California, Santa Barbara—Department of Physics, Santa Barbara, California, USA
¹⁵¹California Institute of Technology, Pasadena, California, USA
¹⁵²Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
¹⁵³University of Colorado Boulder, Boulder, Colorado, USA
¹⁵⁴Cornell University, Ithaca, New York, USA
¹⁵⁵Fermi National Accelerator Laboratory, Batavia, Illinois, USA
¹⁵⁶University of Florida, Gainesville, Florida, USA
¹⁵⁷Florida State University, Tallahassee, Florida, USA
¹⁵⁸Florida Institute of Technology, Melbourne, Florida, USA
¹⁵⁹University of Illinois Chicago, Chicago, Illinois, USA
¹⁶⁰The University of Iowa, Iowa City, Iowa, USA
¹⁶¹Johns Hopkins University, Baltimore, Maryland, USA
¹⁶²The University of Kansas, Lawrence, Kansas, USA
¹⁶³Kansas State University, Manhattan, Kansas, USA
¹⁶⁴University of Maryland, College Park, Maryland, USA
¹⁶⁵Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
¹⁶⁶University of Minnesota, Minneapolis, Minnesota, USA
¹⁶⁷University of Nebraska-Lincoln, Lincoln, Nebraska, USA
¹⁶⁸State University of New York at Buffalo, Buffalo, New York, USA
¹⁶⁹Northeastern University, Boston, Massachusetts, USA
¹⁷⁰Northwestern University, Evanston, Illinois, USA
¹⁷¹University of Notre Dame, Notre Dame, Indiana, USA
¹⁷²The Ohio State University, Columbus, Ohio, USA
¹⁷³Princeton University, Princeton, New Jersey, USA
¹⁷⁴University of Puerto Rico, Mayaguez, Puerto Rico, USA
¹⁷⁵Purdue University, West Lafayette, Indiana, USA
¹⁷⁶Purdue University Northwest, Hammond, Indiana, USA
¹⁷⁷Rice University, Houston, Texas, USA
¹⁷⁸University of Rochester, Rochester, New York, USA
¹⁷⁹Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA
¹⁸⁰University of Tennessee, Knoxville, Tennessee, USA
¹⁸¹Texas A&M University, College Station, Texas, USA
¹⁸²Texas Tech University, Lubbock, Texas, USA
¹⁸³Vanderbilt University, Nashville, Tennessee, USA
¹⁸⁴University of Virginia, Charlottesville, Virginia, USA
¹⁸⁵Wayne State University, Detroit, Michigan, USA
¹⁸⁶University of Wisconsin—Madison, Madison, Wisconsin, USA
¹⁸⁷An institute or international laboratory covered by a cooperation agreement with CERN
¹⁸⁸An institute formerly covered by a cooperation agreement with CERN

^aDeceased.

^bAlso at Yerevan State University, Yerevan, Armenia.

^cAlso at TU Wien, Vienna, Austria.

^dAlso at Ghent University, Ghent, Belgium.

^eAlso at Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil.

^fAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^gAlso at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

^hAlso at UFMS, Nova Andradina, Brazil.

ⁱAlso at University of Chinese Academy of Sciences, Beijing, China.

^jAlso at China Center of Advanced Science and Technology, Beijing, China.

^kAlso at University of Chinese Academy of Sciences, Beijing, China.

^lAlso at China Spallation Neutron Source, Guangdong, China.

^mAlso at Henan Normal University, Xinxiang, China.

ⁿAlso at Nanjing Normal University, Nanjing, China.

^oAlso at The University of Iowa, Iowa City, Iowa, USA.

^pAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

^qAlso at Another institute or international laboratory covered by a cooperation agreement with CERN.

^rAlso at Zewail City of Science and Technology, Zewail, Egypt.

- ^sAlso at British University in Egypt, Cairo, Egypt.
- ^tAlso at Ain Shams University, Cairo, Egypt.
- ^uAlso at Purdue University, West Lafayette, Indiana, USA.
- ^vAlso at Université de Haute Alsace, Mulhouse, France.
- ^wAlso at Istinye University, Istanbul, Turkey.
- ^xAlso at The University of the State of Amazonas, Manaus, Brazil.
- ^yAlso at University of Hamburg, Hamburg, Germany.
- ^zAlso at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.
- ^{aa}Also at Bergische University Wuppertal (BUW), Wuppertal, Germany.
- ^{bb}Also at Brandenburg University of Technology, Cottbus, Germany.
- ^{cc}Also at Forschungszentrum Jülich, Jülich, Germany.
- ^{dd}Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.
- ^{ee}Also at HUN-REN ATOMKI—Institute of Nuclear Research, Debrecen, Hungary.
- ^{ff}Also at Universitatea Babes-Bolyai—Facultatea de Fizica, Cluj-Napoca, Romania.
- ^{gg}Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary.
- ^{hh}Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary.
- ⁱⁱAlso at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.
- ^{jj}Also at Punjab Agricultural University, Ludhiana, India.
- ^{kk}Also at University of Visva-Bharati, Santiniketan, India.
- ^{ll}Also at Indian Institute of Science (IISc), Bangalore, India.
- ^{mm}Also at IIT Bhubaneswar, Bhubaneswar, India.
- ⁿⁿAlso at Institute of Physics, Bhubaneswar, India.
- ^{oo}Also at University of Hyderabad, Hyderabad, India.
- ^{pp}Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
- ^{qq}Also at Isfahan University of Technology, Isfahan, Iran.
- ^{rr}Also at Sharif University of Technology, Tehran, Iran.
- ^{ss}Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
- ^{tt}Also at Department of Physics, Faculty of Science, Arak University, ARAK, Iran.
- ^{uu}Also at Helwan University, Cairo, Egypt.
- ^{vv}Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
- ^{ww}Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
- ^{xx}Also at Università degli Studi Guglielmo Marconi, Roma, Italy.
- ^{yy}Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy.
- ^{zz}Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
- ^{aaa}Also at Laboratori Nazionali di Legnaro dell'INFN, Legnaro, Italy.
- ^{bbb}Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.
- ^{ccc}Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
- ^{ddd}Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
- ^{eee}Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.
- ^{fff}Also at Saegis Campus, Nugegoda, Sri Lanka.
- ^{ggg}Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{hhh}Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
- ⁱⁱⁱAlso at University of Vienna, Vienna, Austria.
- ^{jjj}Also at Universität Zürich, Zurich, Switzerland.
- ^{kkk}Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ^{lll}Also at Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
- ^{mmm}Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
- ⁿⁿⁿAlso at Konya Technical University, Konya, Turkey.
- ^{ooo}Also at Izmir Bakircay University, Izmir, Turkey.
- ^{ppp}Also at Adiyaman University, Adiyaman, Turkey.
- ^{qqq}Also at Bozok Universiteleri Rektörlüğü, Yozgat, Turkey.
- ^{rrr}Also at Marmara University, Istanbul, Turkey.
- ^{sss}Also at Milli Savunma University, Istanbul, Turkey.
- ^{ttt}Also at Kafkas University, Kars, Turkey.
- ^{uuu}Also at Istanbul Okan University, Istanbul, Turkey.
- ^{vvv}Also at Hacettepe University, Ankara, Turkey.
- ^{www}Also at Erzincan Binali Yildirim University, Erzincan, Turkey.
- ^{xxx}Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.
- ^{yyy}Also at Yildiz Technical University, Istanbul, Turkey.
- ^{zzz}Also at Vrije Universiteit Brussel, Brussel, Belgium.

- ^{aaaa}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{bbbb}Also at IPPP Durham University, Durham, United Kingdom.
- ^{cccc}Also at Monash University, Faculty of Science, Clayton, Australia.
- ^{dddd}Also at Università di Torino, Torino, Italy.
- ^{eeee}Also at Bethel University, St. Paul, Minnesota, USA.
- ^{ffff}Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
- ^{gggg}Also at California Institute of Technology, Pasadena, California, USA.
- ^{hhhh}Also at United States Naval Academy, Annapolis, Maryland, USA.
- ⁱⁱⁱⁱAlso at Bingol University, Bingol, Turkey.
- ^{jjjj}Also at Georgian Technical University, Tbilisi, Georgia.
- ^{kkkk}Also at Sinop University, Sinop, Turkey.
- ^{llll}Also at Erciyes University, Kayseri, Turkey.
- ^{mmmm}Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.
- ⁿⁿⁿⁿAlso at Texas A&M University at Qatar, Doha, Qatar.
- ^{oooo}Also at Kyungpook National University, Daegu, Korea.
- ^{pppp}Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.
- ^{qqqq}Also at Northeastern University, Boston, Massachusetts, USA.
- ^{rrrr}Also at Imperial College, London, United Kingdom.
- ^{ssss}Also at Yerevan Physics Institute, Yerevan, Armenia.
- ^{tttt}Also at Universiteit Antwerpen, Antwerpen, Belgium.