

Search for Dark Matter Produced in Association with a Dark Higgs Boson in the $b\bar{b}$ Final State Using pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector

G. Aad *et al.*^{*}
(ATLAS Collaboration)



(Received 19 July 2024; accepted 20 February 2025; published 26 March 2025)

A search is performed for dark matter particles produced in association with a resonantly produced pair of b -quarks with $30 < m_{bb} < 150$ GeV using 140 fb^{-1} of proton-proton collisions at a center-of-mass energy of 13 TeV recorded by the ATLAS detector at the LHC. This signature is expected in extensions of the standard model predicting the production of dark matter particles, in particular those containing a dark Higgs boson s that decays into $b\bar{b}$. The highly boosted $s \rightarrow b\bar{b}$ topology is reconstructed using jet reclustering and a new identification algorithm. This search places stringent constraints across regions of the dark Higgs model parameter space that satisfy the observed relic density, excluding dark Higgs bosons with masses between 30 and 150 GeV in benchmark scenarios with Z' mediator masses up to 4.8 TeV at 95% confidence level.

DOI: 10.1103/PhysRevLett.134.121801

Multiple astrophysical observations [1–4] indicate that a large fraction of the matter density of the universe is in the form of dark matter (DM). Its nature is a major open question in physics, for the standard model (SM) of particle physics does not provide any suitable DM candidates. Many extensions of the SM propose DM candidates that are stable, neutral, massive weakly interacting particles [4], which determine the DM relic abundance via thermal freeze-out. The search for DM candidates is being pursued actively in direct and indirect detection experiments in addition to collider experiments [5–11]. Once produced in colliders, DM would be undetected and must be inferred from the imbalance of the transverse momentum \vec{p}_T^{miss} , [12] with magnitude E_T^{miss} , observed from the detected SM particles.

This Letter presents a novel DM search using a $X + E_T^{\text{miss}}$ signature in which X is a hypothetical particle that decays into a b -quark pair, $b\bar{b}$. This signature of large E_T^{miss} and resonant $b\bar{b}$ production has not been probed directly for invariant masses $m_{bb} < 150$ GeV, except for when X is the SM Higgs boson, h [13,14]. Signal regions (SRs) are defined by requiring significant E_T^{miss} consistent with the presence of DM, in association with a $b\bar{b}$ decay, which is usually the dominant branching fraction for a low mass X with SM Higgs boson couplings. The background is

dominated by vector-boson production in association with jets, referred to as $V + \text{jets}$, with top quark pair ($t\bar{t}$) production also significant at lower E_T^{miss} values. To constrain and improve the modeling of these background contributions, control regions (CRs) are defined that require either a single muon (μ) or a pair of charged leptons $\ell^\pm\ell^\mp$ ($\ell = e, \mu$) in the final state.

The optimization and interpretation of the search is based on a dark Higgs model [15] that explains mass generation for DM particles (χ) through a Higgs mechanism in the dark sector and Yukawa interactions with a new massive dark Higgs boson (s). This model satisfies the observed DM relic density as, when the dark Higgs boson s is lighter than the DM particle χ , additional annihilation channels such as $\chi\chi \rightarrow ss$ can be dominant. Thus it offers a widespread, generic ability to reproduce the observed relic density. In this two-mediator DM model, Majorana DM particles interact with the SM via the exchange of new spin-1 “mediator” particles carrying a new U(1)' gauge symmetry (e.g., a new Z' gauge boson), which can be probed at colliders [15] through s -channel processes. Since large dark sector couplings usually reproduce the relic density, the probability for a Z' to radiate a dark Higgs boson can be large. Annihilation signals in these models are suppressed, as is direct detection sensitivity for Majorana DM particles; thus colliders provide unique discovery potential. The key model parameters are the Majorana DM candidate's mass m_χ , the Z' mass $m_{Z'}$, the dark Higgs boson mass m_s , the two couplings of the Z' boson to quarks g_q and to DM g_χ , and the mixing angle between the SM and dark Higgs bosons θ . In this model, the Z' decays dominantly into DM, which recoils against the dark Higgs boson and its visible decay products. If the dark

^{*}Full author list given at the end of the Letter.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](#). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.

Higgs boson is the lightest dark sector state, exploring the dominant decays of low-mass s bosons is vital. For $m_s < 150$ GeV, decays into a b -quark pair dominate, with the Lorentz boost and collimated decay, generating a merged topology signature of a single large-radius (large- R) jet containing two b -quarks. The experimental challenges of this final state are identifying the massive jet and its b -quarks and maintaining sensitivity to $m_s < 50$ GeV. For $m_{Z'} < 2$ TeV and $m_s > 70$ GeV, the greater separation of the b -quark pair motivates a resolved topology of two small-radius (small- R) b -quark jets.

The analysis is performed using 140 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector [16,17] in 2015–2018 during good operating conditions [18]. Monte Carlo (MC) simulations are used to model the kinematics of SM background processes and the $s + \chi\chi$ signal. A detailed simulation of the ATLAS detector [19] based on GEANT4 [20] was used to simulate the detector response for MC event samples. Further description of the ATLAS detector and the triggers used, along with a signal diagram and details of the event simulation configurations used for signal and background processes, can be found in the Appendix.

Signal simulations for the $pp \rightarrow Z' \rightarrow s\chi\chi \rightarrow b\bar{b}\chi\chi$ process in three interpretation scenarios are used to investigate interesting phase spaces of the model. Scenario 1 simulations were generated in the $(m_{Z'}, m_s)$ plane, covering 30–150 GeV in m_s and $m_{Z'}$ up to 4 TeV. Other parameter values were $m_\chi = 200$ GeV to avoid $s \rightarrow \chi\chi$ decays, $g_q = 0.25$ [21,22], $g_\chi = 1.0$, and $\sin\theta = 0.01$ [15], defining a conventional benchmark used in previous studies in different final states [23–25]. Two other scenarios are developed, where the coupling parameter g_χ is varied (instead of being set to unity) to ensure that all signal points are compatible with the observed relic density, $\Omega h^2 = 0.12$ [26], calculated using MADDM [27]. This requirement usually indicates large g_χ couplings, especially for larger $m_{Z'}$, which enhances the sensitivity of dark Higgs boson signatures and reduces that of others, e.g., where the Z' decays into quarks. Signal simulations for scenario 2 were generated in the $(m_{Z'}, m_s)$ plane, but with $m_\chi = 900$ GeV to enable a match with the relic density across the investigated parameter plane. Finally, scenario 3 explores the $(m_{Z'}, m_\chi)$ plane for a fixed dark Higgs boson mass $m_s = 70$ GeV that coincides with the highest analysis sensitivity. The other parameters (g_q and $\sin\theta$) in these scenarios match those of scenario 1.

At least one pp collision vertex reconstructed from at least two inner detector (ID) tracks with $p_T > 0.5$ GeV is required in each event. The vertex with the highest $\sum(p_T)^2$ is designated the primary vertex (PV) [28]. Electrons are reconstructed by matching a cluster of energy in the calorimeter to an ID track. Electron candidates are identified using a likelihood-based method and must satisfy the “loose” requirement [29] and have $|\eta| < 2.47$. Muons are reconstructed by matching a track or track segment found

in the muon spectrometer to an ID track. Muons must satisfy “loose” requirements [30] and have $|\eta| < 2.5$. Electrons and muons must be isolated according to the track proximity criteria defined in Ref. [31]. Hadronic τ -lepton decays are identified by an algorithm based on a boosted decision tree [32] that combines calorimeter and ID information. Events with τ -leptons satisfying $p_T > 20$ GeV and “very loose” requirements [33] within $|\eta| = 2.5$ are rejected.

Small- R jets are formed with the anti- k_t algorithm [34,35], using a radius parameter $R = 0.4$, from ID tracks associated with the PV and three-dimensional clusters of calorimeter cells selected by a particle-flow reconstruction algorithm [36]. “Central” small- R jets satisfy $|\eta| < 2.5$ and $p_T > 20$ GeV while “forward” jets satisfy $2.5 < |\eta| < 4.5$ and $p_T > 30$ GeV. Corrections for pileup [37] and the jet energy scale (JES) and resolution (JER) [38] are applied. The PV origin of central small- R jets with $20 < p_T < 60$ GeV and $|\eta| < 2.4$ is required, using an associated-track-based discriminant [39]. Small- R jets closer than $\Delta R = 0.2$ to an e or μ are rejected. Two types of large- R jets are reconstructed using the anti- k_t algorithm with radius $R = 1.0$. “Reclustered” large- R jets (J) are derived by clustering small- R jets (j) [40]; these are used for the merged analysis with the intention of capturing the dark Higgs boson decay in full, providing sensitivity and good mass resolution across the full jet mass range (down to $m_J = 30$ GeV). Their flavor content is evaluated through their associated variable-radius (VR) track-jets [41,42] or the D_{Xbb} discriminant score of the corresponding calorimeter large- R jet, as described below. “Calorimeter” large- R jets are clustered from topological clusters calibrated to the hadronic scale using the local hadronic cell weighting scheme [43]. All large- R jets are trimmed [44] to minimize the impact of pileup and underlying event. The JES and jet mass scale (JMS) of trimmed jets are calibrated following techniques described in Ref. [45].

To suppress contributions from processes that involve light quarks or gluons, two multivariate algorithms are used to identify jets containing b -hadrons (b -tagging) [46]. The algorithm DL1r is used at an operating point evaluated to be 77% efficient at b -jet identification on $t\bar{t}$ simulation [47], with a light jet rejection factor of around 200. For $m_J < 50$ GeV, this algorithm and operating point are applied to VR track-jets with $p_T > 10$ GeV and $|\eta| < 2.5$ formed from ID tracks using the anti- k_t algorithm and a p_T -dependent radius parameter. It is also applied to the small- R jets in the resolved channel. A second, new tagging algorithm D_{Xbb} [48,49], developed specifically for the $X \rightarrow b\bar{b}$ topology, combines the flavor information of up to three VR track-jets within the large- R jet. This mass-agnostic neural network exploits the powerful tagging capability of individual track-jets and their discriminant correlations, together with the knowledge of the large- R jet kinematics. The algorithm is trained on calorimeter large- R

jets with masses above 50 GeV, where the axes of the large- R jet and the reclustered large- R jet lie within $\Delta R = 1.0$. An operating point evaluated to be 50% efficient at selecting Higgs bosons with $p_T > 250$ GeV and a multijet rejection factor of around 110 is employed. It is calibrated using $Z(\rightarrow b\bar{b}) + \text{jets}$ and $Z(\rightarrow b\bar{b}) + \gamma$ data samples in four p_T regions, supported by $t\bar{t}$ and $g \rightarrow b\bar{b}$ topologies. It is estimated that the D_{Xbb} algorithm improves the sensitivity by a factor of up to 50% in expected median discovery significance compared with an $E_T^{\text{miss}} + h(b\bar{b})$ analysis [13] using VR track-jet b -tagging, neglecting systematic uncertainties.

The \vec{p}_T^{miss} is computed as the negative vector sum of the transverse momenta of the identified and calibrated physics objects in the event, plus a term accounting for low-energy charged particles, using the “tight” operating point defined in Ref. [50]. An object-based E_T^{miss} significance S [50] discriminates events with genuine E_T^{miss} produced by neutrinos or possible weakly interacting exotic particles from those events in which E_T^{miss} is caused by mismeasurements or resolution effects.

The signal is characterized by high E_T^{miss} from the DM particle production and substantial hadronic activity from $s \rightarrow b\bar{b}$ decays that results in an invariant mass consistent with m_s . Thus events in the SR are required to have $E_T^{\text{miss}} > 150$ GeV, either two b -tagged small- R jets or a large- R jet containing two b -quarks, and no isolated e or μ . Events in the SR are rejected if a “loose” electron or muon with $p_T > 7$ GeV is present.

The smallest azimuthal angle between the \vec{p}_T^{miss} and any of the three highest- p_T (leading) small- R jets is required to be at least 20° to reduce the multijet background arising from mismeasured jet momenta. For signal events the E_T^{miss} and the p_T of the reconstructed dark Higgs boson candidate (p_T^{ij} in the resolved region or p_T^I in the merged region) are correlated through the production process. Their ratio is required to be between 0.8 and 1.3 to reduce the contributions from $t\bar{t}$ and $W + \text{jets}$ events.

In the merged channel, to ensure the decay products are contained in the large- R jet, a $2m_J/p_T^I < 0.6$ requirement is applied. The dark Higgs boson candidate jet is required to have at least two nonoverlapping VR track-jets associated with it. Events with an additional b -tagged VR track-jet not associated with the large- R jet are rejected to suppress top quark pair production. In the resolved channel, the dominant background process is $t\bar{t}$ production. This background is reduced by the variables $m_T^{b,\text{min/max}} =$

$\sqrt{2p_T^{b,\text{min/max}} E_T^{\text{miss}} [1 - \cos \Delta\phi(\vec{p}_T^{b,\text{min/max}}, \vec{p}_T^{\text{miss}})]}$ and a requirement of $m_T^{b,\text{min}} > 170$ GeV and $m_T^{b,\text{max}} > 200$ GeV, where $p_T^{b,\text{min}}$ and $p_T^{b,\text{max}}$ are defined as the p_T of the b -jet that is closer to (min) or further from (max) \vec{p}_T^{miss} in ϕ . To suppress $t\bar{t}$ processes further, the central small- R jet

multiplicity is required to be ≤ 4 . An $S > 12$ requirement is also applied and results in negligible multijet background.

The largest SR background contributions come from SM $Z(\rightarrow \nu\bar{\nu}) + \text{jets}$ processes (48%–60%), increasing in higher E_T^{miss} categories. In the merged topology, SM diboson production (17%) and $W(\rightarrow \ell\nu) + \text{jets}$ (9%–13%) provide subleading contributions; top quark pair production (10%–30%) and $W(\rightarrow \ell\nu) + \text{jets}$ processes (13%–15%) contribute in the resolved topology. Two CRs are defined to improve the modeling of the $V + \text{jets}$ background: the single-muon CR (1μ -CR) enriched in $W + \text{jets}$ and $t\bar{t}$ and the two-lepton CR (2ℓ -CR) dominated by $Z + \text{jets}$. The 1μ -CR follows the same selection and E_T^{miss} trigger as the SR, except that events must contain exactly one “medium” muon [51] with $p_T > 27$ GeV and no “loose” electrons with $p_T > 7$ GeV. It is split into two regions depending on the muon charge to provide additional discrimination between these two backgrounds, due to the larger cross-section for W^+ boson production in pp collisions. Events in the 2ℓ -CR are selected using the same requirements as in the SR, except that events must contain exactly two oppositely charged “loose” electrons or “medium” muons and satisfy $S > 12$, with an additional requirement that this significance be lower than 5 when considering E_T^{miss} calculated with the two visible leptons. The leading electron (muon) must fulfill $p_T > 27(25)$ GeV, while the subleading lepton must satisfy $p_T > 7$ GeV. The dilepton system mass and p_T must be consistent with the Z boson hypothesis of $|m_{\ell\ell} - m_Z| < 10$ GeV and $p_T^{\ell\ell} > 150$ GeV.

To maintain sensitivity to signals generating higher E_T^{miss} values and constrain background processes more effectively, events are further categorized in $E_T^{\text{miss}}/\text{GeV}$: [150, 200), [200, 350), and [350, 500) in the resolved category and $E_T^{\text{miss}}/\text{GeV}$: [500, 750), ≥ 750 in the merged category. The CRs in the resolved category are divided in the same way. The boundary between resolved and merged categories at 500 GeV is optimized for search sensitivity. To match the E_T^{miss} kinematics of $V + \text{jets}$ processes in the SR, $\vec{E}_{T,\mu}^{\text{miss}} = \vec{p}_T^{\text{miss}} + \vec{p}_T^\mu$ is used in the 1μ -CR, incorporating the p_T of the W boson. Similarly, the addition of $\vec{p}_T^{\ell\ell}$ in the 2ℓ -CR provides an analog to the E_T^{miss} in the SR.

Experimental systematic uncertainties affect the reconstruction of the dark Higgs boson candidate. These include uncertainties in the JMS [45] and the JES and JER [38] of both the small- R and large- R jets and uncertainties in the calibrations of the b -jet identification algorithms [47,52,53]. Uncertainties in the lepton identification efficiencies [29,30], E_T^{miss} trigger efficiency, energy scale, and resolution [50] are found to be negligible, as is the uncertainty in the luminosity [54]. Theoretical systematic uncertainties originate from the modeling of the signal and major background processes and are detailed in the Appendix.




FIG. 1. Data and predicted SM background yields after a simultaneous background-only fit to each resolved (Res.) and merged (Mer.) SR and CR E_T^{miss} category. The ratio of the data to the SM expectation is shown in the lower panel; the lines give the ratios of the prefit to the postfit background predictions, and the shaded areas indicate the total uncertainty in the predictions.

Limits on DM signals are extracted via a simultaneous maximum-likelihood fit [55,56] of signal and background simulations to the binned candidate mass distributions in the SR and to the event yields in the CRs. The normalizations of $Z + \text{jets}$, $t\bar{t}$, and $W + \text{jets}$ processes are free parameters in the fit and are constrained by the total event yields, considering each E_T^{miss} region separately in the SR and CRs. Systematic uncertainties are parameterized as nuisance parameters with Gaussian prior probabilities and

constrain the fit templates and normalizations [57]. Statistical uncertainties in the data are the largest source of uncertainty (75%–85% of the total), with systematic uncertainties, specifically those in the calibration of the large- R jet b -tagging algorithm, becoming more important at larger p_T and m_Z' values (20%–47%). The largest theoretical uncertainties are in the modeling of $Z + \text{jets}$ processes (15%–25%) and those associated with the normalization of $V + \text{jets}$ processes (10%–15%). At $m_s \approx 50$ GeV and high m_Z' , the predominance of $Z + \text{jets}$ increases the impact of its normalization uncertainty (up to 41% of the total).

The observed and fitted yields in the SR and CR categories obtained after a simultaneous fit under the hypothesis that only SM contributions are present (“background-only fit”) are shown in Fig. 1. The overall yields in the CRs and the SR are found to be well described by SM expectations, with the fit favoring a mild increase (~20%) of the $Z + \text{jets}$ contribution. The prefit uncertainties cover the differences between the data and prefit background predictions. Figure 2 shows the mass distributions m_{bb} of the s candidate mass in the SR categories after the background-only fit. The MC simulations agree well with the data in the CRs, indicating that $V + \text{jets}$ background processes are well modeled. The data exceed the SM




FIG. 2. The m_{bb} distributions for data and SM expectations in the different E_T^{miss} regions for the resolved (top row) and merged (bottom row) topologies after a background-only simultaneous fit to data. The shaded area represents the total uncertainty in the predicted yields. Two signal distributions are overlaid, multiplied in each E_T^{miss} region by a scale factor indicated in the legend for visibility. The lower panels show the ratios of the data to the predictions.




FIG. 3. Observed (expected) exclusion regions at 95% CL for (a),(b) scenario 1, (c) scenario 2, and (d) scenario 3. The $\pm 1\sigma$ ($\pm 2\sigma$) expected exclusion intervals are shown as the filled inner (outer) bands (a),(c),(d). The observed relic density is indicated with a dashed line for scenario 1 (a),(b), with the diagonal lines indicating an overabundance of DM. The filled areas of (b) are excluded, with the open contours indicating regions not explored for a given signature. The lower right shaded area indicates the region beyond the g_χ perturbative limit for scenario 3(d).

expectation slightly around $m_s = 60$ GeV in the $350 \leq E_T^{\text{miss}} < 500$ GeV category. Its local significance is 1.6 standard deviations (σ). A smaller, very localized excess is also seen near $m_s = 130$ GeV in the same category and is narrower than the resolution in m_s . The observed results in the SR indicate that the data are in agreement with SM predictions with no significant evidence of a DM signal.

Consequently, upper limits are set on the product of the $pp \rightarrow s\chi\chi$ production crosssection and branching fraction $\mathcal{B}(s \rightarrow b\bar{b})$, using a modified frequentist approach (CL_s) [58] with a test statistic based on the profile likelihood in the asymptotic approximation [59]. Exclusion contours at 95% confidence level (CL) for the dark Higgs model are presented in Fig. 3. The two-dimensional ($m_{Z'}$, m_s) plane for scenarios 1 and 2 are shown in Figs. 3(a)–3(c). In scenario 1, with $g_\chi = 1$ and $m_\chi = 200$ GeV, $m_{Z'}$ values are excluded up to 3.4 TeV at $m_s = 70$ GeV, which are the highest mass exclusions for this conventional benchmark model. Figure 3(b) summarizes the exclusions on this model. The observed relic density is obtained for $m_{Z'} = 850$ GeV and for $m_s \simeq 2m_\chi = 400$ GeV where dark Higgs boson annihilation processes are greatly enhanced and deplete the relic abundance for all $m_{Z'}$ values.

In scenario 2 [Fig. 3(c)], the DM coupling g_χ varies to satisfy the observed relic density throughout; thus the exclusion behavior is more complex. The increased DM mass ($m_\chi = 900$ GeV) leads to reduced crosssections, with $m_{Z'}$ masses around $m_{Z'} = 2.5$ TeV having g_χ values near unity and lying close to the expected exclusions. The relic density constraint requires larger g_χ values for larger $m_{Z'}$ values, as the DM annihilation process $\chi\chi \rightarrow Z' \rightarrow q\bar{q}$

becomes more inefficient. The increasing coupling, and thus greater probability for the Z' to emit a dark Higgs boson and decay into DM, increases the crosssection, extending sensitivity to higher masses, where $m_{Z'}$ values can be excluded up to 4.5 TeV for $m_s = 75$ GeV. Below $m_{Z'} = 2.5$ TeV, and especially for $m_{Z'} \sim 2m_\chi$, the annihilation process above becomes very efficient, and the small g_χ couplings that match the relic density lead to cross-sections that are too small to be excluded. The observed exclusion range in $m_{Z'}$ becomes narrower than expected at higher m_s values owing to the small excesses in data near $m_{bb} = 50$ GeV and $m_{bb} = 130$ GeV discussed above.

The exclusion limits on the $m_{Z'}$ and m_χ plane for scenario 3 are shown in Fig. 3(d). Again, the relic density depends upon the efficiency of the $\chi\chi \rightarrow Z' \rightarrow q\bar{q}$ process, resulting in increasing g_χ values for higher $m_{Z'}$ values and lower χ masses (lower right of figure). For DM masses up to 700 GeV, $m_{Z'}$ values up to the perturbative limit are excluded, reaching a maximum of 4.8 TeV at that m_χ . The merged SR dominates the sensitivity at low m_s and high $m_{Z'}$, while the resolved SR contributes for $m_{Z'} < 2$ TeV.

In conclusion, this Letter reports a novel search for dark matter in a final state with large E_T^{miss} and a resonant $b\bar{b}$ pair with $30 < m_{bb} < 150$ GeV using 140 fb^{-1} of 13 TeV pp data collected by the ATLAS detector at the LHC. The analysis employs jet reclustering and a new $X \rightarrow b\bar{b}$ tagging algorithm to provide sensitivity to low m_{bb} and highly boosted $b\bar{b}$ -jets. No excess over the expected background prediction is observed, and 95% CL exclusions are placed on dark Higgs boson models with $m_s < 150$ GeV. In this dark Higgs boson mass range, Z' mediators are excluded with masses up to 3.4 TeV, for a benchmark model with $g_\chi = 1$, $g_q = 0.25$, and $\sin \theta = 0.01$ and up to 4.8 TeV in a relic density inspired benchmark model in which couplings vary more widely. This first experimental search for this signature significantly extends existing exclusions on this model and strongly constrains regions compatible with the observed DM relic density, which occur primarily when the dark Higgs boson is comparable or lighter in mass than the DM candidate, such that related annihilation processes dominate. These results complement other higher-mass dark Higgs boson and collider DM searches.

Acknowledgments—We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK), and BNL (USA), the Tier-2 facilities worldwide and large

non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [60]. We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC, and CFI, Canada; CERN; ANID, Chile; CAS, MOST, and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF, and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; and DOE and NSF, United States of America. Individual groups and members have received support from BCKDF, CANARIE, CRC, and DRAC, Canada; CERN-CZ, FORTE, and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU, and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex, and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales, and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya, and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; and The Royal Society and Leverhulme Trust, United Kingdom. In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN PJAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1230812, FONDECYT 1230987); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC—12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR—24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC—101002463); European Union: European Research Council (ERC—948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA—CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for

High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG—469666862, DFG—CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN—20223N7F8K—PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020—VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, NCN & H2020 MSCA 945339, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEgent/2019/023, CIDEgent/2019/027); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF—PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); and United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

-
- [1] J. Silk *et al.*, *Particle Dark Matter: Observations, Models and Searches*, edited by G. Bertone (Cambridge University Press, Cambridge, England, 2010), ISBN: 978-1-107-65392-4.
 - [2] J. L. Feng, Dark matter candidates from particle physics and methods of detection, *Annu. Rev. Astron. Astrophys.* **48**, 495 (2010).

- [3] T. A. Porter, R. P. Johnson, and P. W. Graham, Dark matter searches with astroparticle data, *Annu. Rev. Astron. Astrophys.* **49**, 155 (2011).
- [4] G. Bertone *et al.*, Identifying WIMP dark matter from particle and astroparticle data, *J. Cosmol. Astropart. Phys.* **03** (2018) 026.
- [5] XENON Collaboration, Dark matter search results from a one ton-year exposure of XENON1T, *Phys. Rev. Lett.* **121**, 111302 (2018).
- [6] PandaX-II Collaboration, Dark matter results from first 98.7 days of data from the PandaX-II experiment, *Phys. Rev. Lett.* **117**, 121303 (2016).
- [7] DarkSide Collaboration, Low-mass dark matter search with the DarkSide-50 experiment, *Phys. Rev. Lett.* **121**, 081307 (2018).
- [8] XENON Collaboration, Search for light dark matter interactions enhanced by the migdal effect or bremsstrahlung in XENON1T, *Phys. Rev. Lett.* **123**, 241803 (2019).
- [9] PICO Collaboration, Dark matter search results from the complete exposure of the PICO-60 C3F8 bubble chamber, *Phys. Rev. D* **100**, 022001 (2019).
- [10] Fermi-LAT Collaboration, Searching for dark matter annihilation from Milky Way dwarf spheroidal galaxies with six years of Fermi large area telescope data, *Phys. Rev. Lett.* **115**, 231301 (2015).
- [11] C. Pérez de los Heros, Status, challenges and directions in indirect dark matter searches, *Symmetry* **12**, 1648 (2020).
- [12] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upward. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln[(E + p_z c)/(E - p_z c)]$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$. Tranverse momentum is defined by $p_T = p \sin \theta$.
- [13] ATLAS Collaboration, Search for dark matter produced in association with a standard model Higgs boson decaying into b -quarks using the full Run 2 dataset from the ATLAS detector, *J. High Energy Phys.* **11** (2021) 209.
- [14] CMS Collaboration, Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **79**, 280 (2019).
- [15] M. Duerr *et al.*, Hunting the dark Higgs, *J. High Energy Phys.* **04** (2017) 143.
- [16] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* **3**, S08003 (2008).
- [17] ATLAS Collaboration, ATLAS insertable B-layer technical design report, CERN ATLAS-TDR-19, No. CERN-LHCC-2010-013, 2010, <https://cds.cern.ch/record/1291633>; Addendum: CERN ATLAS-TDR-19-ADD-1, No. CERN-LHCC-2012-009, 2012, <https://cds.cern.ch/record/1451888>.
- [18] ATLAS Collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, *J. Instrum.* **15**, P04003 (2020).
- [19] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* **70**, 823 (2010).
- [20] S. Agostinelli *et al.*, GEANT4—a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [21] D. Abercrombie *et al.*, Dark matter benchmark models for early LHC Run-2 searches: Report of the ATLAS/CMS dark matter forum, *Phys. Dark Universe* **27**, 100371 (2020).
- [22] J. Abdallah *et al.*, Simplified models for dark matter searches at the LHC, *Phys. Dark Universe* **9–10**, 8 (2015).
- [23] ATLAS Collaboration, Search for dark matter produced in association with a dark Higgs boson decaying into W^+W^- in the one-lepton final state at $\sqrt{s} = 13$ TeV using 139 fb^{-1} of pp collisions recorded with the ATLAS detector, *J. High Energy Phys.* **07** (2023) 116.
- [24] ATLAS Collaboration, Search for dark matter produced in association with a dark Higgs boson decaying into $W^\pm W^\mp$ or ZZ in fully hadronic final states from $\sqrt{s} = 13$ TeV pp collisions recorded with the ATLAS detector, *Phys. Rev. Lett.* **126**, 121802 (2021).
- [25] CMS Collaboration, Search for dark matter particles in W^+W^- events with transverse momentum imbalance in proton–proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **03** (2023) 134.
- [26] Planck Collaboration, Planck 2018 results. VI. Cosmological parameters, *Astron. Astrophys.* **641**, A6 (2020); **652**, C4(E) (2021).
- [27] F. Ambrogi *et al.*, MADDMv.3.0: A comprehensive tool for dark matter studies, *Phys. Dark Universe* **24**, 100249 (2019).
- [28] ATLAS Collaboration, Vertex reconstruction performance of the ATLAS detector at $\sqrt{s} = 13$ TeV, CERN ATL-PHYS-PUB-2015-026, 2015, <https://cds.cern.ch/record/2037717>.
- [29] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, *J. Instrum.* **14**, P12006 (2019).
- [30] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **81**, 578 (2021).
- [31] ATLAS Collaboration, Search for dark matter in association with a Higgs boson decaying to b -quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett. B* **765**, 11 (2017).
- [32] ATLAS Collaboration, Reconstruction, energy calibration, and identification of hadronically decaying tau leptons in the ATLAS experiment for Run-2 of the LHC, CERN ATL-PHYS-PUB-2015-045, 2015, <https://cds.cern.ch/record/2064383>.
- [33] ATLAS Collaboration, Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment, CERN ATL-PHYS-PUB-2019-033, 2019, <https://cds.cern.ch/record/2688062>.
- [34] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, *Eur. Phys. J. C* **72**, 1896 (2012).
- [35] M. Cacciari, G. P. Salam, and G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063.

- [36] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS detector, *Eur. Phys. J. C* **77**, 466 (2017).
- [37] M. Cacciari, G. P. Salam, and G. Soyez, The catchment area of jets, *J. High Energy Phys.* **04** (2008) 005.
- [38] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Eur. Phys. J. C* **81**, 689 (2021).
- [39] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, *Eur. Phys. J. C* **76**, 581 (2016).
- [40] ATLAS Collaboration, Jet reclustering and close-by effects in ATLAS Run 2, CERN ATLAS-CONF-2017-062, 2017, <https://cds.cern.ch/record/2275649>.
- [41] ATLAS Collaboration, Variable radius, exclusive- k_T , and center-of-mass subjet reconstruction for Higgs($\rightarrow b\bar{b}$) tagging in ATLAS, CERN ATL-PHYS-PUB-2017-010, 2017, <https://cds.cern.ch/record/2268678>.
- [42] ATLAS Collaboration, Optimisation and performance studies of the ATLAS b -tagging algorithms for the 2017–18 LHC run, CERN ATL-PHYS-PUB-2017-013, 2017, <https://cds.cern.ch/record/2273281>.
- [43] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* **77**, 490 (2017).
- [44] D. Krohn, J. Thaler, and L.-T. Wang, Jet trimming, *J. High Energy Phys.* **02** (2010) 084.
- [45] ATLAS Collaboration, In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector, *Eur. Phys. J. C* **79**, 135 (2019).
- [46] ATLAS Collaboration, ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset, *Eur. Phys. J. C* **83**, 681 (2023).
- [47] ATLAS Collaboration, ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **79**, 970 (2019).
- [48] ATLAS Collaboration, Identification of boosted Higgs bosons decaying into $b\bar{b}$ with neural networks and variable radius subjets in ATLAS, CERN ATL-PHYS-PUB-2020-019, 2020, <https://cds.cern.ch/record/2724739>.
- [49] ATLAS Collaboration, Efficiency corrections for a tagger for boosted $H \rightarrow b\bar{b}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, CERN ATL-PHYS-PUB-2021-035, 2021, <https://cds.cern.ch/record/2777811>.
- [50] ATLAS Collaboration, The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions, [arXiv:2402.05858](https://arxiv.org/abs/2402.05858).
- [51] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **76**, 292 (2016).
- [52] ATLAS Collaboration, Measurement of the c -jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector, *Eur. Phys. J. C* **82**, 95 (2022).
- [53] ATLAS Collaboration, Calibration of the light-flavour jet mistagging efficiency of the b -tagging algorithms with $Z + \text{jets}$ events using 139 fb^{-1} of ATLAS proton–proton collision data at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **83**, 728 (2023).
- [54] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* **83**, 982 (2023).
- [55] L. Moneta *et al.*, The RooStats Project, *Proc. Sci., ACAT2010* **2010** 057 [[arXiv:1009.1003](https://arxiv.org/abs/1009.1003)].
- [56] W. Verkerke and D. Kirkby, The RooFit toolkit for data modeling, [arXiv:physics/0306116](https://arxiv.org/abs/physics/0306116).
- [57] ATLAS Collaboration, Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated ($W/Z/H$) production with the ATLAS detector, *J. High Energy Phys.* **01** (2015) 069.
- [58] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).
- [59] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71**, 1554 (2011); **73**, 2501(E) (2013).
- [60] ATLAS Collaboration, ATLAS computing acknowledgements, CERN ATL-SOFT-PUB-2025-001, 2025, <https://cds.cern.ch/record/2922210>.
- [61] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* **77**, 317 (2017).
- [62] ATLAS Collaboration, Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking, *J. High Energy Phys.* **08** (2020) 080.
- [63] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, *Eur. Phys. J. C* **80**, 47 (2020).
- [64] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* **15**, P09015 (2020).
- [65] ATLAS Collaboration, Software and computing for Run 3 of the ATLAS experiment at the LHC, [arXiv:2404.06335](https://arxiv.org/abs/2404.06335).
- [66] J. Alwall *et al.*, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [67] T. Sjöstrand *et al.*, An introduction to PYTHIA8.2, *Comput. Phys. Commun.* **191**, 159 (2015).
- [68] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC run II, *J. High Energy Phys.* **04** (2015) 040.
- [69] ATLAS Collaboration, ATLAS PYTHIA8 tunes to 7 TeV data, CERN ATL-PHYS-PUB-2014-021, 2014, <https://cds.cern.ch/record/1966419>.
- [70] E. Bothmann *et al.*, Event generation with SHERPA2.2, *SciPost Phys.* **7**, 034 (2019).
- [71] T. Gleisberg and S. Höche, COMIX, a new matrix element generator, *J. High Energy Phys.* **12** (2008) 039.
- [72] F. Buccioni *et al.*, OpenLoops 2, *Eur. Phys. J. C* **79**, 866 (2019).
- [73] F. Cascioli, P. Maierhöfer, and S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* **108**, 111601 (2012).
- [74] A. Denner, S. Dittmaier, and L. Hofer, Collier: A fortran-based complex one-loop library in extended regularizations, *Comput. Phys. Commun.* **212**, 220 (2017).
- [75] S. Schumann and F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, *J. High Energy Phys.* **03** (2008) 038.
- [76] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, A critical appraisal of NLO + PS matching methods, *J. High Energy Phys.* **09** (2012) 049.

- [77] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, QCD matrix elements + parton showers. The NLO case, *J. High Energy Phys.* **04** (2013) 027.
- [78] S. Catani, F. Krauss, B. R. Webber, and R. Kuhn, QCD matrix elements + parton showers, *J. High Energy Phys.* **11** (2001) 063.
- [79] S. Höche, F. Krauss, S. Schumann, and F. Siegert, QCD matrix elements and truncated showers, *J. High Energy Phys.* **05** (2009) 053.
- [80] C. Anastasiou, L. Dixon, K. Melnikov, and F. Petriello, High-precision QCD at hadron colliders: Electroweak gauge boson rapidity distributions at next-to-next-to leading order, *Phys. Rev. D* **69**, 094008 (2004).
- [81] S. Frixione, G. Ridolfi, and P. Nason, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* **09** (2007) 126.
- [82] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* **11** (2004) 040.
- [83] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: The POWHEG method, *J. High Energy Phys.* **11** (2007) 070.
- [84] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, *J. High Energy Phys.* **06** (2010) 043.
- [85] M. Beneke, P. Falgari, S. Klein, and C. Schwinn, Hadronic top-quark pair production with NNLL threshold resummation, *Nucl. Phys.* **B855**, 695 (2012).
- [86] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, and P. Nason, Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* **710**, 612 (2012).
- [87] P. Bärnreuther, M. Czakon, and A. Mitov, Percent-level precision physics at the tevatron: Next-to-next-to-leading order QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, *Phys. Rev. Lett.* **109**, 132001 (2012).
- [88] M. Czakon and A. Mitov, NNLO corrections to top-pair production at hadron colliders: The all-fermionic scattering channels, *J. High Energy Phys.* **12** (2012) 054.
- [89] M. Czakon and A. Mitov, NNLO corrections to top pair production at hadron colliders: The quark-gluon reaction, *J. High Energy Phys.* **01** (2013) 080.
- [90] M. Czakon, P. Fiedler, and A. Mitov, Total top-quark pair-production cross section at hadron colliders through $\mathcal{O}(\alpha_S^4)$, *Phys. Rev. Lett.* **110**, 252004 (2013).
- [91] M. Czakon and A. Mitov, Top++: A program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* **185**, 2930 (2014).
- [92] M. Aliev *et al.*, HATHOR—Hadronic top and heavy quarks cross section calculator, *Comput. Phys. Commun.* **182**, 1034 (2011).
- [93] P. Kant *et al.*, HatHor for single top-quark production: Updated predictions and uncertainty estimates for single top-quark production in hadronic collisions, *Comput. Phys. Commun.* **191**, 74 (2015).
- [94] M. L. Ciccolini, S. Dittmaier, and M. Krämer, Electroweak radiative corrections to associated WH and ZH production at hadron colliders, *Phys. Rev. D* **68**, 073003 (2003).
- [95] O. Brein, A. Djouadi, and R. Harlander, NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders, *Phys. Lett. B* **579**, 149 (2004).
- [96] O. Brein, R. V. Harlander, M. Wiesemann, and T. Zirke, Top-quark mediated effects in hadronic Higgs-Strahlung, *Eur. Phys. J. C* **72**, 1868 (2012).
- [97] L. Altenkamp, S. Dittmaier, R. V. Harlander, H. Rzehak, and T. J. E. Zirke, Gluon-induced Higgs-strahlung at next-to-leading order QCD, *J. High Energy Phys.* **02** (2013) 078.
- [98] A. Denner, S. Dittmaier, S. Kallweit, and A. Mück, HAWK 2.0: A Monte Carlo program for Higgs production in vector-boson fusion and Higgs strahlung at hadron colliders, *Comput. Phys. Commun.* **195**, 161 (2015).
- [99] O. Brein, R. V. Harlander, and T. J. E. Zirke, $vh@nnlo$ —Higgs Strahlung at hadron colliders, *Comput. Phys. Commun.* **184**, 998 (2013).
- [100] R. V. Harlander, A. Kulesza, V. Theeuwes, and T. Zirke, Soft gluon resummation for gluon-induced Higgs Strahlung, *J. High Energy Phys.* **11** (2014) 082.
- [101] S. Frixione, E. Laenen, P. Motylinski, and B. R. Webber, Angular correlations of lepton pairs from vector boson and top quark decays in Monte Carlo simulations, *J. High Energy Phys.* **04** (2007) 081.
- [102] P. Artoisenet, R. Frederix, O. Mattelaer, and R. Rietkerk, Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations, *J. High Energy Phys.* **03** (2013) 015.
- [103] D. J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods Phys. Res., Sect. A* **462**, 152 (2001).
- [104] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA8.1, *Comput. Phys. Commun.* **178**, 852 (2008).
- [105] ATLAS Collaboration, Summary of ATLAS PYTHIA8 tunes, CERN ATL-PHYS-PUB-2012-003, 2012, <https://cds.cern.ch/record/1474107>.
- [106] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions with LHC data, *Nucl. Phys.* **B867**, 244 (2013).
- [107] M. Bähr *et al.*, Herwig++ physics and manual, *Eur. Phys. J. C* **58**, 639 (2008).
- [108] J. Bellm *et al.*, Herwig 7.0/Herwig++ 3.0 release note, *Eur. Phys. J. C* **76**, 196 (2016).
- [109] L. A. Harland-Lang, A. D. Martin, P. Motylinski, and R. S. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, *Eur. Phys. J. C* **75**, 204 (2015).
- [110] S. Frixione, E. Laenen, P. Motylinski, C. White, and B. R. Webber, Single-top hadroproduction in association with a W boson, *J. High Energy Phys.* **07** (2008) 029.
- [111] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling for Top2016, CERN ATL-PHYS-PUB-2016-020, 2016, <https://cds.cern.ch/record/2216168>.

End Matter

Appendix—The ATLAS detector and trigger system:

The ATLAS experiment is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and nearly 4π coverage in solid angle. It consists of an inner tracking detector surrounded by a superconducting solenoid, sampling electromagnetic and hadronic calorimeters, and a muon spectrometer with three toroidal superconducting magnets. A two-level trigger system [61] selects events for offline analysis. Events in the SR and the single-muon CR were collected by triggers on the E_T^{miss} reconstructed from calorimeter information only [62] above a threshold that varied from 90 to 110 GeV. Events in the two-lepton CR were recorded using single-lepton triggers with p_T thresholds of 24–26 GeV [63,64], depending on the data taking period. An extensive software suite [65] is used in the experiment.

Simulation of signal and background processes:

Simulated signal samples for the $pp \rightarrow Z' \rightarrow s\chi\chi \rightarrow b\bar{b}\chi\chi$ process, illustrated in Fig. 4, were generated at leading order (LO) in quantum chromodynamics (QCD) with up to one additional parton in the event, using MADGRAPH5_AMC@NLO2.9.3 [66] interfaced to PYTHIA8.245 [67], both using the NNPDF3.0 LO parton distribution function (PDF) set [68] with $\alpha_s = 0.13$ [68] and the A14 set of tuned parameters [69].

The $V + \text{jets}$ background was simulated with SHERPA2.2.11 [70], using next-to-leading-order (NLO) matrix elements for up to two partons and LO matrix elements for up to five partons calculated with the COMIX [71] and OPENLOOP [72–74] libraries. The matching to the SHERPA parton shower [75] used the MEPS@NLO prescription [76–79] with the set of tuned parameters developed by the SHERPA authors. The NNPDF 3.0 NNLO set of PDFs [68] was used, and the samples were normalized to the next-to-next-to-leading-order (NNLO) prediction [80]. Backgrounds from $t\bar{t}$ production and single top quark production were generated at NLO in QCD with




FIG. 4. Signal diagrams illustrating the resonant $pp \rightarrow Z' \rightarrow s\chi\chi \rightarrow b\bar{b}\chi\chi$ process.

POWHEG BOXv2 [81–84] using the NNPDF3.0 NLO PDF set, interfaced to PYTHIA8.230. Parton shower simulations with PYTHIA8.230 used the A14 set of tuned parameters [69] with the NNPDF2.3 LO PDF set. The $t\bar{t}$ samples were normalized using calculations at NNLO in QCD including next-to-next-to-leading logarithmic soft-gluon terms calculated using TOP++ 2.0 [85–91]. The single-top-quark processes were normalized to crosssections at NLO in QCD from HATHORv2.1 [92,93]. Samples of diboson final states (VV) were simulated with the SHERPA2.2.1 or 2.2.2 [70] generator depending on the process and normalized using calculations at NNLO in QCD using the NNPDF3.0 NNLO PDF set. Backgrounds from associated Vh production were generated at NLO in QCD with POWHEG BOX interfaced to PYTHIA8.186 using the NNPDF3.0 NLO PDF set. The $qq \rightarrow Vh$ and $gg \rightarrow Vh$ processes were normalized using calculations at NNLO in QCD and at NLO in QCD combined with next-to-leading-logarithmic order corrections, respectively [94–100]. Top quarks were decayed at LO using MADSPIN [101,102] to preserve all spin correlations. The decays of bottom and charm hadrons were simulated using the EVTGEN1.6.0 program [103]. For all signal and background simulations, contributions from additional pp interactions in the same and neighboring bunch crossings (pileup) were simulated through the overlay of inelastic pp simulations from PYTHIA8.186 [104] using the A3 set of tuned parameters [105] and the NNPDF2.3 LO PDF set [106].

Theoretical and modelling uncertainties assessed include those from the choice of PDFs and the factorization and renormalization scales. Additionally, uncertainties in the choice of the matrix element and parton shower generator are assessed through dedicated, alternative MC simulations. For top quark processes, uncertainties in the choice of generator were evaluated by comparison with event samples generated with MADGRAPH5_AMC@NLO2.6.0 interfaced to PYTHIA8.230 and the nominal POWHEG generator hadronized by HERWIG7.04 [107,108], using the H7UE set of tuned parameters [108] and the MMHT2014 LO PDF set [109]. For single top quark production in the tW channel, an alternative sample was generated using the diagram subtraction scheme [110,111] to estimate the uncertainty arising from the interference with $t\bar{t}$ production. For $V + \text{jets}$ processes, a sample generated with MADGRAPH5_AMC@NLO2.6.2 at LO in QCD with up to four parton emissions using the NNPDF2.3 LO PDF set and interfaced to PYTHIA8.230 using a merging scale of $Q_{\text{cut}} = 30$ GeV was employed. Uncertainties in the matching parameter and resummation scale were also assessed.

- G. Aad¹⁰⁴ E. Aakvaag¹⁷ B. Abbott¹²³ S. Abdelhameed^{119a} K. Abeling⁵⁶ N. J. Abicht⁵⁰ S. H. Abidi³⁰
M. Aboelela⁴⁵ A. Aboulhorma^{36e} H. Abramowicz¹⁵⁵ H. Abreu¹⁵⁴ Y. Abulaiti¹²⁰ B. S. Acharya^{70a,70b,b}
A. Ackermann^{64a} C. Adam Bourdarios⁴ L. Adamczyk^{87a} S. V. Addepalli²⁷ M. J. Addison¹⁰³ J. Adelman¹¹⁸
A. Adiguzel^{22c} T. Adye¹³⁷ A. A. Affolder¹³⁹ Y. Afik⁴⁰ M. N. Agaras¹³ J. Agarwala^{74a,74b} A. Aggarwal¹⁰²
C. Agheorghiesei^{28c} F. Ahmadov^{39,c} W. S. Ahmed¹⁰⁶ S. Ahuja⁹⁷ X. Ai^{63e} G. Aielli^{77a,77b} A. Aikot¹⁶⁶
M. Ait Tamlihat^{36e} B. Aitbenchikh^{36a} M. Akbiyik¹⁰² T. P. A. Åkesson¹⁰⁰ A. V. Akimov³⁸ D. Akiyama¹⁷¹
N. N. Akolkar²⁵ S. Aktas^{22a} K. Al Khoury⁴² G. L. Alberghi^{24b} J. Albert¹⁶⁸ P. Albicocco⁵⁴ G. L. Albouy⁶¹
S. Alderweireldt⁵³ Z. L. Alegria¹²⁴ M. Aleksandrov³⁷ C. Alexa^{28b} T. Alexopoulos¹⁰
F. Alfonsi^{24b} M. Algren⁵⁷ M. Alhroob¹⁷⁰ B. Ali¹³⁵ H. M. J. Ali⁹³ S. Ali³² S. W. Alibocus⁹⁴ M. Aliev^{34c}
G. Alimonti^{72a} W. Alkakhi⁵⁶ C. Allaire⁶⁷ B. M. M. Allbrooke¹⁵⁰ J. F. Allen⁵³ C. A. Allendes Flores^{140f}
P. P. Allport²¹ A. Aloisio^{73a,73b} F. Alonso⁹² C. Alpigiani¹⁴² Z. M. K. Alsolami⁹³ M. Alvarez Estevez¹⁰¹
A. Alvarez Fernandez¹⁰² M. Alves Cardoso⁵⁷ M. G. Alviggi^{73a,73b} M. Aly¹⁰³ Y. Amaral Coutinho^{84b}
A. Ambler¹⁰⁶ C. Amelung³⁷ M. Amerl¹⁰³ C. G. Ames¹¹¹ D. Amidei¹⁰⁸ K. Amirie¹⁵⁸
S. P. Amor Dos Santos^{133a} K. R. Amos¹⁶⁶ S. An⁸⁵ V. Ananiev¹²⁸ C. Anastopoulos¹⁴³ T. Andeen¹¹
J. K. Anders³⁷ A. C. Anderson⁶⁰ S. Y. Andrean^{48a,48b} A. Andreazza^{72a,72b} S. Angelidakis⁹ A. Angerami⁴²
A. V. Anisenkov³⁸ A. Annovi^{75a} C. Antel⁵⁷ E. Antipov¹⁴⁹ M. Antonelli⁵⁴ F. Anulli^{76a} M. Aoki⁸⁵
T. Aoki¹⁵⁷ M. A. Aparo¹⁵⁰ L. Aperio Bella⁴⁹ C. Appelt¹⁹ A. Apyan²⁷ S. J. Arbiol Val⁸⁸ C. Arcangeletti⁵⁴
A. T. H. Arce⁵² E. Arena⁹⁴ J-F. Arguin¹¹⁰ S. Argyropoulos⁵⁵ J.-H. Arling⁴⁹ O. Arnaez⁴ H. Arnold¹⁴⁹
G. Artoni^{76a,76b} H. Asada¹¹³ K. Asai¹²¹ S. Asai¹⁵⁷ N. A. Asbah³⁷ R. A. Ashby Pickering¹⁷⁰ K. Assamagan³⁰
R. Astalos^{29a} K. S. V. Astrand¹⁰⁰ S. Atashi¹⁶² R. J. Atkin^{34a} M. Atkinson¹⁶⁵ H. Atmani^{36f} P. A. Atmasiddha¹³¹
K. Augsten¹³⁵ S. Auricchio^{73a,73b} A. D. Auriol²¹ V. A. Austrup¹⁰³ G. Avolio³⁷ K. Axiotis⁵⁷ G. Azuelos^{110,d}
D. Babal^{29b} H. Bachacou¹³⁸ K. Bachas^{156,e} A. Bachiu³⁵ F. Backman^{48a,48b} A. Badea⁴⁰ T. M. Baer¹⁰⁸
P. Bagnaia^{76a,76b} M. Bahmani¹⁹ D. Bahner⁵⁵ K. Bai¹²⁶ J. T. Baines¹³⁷ L. Baines⁹⁶ O. K. Baker¹⁷⁵
E. Bakos¹⁶ D. Bakshi Gupta⁸ L. E. Balabram Filho^{84b} V. Balakrishnan¹²³ R. Balasubramanian¹¹⁷
E. M. Baldin³⁸ P. Balek^{87a} E. Ballabene^{24b,24a} F. Balli¹³⁸ L. M. Baltes^{64a} W. K. Balunas³³ J. Balz¹⁰²
I. Bamwidhi^{119b} E. Banas⁸⁸ M. Bandieramonte¹³² A. Bandyopadhyay²⁵ S. Bansal²⁵ L. Barak¹⁵⁵
M. Barakat⁴⁹ E. L. Barberio¹⁰⁷ D. Barberis^{58b,58a} M. Barbero¹⁰⁴ M. Z. Barel¹¹⁷ K. N. Barends^{34a}
T. Barillari¹¹² M-S. Barisits³⁷ T. Barklow¹⁴⁷ P. Baron¹²⁵ D. A. Baron Moreno¹⁰³ A. Baroncelli^{63a}
G. Barone³⁰ A. J. Barr¹²⁹ J. D. Barr⁹⁸ F. Barreiro¹⁰¹ J. Barreiro Guimarães da Costa¹⁴ U. Barron¹⁵⁵
M. G. Barros Teixeira^{133a} S. Barsov³⁸ F. Bartels^{64a} R. Bartoldus¹⁴⁷ A. E. Barton⁹³ P. Bartos^{29a} A. Basan¹⁰²
M. Baselga⁵⁰ A. Bassalat^{67,f} M. J. Basso^{159a} S. Bataju⁴⁵ R. Bate¹⁶⁷ R. L. Bates⁶⁰ S. Batlamous,¹⁰¹
B. Batool¹⁴⁵ M. Battaglia¹³⁹ D. Battulga¹⁹ M. Bauce^{76a,76b} M. Bauer⁸⁰ P. Bauer²⁵ L. T. Bazzano Hurrell³¹
J. B. Beacham⁵² T. Beau¹³⁰ J. Y. Beaucamp⁹² P. H. Beauchemin¹⁶¹ P. Bechtle²⁵ H. P. Beck^{20,g} K. Becker¹⁷⁰
A. J. Beddall⁸³ V. A. Bednyakov³⁹ C. P. Bee¹⁴⁹ L. J. Beemster¹⁶ T. A. Beermann³⁷ M. Begalli^{84d} M. Begel³⁰
A. Behera¹⁴⁹ J. K. Behr⁴⁹ J. F. Beirer³⁷ F. Beisiegel²⁵ M. Belfkir^{119b} G. Bella¹⁵⁵ L. Bellagamba^{24b}
A. Bellerive³⁵ P. Bellos²¹ K. Beloborodov³⁸ D. Benchkroun^{36a} F. Bendebba^{36a} Y. Benhammou¹⁵⁵
K. C. Benkendorfer⁶² L. Beresford⁴⁹ M. Beretta⁵⁴ E. Bergeaas Kuutmann¹⁶⁴ N. Berger⁴ B. Bergmann¹³⁵
J. Beringer^{18a} G. Bernardi⁵ C. Bernius¹⁴⁷ F. U. Bernlochner²⁵ F. Bernon^{37,104} A. Berrocal Guardia¹³
T. Berry⁹⁷ P. Berta¹³⁶ A. Berthold⁵¹ S. Bethke¹¹² A. Betti^{76a,76b} A. J. Bevan⁹⁶ N. K. Bhalla⁵⁵ S. Bhatta¹⁴⁹
D. S. Bhattacharya¹⁶⁹ P. Bhattacharai¹⁴⁷ K. D. Bhide⁵⁵ V. S. Bhopatkar¹²⁴ R. M. Bianchi¹³² G. Bianco^{24b,24a}
O. Biebel¹¹¹ R. Bielski¹²⁶ M. Biglietti^{78a} C. S. Billingsley⁴⁵ M. Bindi⁵⁶ A. Bingul^{22b} C. Bini^{76a,76b}
A. Biondini⁹⁴ G. A. Bird³³ M. Birman¹⁷² M. Biros¹³⁶ S. Biryukov¹⁵⁰ T. Bisanz⁵⁰ E. Bisceglie^{44b,44a}
J. P. Biswal¹³⁷ D. Biswas¹⁴⁵ I. Bloch⁴⁹ A. Blue⁶⁰ U. Blumenschein⁹⁶ J. Blumenthal¹⁰² V. S. Bobrovnikov³⁸
M. Boehler⁵⁵ B. Boehm¹⁶⁹ D. Bogavac³⁷ A. G. Bogdanchikov³⁸ C. Bohm^{48a} V. Boisvert⁹⁷ P. Bokan³⁷
T. Bold^{87a} M. Bomben⁵ M. Bona⁹⁶ M. Boonekamp¹³⁸ C. D. Booth⁹⁷ A. G. Borbely⁶⁰ I. S. Bordulev³⁸
H. M. Borecka-Bielska¹¹⁰ G. Borissov⁹³ D. Bortoletto¹²⁹ D. Boscherini^{24b} M. Bosman¹³ J. D. Bossio Sola³⁷
K. Bouaouda^{36a} N. Bouchhar¹⁶⁶ L. Boudet⁴ J. Boudreau¹³² E. V. Bouhova-Thacker⁹³ D. Boumediene⁴¹

- R. Bouquet^{58b,58a} A. Boveia¹²² J. Boyd³⁷ D. Boye³⁰ I. R. Boyko³⁹ L. Bozianu⁵⁷ J. Bracinik²¹ N. Brahimi⁴
 G. Brandt¹⁷⁴ O. Brandt³³ F. Braren⁴⁹ B. Brau¹⁰⁵ J. E. Brau¹²⁶ R. Brener¹⁷² L. Brenner¹¹⁷ R. Brenner¹⁶⁴
 S. Bressler¹⁷² G. Brianti^{79a,79b} D. Britton⁶⁰ D. Britzger¹¹² I. Brock²⁵ R. Brock¹⁰⁹ G. Brooijmans⁴²
 E. M. Brooks^{159b} E. Brost³⁰ L. M. Brown¹⁶⁸ L. E. Bruce⁶² T. L. Bruckler¹²⁹ P. A. Bruckman de Renstrom⁸⁸
 B. Brüers⁴⁹ A. Bruni^{24b} G. Bruni^{24b} M. Bruschi^{24b} N. Bruscino^{76a,76b} T. Buanes¹⁷ Q. Buat¹⁴² D. Buchin¹¹²
 A. G. Buckley⁶⁰ O. Bulekov³⁸ B. A. Bullard¹⁴⁷ S. Burdin⁹⁴ C. D. Burgard⁵⁰ A. M. Burger³⁷ B. Burghgrave⁸
 O. Burlayenko⁵⁵ J. Burleson¹⁶⁵ J. T. P. Burr³³ J. C. Burzynski¹⁴⁶ E. L. Busch⁴² V. Büscher¹⁰² P. J. Bussey⁶⁰
 J. M. Butler²⁶ C. M. Buttar⁶⁰ J. M. Butterworth⁹⁸ W. Buttlinger¹³⁷ C. J. Buxo Vazquez¹⁰⁹ A. R. Buzykaev³⁸
 S. Cabrera Urbán¹⁶⁶ L. Cadamuro⁶⁷ D. Caforio⁵⁹ H. Cai¹³² Y. Cai^{14,114c} Y. Cai^{114a} V. M. M. Cairo³⁷
 O. Cakir^{3a} N. Calace³⁷ P. Calafiura^{18a} G. Calderini¹³⁰ P. Calfayan⁶⁹ G. Callea⁶⁰ L. P. Caloba^{84b} D. Calvet⁴¹
 S. Calvet⁴¹ M. Calvetti^{75a,75b} R. Camacho Toro¹³⁰ S. Camarda³⁷ D. Camarero Munoz²⁷ P. Camarri^{77a,77b}
 M. T. Camerlingo^{73a,73b} D. Cameron³⁷ C. Camincher¹⁶⁸ M. Campanelli⁹⁸ A. Camplani⁴³ V. Canale^{73a,73b}
 A. C. Canbay^{3a} E. Canonero⁹⁷ J. Cantero¹⁶⁶ Y. Cao¹⁶⁵ F. Capocasa²⁷ M. Capua^{44b,44a} A. Carbone^{72a,72b}
 R. Cardarelli^{77a} J. C. J. Cardenas⁸ G. Carducci^{44b,44a} T. Carli³⁷ G. Carlino^{73a} J. I. Carlotto¹³
 B. T. Carlson^{132,h} E. M. Carlson^{168,159a} J. Carmignani⁹⁴ L. Carminati^{72a,72b} A. Carnelli¹³⁸ M. Carnesale^{76a,76b}
 S. Caron¹¹⁶ E. Carquin^{140f} S. Carrá^{72a} G. Carratta^{24b,24a} A. M. Carroll¹²⁶ T. M. Carter⁵³ M. P. Casado^{13,i}
 M. Caspar⁴⁹ F. L. Castillo⁴ L. Castillo Garcia¹³ V. Castillo Gimenez¹⁶⁶ N. F. Castro^{133a,133e} A. Catinaccio³⁷
 J. R. Catmore¹²⁸ T. Cavaliere⁴ V. Cavaliere³⁰ N. Cavalli^{24b,24a} L. J. Caviedes Betancourt^{23b}
 Y. C. Cekmecelioglu⁴⁹ E. Celebi⁸³ S. Cella³⁷ F. Celli¹²⁹ M. S. Centonze^{71a,71b} V. Cepaitis⁵⁷ K. Cerny¹²⁵
 A. S. Cerqueira^{84a} A. Cerri¹⁵⁰ L. Cerrito^{77a,77b} F. Cerutti^{18a} B. Cervato¹⁴⁵ A. Cervelli^{24b} G. Cesarini⁵⁴
 S. A. Cetin⁸³ D. Chakraborty¹¹⁸ J. Chan^{18a} W. Y. Chan¹⁵⁷ J. D. Chapman³³ E. Chapon¹³⁸
 B. Chargeishvili^{153b} D. G. Charlton²¹ M. Chatterjee²⁰ C. Chauhan¹³⁶ Y. Che^{114a} S. Chekanov⁶
 S. V. Chekulaev^{159a} G. A. Chelkov^{39,j} A. Chen¹⁰⁸ B. Chen¹⁵⁵ B. Chen¹⁶⁸ H. Chen^{114a} H. Chen³⁰
 J. Chen^{63c} J. Chen¹⁴⁶ M. Chen¹²⁹ S. Chen¹⁵⁷ S. J. Chen^{114a} X. Chen^{63c,138} X. Chen^{15,k} Y. Chen^{63a}
 C. L. Cheng¹⁷³ H. C. Cheng^{65a} S. Cheong¹⁴⁷ A. Cheplakov³⁹ E. Cheremushkina⁴⁹ E. Cherepanova¹¹⁷
 R. Cherkaoui El Moursli^{36e} E. Cheu⁷ K. Cheung⁶⁶ L. Chevalier¹³⁸ V. Chiarella⁵⁴ G. Chiarelli^{75a}
 N. Chiedde¹⁰⁴ G. Chiodini^{71a} A. S. Chisholm²¹ A. Chitan^{28b} M. Chitishvili¹⁶⁶ M. V. Chizhov^{39,l} K. Choi¹¹
 Y. Chou¹⁴² E. Y. S. Chow¹¹⁶ K. L. Chu¹⁷² M. C. Chu^{65a} X. Chu^{14,114c} Z. Chubinidze⁵⁴ J. Chudoba¹³⁴
 J. J. Chwastowski⁸⁸ D. Cieri¹¹² K. M. Ciesla^{87a} V. Cindro⁹⁵ A. Ciocio^{18a} F. Cirotto^{73a,73b} Z. H. Citron¹⁷²
 M. Citterio^{72a} D. A. Ciubotaru^{28b} A. Clark⁵⁷ P. J. Clark⁵³ N. Clarke Hall⁹⁸ C. Clarry¹⁵⁸
 J. M. Clavijo Columbie⁴⁹ S. E. Clawson⁴⁹ C. Clement^{48a,48b} Y. Coadou¹⁰⁴ M. Cobal^{70a,70c} A. Coccaro^{58b}
 R. F. Coelho Barreue^{133a} R. Coelho Lopes De Sa¹⁰⁵ S. Coelli^{72a} B. Cole⁴² J. Collot⁶¹ P. Conde Muño^{133a,133g}
 M. P. Connell^{34c} S. H. Connell^{34c} E. I. Conroy¹²⁹ F. Conventi^{73a,m} H. G. Cooke²¹ A. M. Cooper-Sarkar¹²⁹
 F. A. Corchia^{24b,24a} A. Cordeiro Oudot Choi¹³⁰ L. D. Corpe⁴¹ M. Corradi^{76a,76b} F. Corriveau^{106,n}
 A. Cortes-Gonzalez¹⁹ M. J. Costa¹⁶⁶ F. Costanza⁴ D. Costanzo¹⁴³ B. M. Cote¹²² J. Couthures⁴ G. Cowan⁹⁷
 K. Cranmer¹⁷³ D. Cremonini^{24b,24a} S. Crépé-Renaudin⁶¹ F. Crescioli¹³⁰ M. Cristinziani¹⁴⁵
 M. Cristoforetti^{79a,79b} V. Croft¹¹⁷ J. E. Crosby¹²⁴ G. Crosetti^{44b,44a} A. Cueto¹⁰¹ H. Cui⁹⁸ Z. Cui⁷
 W. R. Cunningham⁶⁰ F. Curcio¹⁶⁶ J. R. Curran⁵³ P. Czodrowski³⁷ M. M. Czurylo³⁷
 M. J. Da Cunha Sargedas De Sousa^{58b,58a} J. V. Da Fonseca Pinto^{84b} C. Da Via¹⁰³ W. Dabrowski^{87a} T. Dado⁵⁰
 S. Dahbi¹⁵² T. Dai¹⁰⁸ D. Dal Santo²⁰ C. Dallapiccola¹⁰⁵ M. Dam⁴³ G. D'amen³⁰ V. D'Amico¹¹¹
 J. Damp¹⁰² J. R. Dandoy³⁵ D. Dannheim³⁷ M. Danninger¹⁴⁶ V. Dao¹⁴⁹ G. Darbo^{58b} S. J. Das^{30,o}
 F. Dattola⁴⁹ S. D'Auria^{72a,72b} A. D'Avanzo^{73a,73b} C. David^{34a} T. Davidek¹³⁶ I. Dawson⁹⁶ H. A. Day-hall¹³⁵
 K. De⁸ R. De Asmundis^{73a} N. De Biase⁴⁹ S. De Castro^{24b,24a} N. De Groot¹¹⁶ P. de Jong¹¹⁷ H. De la Torre¹¹⁸
 A. De Maria^{114a} A. De Salvo^{76a} U. De Sanctis^{77a,77b} F. De Santis^{71a,71b} A. De Santo¹⁵⁰
 J. B. De Vivie De Regie⁶¹ D. V. Dedovich³⁹ J. Degens⁹⁴ A. M. Deiana⁴⁵ F. Del Corso^{24b,24a} J. Del Peso¹⁰¹
 F. Del Rio^{64a} L. Delagrange¹³⁰ F. Deliot¹³⁸ C. M. Delitzsch⁵⁰ M. Della Pietra^{73a,73b} D. Della Volpe⁵⁷
 A. Dell'Acqua³⁷ L. Dell'Asta^{72a,72b} M. Delmastro⁴ P. A. Delsart⁶¹ S. Demers¹⁷⁵ M. Demichev³⁹
 S. P. Denisov³⁸ L. D'Eramo⁴¹ D. Derendarz⁸⁸ F. Derue¹³⁰ P. Dervan⁹⁴ K. Desch²⁵ C. Deutsch²⁵
 F. A. Di Bello^{58b,58a} A. Di Ciaccio^{77a,77b} L. Di Ciaccio⁴ A. Di Domenico^{76a,76b} C. Di Donato^{73a,73b}

- A. Di Girolamo^{1D},³⁷ G. Di Gregorio^{1D},³⁷ A. Di Luca^{1D},^{79a,79b} B. Di Micco^{1D},^{78a,78b} R. Di Nardo^{1D},^{78a,78b} K. F. Di Petrillo^{1D},⁴⁰
M. Diamantopoulou^{1D},³⁵ F. A. Dias^{1D},¹¹⁷ T. Dias Do Vale,¹⁴⁶ M. A. Diaz^{1D},^{140a,140b} F. G. Diaz Capriles^{1D},²⁵
A. R. Didenko^{1D},³⁹ M. Didenko^{1D},¹⁶⁶ E. B. Diehl^{1D},¹⁰⁸ S. Díez Cornell,⁴⁹ C. Diez Pardos^{1D},¹⁴⁵ C. Dimitriadi^{1D},¹⁶⁴
A. Dimitrieva^{1D},²¹ J. Dingfelder^{1D},²⁵ T. Dingley^{1D},¹²⁹ I-M. Dinu^{1D},^{28b} S. J. Dittmeier^{1D},^{64b} F. Dittus^{1D},³⁷ M. Divisek^{1D},¹³⁶
F. Djama^{1D},¹⁰⁴ T. Djobava^{1D},^{153b} C. Doglioni^{1D},^{103,100} A. Dohnalova^{1D},^{29a} J. Dolejsi^{1D},¹³⁶ Z. Dolezal^{1D},¹³⁶ K. Domijan^{1D},^{87a}
K. M. Dona^{1D},⁴⁰ M. Donadelli^{1D},^{84d} B. Dong^{1D},¹⁰⁹ J. Donini^{1D},⁴¹ A. D'Onofrio^{1D},^{73a,73b} M. D'Onofrio^{1D},⁹⁴ J. Dopke^{1D},¹³⁷
A. Doria^{1D},^{73a} N. Dos Santos Fernandes^{1D},^{133a} P. Dougan^{1D},¹⁰³ M. T. Dova^{1D},⁹² A. T. Doyle^{1D},⁶⁰ M. A. Draguet^{1D},¹²⁹
E. Dreyer^{1D},¹⁷² I. Drivas-koulouris^{1D},¹⁰ M. Drnevich^{1D},¹²⁰ M. Drozdova^{1D},⁵⁷ D. Du^{1D},^{63a} T. A. du Pree^{1D},¹¹⁷ F. Dubinin^{1D},³⁸
M. Dubovsky^{1D},^{29a} E. Duchovni^{1D},¹⁷² G. Duckeck^{1D},¹¹¹ O. A. Ducu^{1D},^{28b} D. Duda^{1D},⁵³ A. Dudarev^{1D},³⁷ E. R. Duden^{1D},²⁷
M. D'uffizi^{1D},¹⁰³ L. Duflot^{1D},⁶⁷ M. Dührssen,³⁷ I. Dumimica^{1D},^{28g} A. E. Dumitriu^{1D},^{28b} M. Dunford^{1D},^{64a} S. Dungs^{1D},⁵⁰
K. Dunne^{1D},^{48a,48b} A. Duperrin^{1D},¹⁰⁴ H. Duran Yildiz,^{3a} M. Düren,⁵⁹ A. Durglishvili^{1D},^{153b} B. L. Dwyer^{1D},¹¹⁸
G. I. Dyckes^{1D},^{18a} M. Dyndal^{1D},^{87a} B. S. Dziedzic^{1D},³⁷ Z. O. Earnshaw^{1D},¹⁵⁰ G. H. Eberwein^{1D},¹²⁹ B. Eckeroval^{1D},^{29a}
S. Eggebrecht^{1D},⁵⁶ E. Egidio Purcino De Souza,¹³⁰ L. F. Ehrke^{1D},⁵⁷ G. Eigen^{1D},¹⁷ K. Einsweiler^{1D},^{18a} T. Ekelof^{1D},¹⁶⁴
P. A. Ekman^{1D},¹⁰⁰ S. El Farkh^{1D},^{36b} Y. El Ghazali^{1D},^{36b} H. El Jarrari^{1D},³⁷ A. El Moussaouy^{1D},^{36a} V. Ellajosyla^{1D},¹⁶⁴
M. Ellert^{1D},¹⁶⁴ F. Ellinghaus^{1D},¹⁷⁴ N. Ellis^{1D},³⁷ J. Elmsheuser^{1D},³⁰ M. Elsawy^{1D},^{119a} M. Elsing^{1D},³⁷ D. Emeliyanov^{1D},¹³⁷
Y. Enari^{1D},¹⁵⁷ I. Ene^{1D},^{18a} S. Epari^{1D},¹³ P. A. Erland^{1D},⁸⁸ D. Ernani Martins Neto^{1D},⁸⁸ M. Errenst^{1D},¹⁷⁴ M. Escalier^{1D},⁶⁷
C. Escobar^{1D},¹⁶⁶ E. Etzion^{1D},¹⁵⁵ G. Evans^{1D},^{133a,133b} H. Evans^{1D},⁶⁹ L. S. Evans^{1D},⁹⁷ A. Ezhilov^{1D},³⁸ S. Ezzarqtouni^{1D},^{36a}
F. Fabbri^{1D},^{24b,24a} L. Fabbri^{1D},^{24b,24a} G. Facini^{1D},⁹⁸ V. Fadeyev^{1D},¹³⁹ R. M. Fakhrutdinov^{1D},³⁸ D. Fakoudis^{1D},¹⁰²
S. Falciano^{1D},^{76a} L. F. Falda Ulhoa Coelho^{1D},³⁷ F. Fallavollita^{1D},¹¹² G. Falsetti^{1D},^{44b,44a} J. Faltova^{1D},¹³⁶ C. Fan^{1D},¹⁶⁵ Y. Fan^{1D},¹⁴
Y. Fang^{1D},^{14,114c} M. Fanti^{1D},^{72a,72b} M. Faraj^{1D},^{70a,70b} Z. Farazpay^{1D},⁹⁹ A. Farbin^{1D},⁸ A. Farilla^{1D},^{78a} T. Farooque^{1D},¹⁰⁹
S. M. Farrington^{1D},⁵³ F. Fassi^{1D},^{36e} D. Fassouliotis^{1D},⁹ M. Faucci Giannelli^{1D},^{77a,77b} W. J. Fawcett^{1D},³³ L. Fayard^{1D},⁶⁷
P. Federic^{1D},¹³⁶ P. Federicova^{1D},¹³⁴ O. L. Fedin^{1D},^{38j} M. Feickert^{1D},¹⁷³ L. Feligioni^{1D},¹⁰⁴ D. E. Fellers^{1D},¹²⁶ C. Feng^{1D},^{163b}
M. Feng^{1D},¹⁵ Z. Feng^{1D},¹¹⁷ M. J. Fenton^{1D},¹⁶² L. Ferencz^{1D},⁴⁹ R. A. M. Ferguson^{1D},⁹³ S. I. Fernandez Luengo^{1D},^{140f}
P. Fernandez Martinez^{1D},¹³ M. J. V. Fernoux^{1D},¹⁰⁴ J. Ferrando^{1D},⁹³ A. Ferrari^{1D},¹⁶⁴ P. Ferrari^{1D},^{117,116} R. Ferrari^{1D},^{74a}
D. Ferrere^{1D},⁵⁷ C. Ferretti^{1D},¹⁰⁸ D. Fiacco^{1D},^{76a,76b} F. Fiedler^{1D},¹⁰² P. Fiedler^{1D},¹³⁵ A. Filipčič^{1D},⁹⁵ E. K. Filmer^{1D},¹
F. Filthaut^{1D},¹¹⁶ M. C. N. Fiolhais^{1D},^{133a,133c,p} L. Fiorini^{1D},¹⁶⁶ W. C. Fisher^{1D},¹⁰⁹ T. Fitschen^{1D},¹⁰³ P. M. Fitzhugh,¹³⁸
I. Fleck^{1D},¹⁴⁵ P. Fleischmann^{1D},¹⁰⁸ T. Flick^{1D},¹⁷⁴ M. Flores^{1D},^{34d,q} L. R. Flores Castillo^{1D},^{65a} L. Flores Sanz De Acebo^{1D},³⁷
F. M. Follega^{1D},^{79a,79b} N. Fomin^{1D},³³ J. H. Foo^{1D},¹⁵⁸ A. Formica^{1D},¹³⁸ A. C. Forti^{1D},¹⁰³ E. Fortin^{1D},³⁷ A. W. Fortman^{1D},^{18a}
M. G. Foti^{1D},^{18a} L. Fountas^{1D},^{9,r} D. Fournier^{1D},⁶⁷ H. Fox^{1D},⁹³ P. Francavilla^{1D},^{75a,75b} S. Francescato^{1D},⁶² S. Franchellucci^{1D},⁵⁷
M. Franchini^{1D},^{24b,24a} S. Franchino^{1D},^{64a} D. Francis,³⁷ L. Franco^{1D},¹¹⁶ V. Franco Lima^{1D},³⁷ L. Franconi^{1D},⁴⁹ M. Franklin^{1D},⁶²
G. Frattari^{1D},²⁷ Y. Y. Frid^{1D},¹⁵⁵ J. Friend^{1D},⁶⁰ N. Fritzsche^{1D},⁵¹ A. Froch^{1D},⁵⁵ D. Froidevaux^{1D},³⁷ J. A. Frost^{1D},¹²⁹ Y. Fu^{1D},^{63a}
S. Fuenzalida Garrido^{1D},^{140f} M. Fujimoto^{1D},¹⁰⁴ K. Y. Fung^{1D},^{65a} E. Furtado De Simas Filho,^{84e} M. Furukawa^{1D},¹⁵⁷
J. Fuster^{1D},¹⁶⁶ A. Gaa^{1D},⁵⁶ A. Gabrielli^{1D},^{24b,24a} A. Gabrielli^{1D},¹⁵⁸ P. Gadow^{1D},³⁷ G. Gagliardi^{1D},^{58b,58a} L. G. Gagnon^{1D},^{18a}
S. Gaid^{1D},¹⁶³ S. Galantzan^{1D},¹⁵⁵ E. J. Gallas^{1D},¹²⁹ B. J. Gallop^{1D},¹³⁷ K. K. Gan^{1D},¹²² S. Ganguly^{1D},¹⁵⁷ Y. Gao^{1D},⁵³
F. M. Garay Walls^{1D},^{140a,140b} B. Garcia^{1D},³⁰ C. Garcia^{1D},¹⁶⁶ A. Garcia Alonso^{1D},¹¹⁷ A. G. Garcia Caffaro^{1D},¹⁷⁵
J. E. Garcia Navarro,¹⁶⁶ M. Garcia-Sciveres^{1D},^{18a} G. L. Gardner^{1D},¹³¹ R. W. Gardner^{1D},⁴⁰ N. Garelli^{1D},¹⁶¹ D. Garg^{1D},⁸¹
R. B. Garg^{1D},¹⁴⁷ J. M. Gargan^{1D},⁵³ C. A. Garner,¹⁵⁸ C. M. Garvey^{1D},^{34a} V. K. Gassmann,¹⁶¹ G. Gaudio^{1D},^{74a} V. Gautam,¹³
P. Gauzzi^{1D},^{76a,76b} J. Gavranovic^{1D},⁹⁵ I. L. Gavrilenko^{1D},³⁸ A. Gavriluk^{1D},³⁸ C. Gay^{1D},¹⁶⁷ G. Gaycken^{1D},¹²⁶ E. N. Gazis^{1D},¹⁰
A. A. Geanta^{1D},^{28b} C. M. Gee^{1D},¹³⁹ A. Gekow,¹²² C. Gemme^{1D},^{58b} M. H. Genest^{1D},⁶¹ A. D. Gentry^{1D},¹¹⁵ S. George^{1D},⁹⁷
W. F. George^{1D},²¹ T. Geralis^{1D},⁴⁷ P. Gessinger-Befurt^{1D},³⁷ M. E. Geyik^{1D},¹⁷⁴ M. Ghani^{1D},¹⁷⁰ K. Ghorbanian^{1D},⁹⁶
A. Ghosal^{1D},¹⁴⁵ A. Ghosh^{1D},¹⁶² A. Ghosh^{1D},⁷ B. Giacobbe^{1D},^{24b} S. Giagu^{1D},^{76a,76b} T. Giani^{1D},¹¹⁷ A. Giannini^{1D},^{63a}
S. M. Gibson^{1D},⁹⁷ M. Gignac^{1D},¹³⁹ D. T. Gil^{1D},^{87b} A. K. Gilbert^{1D},^{87a} B. J. Gilbert^{1D},⁴² D. Gillberg^{1D},³⁵ G. Gilles^{1D},¹¹⁷
L. Ginabat^{1D},¹³⁰ D. M. Gingrich^{1D},^{2,d} M. P. Giordani^{1D},^{70a,70c} P. F. Giraud^{1D},¹³⁸ G. Giugliarelli^{1D},^{70a,70c} D. Giugni^{1D},^{72a}
F. Giulia^{1D},³⁷ I. Gkialas^{1D},^{9,r} L. K. Gladilin^{1D},³⁸ C. Glasman^{1D},¹⁰¹ G. R. Gledhill^{1D},¹²⁶ G. Glemža^{1D},⁴⁹ M. Glisic,¹²⁶
I. Gnesi^{1D},^{44b,s} Y. Go^{1D},³⁰ M. Goblirsch-Kolb^{1D},³⁷ B. Gocke^{1D},⁵⁰ D. Godin,¹¹⁰ B. Gokturk^{1D},^{22a} S. Goldfarb^{1D},¹⁰⁷
T. Golling^{1D},⁵⁷ M. G. D. Gololo^{1D},^{34g} D. Golubkov^{1D},³⁸ J. P. Gombas^{1D},¹⁰⁹ A. Gomes^{1D},^{133a,133b} G. Gomes Da Silva^{1D},¹⁴⁵
A. J. Gomez Delegido^{1D},¹⁶⁶ R. Gonçalo^{1D},^{133a} L. Gonella^{1D},²¹ A. Gongadze^{1D},^{153c} F. Gonnella^{1D},²¹ J. L. Gonski^{1D},¹⁴⁷
R. Y. Gonzalez Andana^{1D},⁵³ S. Gonzalez de la Hoz^{1D},¹⁶⁶ R. Gonzalez Lopez^{1D},⁹⁴ C. Gonzalez Renteria^{1D},^{18a}
M. V. Gonzalez Rodriguez^{1D},⁴⁹ R. Gonzalez Suarez^{1D},¹⁶⁴ S. Gonzalez-Sevilla^{1D},⁵⁷ L. Goossens^{1D},³⁷ B. Gorini^{1D},³⁷

- E. Gorini^{IP},^{71a,71b} A. Gorišek^{IP},⁹⁵ T. C. Gosart^{IP},¹³¹ A. T. Goshaw^{IP},⁵² M. I. Gostkin^{IP},³⁹ S. Goswami^{IP},¹²⁴
 C. A. Gottardo^{IP},³⁷ S. A. Gotz^{IP},¹¹¹ M. Gouighri^{IP},^{36b} V. Goumarre^{IP},⁴⁹ A. G. Goussiou^{IP},¹⁴² N. Govender^{IP},^{34c}
 I. Grabowska-Bold^{IP},^{87a} K. Graham^{IP},³⁵ E. Gramstad^{IP},¹²⁸ S. Grancagnolo^{IP},^{71a,71b} C. M. Grant,^{1,138} P. M. Gravila^{IP},^{28f}
 F. G. Gravili^{IP},^{71a,71b} H. M. Gray^{IP},^{18a} M. Greco^{IP},^{71a,71b} M. J. Green^{IP},¹ C. Grefe^{IP},²⁵ A. S. Grefsrud,¹⁷ I. M. Gregor^{IP},⁴⁹
 K. T. Greif^{IP},¹⁶² P. Grenier^{IP},¹⁴⁷ S. G. Grewe,¹¹² A. A. Grillo^{IP},¹³⁹ K. Grimm^{IP},³² S. Grinstein^{IP},^{13,t} J.-F. Grivaz^{IP},⁶⁷
 E. Gross^{IP},¹⁷² J. Grosse-Knetter^{IP},⁵⁶ J. C. Grundy^{IP},¹²⁹ L. Guan^{IP},¹⁰⁸ J. G. R. Guerrero Rojas^{IP},¹⁶⁶ G. Guerrrieri^{IP},^{70a,70c}
 R. Gugel^{IP},¹⁰² J. A. M. Guhit^{IP},¹⁰⁸ A. Guida^{IP},¹⁹ E. Guilloton^{IP},¹⁷⁰ S. Guindon^{IP},³⁷ F. Guo^{IP},^{14,114c} J. Guo^{IP},^{63c} L. Guo^{IP},⁴⁹
 Y. Guo^{IP},¹⁰⁸ R. Gupta^{IP},¹³² S. Gurbuz^{IP},²⁵ S. S. Gurdasani^{IP},⁵⁵ G. Gustavino^{IP},^{76a,76b} P. Gutierrez^{IP},¹²³
 L. F. Gutierrez Zagazeta^{IP},¹³¹ M. Gutsche^{IP},⁵¹ C. Gutschow^{IP},⁹⁸ C. Gwenlan^{IP},¹²⁹ C. B. Gwilliam^{IP},⁹⁴ E. S. Haaland^{IP},¹²⁸
 A. Haas^{IP},¹²⁰ M. Habedank^{IP},⁴⁹ C. Haber^{IP},^{18a} H. K. Hadavand^{IP},⁸ A. Hadef^{IP},⁵¹ S. Hadzic^{IP},¹¹² A. I. Hagan^{IP},⁹³
 J. J. Hahn^{IP},¹⁴⁵ E. H. Haines^{IP},⁹⁸ M. Haleem^{IP},¹⁶⁹ J. Haley^{IP},¹²⁴ J. J. Hall^{IP},¹⁴³ G. D. Hallewell^{IP},¹⁰⁴ L. Halser^{IP},²⁰
 K. Hamano^{IP},¹⁶⁸ M. Hamer^{IP},²⁵ G. N. Hamity^{IP},⁵³ E. J. Hampshire^{IP},⁹⁷ J. Han^{IP},^{63b} K. Han^{IP},^{63a} L. Han^{IP},^{114a} L. Han^{IP},^{63a}
 S. Han^{IP},^{18a} Y. F. Han^{IP},¹⁵⁸ K. Hanagaki^{IP},⁸⁵ M. Hance^{IP},¹³⁹ D. A. Hangal^{IP},⁴² H. Hanif^{IP},¹⁴⁶ M. D. Hank^{IP},¹³¹
 J. B. Hansen^{IP},⁴³ P. H. Hansen^{IP},⁴³ K. Hara^{IP},¹⁶⁰ D. Harada^{IP},⁵⁷ T. Harenberg^{IP},¹⁷⁴ S. Harkusha^{IP},³⁸ M. L. Harris^{IP},¹⁰⁵
 Y. T. Harris^{IP},¹²⁹ J. Harrison^{IP},¹³ N. M. Harrison^{IP},¹²² P. F. Harrison,¹⁷⁰ N. M. Hartman^{IP},¹¹² N. M. Hartmann^{IP},¹¹¹
 R. Z. Hasan^{IP},^{97,137} Y. Hasegawa^{IP},¹⁴⁴ S. Hassan^{IP},¹⁷ R. Hauser^{IP},¹⁰⁹ C. M. Hawkes^{IP},²¹ R. J. Hawkings^{IP},³⁷ Y. Hayashi^{IP},¹⁵⁷
 S. Hayashida^{IP},¹¹³ D. Hayden^{IP},¹⁰⁹ C. Hayes^{IP},¹⁰⁸ R. L. Hayes^{IP},¹¹⁷ C. P. Hays^{IP},¹²⁹ J. M. Hays^{IP},⁹⁶ H. S. Hayward^{IP},⁹⁴
 F. He^{IP},^{63a} M. He^{IP},^{14,114c} Y. He^{IP},¹⁴¹ Y. He^{IP},⁴⁹ Y. He^{IP},⁹⁸ N. B. Heatley^{IP},⁹⁶ V. Hedberg^{IP},¹⁰⁰ A. L. Heggelund^{IP},¹²⁸
 N. D. Hehir^{IP},^{96,a} C. Heidegger^{IP},⁵⁵ K. K. Heidegger^{IP},⁵⁵ J. Heilman^{IP},³⁵ S. Heim^{IP},⁴⁹ T. Heim^{IP},^{18a} J. G. Heinlein^{IP},¹³¹
 J. J. Heinrich^{IP},¹²⁶ L. Heinrich^{IP},^{112,u} J. Hejbal^{IP},¹³⁴ A. Held^{IP},¹⁷³ S. Hellesund^{IP},¹⁷ C. M. Helling^{IP},¹⁶⁷ S. Hellman^{IP},^{48a,48b}
 R. C. W. Henderson,⁹³ L. Henkelmann^{IP},³³ A. M. Henriques Correia,³⁷ H. Herde^{IP},¹⁰⁰ Y. Hernández Jiménez^{IP},¹⁴⁹
 L. M. Herrmann^{IP},²⁵ T. Herrmann^{IP},⁵¹ G. Herten^{IP},⁵⁵ R. Hertenberger^{IP},¹¹¹ L. Hervas^{IP},³⁷ M. E. Hesping^{IP},¹⁰²
 N. P. Hessey^{IP},^{159a} M. Hidaoui^{IP},^{36b} N. Hidic^{IP},¹³⁶ E. Hill^{IP},¹⁵⁸ S. J. Hillier^{IP},²¹ J. R. Hinds^{IP},¹⁰⁹ F. Hinterkeuser^{IP},²⁵
 M. Hirose^{IP},¹²⁷ S. Hirose^{IP},¹⁶⁰ D. Hirschbuehl^{IP},¹⁷⁴ T. G. Hitchings^{IP},¹⁰³ B. Hiti^{IP},⁹⁵ J. Hobbs^{IP},¹⁴⁹ R. Hobincu^{IP},^{28e}
 N. Hod^{IP},¹⁷² M. C. Hodgkinson^{IP},¹⁴³ B. H. Hodkinson^{IP},¹²⁹ A. Hoecker^{IP},³⁷ D. D. Hofer^{IP},¹⁰⁸ J. Hofer^{IP},⁴⁹ T. Holm^{IP},²⁵
 M. Holzbock^{IP},¹¹² L. B. A. H. Hommels^{IP},³³ B. P. Honan^{IP},¹⁰³ J. J. Hong^{IP},⁶⁹ J. Hong^{IP},^{63c} T. M. Hong^{IP},¹³²
 B. H. Hooberman^{IP},¹⁶⁵ W. H. Hopkins^{IP},⁶ M. C. Hoppesch^{IP},¹⁶⁵ Y. Horii^{IP},¹¹³ S. Hou^{IP},¹⁵² A. S. Howard^{IP},⁹⁵ J. Howarth^{IP},⁶⁰
 J. Hoya^{IP},⁶ M. Hrabovsky^{IP},¹²⁵ A. Hrynevich^{IP},⁴⁹ T. Hrynev'ova^{IP},⁴ P. J. Hsu^{IP},⁶⁶ S.-C. Hsu^{IP},¹⁴² T. Hsu^{IP},⁶⁷ M. Hu^{IP},^{18a}
 Q. Hu^{IP},^{63a} S. Huang^{IP},^{65b} X. Huang^{IP},^{14,114c} Y. Huang^{IP},¹⁴³ Y. Huang^{IP},¹⁰² Y. Huang^{IP},¹⁴ Z. Huang^{IP},¹⁰³ Z. Hubacek^{IP},¹³⁵
 M. Huebner^{IP},²⁵ F. Huegging^{IP},²⁵ T. B. Huffman^{IP},¹²⁹ C. A. Hugli^{IP},⁴⁹ M. Huhtinen^{IP},³⁷ S. K. Huiberts^{IP},¹⁷ R. Hulskens^{IP},¹⁰⁶
 N. Huseynov^{IP},¹² J. Huston^{IP},¹⁰⁹ J. Huth^{IP},⁶² R. Hyneman^{IP},¹⁴⁷ G. Iacobucci^{IP},⁵⁷ G. Iakovidis^{IP},³⁰
 L. Iconomidou-Fayard^{IP},⁶⁷ J. P. Iddon^{IP},³⁷ P. Iengo^{IP},^{73a,73b} R. Iguchi^{IP},¹⁵⁷ Y. Iiyama^{IP},¹⁵⁷ T. Iizawa^{IP},¹²⁹ Y. Ikegami^{IP},⁸⁵
 N. Ilic^{IP},¹⁵⁸ H. Imam^{IP},^{36a} M. Ince Lezki^{IP},⁵⁷ T. Ingebretsen Carlson^{IP},^{48a,48b} J. M. Inglis^{IP},⁹⁶ G. Introzzi^{IP},^{74a,74b}
 M. Iodice^{IP},^{78a} V. Ippolito^{IP},^{76a,76b} R. K. Irwin^{IP},⁹⁴ M. Ishino^{IP},¹⁵⁷ W. Islam^{IP},¹⁷³ C. Issever^{IP},^{19,49} S. Istiin^{IP},^{22a,v} H. Ito^{IP},¹⁷¹
 R. Iuppa^{IP},^{79a,79b} A. Ivina^{IP},¹⁷² J. M. Izen^{IP},⁴⁶ V. Izzo^{IP},^{73a} P. Jacka^{IP},¹³⁴ P. Jackson^{IP},¹ C. S. Jagfeld^{IP},¹¹¹ G. Jain^{IP},^{159a}
 P. Jain^{IP},⁴⁹ K. Jakobs^{IP},⁵⁵ T. Jakoubek^{IP},¹⁷² J. Jamieson^{IP},⁶⁰ W. Jang^{IP},¹⁵⁷ M. Javurkova^{IP},¹⁰⁵ P. Jawahar^{IP},¹⁰³ L. Jeanty^{IP},¹²⁶
 J. Jejelava^{IP},^{153a,w} P. Jenni^{IP},^{55,x} C. E. Jessiman^{IP},³⁵ C. Jia^{IP},^{63b} J. Jia^{IP},¹⁴⁹ X. Jia^{IP},⁶² X. Jia^{IP},^{14,114c} Z. Jia^{IP},^{114a} C. Jiang^{IP},⁵³
 Q. Jiang^{IP},^{65b} S. Jiggins^{IP},⁴⁹ J. Jimenez Pena^{IP},¹³ S. Jin^{IP},^{114a} A. Jinaru^{IP},^{28b} O. Jinnouchi^{IP},¹⁴¹ P. Johansson^{IP},¹⁴³
 K. A. Johns^{IP},⁷ J. W. Johnson^{IP},¹³⁹ D. M. Jones^{IP},¹⁵⁰ E. Jones^{IP},⁴⁹ P. Jones^{IP},³³ R. W. L. Jones^{IP},⁹³ T. J. Jones^{IP},⁹⁴
 H. L. Joos^{IP},^{56,37} R. Joshi^{IP},¹²² J. Jovicevic^{IP},¹⁶ X. Ju^{IP},^{18a} J. J. Junggeburth^{IP},¹⁰⁵ T. Junkermann^{IP},^{64a} A. Juste Rozas^{IP},^{13,t}
 M. K. Juzek^{IP},⁸⁸ S. Kabana^{IP},^{140e} A. Kaczmarska^{IP},⁸⁸ M. Kado^{IP},¹¹² H. Kagan^{IP},¹²² M. Kagan^{IP},¹⁴⁷ A. Kahn^{IP},¹³¹
 C. Kahra^{IP},¹⁰² T. Kaji^{IP},¹⁵⁷ E. Kajomovitz^{IP},¹⁵⁴ N. Kakati^{IP},¹⁷² I. Kalaitzidou^{IP},⁵⁵ C. W. Kalderon^{IP},³⁰ N. J. Kang^{IP},¹³⁹
 D. Kar^{IP},^{34g} K. Karava^{IP},¹²⁹ M. J. Kareem^{IP},^{159b} E. Karentzos^{IP},⁵⁵ O. Karkout^{IP},¹¹⁷ S. N. Karpov^{IP},³⁹ Z. M. Karpova^{IP},³⁹
 V. Kartvelishvili^{IP},⁹³ A. N. Karyukhin^{IP},³⁸ E. Kasimi^{IP},¹⁵⁶ J. Katzy^{IP},⁴⁹ S. Kaur^{IP},³⁵ K. Kawade^{IP},¹⁴⁴ M. P. Kawale^{IP},¹²³
 C. Kawamoto^{IP},⁸⁹ T. Kawamoto^{IP},^{63a} E. F. Kay^{IP},³⁷ F. I. Kaya^{IP},¹⁶¹ S. Kazakos^{IP},¹⁰⁹ V. F. Kazanin^{IP},³⁸ Y. Ke^{IP},¹⁴⁹
 J. M. Keaveney^{IP},^{34a} R. Keeler^{IP},¹⁶⁸ G. V. Kehris^{IP},⁶² J. S. Keller^{IP},³⁵ A. S. Kelly,⁹⁸ J. J. Kempster^{IP},¹⁵⁰ P. D. Kennedy^{IP},¹⁰²
 O. Kepka^{IP},¹³⁴ B. P. Kerridge^{IP},¹³⁷ S. Kersten^{IP},¹⁷⁴ B. P. Kerševan^{IP},⁹⁵ L. Keszeghova^{IP},^{29a} S. Katabchi Haghighat^{IP},¹⁵⁸
 R. A. Khan^{IP},¹³² A. Khanov^{IP},¹²⁴ A. G. Kharlamov^{IP},³⁸ T. Kharlamova^{IP},³⁸ E. E. Khoda^{IP},¹⁴² M. Kholodenko^{IP},³⁸
 T. J. Khoo^{IP},¹⁹ G. Khoriauli^{IP},¹⁶⁹ J. Khubua^{IP},^{153b,a} Y. A. R. Khwaira^{IP},¹³⁰ B. Kibirige^{IP},^{34g} D. Kim^{IP},⁶ D. W. Kim^{IP},^{48a,48b}

- Y. K. Kim⁴⁰, N. Kimura⁹⁸, M. K. Kingston⁵⁶, A. Kirchhoff⁵⁶, C. Kirfel²⁵, F. Kirfel²⁵, J. Kirk¹³⁷,
 A. E. Kiryunin¹¹², C. Kitsaki¹⁰, O. Kiverny²⁵, M. Klassen¹⁶¹, C. Klein³⁵, L. Klein¹⁶⁹, M. H. Klein⁴⁵,
 S. B. Klein⁵⁷, U. Klein⁹⁴, P. Klimek³⁷, A. Klimentov³⁰, T. Klioutchnikova³⁷, P. Kluit¹¹⁷, S. Kluth¹¹²,
 E. Knerner⁸⁰, T. M. Knight¹⁵⁸, A. Knue⁵⁰, R. Kobayashi⁸⁹, M. Kobel⁵¹, D. Kobylianskii¹⁷², S. F. Koch¹²⁹,
 M. Kocian¹⁴⁷, P. Kodyš¹³⁶, D. M. Koeck¹²⁶, P. T. Koenig²⁵, T. Koffas³⁵, O. Kolay⁵¹, I. Koletsou⁴,
 T. Komarek⁸⁸, K. Köneke⁵⁵, A. X. Y. Kong¹, T. Kono¹²¹, N. Konstantinidis⁹⁸, P. Kontaxakis⁵⁷, B. Konya¹⁰⁰,
 R. Kopeliansky⁴², S. Koperny^{87a}, K. Korcyl⁸⁸, K. Kordas^{156,y}, A. Korn⁹⁸, S. Korn⁵⁶, I. Korolkov¹³,
 N. Korotkova³⁸, B. Kortman¹¹⁷, O. Kortner¹¹², S. Kortner¹¹², W. H. Kostecka¹¹⁸, V. V. Kostyukhin¹⁴⁵,
 A. Kotsokechagia¹³⁸, A. Kotwal⁵², A. Koulouris³⁷, A. Kourkoumeli-Charalampidi^{74a,74b}, C. Kourkoumelis⁹,
 E. Kourlitis¹¹², O. Kovanda¹²⁶, R. Kowalewski¹⁶⁸, W. Kozanecki¹³⁸, A. S. Kozhin³⁸, V. A. Kramarenko³⁸,
 G. Kramberger⁹⁵, P. Kramer¹⁰², M. W. Krasny¹³⁰, A. Krasznahorkay³⁷, A. C. Kraus¹¹⁸, J. W. Kraus¹⁷⁴,
 J. A. Kremer⁴⁹, T. Kresse⁵¹, L. Kretschmann¹⁷⁴, J. Kretzschmar⁹⁴, K. Kreul¹⁹, P. Krieger¹⁵⁸,
 S. Krishnamurthy¹⁰⁵, M. Krivos¹³⁶, K. Krizka²¹, K. Kroeninger⁵⁰, H. Kroha¹¹², J. Kroll¹³⁴, J. Kroll¹³¹,
 K. S. Krowppman¹⁰⁹, U. Kruchonak³⁹, H. Krüger²⁵, N. Krumnack⁸², M. C. Kruse⁵², O. Kuchinskaia³⁸, S. Kuday^{3a},
 S. Kuehn³⁷, R. Kuesters⁵⁵, T. Kuhl⁴⁹, V. Kukhtin³⁹, Y. Kulchitsky^{38,j}, S. Kuleshov^{140d,140b}, M. Kumar^{34g},
 N. Kumari⁴⁹, P. Kumari^{159b}, A. Kupco¹³⁴, T. Kupfer⁵⁰, A. Kupich³⁸, O. Kuprash⁵⁵, H. Kurashige⁸⁶,
 L. L. Kurchaninov^{159a}, O. Kurdysh⁶⁷, Y. A. Kurochkin³⁸, A. Kurova³⁸, M. Kuze¹⁴¹, A. K. Kvam¹⁰⁵, J. Kvita¹²⁵,
 T. Kwan¹⁰⁶, N. G. Kyriacou¹⁰⁸, L. A. O. Laatu¹⁰⁴, C. Lacasta¹⁶⁶, F. Lacava^{76a,76b}, H. Lacker¹⁹, D. Lacour¹³⁰,
 N. N. Lad⁹⁸, E. Ladygin³⁹, A. Lafarge⁴¹, B. Laforge¹³⁰, T. Lagouri¹⁷⁵, F. Z. Lahbabi^{36a}, S. Lai⁵⁶,
 J. E. Lambert¹⁶⁸, S. Lammers⁶⁹, W. Lampl⁷, C. Lampoudis^{156,y}, G. Lamprinoudis¹⁰², A. N. Lancaster¹¹⁸,
 E. Lançon³⁰, U. Landgraf⁵⁵, M. P. J. Landon⁹⁶, V. S. Lang⁵⁵, O. K. B. Langrekken¹²⁸, A. J. Lankford¹⁶²,
 F. Lanni³⁷, K. Lantzsch²⁵, A. Lanza^{74a}, J. F. Laporte¹³⁸, T. Lari^{72a}, F. Lasagni Manghi^{24b}, M. Lassnig³⁷,
 V. Latonova¹³⁴, A. Laurier¹⁵⁴, S. D. Lawlor¹⁴³, Z. Lawrence¹⁰³, R. Lazaridou¹⁷⁰, M. Lazzaroni^{72a,72b}, B. Le¹⁰³,
 E. M. Le Boulicaut⁵², L. T. Le Pottier^{18a}, B. Leban^{24b,24a}, A. Lebedev⁸², M. LeBlanc¹⁰³, F. Ledroit-Guillon⁶¹,
 S. C. Lee¹⁵², S. Lee^{48a,48b}, T. F. Lee⁹⁴, L. L. Leeuw^{34c}, H. P. Lefebvre⁹⁷, M. Lefebvre¹⁶⁸, C. Leggett^{18a},
 G. Lehmann Miotto³⁷, M. Leigh⁵⁷, W. A. Leight¹⁰⁵, W. Leinonen¹¹⁶, A. Leisos^{156,z}, M. A. L. Leite^{84c},
 C. E. Leitgeb¹⁹, R. Leitner¹³⁶, K. J. C. Leney⁴⁵, T. Lenz²⁵, S. Leone^{75a}, C. Leonidopoulos⁵³, A. Leopold¹⁴⁸,
 R. Les¹⁰⁹, C. G. Lester³³, M. Levchenko³⁸, J. Levèque⁴, L. J. Levinson¹⁷², G. Levrini^{24b,24a}, M. P. Lewicki⁸⁸,
 C. Lewis¹⁴², D. J. Lewis⁴, A. Li⁵, B. Li^{63b}, C. Li^{63a}, C.-Q. Li¹¹², H. Li^{63a}, H. Li^{63b}, H. Li^{114a}, H. Li¹⁵,
 H. Li^{63b}, J. Li^{63c}, K. Li¹⁴², L. Li^{63c}, M. Li^{14,114c}, S. Li^{14,114c}, S. Li^{63d,63c,aa}, T. Li⁵, X. Li¹⁰⁶, Z. Li¹²⁹,
 Z. Li¹⁵⁷, Z. Li^{14,114c}, S. Liang¹⁴, Z. Liang¹⁴, M. Liberatore¹³⁸, B. Liberti^{77a}, K. Lie^{65c}, J. Lieber Marin^{84e},
 H. Lien⁶⁹, H. Lin¹⁰⁸, K. Lin¹⁰⁹, R. E. Lindley⁷, J. H. Lindon², J. Ling⁶², E. Lipeles¹³¹, A. Lipniacka¹⁷,
 A. Lister¹⁶⁷, J. D. Little⁶⁹, B. Liu¹⁴, B. X. Liu^{114b}, D. Liu^{63d,63c}, E. H. L. Liu²¹, J. B. Liu^{63a}, J. K. K. Liu³³,
 K. Liu^{63d}, K. Liu^{63d,63c}, M. Liu^{63a}, M. Y. Liu^{63a}, P. Liu¹⁴, Q. Liu^{63d,142,63c}, X. Liu^{63a}, X. Liu^{63b}, Y. Liu^{114b,114c},
 Y. L. Liu^{63b}, Y. W. Liu^{63a}, J. Llorente Merino¹⁴⁶, S. L. Lloyd⁹⁶, E. M. Lobodzinska⁴⁹, P. Loch⁷, T. Lohse¹⁹,
 K. Lohwasser¹⁴³, E. Loiacono⁴⁹, M. Lokajicek^{134,a}, J. D. Lomas²¹, J. D. Long¹⁶⁵, I. Longarini¹⁶², R. Longo¹⁶⁵,
 I. Lopez Paz⁶⁸, A. Lopez Solis⁴⁹, N. Lorenzo Martinez⁴, A. M. Lory¹¹¹, M. Losada^{119a}, G. Löschke Centeno,
 O. Loseva³⁸, X. Lou^{48a,48b}, X. Lou^{14,114c}, A. Lounis⁶⁷, P. A. Love⁹³, G. Lu^{14,114c}, M. Lu⁶⁷, S. Lu¹³¹,
 Y. J. Lu⁶⁶, H. J. Lubatti¹⁴², C. Luci^{76a,76b}, F. L. Lucio Alves^{114a}, F. Luehring⁶⁹, I. Luise¹⁴⁹, O. Lukianchuk⁶⁷,
 O. Lundberg¹⁴⁸, B. Lund-Jensen^{148,a}, N. A. Luongo⁶, M. S. Lutz³⁷, A. B. Lux²⁶, D. Lynn³⁰, R. Lysak¹³⁴,
 E. Lytken¹⁰⁰, V. Lyubushkin³⁹, T. Lyubushkina³⁹, M. M. Lyukova¹⁴⁹, M. Firdaus M. Soberi¹⁴⁹, H. Ma³⁰,
 K. Ma^{63a}, L. L. Ma^{63b}, W. Ma^{63a}, Y. Ma¹²⁴, J. C. MacDonald¹⁰², P. C. Machado De Abreu Farias^{84e}, R. Madar⁴¹,
 T. Madula⁹⁸, J. Maeda⁸⁶, T. Maeno³⁰, H. Maguire¹⁴³, V. Maiboroda¹³⁸, A. Maio^{133a,133b,133d}, K. Maj^{87a},
 O. Majersky⁴⁹, S. Majewski¹²⁶, N. Makovec⁶⁷, V. Maksimovic¹⁶, B. Malaescu¹³⁰, Pa. Malecki⁸⁸,
 V. P. Maleev³⁸, F. Malek^{61,bb}, M. Mali⁹⁵, D. Malito⁹⁷, U. Mallik^{81,a}, S. Maltezos¹⁰, S. Malyukov³⁹, J. Mamuzic¹³,
 G. Mancini⁵⁴, M. N. Mancini²⁷, G. Manco^{74a,74b}, J. P. Mandalia⁹⁶, S. S. Mandarry¹⁵⁰, I. Mandić⁹⁵,
 L. Manhaes de Andrade Filho^{84a}, I. M. Maniatis¹⁷², J. Manjarres Ramos⁹¹, D. C. Mankad¹⁷², A. Mann¹¹¹,
 S. Manzoni³⁷, L. Mao^{63c}, X. Mapekula^{34c}, A. Marantis^{156,z}, G. Marchiori⁵, M. Marcisovsky¹³⁴, C. Marcon^{72a},
 M. Marinescu²¹, S. Marium⁴⁹, M. Marjanovic¹²³, A. Markhoos⁵⁵, M. Markovitch⁶⁷, E. J. Marshall⁹³

- Z. Marshall^{18a}, S. Marti-Garcia¹⁶⁶, J. Martin⁹⁸, T. A. Martin¹³⁷, V. J. Martin⁵³, B. Martin dit Latour¹⁷
L. Martinelli^{76a,76b}, M. Martinez^{13,t}, P. Martinez Agullo¹⁶⁶, V. I. Martinez Outschoorn¹⁰⁵, P. Martinez Suarez¹³,
S. Martin-Haugh¹³⁷, G. Martinovicova¹³⁶, V. S. Martoiu^{28b}, A. C. Martyniuk⁹⁸, A. Marzin³⁷, D. Mascione¹³,
L. Masetti¹⁰², T. Mashimo¹⁵⁷, J. Masik¹⁰³, A. L. Maslenikov³⁸, P. Massarotti^{73a,73b}, P. Mastrandrea¹³,
A. Mastroberardino^{44b,44a}, T. Masubuchi¹⁵⁷, T. Mathisen¹⁶⁴, J. Matousek¹³⁶, N. Matsuzawa¹⁵⁷, J. Maurer^{28b},
A. J. Maury⁶⁷, B. Maček⁹⁵, D. A. Maximov³⁸, A. E. May¹⁰³, R. Mazini¹⁵², I. Maznas¹¹⁸, M. Mazza¹⁰⁹,
S. M. Mazza¹³⁹, E. Mazzeo^{72a,72b}, C. Mc Ginn³⁰, J. P. Mc Gowan¹⁶⁸, S. P. Mc Kee¹⁰⁸, C. C. McCracken¹⁶⁷,
E. F. McDonald¹⁰⁷, A. E. McDougall¹¹⁷, J. A. Mcfayden¹⁵⁰, R. P. McGovern¹³¹, R. P. Mckenzie^{34g},
T. C. McLachlan⁴⁹, D. J. McLaughlin⁹⁸, S. J. McMahon¹³⁷, C. M. Mcpartland⁹⁴, R. A. McPherson^{168,n},
S. Mehlhase¹¹¹, A. Mehta⁹⁴, D. Melini¹⁶⁶, B. R. Mellado Garcia^{34g}, A. H. Melo⁵⁶, F. Meloni⁴⁹,
A. M. Mendes Jacques Da Costa¹⁰³, H. Y. Meng¹⁵⁸, L. Meng⁹³, S. Menke¹¹², M. Mentink³⁷, E. Meoni^{44b,44a},
G. Mercado¹¹⁸, S. Merianos¹⁵⁶, C. Merlassino^{70a,70c}, L. Merola^{73a,73b}, C. Meroni^{72a,72b}, J. Metcalfe⁶,
A. S. Mete⁶, E. Meuser¹⁰², C. Meyer⁶⁹, J-P. Meyer¹³⁸, R. P. Middleton¹³⁷, L. Mijović⁵³, G. Mikenberg¹⁷²,
M. Mikestikova¹³⁴, M. Mikuž⁹⁵, H. Mildner¹⁰², A. Milic³⁷, D. W. Miller⁴⁰, E. H. Miller¹⁴⁷, L. S. Miller³⁵,
A. Milov¹⁷², D. A. Milstead^{48a,48b}, T. Min^{114a}, A. A. Minaenko³⁸, I. A. Minashvili^{153b}, L. Mince⁶⁰, A. I. Mincer¹²⁰,
B. Mindur^{87a}, M. Mineev³⁹, Y. Mino⁸⁹, L. M. Mir¹³, M. Miralles Lopez⁶⁰, M. Mironova^{18a}, A. Mishima¹⁵⁷,
M. C. Missio¹¹⁶, A. Mitra¹⁷⁰, V. A. Mitsou¹⁶⁶, Y. Mitsumori¹¹³, O. Miu¹⁵⁸, P. S. Miyagawa⁹⁶, T. Mkrtchyan^{64a},
M. Mlinarevic⁹⁸, T. Mlinarevic⁹⁸, M. Mlynarikova³⁷, S. Mobius²⁰, P. Mogg¹¹¹, M. H. Mohamed Farook¹¹⁵,
A. F. Mohammed^{14,114c}, S. Mohapatra⁴², G. Mokgatitswane^{34g}, L. Moleri¹⁷², B. Mondal¹⁴⁵, S. Mondal¹³⁵,
K. Mönig⁴⁹, E. Monnier¹⁰⁴, L. Monsonis Romero¹⁶⁶, J. Montejo Berlingen¹³, M. Montella¹²², F. Montereali^{78a,78b},
F. Monticelli⁹², S. Monzani^{70a,70c}, N. Morange⁶⁷, A. L. Moreira De Carvalho⁴⁹, M. Moreno Llácer¹⁶⁶,
C. Moreno Martinez⁵⁷, P. Morettini^{58b}, S. Morgenstern³⁷, M. Morii⁶², M. Morinaga¹⁵⁷, F. Morodei^{76a,76b},
L. Morvaj³⁷, P. Moschovakos³⁷, B. Moser³⁷, M. Mosidze^{153b}, T. Moskalets⁴⁵, P. Moskvitina¹¹⁶, J. Moss^{32,cc},
P. Moszkowicz^{87a}, A. Moussa^{36d}, E. J. W. Moyse¹⁰⁵, O. Mtintsilana^{34g}, S. Muanza¹⁰⁴, J. Mueller¹³²,
D. Muenstermann⁹³, R. Müller³⁷, G. A. Mullier¹⁶⁴, A. J. Mullin³³, J. J. Mullin¹³¹, D. P. Mungo¹⁵⁸,
D. Munoz Perez¹⁶⁶, F. J. Munoz Sanchez¹⁰³, M. Murin¹⁰³, W. J. Murray^{170,137}, M. Muškinja⁹⁵, C. Mwewa¹³⁰,
A. G. Myagkov^{38j}, A. J. Myers⁸, G. Myers¹⁰⁸, M. Myska¹³⁵, B. P. Nachman^{18a}, O. Nackenhorst⁵⁰, K. Nagai¹²⁹,
K. Nagano⁸⁵, J. L. Nagle^{30,o}, E. Nagy¹⁰⁴, A. M. Nairz³⁷, Y. Nakahama⁸⁵, K. Nakamura⁸⁵, K. Nakkalil⁵,
H. Nanjo¹²⁷, E. A. Narayanan¹¹⁵, I. Naryshkin³⁸, L. Nasella^{72a,72b}, M. Naseri³⁵, S. Nasri^{119b}, C. Nass²⁵,
G. Navarro^{23a}, J. Navarro-Gonzalez¹⁶⁶, R. Nayak¹⁵⁵, A. Nayaz¹⁹, P. Y. Nechaeva³⁸, S. Nechaeva^{24b,24a},
F. Nechansky⁴⁹, L. Nedic¹²⁹, T. J. Neep²¹, A. Negri^{74a,74b}, M. Negrini^{24b}, C. Nellist¹¹⁷, C. Nelson¹⁰⁶,
K. Nelson¹⁰⁸, S. Nemecek¹³⁴, M. Nessi^{37,dd}, M. S. Neubauer¹⁶⁵, F. Neuhaus¹⁰², J. Neundorf⁴⁹, P. R. Newman²¹,
C. W. Ng¹³², Y. W. Y. Ng⁴⁹, B. Ngair^{119a}, H. D. N. Nguyen¹¹⁰, R. B. Nickerson¹²⁹, R. Nicolaidou¹³⁸,
J. Nielsen¹³⁹, M. Niemeyer⁵⁶, J. Niermann⁵⁶, N. Nikiforou³⁷, V. Nikolaenko^{38,j}, I. Nikolic-Audit¹³⁰,
K. Nikolopoulos²¹, P. Nilsson³⁰, I. Ninca⁴⁹, G. Ninio¹⁵⁵, A. Nisati^{76a}, N. Nishu², R. Nisius¹¹², J-E. Nitschke⁵¹,
E. K. Nkadimeng^{34g}, T. Nobe¹⁵⁷, T. Nommensen¹⁵¹, M. B. Norfolk¹⁴³, B. J. Norman³⁵, M. Noury^{36a},
J. Novak⁹⁵, T. Novak⁹⁵, L. Novotny¹³⁵, R. Novotny¹¹⁵, L. Nozka¹²⁵, K. Ntekas¹⁶²,
N. M. J. Nunes De Moura Junior^{84b}, J. Ocariz¹³⁰, A. Ochi⁸⁶, I. Ochoa^{133a}, S. Oerdekk^{49,ee}, J. T. Offermann⁴⁰,
A. Ogrodnik¹³⁶, A. Oh¹⁰³, C. C. Ohm¹⁴⁸, H. Oide⁸⁵, R. Oishi¹⁵⁷, M. L. Ojeda⁴⁹, Y. Okumura¹⁵⁷,
L. F. Oleiro Seabra^{133a}, I. Oleksiyuk⁵⁷, S. A. Olivares Pino^{140d}, G. Oliveira Correa¹³, D. Oliveira Damazio³⁰,
D. Oliveira Goncalves^{84a}, J. L. Oliver¹⁶², Ö. O. Öncel⁵⁵, A. P. O'Neill²⁰, A. Onofre^{133a,133e}, P. U. E. Onyisi¹¹,
M. J. Oreglia⁴⁰, G. E. Orellana⁹², D. Orestano^{78a,78b}, N. Orlando¹³, R. S. Orr¹⁵⁸, L. M. Osojnak¹³¹,
R. Ospanov^{63a}, G. Otero y Garzon³¹, H. Otono⁹⁰, P. S. Ott^{64a}, G. J. Ottino^{18a}, M. Ouchrif^{36d}, F. Ould-Saada¹²⁸,
T. Ovsiannikova¹⁴², M. Owen⁶⁰, R. E. Owen¹³⁷, V. E. Ozcan^{22a}, F. Ozturk⁸⁸, N. Ozturk⁸, S. Ozturk⁸³,
H. A. Pacey¹²⁹, A. Pacheco Pages¹³, C. Padilla Aranda¹³, G. Padovano^{76a,76b}, S. Pagan Griso^{18a}, G. Palacino⁶⁹,
A. Palazzo^{71a,71b}, J. Pampel²⁵, J. Pan¹⁷⁵, T. Pan^{65a}, D. K. Panchal¹¹, C. E. Pandini¹¹⁷, J. G. Panduro Vazquez¹³⁷,
H. D. Pandya¹, H. Pang¹⁵, P. Pani⁴⁹, G. Panizzo^{70a,70c}, L. Panwar¹³⁰, L. Paolozzi⁵⁷, S. Parajuli¹⁶⁵,
A. Paramonov⁶, C. Paraskevopoulos⁵⁴, D. Paredes Hernandez^{65b}, A. Parieti^{74a,74b}, K. R. Park⁴², T. H. Park¹⁵⁸,
M. A. Parker³³, F. Parodi^{58b,58a}, E. W. Parrish¹¹⁸, V. A. Parrish⁵³, J. A. Parsons⁴², U. Parzefall⁵⁵

- B. Pascual Dias¹¹⁰, L. Pascual Dominguez¹⁰¹, E. Pasqualucci^{76a}, S. Passaggio^{58b}, F. Pastore⁹⁷, P. Patel⁸⁸, U. M. Patel⁵², J. R. Pater¹⁰³, T. Pauly³⁷, C. I. Pazos¹⁶¹, J. Pearkes¹⁴⁷, M. Pedersen¹²⁸, R. Pedro^{133a}, S. V. Peleganchuk³⁸, O. Penc³⁷, E. A. Pender⁵³, G. D. Penn¹⁷⁵, K. E. Penski¹¹¹, M. Penzin³⁸, B. S. Peralva^{84d}, A. P. Pereira Peixoto,¹⁴² L. Pereira Sanchez¹⁴⁷, D. V. Perepelitsa^{30,o}, G. Perera¹⁰⁵, E. Perez Codina^{159a}, M. Perganti¹⁰, H. Pernegger³⁷, S. Perrella^{76a,76b}, O. Perrin⁴¹, K. Peters⁴⁹, R. F. Y. Peters¹⁰³, B. A. Petersen³⁷, T. C. Petersen⁴³, E. Petit¹⁰⁴, V. Petousis¹³⁵, C. Petridou^{156,y}, T. Petru¹³⁶, A. Petrukhin¹⁴⁵, M. Pettee^{18a}, A. Petukhov³⁸, K. Petukhova³⁷, R. Pezoa^{140f}, L. Pezzotti³⁷, G. Pezzullo¹⁷⁵, T. M. Pham¹⁷³, T. Pham¹⁰⁷, P. W. Phillips¹³⁷, G. Piacquadio¹⁴⁹, E. Pianori^{18a}, F. Piazza¹²⁶, R. Piegaia³¹, D. Pietreanu^{28b}, A. D. Pilkington¹⁰³, M. Pinamonti^{70a,70c}, J. L. Pinfold², B. C. Pinheiro Pereira,^{133a}, A. E. Pinto Pinoargote¹³⁸, L. Pintucci^{70a,70c}, K. M. Piper¹⁵⁰, A. Pirttikoski⁵⁷, D. A. Pizzi³⁵, L. Pizzimento^{65b}, A. Pizzini¹¹⁷, M.-A. Pleier³⁰, V. Pleskot¹³⁶, E. Plotnikova,³⁹, G. Poddar⁹⁶, R. Poettgen¹⁰⁰, L. Poggioli¹³⁰, I. Pokharel⁵⁶, S. Polacek¹³⁶, G. Polesello^{74a}, A. Poley^{146,159a}, A. Polini^{24b}, C. S. Pollard¹⁷⁰, Z. B. Pollock¹²², E. Pompa Pacchi^{76a,76b}, N. I. Pond⁹⁸, D. Ponomarenko¹¹⁶, L. Pontecorvo³⁷, S. Popa^{28a}, G. A. Popeneciu^{28d}, A. Poreba³⁷, D. M. Portillo Quintero^{159a}, S. Pospisil¹³⁵, M. A. Postill¹⁴³, P. Postolache^{28c}, K. Potamianos¹⁷⁰, P. A. Potepa^{87a}, I. N. Potrap³⁹, C. J. Potter³³, H. Potti¹⁵¹, J. Poveda¹⁶⁶, M. E. Pozo Astigarraga³⁷, A. Prades Ibanez¹⁶⁶, J. Pretel⁵⁵, D. Price¹⁰³, M. Primavera^{71a}, M. A. Principe Martin¹⁰¹, R. Privara¹²⁵, T. Procter⁶⁰, M. L. Proffitt¹⁴², N. Proklova¹³¹, K. Prokofiev^{65c}, G. Proto¹¹², J. Proudfoot⁶, M. Przybycien^{87a}, W. W. Przygoda^{87b}, A. Psallidas⁴⁷, J. E. Puddefoot¹⁴³, D. Pudzha⁵⁵, D. Pyatiizbyantseva³⁸, J. Qian¹⁰⁸, D. Qichen¹⁰³, Y. Qin¹³, T. Qiu⁵³, A. Quadt⁵⁶, M. Queitsch-Maitland¹⁰³, G. Quetant⁵⁷, R. P. Quinn¹⁶⁷, G. Rabanal Bolanos⁶², D. Rafanoharana⁵⁵, F. Raffaeli^{77a,77b}, F. Ragusa^{72a,72b}, J. L. Rainbolt⁴⁰, J. A. Raine⁵⁷, S. Rajagopalan³⁰, E. Ramakoti³⁸, I. A. Ramirez-Berend³⁵, K. Ran^{49,114c}, N. P. Rapheeha^{34g}, H. Rasheed^{28b}, V. Raskina¹³⁰, D. F. Rassloff^{64a}, A. Rastogi^{18a}, S. Rave¹⁰², S. Ravera^{58b,58a}, B. Ravina⁵⁶, I. Ravinovich¹⁷², M. Raymond³⁷, A. L. Read¹²⁸, N. P. Readioff¹⁴³, D. M. Rebuzzi^{74a,74b}, G. Redlinger³⁰, A. S. Reed¹¹², K. Reeves²⁷, J. A. Reidelsturz¹⁷⁴, D. Reikher¹⁵⁵, A. Rej⁵⁰, C. Rembsler³⁷, M. Renda^{28b}, F. Renner⁴⁹, A. G. Rennie¹⁶², A. L. Rescia⁴⁹, S. Resconi^{72a}, M. Ressegotti^{58b,58a}, S. Rettie³⁷, J. G. Reyes Rivera¹⁰⁹, E. Reynolds^{18a}, O. L. Rezanova³⁸, P. Reznicek¹³⁶, H. Riani^{36d}, N. Ribaric⁹³, E. Ricci^{79a,79b}, R. Richter¹¹², S. Richter^{48a,48b}, E. Richter-Was^{87b}, M. Ridel¹³⁰, S. Ridouani^{36d}, P. Rieck¹²⁰, P. Riedler³⁷, E. M. Riefel^{48a,48b}, J. O. Rieger¹¹⁷, M. Rijssenbeek¹⁴⁹, M. Rimoldi³⁷, L. Rinaldi^{24b,24a}, P. Rincke⁵⁶, T. T. Rinn³⁰, M. P. Rinnagel¹¹¹, G. Ripellino¹⁶⁴, I. Riut¹³, J. C. Rivera Vergara¹⁶⁸, F. Rizatdinova¹²⁴, E. Rizvi⁹⁶, B. R. Roberts^{18a}, S. H. Robertson^{106,n}, D. Robinson³³, C. M. Robles Gajardo,^{140f}, M. Robles Manzano¹⁰², A. Robson⁶⁰, A. Rocchi^{77a,77b}, C. Roda^{75a,75b}, S. Rodriguez Bosca³⁷, Y. Rodriguez Garcia^{23a}, A. Rodriguez Rodriguez⁵⁵, A. M. Rodriguez Vera,¹¹⁸, S. Roe,³⁷, J. T. Roemer³⁷, A. R. Roepe-Gier¹³⁹, O. Røhne¹²⁸, R. A. Rojas¹⁰⁵, C. P. A. Roland¹³⁰, J. Roloff³⁰, A. Romaniouk³⁸, E. Romano^{74a,74b}, M. Romano^{24b}, A. C. Romero Hernandez¹⁶⁵, N. Rompotis⁹⁴, L. Roos¹³⁰, S. Rosati^{76a}, B. J. Rosser⁴⁰, E. Rossi¹²⁹, E. Rossi^{73a,73b}, L. P. Rossi⁶², L. Rossini⁵⁵, R. Rosten¹²², M. Rotaru^{28b}, B. Rottler⁵⁵, C. Rougier⁹¹, D. Rousseau⁶⁷, D. Roussel⁴⁹, A. Roy¹⁶⁵, S. Roy-Garand¹⁵⁸, A. Rozanova¹⁰⁴, Z. M. A. Rozario⁶⁰, Y. Rozen¹⁵⁴, A. Rubio Jimenez¹⁶⁶, A. J. Ruby⁹⁴, V. H. Ruelas Rivera¹⁹, T. A. Ruggeri¹, A. Ruggiero¹²⁹, A. Ruiz-Martinez¹⁶⁶, A. Rummler³⁷, Z. Rurikova⁵⁵, N. A. Rusakovich³⁹, H. L. Russell¹⁶⁸, G. Russo^{76a,76b}, J. P. Rutherford⁷, S. Rutherford Colmenares³³, M. Rybar¹³⁶, E. B. Rye¹²⁸, A. Ryzhov⁴⁵, J. A. Sabater Iglesias⁵⁷, P. Sabatini¹⁶⁶, H. F-W. Sadrozinski¹³⁹, F. Safai Tehrani^{76a}, B. Safarzadeh Samani¹³⁷, S. Sahai¹, M. Sahinsoy¹¹², A. Saibel¹⁶⁶, M. Saimpert¹³⁸, M. Saito¹⁵⁷, T. Saito¹⁵⁷, A. Sala^{72a,72b}, D. Salamani³⁷, A. Salnikov¹⁴⁷, J. Salt¹⁶⁶, A. Salvador Salas¹⁵⁵, D. Salvatore^{44b,44a}, F. Salvatore¹⁵⁰, A. Salzburger³⁷, D. Sammel⁵⁵, E. Sampson⁹³, D. Sampsonidis^{156,y}, D. Sampsonidou¹²⁶, J. Sánchez¹⁶⁶, V. Sanchez Sebastian¹⁶⁶, H. Sandaker¹²⁸, C. O. Sander⁴⁹, J. A. Sandesara¹⁰⁵, M. Sandhoff¹⁷⁴, C. Sandoval^{23b}, L. Sanfilippo^{64a}, D. P. C. Sankey¹³⁷, T. Sano⁸⁹, A. Sansoni⁵⁴, L. Santi^{37,76b}, C. Santoni⁴¹, H. Santos^{133a,133b}, A. Santra¹⁷², E. Sanzani^{24b,24a}, K. A. Saoucha¹⁶³, J. G. Saraiva^{133a,133d}, J. Sardain⁷, O. Sasaki⁸⁵, K. Sato¹⁶⁰, C. Sauer,^{64b}, E. Sauvan⁴, P. Savard^{158,d}, R. Sawada¹⁵⁷, C. Sawyer¹³⁷, L. Sawyer⁹⁹, C. Sbarra^{24b}, A. Sbrizzi^{24b,24a}, T. Scanlon⁹⁸, J. Schaarschmidt¹⁴², U. Schäfer,¹⁰², A. C. Schaffer^{67,45}, D. Schaile¹¹¹, R. D. Schamberger¹⁴⁹, C. Scharf¹⁹, M. M. Schefer²⁰, V. A. Schegelsky³⁸, D. Scheirich¹³⁶, M. Schernau¹⁶², C. Scheulen⁵⁶, C. Schiavi^{58b,58a}, M. Schioppa^{44b,44a}, B. Schlag¹⁴⁷, K. E. Schleicher⁵⁵, S. Schlenker³⁷, J. Schmeing¹⁷⁴

- M. A. Schmidt¹⁷⁴, K. Schmieden¹⁰², C. Schmitt¹⁰², N. Schmitt¹⁰², S. Schmitt⁴⁹, L. Schoeffel¹³⁸
A. Schoening^{64b}, P. G. Scholer³⁵, E. Schopf¹²⁹, M. Schott²⁵, J. Schovancova³⁷, S. Schramm⁵⁷, T. Schroer⁵⁷
H-C. Schultz-Coulon^{64a}, M. Schumacher⁵⁵, B. A. Schumm¹³⁹, Ph. Schune¹³⁸, A. J. Schuy¹⁴², H. R. Schwartz¹³⁹
A. Schwartzman¹⁴⁷, T. A. Schwarz¹⁰⁸, Ph. Schwemling¹³⁸, R. Schwienhorst¹⁰⁹, F. G. Sciacca²⁰, A. Sciandra³⁰,
G. Sciolla²⁷, F. Scuri^{75a}, C. D. Sebastiani⁹⁴, K. Sedlaczek¹¹⁸, S. C. Seidel¹¹⁵, A. Seiden¹³⁹, B. D. Seidlitz⁴²,
C. Seitz⁴⁹, J. M. Seixas^{84b}, G. Sekhniaidze^{73a}, L. Selem⁶¹, N. Semprini-Cesari^{24b,24a}, D. Sengupta⁵⁷
V. Senthilkumar¹⁶⁶, L. Serin⁶⁷, M. Sessa^{77a,77b}, H. Severini¹²³, F. Sforza^{58b,58a}, A. Sfyrla⁵⁷, Q. Sha¹⁴
E. Shabalina⁵⁶, A. H. Shah³³, R. Shaheen¹⁴⁸, J. D. Shahinian¹³¹, D. Shaked Renous¹⁷², L. Y. Shan¹⁴
M. Shapiro^{18a}, A. Sharma³⁷, A. S. Sharma¹⁶⁷, P. Sharma⁸¹, P. B. Shatalov³⁸, K. Shaw¹⁵⁰, S. M. Shaw¹⁰³
Q. Shen^{63c}, D. J. Sheppard¹⁴⁶, P. Sherwood⁹⁸, L. Shi⁹⁸, X. Shi¹⁴, C. O. Shimmin¹⁷⁵, J. D. Shinner⁹⁷
I. P. J. Shipsey^{129,a}, S. Shirabe⁹⁰, M. Shiyakova^{39,ff}, M. J. Shochet⁴⁰, J. Shojaei¹⁰⁷, D. R. Shope¹²⁸
B. Shrestha¹²³, S. Shrestha^{122,gg}, M. J. Shroff¹⁶⁸, P. Sicho¹³⁴, A. M. Sickles¹⁶⁵, E. Sideras Haddad^{34g}
A. C. Sidley¹¹⁷, A. Sidoti^{24b}, F. Siegert⁵¹, Dj. Sijacki¹⁶, F. Sili⁹², J. M. Silva⁵³, I. Silva Ferreira^{84b}
M. V. Silva Oliveira³⁰, S. B. Silverstein^{48a}, S. Simion⁶⁷, R. Simoniello³⁷, E. L. Simpson¹⁰³, H. Simpson¹⁵⁰
L. R. Simpson¹⁰⁸, N. D. Simpson¹⁰⁰, S. Simsek⁸³, S. Sindhu⁵⁶, P. Sinervo¹⁵⁸, S. Singh¹⁵⁸, S. Sinha⁴⁹
S. Sinha¹⁰³, M. Sioli^{24b,24a}, I. Siral³⁷, E. Sitnikova⁴⁹, J. Sjölin^{48a,48b}, A. Skaf⁵⁶, E. Skorda²¹, P. Skubic¹²³,
M. Slawinska⁸⁸, V. Smakhtin¹⁷², B. H. Smart¹³⁷, S. Yu. Smirnov³⁸, Y. Smirnov³⁸, L. N. Smirnova^{38,j}
O. Smirnova¹⁰⁰, A. C. Smith⁴², D. R. Smith¹⁶², E. A. Smith⁴⁰, H. A. Smith¹²⁹, J. L. Smith¹⁰³, R. Smith¹⁴⁷
M. Smizanska⁹³, K. Smolek¹³⁵, A. A. Snesarev³⁸, S. R. Snider¹⁵⁸, H. L. Snoek¹¹⁷, S. Snyder³⁰, R. Sobie^{168,n}
A. Soffer¹⁵⁵, C. A. Solans Sanchez³⁷, E. Yu. Soldatov³⁸, U. Soldevila¹⁶⁶, A. A. Solodkov³⁸, S. Solomon²⁷
A. Soloshenko³⁹, K. Solovieva⁵⁵, O. V. Solovyanov⁴¹, P. Sommer³⁷, A. Sonay¹³, W. Y. Song^{159b}, A. Sopczak¹³⁵
A. L. Sopio⁹⁸, F. Sopkova^{29b}, J. D. Sorenson¹¹⁵, I. R. Sotarriba Alvarez¹⁴¹, V. Sothilingam,
O. J. Soto Sandoval^{140c,140b}, S. Sottocornola⁶⁹, R. Soualah¹⁶³, Z. Soumaimi^{36e}, D. South⁴⁹, N. Soybelman¹⁷²
S. Spagnolo^{71a,71b}, M. Spalla¹¹², D. Sperlich⁵⁵, G. Spigo³⁷, S. Spinali⁹³, B. Spisso^{73a,73b}, D. P. Spiteri⁶⁰
M. Spousta¹³⁶, E. J. Staats³⁵, R. Stamen^{64a}, A. Stampakis²¹, M. Standke²⁵, E. Stanecka⁸⁸
W. Stanek-Maslouska⁴⁹, M. V. Stange⁵¹, B. Stanislaus^{18a}, M. M. Stanitzki⁴⁹, B. Stapf⁴⁹, E. A. Starchenko³⁸
G. H. Stark¹³⁹, J. Stark⁹¹, P. Staroba¹³⁴, P. Starovoitov^{64a}, S. Stärz¹⁰⁶, R. Staszewski⁸⁸, G. Stavropoulos⁴⁷
A. Stefl³⁷, P. Steinberg³⁰, B. Stelzer^{146,159a}, H. J. Stelzer¹³², O. Stelzer-Chilton^{159a}, H. Stenzel⁵⁹
T. J. Stevenson¹⁵⁰, G. A. Stewart³⁷, J. R. Stewart¹²⁴, M. C. Stockton³⁷, G. Stoica^{28b}, M. Stolarski^{133a}
S. Stonjek¹¹², A. Straessner⁵¹, J. Strandberg¹⁴⁸, S. Strandberg^{48a,48b}, M. Stratmann¹⁷⁴, M. Strauss¹²³
T. Strebler¹⁰⁴, P. Strizenec^{29b}, R. Ströhmer¹⁶⁹, D. M. Strom¹²⁶, R. Stroynowski⁴⁵, A. Strubig^{48a,48b}, S. A. Stucci³⁰
B. Stugu¹⁷, J. Stupak¹²³, N. A. Styles⁴⁹, D. Su¹⁴⁷, S. Su^{63a}, W. Su^{63d}, X. Su^{63a}, D. Suchy^{29a}, K. Sugizaki¹⁵⁷
V. V. Sulin³⁸, M. J. Sullivan⁹⁴, D. M. S. Sultan¹²⁹, L. Sultanaliyeva³⁸, S. Sultansoy^{3b}, T. Sumida⁸⁹, S. Sun¹⁷³
O. Sunneborn Gudnadottir¹⁶⁴, N. Sur¹⁰⁴, M. R. Sutton¹⁵⁰, H. Suzuki¹⁶⁰, M. Svatos¹³⁴, M. Swiatlowski^{159a}
T. Swirski¹⁶⁹, I. Sykora^{29a}, M. Sykora¹³⁶, T. Sykora¹³⁶, D. Ta¹⁰², K. Tackmann^{49,ee}, A. Taffard¹⁶²
R. Tafirout^{159a}, J. S. Tafoya Vargas⁶⁷, Y. Takubo⁸⁵, M. Talby¹⁰⁴, A. A. Talyshев³⁸, K. C. Tam^{65b}, N. M. Tamir¹⁵⁵
A. Tanaka¹⁵⁷, J. Tanaka¹⁵⁷, R. Tanaka⁶⁷, M. Tanasini¹⁴⁹, Z. Tao¹⁶⁷, S. Tapia Araya^{140f}, S. Tapprogge¹⁰²
A. Tarek Abouelfadl Mohamed¹⁰⁹, S. Tarem¹⁵⁴, K. Tariq¹⁴, G. Tarna^{28b}, G. F. Tartarelli^{72a}, M. J. Tartarin⁹¹
P. Tas¹³⁶, M. Tasevsky¹³⁴, E. Tassi^{44b,44a}, A. C. Tate¹⁶⁵, G. Tateno¹⁵⁷, Y. Tayalati^{36e,hh}, G. N. Taylor¹⁰⁷
W. Taylor^{159b}, R. Teixeira De Lima¹⁴⁷, P. Teixeira-Dias⁹⁷, J. J. Teoh¹⁵⁸, K. Terashi¹⁵⁷, J. Terron¹⁰¹, S. Terzo¹³
M. Testa⁵⁴, R. J. Teuscher^{158,n}, A. Thaler⁸⁰, O. Theiner⁵⁷, N. Themistokleous⁵³, T. Theveneaux-Pelzer¹⁰⁴
O. Thielmann¹⁷⁴, D. W. Thomas⁹⁷, J. P. Thomas²¹, E. A. Thompson^{18a}, P. D. Thompson²¹, E. Thomson¹³¹
R. E. Thornberry⁴⁵, C. Tian^{63a}, Y. Tian⁵⁶, V. Tikhomirov^{38,j}, Yu. A. Tikhonov³⁸, S. Timoshenko³⁸
D. Timoshyn¹³⁶, E. X. L. Ting¹, P. Tipton¹⁷⁵, A. Tishelman-Charny³⁰, S. H. Tlou^{34g}, K. Todome¹⁴¹
S. Todorova-Nova¹³⁶, S. Todt⁵¹, L. Toffolin^{70a,70c}, M. Togawa⁸⁵, J. Tojo⁹⁰, S. Tokár^{29a}, K. Tokushuku⁸⁵
O. Toldaiev⁶⁹, R. Tombs³³, M. Tomoto^{85,113}, L. Tompkins^{147,ii}, K. W. Topolnicki^{87b}, E. Torrence¹²⁶, H. Torres⁹¹
E. Torró Pastor¹⁶⁶, M. Toscani³¹, C. Tosciri⁴⁰, M. Tost¹¹, D. R. Tovey¹⁴³, I. S. Trandafir^{28b}, T. Trefzger¹⁶⁹
A. Tricoli³⁰, I. M. Trigger^{159a}, S. Trincaz-Duvoud¹³⁰, D. A. Trischuk²⁷, B. Trocmé⁶¹, A. Tropina³⁹, L. Truong^{34c}
M. Trzebinski⁸⁸, A. Trzupek⁸⁸, F. Tsai¹⁴⁹, M. Tsai¹⁰⁸, A. Tsiamis^{156,y}, P. V. Tsiareshka³⁸, S. Tsigaridas^{159a}

- A. Tsirigotis^{156,z} V. Tsiskaridze¹⁵⁸ E. G. Tskhadadze^{153a} M. Tsopoulou¹⁵⁶ Y. Tsujikawa⁸⁹ I. I. Tsukerman³⁸
 V. Tsulaia^{18a} S. Tsuno⁸⁵ K. Tsuri¹²¹ D. Tsybychev¹⁴⁹ Y. Tu^{65b} A. Tudorache^{28b} V. Tudorache^{28b}
 A. N. Tuna⁶² S. Turchikhin^{58b,58a} I. Turk Cakir^{3a} R. Turra^{72a} T. Turtuvshin^{39,ji} P. M. Tuts⁴² S. Tzamarias^{156,y}
 E. Tzovara¹⁰² F. Ukegawa¹⁶⁰ P. A. Ulloa Poblete^{140c,140b} E. N. Umaka³⁰ G. Unal³⁷ A. Undrus³⁰ G. Unel¹⁶²
 J. Urban^{29b} P. Urrejola^{140a} G. Usai⁸ R. Ushioda¹⁴¹ M. Usman¹¹⁰ Z. Uysal⁸³ V. Vacek¹³⁵ B. Vachon¹⁰⁶
 T. Vafeiadis³⁷ A. Vaitkus⁹⁸ C. Valderanis¹¹¹ E. Valdes Santurio^{48a,48b} M. Valente^{159a} S. Valentinetti^{24b,24a}
 A. Valero¹⁶⁶ E. Valiente Moreno¹⁶⁶ A. Vallier⁹¹ J. A. Valls Ferrer¹⁶⁶ D. R. Van Arneman¹¹⁷
 T. R. Van Daalen¹⁴² A. Van Der Graaf⁵⁰ P. Van Gemmeren⁶ M. Van Rijnbach³⁷ S. Van Stroud⁹⁸
 I. Van Vulpen¹¹⁷ P. Vana¹³⁶ M. Vanadia^{77a,77b} W. Vandelli³⁷ E. R. Vandewall¹²⁴ D. Vannicola¹⁵⁵
 L. Vannoli⁵⁴ R. Vari^{76a} E. W. Varnes⁷ C. Varni^{18b} T. Varol¹⁵² D. Varouchas⁶⁷ L. Varriale¹⁶⁶
 K. E. Varvell¹⁵¹ M. E. Vasile^{28b} L. Vaslin⁸⁵ G. A. Vasquez¹⁶⁸ A. Vasyukov³⁹ L. M. Vaughan¹²⁴ R. Vavricka¹⁰²
 T. Vazquez Schroeder³⁷ J. Veatch³² V. Vecchio¹⁰³ M. J. Veen¹⁰⁵ I. Veliseck³⁰ L. M. Veloce¹⁵⁸
 F. Veloso^{133a,133c} S. Veneziano^{76a} A. Ventura^{71a,71b} S. Ventura Gonzalez¹³⁸ A. Verbytskyi¹¹² M. Verducci^{75a,75b}
 C. Vergis⁹⁶ M. Verissimo De Araujo^{84b} W. Verkerke¹¹⁷ J. C. Vermeulen¹¹⁷ C. Vernieri¹⁴⁷ M. Vessella¹⁰⁵
 M. C. Vetterli^{146,d} A. Vgenopoulos¹⁰² N. Viaux Maira^{140f} T. Vickey¹⁴³ O. E. Vickey Boeriu¹⁴³
 G. H. A. Viehhauser¹²⁹ L. Vigani^{64b} M. Villa^{24b,24a} M. Villaplana Perez¹⁶⁶ E. M. Villhauer⁵³ E. Vilucchi⁵⁴
 M. G. Vincter³⁵ A. Visibile¹¹⁷ C. Vittori³⁷ I. Vivarelli^{24b,24a} E. Voevodina¹¹² F. Vogel¹¹¹ J. C. Voigt⁵¹
 P. Vokac¹³⁵ Yu. Volkotrub^{87b} J. Von Ahnen⁴⁹ E. Von Toerne²⁵ B. Vormwald³⁷ V. Vorobel¹³⁶ K. Vorobeiv³⁸
 M. Vos¹⁶⁶ K. Voss¹⁴⁵ M. Vozak¹¹⁷ L. Vozdecky¹²³ N. Vranjes¹⁶ M. Vranjes Milosavljevic¹⁶
 M. Vreeswijk¹¹⁷ N. K. Vu^{63d,63c} R. Vuillermet³⁷ O. Vujinovic¹⁰² I. Vukotic⁴⁰ S. Wada¹⁶⁰ C. Wagner¹⁰⁵
 J. M. Wagner^{18a} W. Wagner¹⁷⁴ S. Wahdan¹⁷⁴ H. Wahlberg⁹² M. Wakida¹¹³ J. Walder¹³⁷ R. Walker¹¹¹
 W. Walkowiak¹⁴⁵ A. Wall¹³¹ E. J. Wallin¹⁰⁰ T. Wamorkar⁶ A. Z. Wang¹³⁹ C. Wang¹⁰² C. Wang¹¹
 H. Wang^{18a} J. Wang^{65c} P. Wang⁹⁸ R. Wang⁶² R. Wang⁶ S. M. Wang¹⁵² S. Wang^{63b} S. Wang¹⁴
 T. Wang^{63a} W. T. Wang⁸¹ W. Wang¹⁴ X. Wang^{114a} X. Wang¹⁶⁵ X. Wang^{63c} Y. Wang^{163d} Y. Wang^{114a}
 Y. Wang^{63a} Z. Wang¹⁰⁸ Z. Wang^{63d,52,63c} Z. Wang¹⁰⁸ A. Warburton¹⁰⁶ R. J. Ward²¹ N. Warrack⁶⁰
 S. Waterhouse⁹⁷ A. T. Watson²¹ H. Watson⁶⁰ M. F. Watson²¹ E. Watton^{60,137} G. Watts¹⁴² B. M. Waugh⁹⁸
 J. M. Webb⁵⁵ C. Weber³⁰ H. A. Weber¹⁹ M. S. Weber²⁰ S. M. Weber^{64a} C. Wei^{63a} Y. Wei⁵⁵
 A. R. Weidberg¹²⁹ E. J. Weik¹²⁰ J. Weingarten⁵⁰ C. Weiser⁵⁵ C. J. Wells⁴⁹ T. Wenaus³⁰ B. Wendland⁵⁰
 T. Wengler³⁷ N. S. Wenke¹¹² N. Wermes²⁵ M. Wessels^{64a} A. M. Wharton⁹³ A. S. White⁶² A. White⁸
 M. J. White¹ D. Whiteson¹⁶² L. Wickremasinghe¹²⁷ W. Wiedenmann¹⁷³ M. Wielers¹³⁷ C. Wiglesworth⁴³
 D. J. Wilbern¹²³ H. G. Wilkens³⁷ J. J. H. Wilkinson³³ D. M. Williams⁴² H. H. Williams¹³¹ S. Williams³³
 S. Willocq¹⁰⁵ B. J. Wilson¹⁰³ P. J. Windischhofer⁴⁰ F. I. Winkel³¹ F. Winklmeier¹²⁶ B. T. Winter⁵⁵
 J. K. Winter¹⁰³ M. Wittgen¹⁴⁷ M. Wobisch⁹⁹ T. Wojtkowski⁶¹ Z. Wolffs¹¹⁷ J. Wollrath¹⁶² M. W. Wolter⁸⁸
 H. Wolters^{133a,133c} M. C. Wong¹³⁹ E. L. Woodward⁴² S. D. Worm⁸⁸ B. K. Wosiek⁸⁸ K. W. Woźniak⁸⁸
 S. Wozniewski⁵⁶ K. Wraith⁶⁰ C. Wu²¹ M. Wu^{114b} M. Wu¹¹⁶ S. L. Wu¹⁷³ X. Wu⁵⁷ Y. Wu^{63a} Z. Wu⁴
 J. Wuerzinger^{112,u} T. R. Wyatt¹⁰³ B. M. Wynne⁵³ S. Xella⁴³ L. Xia^{114a} M. Xia¹⁵ M. Xie^{63a} S. Xin^{14,114c}
 A. Xiong¹²⁶ J. Xiong^{18a} D. Xu¹⁴ H. Xu^{63a} L. Xu^{63a} R. Xu¹³¹ T. Xu¹⁰⁸ Y. Xu¹⁵ Z. Xu⁵³ Z. Xu^{114a}
 B. Yabsley¹⁵¹ S. Yacoob^{34a} Y. Yamaguchi¹⁴¹ E. Yamashita¹⁵⁷ H. Yamauchi¹⁶⁰ T. Yamazaki^{18a}
 Y. Yamazaki⁸⁶ J. Yan^{63c} S. Yan⁶⁰ Z. Yan¹⁰⁵ H. J. Yang^{63c,63d} H. T. Yang^{63a} S. Yang^{63a} T. Yang^{65c}
 X. Yang³⁷ X. Yang¹⁴ Y. Yang⁴⁵ Y. Yang^{63a} Z. Yang^{63a} W-M. Yao^{18a} H. Ye^{114a} H. Ye⁵⁶ J. Ye¹⁴ S. Ye³⁰
 X. Ye^{63a} Y. Yeh⁹⁸ I. Yeletskikh³⁹ B. Yeo^{18b} M. R. Yexley⁹⁸ T. P. Yildirim¹²⁹ P. Yin⁴² K. Yorita¹⁷¹
 S. Younas^{28b} C. J. S. Young³⁷ C. Young¹⁴⁷ C. Yu^{14,114c} Y. Yu^{63a} J. Yuan^{14,114c} M. Yuan¹⁰⁸ R. Yuan^{63d,63c}
 L. Yue⁹⁸ M. Zaazoua^{63a} B. Zabinski⁸⁸ E. Zaid⁵³ Z. K. Zak⁸⁸ T. Zakareishvili¹⁶⁶ S. Zambito⁵⁷
 J. A. Zamora Saa^{140d,140b} J. Zang¹⁵⁷ D. Zanzi⁵⁵ O. Zaplatilek¹³⁵ C. Zeitnitz¹⁷⁴ H. Zeng¹⁴ J. C. Zeng¹⁶⁵
 D. T. Zenger Jr.²⁷ O. Zenin³⁸ T. Ženiš^{29a} S. Zenz⁹⁶ S. Zerradi^{36a} D. Zerwas⁶⁷ M. Zhai^{14,114c} D. F. Zhang¹⁴³
 J. Zhang^{63b} J. Zhang⁶ K. Zhang^{14,114c} L. Zhang^{63a} L. Zhang^{114a} P. Zhang^{14,114c} R. Zhang¹⁷³ S. Zhang¹⁰⁸
 S. Zhang⁹¹ T. Zhang¹⁵⁷ X. Zhang^{63c} X. Zhang^{63b} Y. Zhang^{63c} Y. Zhang⁹⁸ Y. Zhang^{114a} Z. Zhang^{18a}
 Z. Zhang^{63b} Z. Zhang⁶⁷ H. Zhao¹⁴² T. Zhao^{63b} Y. Zhao¹³⁹ Z. Zhao^{63a} Z. Zhao^{63a} A. Zhemchugov³⁹
 J. Zheng^{114a} K. Zheng¹⁶⁵ X. Zheng^{63a} Z. Zheng¹⁴⁷ D. Zhong¹⁶⁵ B. Zhou¹⁰⁸ H. Zhou¹⁰⁸ N. Zhou^{63c}

Y. Zhou¹⁵, Y. Zhou¹⁶,^{114a} Y. Zhou,⁷ C. G. Zhu¹⁷,^{63b} J. Zhu¹⁸,¹⁰⁸ X. Zhu,^{63d} Y. Zhu¹⁹,^{63c} Y. Zhu²⁰,^{63a} X. Zhuang²¹,¹⁴ K. Zhukov²²,³⁸ N. I. Zimine²³,³⁹ J. Zinsser²⁴,^{64b} M. Ziolkowski²⁵,¹⁴⁵ L. Živković²⁶,¹⁶ A. Zoccoli²⁷,^{24b,24a} K. Zoch²⁸,⁶² T. G. Zorbas²⁹,¹⁴³ O. Zormpa³⁰,⁴⁷ W. Zou³¹,⁴² and L. Zwalski³²,³⁷

(ATLAS Collaboration)

¹Department of Physics, University of Adelaide, Adelaide, Australia

²Department of Physics, University of Alberta, Edmonton, Alberta, Canada

^{3a}Department of Physics, Ankara University, Ankara, Türkiye

^{3b}Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris, France

⁶High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA

⁷Department of Physics, University of Arizona, Tucson, Arizona, USA

⁸Department of Physics, University of Texas at Arlington, Arlington, Texas, USA

⁹Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰Physics Department, National Technical University of Athens, Zografou, Greece

¹¹Department of Physics, University of Texas at Austin, Austin, Texas, USA

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China

¹⁵Physics Department, Tsinghua University, Beijing, China

¹⁶Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁷Department for Physics and Technology, University of Bergen, Bergen, Norway

^{18a}Physics Division, Lawrence Berkeley National Laboratory, Berkeley, California, USA

^{18b}University of California, Berkeley, California, USA

¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany

²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

²¹School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

^{22a}Department of Physics, Bogazici University, Istanbul, Türkiye

^{22b}Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye

^{22c}Department of Physics, Istanbul University, Istanbul, Türkiye

^{23a}Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá, Colombia

^{23b}Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia

^{24a}Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy

^{24b}INFN Sezione di Bologna, Italy

²⁵Physikalisch Institut, Universität Bonn, Bonn, Germany

²⁶Department of Physics, Boston University, Boston, Massachusetts, USA

²⁷Department of Physics, Brandeis University, Waltham, Massachusetts, USA

^{28a}Transilvania University of Brasov, Brasov, Romania

^{28b}Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania

^{28c}Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania

^{28d}National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca, Romania

^{28e}National University of Science and Technology Politehnica, Bucharest, Romania

^{28f}West University in Timisoara, Timisoara, Romania

^{28g}Faculty of Physics, University of Bucharest, Bucharest, Romania

^{29a}Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic

^{29b}Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

³⁰Physics Department, Brookhaven National Laboratory, Upton, New York, USA

³¹Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina

³²California State University, California, USA

³³Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

^{34a}Department of Physics, University of Cape Town, Cape Town, South Africa

^{34b}iThemba Labs, Western Cape, South Africa

- ^{34c}Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa
^{34d}National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
^{34e}University of South Africa, Department of Physics, Pretoria, South Africa
^{34f}University of Zululand, KwaDlangezwa, South Africa
^{34g}School of Physics, University of the Witwatersrand, Johannesburg, South Africa
³⁵Department of Physics, Carleton University, Ottawa, Ontario, Canada
^{36a}Faculté des Sciences Ain Chock, Université Hassan II de Casablanca, Morocco
^{36b}Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco
^{36c}Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco
^{36d}LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco
^{36e}Faculté des sciences, Université Mohammed V, Rabat, Morocco
^{36f}Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
³⁷CERN, Geneva, Switzerland
- ³⁸Affiliated with an institute covered by a cooperation agreement with CERN
³⁹Affiliated with an international laboratory covered by a cooperation agreement with CERN
⁴⁰Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA
⁴¹LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
⁴²Nevis Laboratory, Columbia University, Irvington, New York, USA
⁴³Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
^{44a}Dipartimento di Fisica, Università della Calabria, Rende, Italy
^{44b}INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
⁴⁵Physics Department, Southern Methodist University, Dallas, Texas, USA
⁴⁶Physics Department, University of Texas at Dallas, Richardson, Texas, USA
⁴⁷National Centre for Scientific Research “Demokritos”, Agia Paraskevi, Greece
^{48a}Department of Physics, Stockholm University, Sweden
^{48b}Oskar Klein Centre, Stockholm, Sweden
⁴⁹Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany
⁵⁰Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany
⁵¹Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
⁵²Department of Physics, Duke University, Durham, North Carolina, USA
⁵³SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁵⁴INFN e Laboratori Nazionali di Frascati, Frascati, Italy
⁵⁵Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany
⁵⁶II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany
⁵⁷Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland
^{58a}Dipartimento di Fisica, Università di Genova, Genova, Italy
^{58b}INFN Sezione di Genova, Italy
⁵⁹II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁶⁰SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁶¹LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
⁶²Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA
^{63a}Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China
^{63b}Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao, China
^{63c}State Key Laboratory of Dark Matter Physics, School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai, China
^{63d}State Key Laboratory of Dark Matter Physics, Tsung-Dao Lee Institute, Shanghai Jiao Tong University, Shanghai, China
^{63e}School of Physics, Zhengzhou University, China
^{64a}Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
^{64b}Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
^{65a}Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China
^{65b}Department of Physics, University of Hong Kong, Hong Kong, China
^{65c}Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶⁶Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
⁶⁷IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France
⁶⁸Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain
⁶⁹Department of Physics, Indiana University, Bloomington, Indiana, USA
^{70a}INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy

- ^{70b}*ICTP, Trieste, Italy*
^{70c}*Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy*
^{71a}*INFN Sezione di Lecce, Italy*
^{71b}*Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy*
^{72a}*INFN Sezione di Milano, Italy*
^{72b}*Dipartimento di Fisica, Università di Milano, Milano, Italy*
^{73a}*INFN Sezione di Napoli, Italy*
^{73b}*Dipartimento di Fisica, Università di Napoli, Napoli, Italy*
^{74a}*INFN Sezione di Pavia, Italy*
^{74b}*Dipartimento di Fisica, Università di Pavia, Pavia, Italy*
^{75a}*INFN Sezione di Pisa, Italy*
^{75b}*Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*
^{76a}*INFN Sezione di Roma, Italy*
^{76b}*Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy*
^{77a}*INFN Sezione di Roma Tor Vergata, Italy*
^{77b}*Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*
^{78a}*INFN Sezione di Roma Tre, Italy*
^{78b}*Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*
^{79a}*INFN-TIFPA, Italy*
^{79b}*Università degli Studi di Trento, Trento, Italy*
⁸⁰*Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria*
⁸¹*University of Iowa, Iowa City, Iowa, USA*
⁸²*Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA*
⁸³*Istinye University, Sarıyer, İstanbul, Türkiye*
^{84a}*Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil*
^{84b}*Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*
^{84c}*Instituto de Física, Universidade de São Paulo, São Paulo, Brazil*
^{84d}*Rio de Janeiro State University, Rio de Janeiro, Brazil*
^{84e}*Federal University of Bahia, Bahia, Brazil*
⁸⁵*KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*
⁸⁶*Graduate School of Science, Kobe University, Kobe, Japan*
^{87a}*AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*
^{87b}*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*
⁸⁸*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
⁸⁹*Faculty of Science, Kyoto University, Kyoto, Japan*
⁹⁰*Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*
⁹¹*L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France*
⁹²*Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*
⁹³*Physics Department, Lancaster University, Lancaster, United Kingdom*
⁹⁴*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
⁹⁵*Department of Experimental Particle Physics, Józef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*
⁹⁶*School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*
⁹⁷*Department of Physics, Royal Holloway University of London, Egham, United Kingdom*
⁹⁸*Department of Physics and Astronomy, University College London, London, United Kingdom*
⁹⁹*Louisiana Tech University, Ruston, Los Angeles, USA*
¹⁰⁰*Fysiska institutionen, Lunds universitet, Lund, Sweden*
¹⁰¹*Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*
¹⁰²*Institut für Physik, Universität Mainz, Mainz, Germany*
¹⁰³*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
¹⁰⁴*CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*
¹⁰⁵*Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA*
¹⁰⁶*Department of Physics, McGill University, Montreal, Quebec, Canada*
¹⁰⁷*School of Physics, University of Melbourne, Victoria, Australia*
¹⁰⁸*Department of Physics, University of Michigan, Ann Arbor, Michigan, USA*
¹⁰⁹*Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA*
¹¹⁰*Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada*
¹¹¹*Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
¹¹²*Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
¹¹³*Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*

- ^{114a}*Department of Physics, Nanjing University, Nanjing, China*
^{114b}*School of Science, Shenzhen Campus of Sun Yat-sen University, China*
^{114c}*University of Chinese Academy of Science (UCAS), Beijing, China*
- ¹¹⁵*Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA*
¹¹⁶*Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands*
¹¹⁷*Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*
- ¹¹⁸*Department of Physics, Northern Illinois University, DeKalb, Illinois, USA*
^{119a}*New York University Abu Dhabi, Abu Dhabi, United Arab Emirates*
^{119b}*United Arab Emirates University, Al Ain, United Arab Emirates*
- ¹²⁰*Department of Physics, New York University, New York, New York, USA*
¹²¹*Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*
¹²²*Ohio State University, Columbus, Ohio, USA*
- ¹²³*Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA*
¹²⁴*Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA*
¹²⁵*Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*
- ¹²⁶*Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA*
¹²⁷*Graduate School of Science, Osaka University, Osaka, Japan*
¹²⁸*Department of Physics, University of Oslo, Oslo, Norway*
- ¹²⁹*Department of Physics, Oxford University, Oxford, United Kingdom*
¹³⁰*LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*
- ¹³¹*Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA*
¹³²*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA*
^{133a}*Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal*
^{133b}*Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal*
^{133c}*Departamento de Física, Universidade de Coimbra, Coimbra, Portugal*
^{133d}*Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal*
- ^{133e}*Departamento de Física, Escola de Ciências, Universidade do Minho, Braga, Portugal*
^{133f}*Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain*
^{133g}*Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*
- ¹³⁴*Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*
¹³⁵*Czech Technical University in Prague, Prague, Czech Republic*
- ¹³⁶*Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
¹³⁷*Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
¹³⁸*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ¹³⁹*Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA*
^{140a}*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
^{140b}*Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile*
- ^{140c}*Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile*
^{140d}*Universidad Andres Bello, Department of Physics, Santiago, Chile*
^{140e}*Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile*
- ^{140f}*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
¹⁴¹*Department of Physics, Institute of Science, Tokyo, Japan*
- ¹⁴²*Department of Physics, University of Washington, Seattle, Washington, USA*
¹⁴³*Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
¹⁴⁴*Department of Physics, Shinshu University, Nagano, Japan*
¹⁴⁵*Department Physik, Universität Siegen, Siegen, Germany*
- ¹⁴⁶*Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada*
¹⁴⁷*SLAC National Accelerator Laboratory, Stanford, California, USA*
- ¹⁴⁸*Department of Physics, Royal Institute of Technology, Stockholm, Sweden*
¹⁴⁹*Departments of Physics and Astronomy, Stony Brook University, Stony Brook, New York, USA*
¹⁵⁰*Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
- ¹⁵¹*School of Physics, University of Sydney, Sydney, Australia*
¹⁵²*Institute of Physics, Academia Sinica, Taipei, Taiwan*
- ^{153a}*E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia*
^{153b}*High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*
^{153c}*University of Georgia, Tbilisi, Georgia*
- ¹⁵⁴*Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*
¹⁵⁵*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
¹⁵⁶*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- ¹⁵⁷*International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*

¹⁵⁸*Department of Physics, University of Toronto, Toronto, Ontario, Canada*^{159a}*TRIUMF, Vancouver, British Columbia, Canada*^{159b}*Department of Physics and Astronomy, York University, Toronto, Ontario, Canada*¹⁶⁰*Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*¹⁶¹*Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA*¹⁶²*Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA*¹⁶³*University of Sharjah, Sharjah, United Arab Emirates*¹⁶⁴*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*¹⁶⁵*Department of Physics, University of Illinois, Urbana, Illinois, USA*¹⁶⁶*Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*¹⁶⁷*Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada*¹⁶⁸*Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada*¹⁶⁹*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*¹⁷⁰*Department of Physics, University of Warwick, Coventry, United Kingdom*¹⁷¹*Waseda University, Tokyo, Japan*¹⁷²*Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*¹⁷³*Department of Physics, University of Wisconsin, Madison, Wisconsin, USA*¹⁷⁴*Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*¹⁷⁵*Department of Physics, Yale University, New Haven, Connecticut, USA*^aDeceased.^bAlso at Department of Physics, King's College London, London, United Kingdom.^cAlso at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^dAlso at TRIUMF, Vancouver, British Columbia, Canada.^eAlso at Department of Physics, University of Thessaly, Greece.^fAlso at An-Najah National University, Nablus, Palestine.^gAlso at Department of Physics, University of Fribourg, Fribourg, Switzerland.^hAlso at Department of Physics, Westmont College, Santa Barbara, USA.ⁱAlso at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona, Spain.^jAlso at Affiliated with an institute covered by a cooperation agreement with CERN.^kAlso at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.^lAlso at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia, Bulgaria.^mAlso at Università di Napoli Parthenope, Napoli, Italy.ⁿAlso at Institute of Particle Physics (IPP), Canada.^oAlso at University of Colorado Boulder, Department of Physics, Colorado, USA.^pAlso at Borough of Manhattan Community College, City University of New York, New York, New York, USA.^qAlso at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.^rAlso at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.^sAlso at Centro Studi e Ricerche Enrico Fermi, Italy.^tAlso at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.^uAlso at Technical University of Munich, Munich, Germany.^vAlso at Yeditepe University, Physics Department, Istanbul, Türkiye.^wAlso at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.^xAlso at CERN, Geneva, Switzerland.^yAlso at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.^zAlso at Hellenic Open University, Patras, Greece.^{aa}Also at Center for High Energy Physics, Peking University, China.^{bb}Also at Department of Physics, Stellenbosch University, South Africa.^{cc}Also at Department of Physics, California State University, Sacramento, USA.^{dd}Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.^{ee}Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.^{ff}Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.^{gg}Also at Washington College, Chestertown, Maryland, USA.^{hh}Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.ⁱⁱAlso at Department of Physics, Stanford University, Stanford, California, USA.^{jj}Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.